

Toward completely positive realizations of an exotic Weyl endomorphism (without dual F -translations)

Daniel Eric Fredriksen
Quanyra Inc.

<https://github.com/Quanyra/jacobian-weyl-quantum-phase-space>

July 21, 2026

Abstract

Let ψ be the polynomial Weyl-algebra endomorphism induced by the Alpöge–Fable Keller seed (restated) via $Q = F(q)$ and $P = J^{-T}p$. We freeze the algebraic domain of ψ and open a program to decide whether ψ admits a unital completely positive extension to a C^* completion (or a Hilbert C^* -module correspondence), explicitly *without* implementing dual F -translations on $L^2(\mathbb{R}^3)$. No channel capacity, gate, or computational advantage is claimed. Companion to the A001 deficiency note and Program B classification.

MSC: 46L07, 81S05, 47L90.

Status: draft (Program C / bet C1). Software track: EXOTIC-CCR C001.

1 Non-goals (binding)

- No dual F -translation unitary package on $L^2(\mathbb{R}^3)$ [1].
- No reversible-gate reading of a proper endomorphism.
- No advantage / capacity claims.

2 Domain (C1a)

Definition 1. Let $\mathcal{W}$ be the polynomial Weyl algebra over $\mathbb{C}$ on generators q_i, p_j with $[q_i, p_j] = \delta_{ij}$. With $B = J^{-T}$,

$$\psi(q_i) = F_i(q), \quad \psi(p_j) = \sum_k B_{jk}(q) p_k$$

(coefficients left of momenta) extends to a unital endomorphism $\psi : \mathcal{W} \rightarrow \mathcal{W}$.

Remark 1. ψ is not an automorphism (classical non-injectivity of F).

3 Program

1. **C1b.** Algebraic *-SOS positivity.
2. **C1c.** C^* completion axioms: construct or obstruct.
3. **T4.** Does *not* implement dual F -translations on $L^2(\mathbb{R}^3)$.

4 Status

C1b (algebraic) — PASS. With involution $q_i^* = q_i$, $p_j^* = p_j$ and real F, B , ψ is a unital *-endomorphism of $\mathcal{W}$, hence preserves hermitian-square cones at all matrix levels. CAS: `cas_psi_positivity_C1b_A001.json`.

C1c — NO-GO under two axiom packs; general CP OPEN.

Theorem 1 (Non-properness). *The seed $F : \mathbb{R}^3 \rightarrow \mathbb{R}^3$ is not proper: along the explicit incomplete X_1 -orbit $\gamma(t)$ one has $F(\gamma(t)) = (0, t, 2)$ bounded while $\|\gamma(t)\| \rightarrow \infty$ as $t \rightarrow \frac{1}{2}^-$ (CAS: `cas_F_not_proper_C1c_A001.json`).*

Theorem 2 (C_0 *-extension blocked). *There is no unital *-endomorphism of $C_0(\mathbb{R}^3)$ extending $f \mapsto f \circ F$ on polynomials. Indeed non-proper F makes composition fail to preserve vanishing at infinity.*

Theorem 3 (Bogoliubov / quasifree blocked). *No Bogoliubov endomorphism of the CCR C^* -algebra restricts to ψ on $\mathcal{W}$: Bogoliubov maps act linearly on one-particle fields, while $\psi(q_i) = F_i(q)$ is nonlinear of degree 3.*

General unital CP. Existence of some unital CP extension of ψ to a C^* completion *without* the C_0 -endomorphism or Bogoliubov requirements remains **OPEN** (not constructed). Correspondence/Stinespring data for that open case are deferred; any future claim requires adversarial review.

5 Non-claims

No channel on $B(H)$ constructed. No gates/advantage. No dual F -translations on $L^2(\mathbb{R}^3)$. No claim that every CP extension in every axiomatics is impossible.

References

- [1] D. E. Fredriksen, Poisson and Weyl lifts..., companion v0.3.6-submit, <https://github.com/Quanyra/jacobian-weyl-quantum-phase-space>.