

Dual-lift realizability for Keller-type maps: structural incompleteness, schema, and examples

Daniel Eric Fredriksen
Quantlyra Inc.

<https://github.com/Quantlyra/jacobian-weyl-quantum-phase-space>

21 July 2026

Abstract

We isolate a structural lemma for dual vector fields of local diffeomorphisms $F : \mathbb{R}^n \rightarrow \mathbb{R}^n$: if global dual fields X_j with $DF \cdot X_j = e_j$ are all complete, then F is surjective. Hence any non-surjective dual system has at least one incomplete dual field. We propose a classification schema (B-incomplete / B-ESS / B-Def / B-CCR / B-CP), populate it on four atlas rows (identity baseline; exponential half-plane; A001 Keller seed; A002 family pilot), and record how A001 is a maximal analytic failure mode for one dual generator. No gates, channels, or computational advantage are claimed. Companion to the A001 deficiency note [1] and the C001 completion obstructions [2].

MSC: 37C10, 47B25, 53D17, 14R15.

Version: B001 draft v0.1.

Software: EXOTIC-CCR atlas `program_b` columns.

1 Introduction

Cotangent lifts $\Phi(q, p) = (F(q), J^{-T}p)$ and dual fields X_j are standard when $\det DF$ is nowhere zero. After the A001 analysis of one dual transport operator [1], one asks which maps admit essentially self-adjoint dual momenta or standard C^* packages. This note supplies a structural lemma, a schema, and worked examples. It does not repair dual-flow dynamics on L^2 .

2 Structural lemma

Lemma 1 (Complete dual fields imply surjectivity). *Let $F : \mathbb{R}^n \rightarrow \mathbb{R}^n$ be C^∞ and a local diffeomorphism. Suppose $X_1, \dots, X_n$ are C^∞ dual fields, $DF \cdot X_j = e_j$. If every X_j is complete, then $F(\mathbb{R}^n) = \mathbb{R}^n$.*

Proof. Along the global flow $\phi_t^{(j)}$ of X_j , $F(\phi_t^{(j)}(q)) = F(q) + te_j$. Iterating shows $F(\mathbb{R}^n) + \mathbb{R}^n \subset F(\mathbb{R}^n)$. Local diffeomorphism makes the image open; translation invariance forces surjectivity. $\square$

Corollary 1. *If dual fields exist and $F(\mathbb{R}^n) \neq \mathbb{R}^n$, then some X_j is incomplete.*

3 Classification schema

Label	Meaning
B-incomplete	some/all X_j incomplete
B-ESS	some/all $H_j = -iX_j$ essentially self-adjoint
B-Def	deficiency index pattern
B-CCR	dual-translation / Bogoliubov-type package
B-CP	unital CP / C^* package for Weyl lift

Values: `open` / `fail` / `pass` with evidence pointers. Non-surjective dual systems are **fail** at B-incomplete by Lemma 1.

4 Examples

Example 1 (A000 — identity baseline). $F = \text{id}$ on $\mathbb{R}^3$. Dual fields ∂_{q_j} complete. B-incomplete *pass*. Schema sanity check.

Example 2 (A003 — exponential half-plane, non-A001). On $\mathbb{R}^2$, $F(x, y) = (x, e^y)$, padded by an idle coordinate in the atlas. Then $\det DF = e^y \neq 0$, image $\mathbb{R} \times (0, \infty)$, dual fields $X_0 = \partial_x$, $X_1 = e^{-y}\partial_y$. The field X_1 is incomplete backward ($e^y = e^{y_0} + t$ hits a wall in finite time). Thus B-incomplete **fail**, matching Lemma 1. This is smooth and not a Jacobian-counterexample seed.

Example 3 (A001 — Keller seed). *Alpöge–Fable seed restated in [1]: all three dual fields incomplete; $H = -iX_1$ has deficiency indices (∞, ∞) . B-incomplete and B-ESS **fail** for that generator; B-CP fails for $C0^*$ and Bogoliubov packs in the companion C001 note [2].*

Example 4 (A002 — family d4 pilot). Algebraic det/collision pilot certified; real non-surjectivity and dual-field completeness not yet curve-certified. B-columns remain **open** (conditional on geometry).

Example 5 (A004 — linear shear automorphism). $F(x, y, z) = (x, y + x, z)$, $\det DF = 1$. Dual fields constant and complete. B-incomplete / B-CCR **pass** at the linear level — positive baseline contrasting A001/A003.

5 Discussion

Lemma 1 is the coarse filter. A001 shows a Keller seed can saturate analytic failure beyond mere incompleteness of one field. A003 shows the incompleteness half of the lemma on a elementary smooth example. Completion-level CP questions for Weyl lifts are separated into [2].

6 Non-claims

No gates, channels, advantage. No claim every Keller map fails ESS. No dual-flow repair. A003 is not a Jacobian counterexample.

References

- [1] D. E. Fredriksen, Poisson and Weyl lifts of the Alpöge–Fable Keller map..., v0.3.6-submit, <https://github.com/Quantlyra/jacobian-weyl-quantum-phase-space>.

- [2] D. E. Fredriksen, Toward CP realizations of an exotic Weyl endomorphism... , C001 obstruction freeze, <https://github.com/Quanyra/jacobian-weyl-quantum-phase-space>.