

Dual-lift realizability for Keller-type maps: a structural incompleteness lemma and classification schema

Daniel Eric Fredriksen
Quanyra Inc.

<https://github.com/Quanyra/jacobian-weyl-quantum-phase-space>

July 21, 2026

Abstract

We isolate a structural lemma for dual vector fields of local diffeomorphisms $F : \mathbb{R}^n \rightarrow \mathbb{R}^n$: if global dual fields X_j with $DF \cdot X_j = e_j$ are all complete, then F is surjective. Hence any non-surjective dual system has at least one incomplete dual field. We propose a coarse classification schema (B-ESS / B-Def / B-CCR / B-CP) for Poisson/Weyl lifts of Keller-type maps and record the A001 seed as a maximal analytic failure mode for one generator. No gates, channels, or computational advantage are claimed. Companion to the A001 deficiency note for $H = -iX_1$.

MSC: 37C10, 47B25, 53D17, 14R15.

Status: draft (Program B). Software track: EXOTIC-CCR B001.

1 Introduction

Cotangent lifts $\Phi(q, p) = (F(q), J^{-T}p)$ and dual fields X_j are standard when $\det DF$ is a nonzero constant. After the A001 analysis of one dual transport operator [?], a natural question is which maps admit essentially self-adjoint dual momenta or strong CCR packages. This note begins a classification program with a sharp structural lemma and a schema; it does not repair dual-flow dynamics on L^2 .

2 Structural lemma

Lemma 1 (Complete dual fields imply surjectivity). *Let $F : \mathbb{R}^n \rightarrow \mathbb{R}^n$ be C^∞ and a local diffeomorphism. Suppose $X_1, \dots, X_n$ are C^∞ dual fields, $DF \cdot X_j = e_j$. If every X_j is complete, then $F(\mathbb{R}^n) = \mathbb{R}^n$.*

Proof. Along the global flow $\phi_t^{(j)}$ of X_j , $F(\phi_t^{(j)}(q)) = F(q) + te_j$. Iterating shows $F(\mathbb{R}^n) + \mathbb{R}^n \subset F(\mathbb{R}^n)$. Local diffeomorphism makes the image open; translation invariance forces surjectivity. $\square$

Corollary 1. *If dual fields exist and $F(\mathbb{R}^n) \neq \mathbb{R}^n$, then some X_j is incomplete.*

3 Classification schema (draft)

Label	Meaning
B-ESS	some/all $H_j = -iX_j$ essentially self-adjoint
B-Def	deficiency index pattern
B-CCR	dual-translation / strong CCR package possible
B-CP	unital CP extension of Weyl lift (Program C)

Values: **open** / **fail** / **pass** with evidence pointers. Non-surjective dual systems are **fail** at the incompleteness layer by the lemma.

4 A001 pointer

For the Alpöge–Fable seed (restated in [?]), all three dual fields are incomplete and $H = -iX_1$ has deficiency indices (∞, ∞) . That is a stronger, seed-specific package beyond the structural corollary.

5 Non-claims

No gates, channels, advantage. No claim every Keller map fails ESS. No dual-flow repair. No preferred extension.

References

- [1] D. E. Fredriksen, Poisson and Weyl lifts of the Alpöge–Fable Keller map..., companion note v0.3.6-submit, <https://github.com/Quanyra/jacobian-weyl-quantum-phase-space>.