


Design System

Colors

			
HEX #151619	HEX #1D1F22	HEX #2B2D31	HEX #35393F
RGB 21, 22, 25	RGB 29, 31, 34	RGB 43, 45, 49	RGB 53, 57, 63
HSL 225°, 9%, 9%	HSL 216°, 8%, 12%	HSL 220°, 7%, 18%	HSL 216°, 9%, 23%
			
HEX #5A6069	HEX #7C8187	HEX #C1C4CB	HEX #E4E4E4
RGB 90, 96, 105	RGB 124, 129, 135	RGB 193, 196, 203	RGB 228, 228, 228
HSL 216°, 8%, 38%	HSL 213°, 4%, 51%	HSL 222°, 9%, 78%	HSL 0°, 0%, 89%
			
HEX #F5F5F5	HEX #FFFFFF	HEX #E46643	HEX #F39765
RGB 245, 245, 245	RGB 255, 255, 255	RGB 228, 102, 67	RGB 243, 151, 101
HSL 0°, 0%, 96%	HSL 0°, 0%, 100%	HSL 13°, 75%, 58%	HSL 21°, 86%, 67%

Typography

Roboto Regular - 15px
In App Heading (M)

Roboto Slab Bold - 32px

Roboto Slab Regular - 14px - 24px Line Spacing

Preview H1

Preview Paragraph - Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus hendrerit. Pellentesque aliquet nibh nec urna. In nisi neque, aliquet vel, dapibus id, mattis vel, nisi.

Roboto Regular - 14px - 2px Char Spacing
In App Heading (S)

Roboto Slab Light - 28px

Roboto Slab Bold - 14px - 24px Line Spacing

Roboto Light - 13px
In App Body (S)

Preview H2

Preview Paragraph Bold - **Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus hendrerit. Pellentesque aliquet nibh nec urna. In nisi neque, aliquet vel, dapibus id, mattis vel, nisi.**

Roboto Slab Bold - 24px

Preview H3

Robo Mono Regular - 14px - 24px Line Spacing

Roboto Slab Bold - 20px

Preview H4

Markdown - Preview Paragraph Bold - **Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus hendrerit. Pellentesque aliquet nibh nec urna. In nisi neque, aliquet vel, dapibus id, mattis vel, nisi.**

Roboto Slab Bold - 16px

Preview H5

Robo Mono Regular - 14px - 24px Line Spacing

Roboto Slab Bold - 14px

Preview H6

Markdown - Preview Paragraph Bold - **Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus hendrerit. Pellentesque aliquet nibh nec urna. In nisi neque, aliquet vel, dapibus id, mattis vel, nisi.**


Interactive Components




Button - Idle



Button Iconless - Idle



Toggle - Light




File Rename - Idle




Button - Hover



Button Iconless - Hover



Toggle - Dark



File Rename - Hover



MARKDOWN

```
# Welcome to Markdown
```

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

```
## How to use this?
```

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

```
### Features
```

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>).

```
#### Headings
```

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

```
##### Lists
```

You can see examples of ordered and unordered lists above.

```
##### Code Blocks
```

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

```
```
<main>
 <h1>This is a larger code block</h1>
</main>
```

```

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code block</h1>
</main>
```



+ New Document

01 April 2022
untitled-document.md01 April 2022
welcome.md

MARKDOWN

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](https://www.markdownguide.org/cheat-sheet/)(<https://www.markdownguide.org/cheat-sheet/>).

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, etc
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for both inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:





Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.


Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code block</h1>
</main>
```



MARKDOWN

```
# Welcome to Markdown
```

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

```
## How to use this?
```

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

```
### Features
```

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>).

```
#### Headings
```

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

```
##### Lists
```

You can see examples of ordered and unordered lists above.

```
##### Code Blocks
```

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

```
```
<main>
 <h1>This is a larger code block</h1>
</main>
```

```

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Delete this document?

Are you sure you want to delete the 'welcome.md' document and its contents? This action cannot be reversed.

Confirm & Delete

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code block</h1>
</main>
```



MARKDOWN

```
# Welcome to Markdown
```

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

```
## How to use this?
```

1. Write markdown in the markdown editor window

2. See the rendered markdown in the preview window

```
### Features
```

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists

- Name and save the document to access again later

- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>).

```
#### Headings
```

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

```
##### Lists
```

You can see examples of ordered and unordered lists above.

```
##### Code Blocks
```

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

```
...
<main>
  <h1>This is a larger code block</h1>
</main>
...
```

PREVIEW



Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window

2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for both inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code
  block</h1>
</main>
```

[+ New Document](#)

01 April 2022
untitled-document.md

01 April 2022
welcome.md



MARKDOWN

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>).

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

...

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>).

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

<main>



PREVIEW



Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code block</h1>
</main>
```



MARKDOWN

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window

2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, blockquotes, inline-code and lists

- Name and save the document again later

- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>).

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading

PREVIEW



Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor

and markdown in the preview

Delete this document?

Are you sure you want to delete the 'welcome.md' document and its contents? This action cannot be reversed.

Confirm & Delete

lists

- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this



MARKDOWN



Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window

2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists

- Name and save the document to access again later

- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>) .

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>` . It also allows for larger code blocks like this:

```

```
<main>
```

```
 <h1>This is a larger code block</h1>
```

```
</main>
```

```



PREVIEW



Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code
  block</h1>
</main>
```

MARKDOWN

MY DOCUMENTS

+ New Document

 01 April 2022
untitled-document.md

 01 April 2022
welcome.md

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language you can use to add plain text documents.

How to use it

1. Write markdown in the window
2. See the rendered output in the window

Features

- Create headings, blockquotes, lists
- Name and save files again later





MARKDOWN



Welcome to Markdown

Markdown is a lightweight markup language that you can use to add ~~formatting elements to plaintext text~~

Delete this document?

Are you sure you want to delete the 'welcome.md' document and its contents?
This action cannot be reversed.

Confirm & Delete

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference



MARKDOWN

```
# Welcome to Markdown
```

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

```
## How to use this?
```

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

```
### Features
```

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>).

```
#### Headings
```

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

```
##### Lists
```

You can see examples of ordered and unordered lists above.

```
##### Code Blocks
```

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

```
```
<main>
 <h1>This is a larger code block</h1>
</main>
```

```

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code block</h1>
</main>
```



+ New Document

MARKDOWN

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](https://www.markdownguide.org/cheat-sheet/)(<https://www.markdownguide.org/cheat-sheet/>).

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:



PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings


To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:



Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.


Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code block</h1>
</main>
```



MARKDOWN

```
# Welcome to Markdown
```

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

```
## How to use this?
```

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

```
### Features
```

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>).

```
#### Headings
```

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

```
##### Lists
```

You can see examples of ordered and unordered lists above.

```
##### Code Blocks
```

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

```
```
<main>
 <h1>This is a larger code block</h1>
</main>
```

```

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about **markdown syntax**, you can visit this [markdown cheatsheet](#)

Delete this document?

Are you sure you want to delete the 'welcome.md' document and its contents? This action cannot be reversed.

Confirm & Delete

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code block</h1>
</main>
```



MARKDOWN

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window

2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists

- Name and save the document to access again later

- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>) .

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

...

```
<main>
  <h1>This is a larger code block</h1>
</main>
```

...

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for both inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code
block</h1>
</main>
```



MY DOCUMENTS

[+ New Document](#)

01 April 2022
untitled-document.md

01 April 2022
welcome.md

MARKDOWN

```
# Welcome to Markdown
```

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

```
## How to use this?
```

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

```
### Features
```

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](https://www.markdownguide.org/cheat-sheet/).

```
#### Headings
```

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

```
##### Lists
```

You can see examples of ordered and unordered lists above.

```
##### Code Blocks
```

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](https://www.markdownguide.org/cheat-sheet/).

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:



PREVIEW



Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code block</h1>
</main>
```



MARKDOWN

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window

2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, blockquotes, inline-code and lists
- Name and save the document again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>).

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading

PREVIEW



Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor

and markdown in the preview

Delete this document?

Are you sure you want to delete the 'welcome.md' document and its contents? This action cannot be reversed.

Confirm & Delete

, paragraphs, links, inline-code, code blocks, and

lists

- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use



MARKDOWN



Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window

2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists

- Name and save the document to access again later

- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>) .

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>` . It also allows for larger code blocks like this:

```

```
<main>
```

```
 <h1>This is a larger code block</h1>
```

```
</main>
```

```



PREVIEW



Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code
  block</h1>
</main>
```



WE

MY DOCUMENTS

+ New Document

01 April 2022
untitled-document.md

01 April 2022
welcome.md

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language you can use to add plain text documents.

How to use it

1. Write markdown in the window
2. See the rendered output in the window

Features

- Create headings, blockquotes, lists
- Name and save files again later





MARKDOWN



Welcome to Markdown

Markdown is a lightweight markup language that you can use to add ~~formatting elements to plaintext text~~

Delete this document?

Are you sure you want to delete the 'welcome.md' document and its contents?
This action cannot be reversed.

Confirm & Delete

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference



```
# Welcome to Markdown
```

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

```
## How to use this?
```

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

```
### Features
```

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>).

```
#### Headings
```

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

```
##### Lists
```

You can see examples of ordered and unordered lists above.

```
##### Code Blocks
```

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

```
```
<main>
 <h1>This is a larger code block</h1>
</main>
```

```

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code block</h1>
</main>
```



+ New Document

01 April 2022
untitled-document.md01 April 2022
welcome.md

MARKDOWN

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](https://www.markdownguide.org/cheat-sheet/).

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, etc
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.


Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:





Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.


Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code block</h1>
</main>
```



MARKDOWN

```
# Welcome to Markdown
```

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

```
## How to use this?
```

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

```
### Features
```

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>).

```
#### Headings
```

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

```
##### Lists
```

You can see examples of ordered and unordered lists above.

```
##### Code Blocks
```

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

```
```
<main>
 <h1>This is a larger code block</h1>
</main>
```

```

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>).

Delete this document?

Are you sure you want to delete 'welcome.md' document and its contents? This action cannot be reversed.

Confirm & Delete



To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code block</h1>
</main>
```



Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>).

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

```
```
<main>
 <h1>This is a larger code block</h1>
</main>
````
```

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code block</h1>
</main>
```



+ New Document

01 April 2022
untitled-document.md01 April 2022
welcome.md

MARKDOWN

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](https://www.markdownguide.org/cheat-sheet/)(<https://www.markdownguide.org/cheat-sheet/>).

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, o
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your pref

This is an example of a blockquote. If you would like to learn m
you can visit this [markdown cheatsheet](#)

Headings


To create a heading, add the hash sign (#) before the heading. The n
should correspond to the heading level. You'll see in this guide that
(not necessarily in the correct way you should use headings!) to illu


Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>
for larger code blocks like this:





Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](#)

Headings

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.


Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code block</h1>
</main>
```



MARKDOWN

```
# Welcome to Markdown
```

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

```
## How to use this?
```

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

```
### Features
```

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about markdown syntax, you can visit this [markdown cheatsheet](<https://www.markdownguide.org/cheat-sheet/>).

```
#### Headings
```

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

```
##### Lists
```

You can see examples of ordered and unordered lists above.

```
##### Code Blocks
```

This markdown editor allows for inline-code snippets, like this: `<p>I'm inline</p>`. It also allows for larger code blocks like this:

```
```
<main>
 <h1>This is a larger code block</h1>
</main>
```

```

PREVIEW

Welcome to Markdown

Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

How to use this?

1. Write markdown in the markdown editor window
2. See the rendered markdown in the preview window

Features

- Create headings, paragraphs, links, blockquotes, inline-code, code blocks, and lists
- Name and save the document to access again later
- Choose between Light or Dark mode depending on your preference

> This is an example of a blockquote. If you would like to learn more about **markdown syntax**, you can visit this [markdown cheatsheet](#)

Delete this document?

Are you sure you want to delete 'welcome.md' document and its contents? This action cannot be reversed.

Confirm & Delete

To create a heading, add the hash sign (#) before the heading. The number of number signs you use should correspond to the heading level. You'll see in this guide that we've used all six heading levels (not necessarily in the correct way you should use headings!) to illustrate how they should look.

Lists

You can see examples of ordered and unordered lists above.

Code Blocks

This markdown editor allows for inline-code snippets, like this: <p>I'm inline</p>. It also allows for larger code blocks like this:

```
<main>
  <h1>This is a larger code block</h1>
</main>
```