

Mongo Express

Databases

Database Name

Create Database

View	admin	Del
View	config	Del
View	local	Del
View	microeval	Del
View	tienda	Del

Server Status			
Hostname	1095f8c01ead	MongoDB Version	8.2.11
Uptime	28909 seconds	Node Version	18.20.3
Server Time	Wed, 17 Jun 2026 23:27:38 GMT	V8 Version	10.2.154.26-node.37
Current Connections	4	Available Connections	815
Active Clients	0	Queued Operations	0
Clients Reading	0	Clients Writing	0
Read Lock Queue	0	Write Lock Queue	0
Disk Flushes		Last Flush	

Viewing Collection: empleados

[New Document](#)[New Index](#)[Simple](#)[Advanced](#) Delete all 4 documents retrieved

_id	nombre	puesto	salario	departamento	activo
  6a332b75bef729c6cd9df8a3	Lucía	Desarrolladora	1400	IT	true
  6a332b75bef729c6cd9df8a4	Carlos	Analista	900	Finanzas	true
  6a332b75bef729c6cd9df8a6	Pedro	Tester	800	IT	true
  6a332ca74cc79309a89df8a3	Fernando	QA	1100	IT	true

Rename Collection

microeval . [Rename](#)

Tools



Export Standard



Export --jsonArray



Export --csv

Viewing Collection: empleados

[New Document](#)[New Index](#)[Simple](#)[Advanced](#)

```
{ "activo": true }
```

Projection

☐ Aggregate query[Find](#)[Delete all 4 documents retrieved](#)

_id	nombre	puesto	salario	departamento	activo
Link Delete 6a332b75bef729c6cd9df8a3	Lucia	Desarrolladora	1400	IT	true
Link Delete 6a332b75bef729c6cd9df8a4	Carlos	Analista	900	Finanzas	true
Link Delete 6a332b75bef729c6cd9df8a6	Pedro	Tester	800	IT	true
Link Delete 6a332ca74cc79309a89df8a3	Fernando	QA	1100	IT	true

Rename Collection

microeval . empleados

[Rename](#)

Viewing Collection: empleados

[New Document](#)[New Index](#)[Simple](#)[Advanced](#)

```
{ "departamento": "IT" }
```

```
{ "nombre": 1, "salario": 1, "_id": 0 }
```

☐ Aggregate query[Find](#)[Delete all 3 documents retrieved](#)

nombre	salario
Lucía	1400
Pedro	800
Fernando	1100

Rename Collection

microeval. empleados

[Rename](#)

Tools

[Export Standard](#)[Export --jsonArray](#)[Export --csv](#)

Viewing Collection: empleados

[New Document](#)[New Index](#)[Simple](#)[Advanced](#) Delete all 4 documents retrieved

_id	nombre	puesto	salario	departamento	activo
  6a332b75bef729c6cd9df8a3	Lucía	Desarrolladora	1600	IT	true
  6a332b75bef729c6cd9df8a4	Carlos	Analista	900	Finanzas	true
  6a332b75bef729c6cd9df8a6	Pedro	Tester	800	IT	true
  6a332ca74cc79309a89df8a3	Fernando	QA	1100	IT	true

Rename Collection

microeval. [Rename](#)

Tools

[Export Standard](#)[Export --jsonArray](#)[Export --csv](#)

`>` docker @ ... |

```
microeval> db.empleados.aggregate([
|   { $group: { _id: "$departamento", totalEmpleados: { $sum: 1 } } }
| ] )
[
|   { _id: 'IT', totalEmpleados: 3 },
|   { _id: 'Finanzas', totalEmpleados: 1 }
| ]
microeval>
```

Viewing Collection: empleados

Document added!



New Document

New Index

Simple

Advanced

Key

Value

String



Find

Delete all 5 documents retrieved

_id	nombre	puesto	salario	departamento	activo
  6a332b75bef729c6cd9df8a3	Lucía	Desarrolladora	1600	IT	true
  6a332b75bef729c6cd9df8a4	Carlos	Analista	900	Finanzas	true
  6a332b75bef729c6cd9df8a6	Pedro	Tester	800	IT	true
  6a332ca74cc79309a89df8a3	Fernando	QA	1100	IT	true
  6a33362d309df3f7997155ff	Fernando	QA	1100	IT	true

Rename Collection

microeval . empleados

Rename

```
microeval> db.empleados.find()
```

```
[
  {
    _id: ObjectId('6a332b75bef729c6cd9df8a3'),
    nombre: 'Lucía',
    puesto: 'Desarrolladora',
    salario: 1600,
    departamento: 'IT',
    activo: true
  },
  {
    _id: ObjectId('6a332b75bef729c6cd9df8a4'),
    nombre: 'Carlos',
    puesto: 'Analista',
    salario: 900,
    departamento: 'Finanzas',
    activo: true
  },
  {
    _id: ObjectId('6a332b75bef729c6cd9df8a6'),
    nombre: 'Pedro',
    puesto: 'Tester',
    salario: 800,
    departamento: 'IT',
    activo: true
  },
  {
    _id: ObjectId('6a332ca74cc79309a89df8a3'),
    nombre: 'Fernando',
    puesto: 'QA',
    salario: 1100,
    departamento: 'IT',
    activo: true
  },
  {
    _id: ObjectId('6a33362d309df3f7997155ff'),
    nombre: 'Fernando',
    puesto: 'QA',
    salario: 1100,
  }
]
```