




Autodesk®
Topobase™

Archive – Technical Training

Autodesk Topobase Administrator



Autodesk®

Disclaimers

- This course was created for Autodesk Topobase 2009. The contents of this course are not intended for other versions of Autodesk Topobase.
- We may make statements regarding planned or future development efforts for our existing or new products and services. These statements are not intended to be a promise or guarantee of future delivery of products, services or features but merely reflect our current plans, which may change. Purchasing decisions should not be made based upon reliance on these statements.
- The Company assumes no obligation to update these forward-looking statements to reflect events that occur or circumstances that exist or change after the date on which they were made.

Chapter Overview

- Chapter explains how to secure the Autodesk Topobase 2009 application and Topobase documents.
 - Create user groups and assign privileges.
- Understand how to manage security for the application and related data.
 - Help enforce organizational standards for access and control.

User Administration

Chapter Objectives

- By the end of this chapter, you will be able to:
 - Create user groups and assign users.
 - Assign and manage security rights to user groups.
 - Enable and disable menus and toolbars for different user groups.
 - Assign user groups for different explorer groups.

9.2 Creating and Managing User Groups

- User groups allow you to organize users into groups that correspond to your organization's access and security needs.
- Log on to Autodesk Topobase Administrator 2009 with an Admin user.
- Expand **Setup > User/UserGroups** and select **User/User Groups**.

9.2 Creating and Managing User Groups +


- Creating a User Group
- Creating Users in the Group
 - Create User
 - Create Admin
- Passwords
- Assigning Workspaces to the Group

9.3 Application Security Level

- You control which user interface functions, such as menus, toolbars, and workspace options, are available to user groups.
- You can remove selected functionality from the application toolbar of the Topobase task pane.
- You must log on as an administrator to grant or deny access to user interface controls.


9.3.1 Workspaces

- You control the security of the workspaces by assigning workspaces to specific user groups.
- In the Topobase Administrator explorer, expand **Setup > User/UserGroups**, and select **User/UserGroups**
- Select the **user group VIEWER**
- Select the **Simrose land base** workspace in the Workspaces box



9.3.2 Menus

- You control which user groups are allowed to access Topobase menu options.
- In the Topobase Administrator explorer, expand **Setup > User Interface**, and select **User Interface**.




9.3.2 Menus +

- To see the menu options accessible to members of VIEWER, click the **Menu** tab.
- The three root-level items are:
 - **Help**. Menu options available in the Topobase Client Help menu.
 - **Setup**. Menu options available in the Topobase Client Setup menu.
 - **Workspace**. Menu options available in the Topobase Client Workspace menu.

9.3.2 Menus ++

- By toggling items off, you disable that specific option for the user group.




9.3.3 Toolbars

- You control access to the toolbar commands.
- In the Topobase Administrator explorer, expand **Setup > User Interface**, and select **User Interface**.
- One group of toolbar commands:
 - Main Toolbar

9.3.4 TB Commands

- To restrict the access of user groups to various commands, use the TB commands tab.




9.4 Document Security Level

- You can control the security of workspace documents.
 - Specify the available menu and toolbar commands, form controls, and fly-in functionality that are appropriate for specific documents for specific user groups.
- Unlike application security settings, which do not require a workspace to be open, document security settings are document-centric.
 - Document security settings can ONLY be made if a workspace is open

9.4.1 Menus


- Note the five tabs for defining the functionality available to user groups:

- Menu (Basis)
- Menu (Single)
- Toolbars
- Forms
- Fly-ins
- TB commands




9.4.1 Menus +

- Two menu tabs:
 - Menu (Basis)** for logical groups of feature classes.
 - Menu (Single)** for a single feature class.
- Applies to shortcut menus only.
- All feature types with geometry
- To set the shortcut menu options for a single feature class, select the **Menu (Single)** tab and expand the **Topics > Building > Building** item.




9.4.2 Toolbars

- To control access to the toolbar commands applicable to any document, select the **Toolbars** tab
- The two root-level items are:
 - **Construction Toolbar**
 - **Main Toolbar**
- To restrict access to any of these toolbars, expand the corresponding root item on the Toolbars tab and toggle off the commands you want to remove



9.4.3 Form Toolbars

- Every Topobase form has a default toolbar associated with it.
- When you update the document form toolbar options for a user group, you need to close and reopen the workspace to refresh access permissions.



9.4.4 Fly-Ins

The term *fly-in* refers to a particular set of functions in the Autodesk Topobase 2009 Client.


The fly-in items are:

- Job Toolbar
- Document Explorer ▲
- Workflow Explorer ●
- Job Explorer
- Connectivity-Manager ◆
- Plot

- You can switch the fly-in items in the Topobase Explorer:




9.4.4 Fly-Ins +




9.4.5 TB Commands

- To restrict the access of user groups to various commands, use the TB commands tab.



9.5 Explorer Groups

- The content of the Topobase Explorer for particular items as topics, features, domains, topologies or intersections can be reduced or extended in Explorer Groups.



9.7 Chapter Summary

- You should now be able to:
 - Create user groups and assign users.
 - Assign and manage security rights to user groups.
 - Enable and disable menus, toolbars, fly-ins and commands for different user groups.
 - Assign user groups for different explorer groups.

Autodesk®