AWS Security & Encryption


KMS, Encryption SDK, SSM Parameter Store

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

Why encryption?
Encryption in flight (TLS / SSL)

- Data is encrypted before sending and decrypted after receiving
- TLS certificates help with encryption (HTTPS)
- Encryption in flight ensures no MITM (man in the middle attack) can happen




© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

Why encryption?
Server-side encryption at rest

- Data is encrypted after being received by the server
- Data is decrypted before being sent
- It is stored in an encrypted form thanks to a key (usually a data key)
- The encryption / decryption keys must be managed somewhere, and the server must have access to it




© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

Why encryption?
Client-side encryption

- Data is encrypted by the client and never decrypted by the server
- Data will be decrypted by a receiving client
- The server should not be able to decrypt the data
- Could leverage Envelope Encryption



© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

AWS KMS (Key Management Service)



- Anytime you hear "encryption" for an AWS service, it's most likely KMS
- AWS manages encryption keys for us
- Fully integrated with IAM for authorization
- Easy way to control access to your data
- Able to audit KMS Key usage using CloudTrail
- Seamlessly integrated into most AWS services (EBS, S3, RDS, SSM…)
- **Never ever store your secrets in plaintext, especially in your code!**
  - KMS Key Encryption also available through API calls (SDK, CLI)
  - Encrypted secrets can be stored in the code / environment variables

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

KMS Keys Types

- KMS Keys is the new name of KMS Customer *Master* Key
- Symmetric (AES-256 keys)
  - Single encryption key that is used to Encrypt and Decrypt
  - AWS services that are integrated with KMS use Symmetric CMKs
  - You never get access to the KMS Key unencrypted (must call KMS API to use)
- Asymmetric (RSA & ECC key pairs)
  - Public (Encrypt) and Private Key (Decrypt) pair
  - Used for Encrypt/Decrypt, or Sign/Verify operations
  - The public key is downloadable, but you can't access the Private Key unencrypted
  - Use case: encryption outside of AWS by users who can't call the KMS API

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com


AWS KMS (Key Management Service)



- Types of KMS Keys:
  - AWS Owned Keys (free): SSE-S3, SSE-SQS, SSE-DDB (default key)
  - AWS Managed Key: **free** (aws/*service-name*, example: aws/rds or aws/ebs)
  - Customer managed keys created in KMS: **$1 / month**
  - Customer managed keys imported: **$1 / month**
  - + pay for API call to KMS ($0.03 / 10000 calls)




- Automatic Key rotation:
  - AWS-managed KMS Key: automatic every 1 year
  - Customer-managed KMS Key: (must be enabled) automatic & on-demand
  - Imported KMS Key: only manual rotation possible using alias



© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com


Copying Snapshots across regions



© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

KMS Key Policies



- Control access to KMS keys, "similar" to S3 bucket policies
- Difference: you cannot control access without them

- **Default KMS Key Policy:**
  - Created if you don't provide a specific KMS Key Policy
  - Complete access to the key to the root user = entire AWS account
- **Custom KMS Key Policy:**
  - Define users, roles that can access the KMS key
  - Define who can administer the key
  - Useful for cross-account access of your KMS key

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

Copying Snapshots across accounts

1. Create a Snapshot, encrypted with your own KMS Key (Customer Managed Key)
2. **Attach a KMS Key Policy to authorize cross-account access**
3. Share the encrypted snapshot
4. (in target) Create a copy of the Snapshot, encrypt it with a CMK in your account
5. Create a volume from the snapshot


```
{
    "Sid": "Allow use of the key with destination account",
    "Effect": "Allow",
    "Principal": {
      "AWS": "arn:aws:iam::TARGET-ACCOUNT-ID:role/ROLENAME"
    },
    "Action": [
      "kms:Decrypt",
      "kms:CreateGrant"
    ],
    "Resource": "*",
    "Condition": {
      "StringEquals": {
        "kms:ViaService": "ec2.REGION.amazonaws.com",
        "kms:CallerAccount": "TARGET-ACCOUNT-ID"
      }
    }
}
```

KMS Key Policy

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

KMS Multi-Region Keys



© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

KMS Multi-Region Keys



- Identical KMS keys in different AWS Regions that can be used interchangeably
- Multi-Region keys have the same key ID, key material, automatic rotation…

- Encrypt in one Region and decrypt in other Regions
- No need to re-encrypt or making cross-Region API calls

- KMS Multi-Region are NOT global (Primary + Replicas)
- Each Multi-Region key is managed **independently**


- **Use cases:** global client-side encryption, encryption on Global DynamoDB, Global Aurora

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

DynamoDB Global Tables and KMS Multi-Region Keys Client-Side encryption

- We can encrypt specific attributes client-side in our DynamoDB table using the **Amazon DynamoDB Encryption Client**
- Combined with Global Tables, the client-side encrypted data is replicated to other regions
- If we use a multi-region key, replicated in the same region as the DynamoDB Global table, then clients in these regions can use low-latency API calls to KMS in their region to decrypt the data client-side
- Using client-side encryption we can protect specific fields and guarantee only decryption if the client has access to an API key




NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

© Stephane Maarek

Global Aurora and KMS Multi-Region Keys Client-Side encryption


- We can encrypt specific attributes client-side in our Aurora table using the **AWS Encryption SDK**
- Combined with Aurora Global Tables, the client-side encrypted data is replicated to other regions
- If we use a multi-region key, replicated in the same region as the Global Aurora DB, then clients in these regions can use low-latency API calls to KMS in their region to decrypt the data client-side
- Using client-side encryption we can protect specific fields and guarantee only decryption if the client has access to an API key, **we can protect specific fields even from database admins**



© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

S3 Replication Encryption Considerations



- Unencrypted objects and objects encrypted with SSE-S3 are replicated by default
- Objects encrypted with SSE-C (customer provided key) can be replicated


- For objects encrypted with SSE-KMS, you need to enable the option
  - Specify which KMS Key to encrypt the objects within the target bucket
  - Adapt the KMS Key Policy for the target key
  - An IAM Role with kms:Decrypt for the source KMS Key and kms:Encrypt for the target KMS Key
  - You might get KMS throttling errors, in which case you can ask for a Service Quotas increase
- You can use multi-region AWS KMS Keys, but they are currently treated as independent keys by Amazon S3 (the object will still be decrypted and then encrypted)

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

AMI Sharing Process Encrypted via KMS

1. AMI in Source Account is encrypted with KMS Key from Source Account
2. Must modify the image attribute to add a **Launch Permission** which corresponds to the specified target AWS account
3. Must share the KMS Keys used to encrypted the snapshot the AMI references with the target account / IAM Role
4. The IAM Role/User in the target account must have the permissions to DescribeKey, ReEncrypt*, CreateGrant, Decrypt
5. When launching an EC2 instance from the AMI, optionally the target account can specify a new KMS key in its own account to re-encrypt the volumes




NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

© Stephane Maarek

SSM Parameter Store

- Secure storage for configuration and secrets
- Optional Seamless Encryption using KMS
- Serverless, scalable, durable, easy SDK
- Version tracking of configurations / secrets
- Security through IAM
- Notifications with Amazon EventBridge
- Integration with CloudFormation




© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

SSM Parameter Store Hierarchy

- /my-department/
  - my-app/
    - dev/
      - db-url
      - db-password
    - prod/
      - db-url
      - db-password
  - other-app/
- /other-department/
- */aws/reference/secretsmanager/secret_ID_in_Secrets_Manager*
- */aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2 (public)*



© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

Standard and advanced parameter tiers

	Standard	Advanced
Total number of parameters allowed (per AWS account and Region)	10,000	100,000
Maximum size of a parameter value	4 KB	8 KB
Parameter policies available	No	Yes
Cost	No additional charge	Charges apply
Storage Pricing	Free	$0.05 per advanced parameter per month

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

Parameters Policies (for advanced parameters)

- Allow to assign a TTL to a parameter (expiration date) to force updating or deleting sensitive data such as passwords
- Can assign multiple policies at a time

Expiration (to delete a parameter)

```
{
    "Type":"Expiration",
    "Version":"1.0",
    "Attributes":{
       "Timestamp":"2020-12-02T21:34:33.000Z"
    }
}
```

ExpirationNotification (EventBridge)

```
{
    "Type":"ExpirationNotification",
    "Version":"1.0",
    "Attributes":{
       "Before":"15",
       "Unit":"Days"
    }
}
```

NoChangeNotification (EventBridge)

```
{
    "Type":"NoChangeNotification",
    "Version":"1.0",
    "Attributes":{
       "After":"20",
       "Unit":"Days"
    }
}
```

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

AWS Secrets Manager



- Newer service, meant for storing secrets
- Capability to force **rotation of secrets** every X days
- Automate generation of secrets on rotation (uses Lambda)
- Integration with **Amazon RDS** (MySQL, PostgreSQL, Aurora)
- Secrets are encrypted using KMS


- Mostly meant for RDS integration

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

AWS Secrets Manager – Multi-Region Secrets

- Replicate Secrets across multiple AWS Regions
- Secrets Manager keeps read replicas in sync with the primary Secret
- Ability to promote a read replica Secret to a standalone Secret
- Use cases: multi-region apps, disaster recovery strategies, multi-region DB…




© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

AWS Certificate Manager (ACM)

- Easily provision, manage, and deploy **TLS Certificates**
- Provide in-flight encryption for websites (HTTPS)
- Supports both public and private TLS certificates
- Free of charge for public TLS certificates
- Automatic TLS certificate renewal
- Integrations with (load TLS certificates on)
  - Elastic Load Balancers (CLB, ALB, NLB)
  - CloudFront Distributions
  - APIs on API Gateway



© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

ACM – Requesting Public Certificates


1. List domain names to be included in the certificate
   - Fully Qualified Domain Name (FQDN): corp.example.com
   - Wildcard Domain: *.example.com
2. Select Validation Method: DNS Validation or Email validation
   - DNS Validation is preferred for automation purposes
   - Email validation will send emails to contact addresses in the WHOIS database
   - DNS Validation will leverage a CNAME record to DNS config (ex: Route 53)
3. It will take a few hours to get verified
4. The Public Certificate will be enrolled for automatic renewal
   - ACM automatically renews ACM-generated certificates 60 days before expiry

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

ACM – Importing Public Certificates


- Option to generate the certificate outside of ACM and then import it
- **No automatic renewal**, must import a new certificate before expiry
- **ACM sends daily expiration events** starting 45 days prior to expiration
  - The # of days can be configured
  - Events are appearing in EventBridge
- **AWS Config** has a managed rule named *acm-certificate-expiration-check* to check for expiring certificates (configurable number of days)



© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

ACM – Integration with ALB



© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

API Gateway - Endpoint Types


- **Edge-Optimized (default):** For global clients
  - Requests are routed through the CloudFront Edge locations (improves latency)
  - The API Gateway still lives in only one region
- **Regional:**
  - For clients within the same region
  - Could manually combine with CloudFront (more control over the caching strategies and the distribution)
- **Private:**
  - Can only be accessed from your VPC using an interface VPC endpoint (ENI)
  - Use a resource policy to define access


© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

ACM – Integration with API Gateway

- Create a **Custom Domain Name** in API Gateway
- **Edge-Optimized (default):** For global clients
  - Requests are routed through the CloudFront Edge locations (improves latency)
  - The API Gateway still lives in only one region
  - **The TLS Certificate must be in the same region as CloudFront, in us-east-1**
  - Then setup CNAME or (better) A-Alias record in Route 53
- **Regional:**
  - For clients within the same region
  - **The TLS Certificate must be imported on API Gateway, in the same region as the API Stage**
  - Then setup CNAME or (better) A-Alias record in Route 53





© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

CloudHSM




- KMS => AWS manages the software for encryption
- CloudHSM => AWS provisions encryption **hardware**
- Dedicated Hardware (HSM = Hardware Security Module)
- You manage your own encryption keys entirely (not AWS)
- HSM device is tamper resistant, FIPS 140-2 Level 3 compliance
- Supports both symmetric and **asymmetric** encryption (SSL/TLS keys)
- No free tier available
- Must use the CloudHSM Client Software
- Redshift supports CloudHSM for database encryption and key management
- **Good option to use with SSE-C encryption**

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

CloudHSM Diagram



IAM permissions:

- CRUD an HSM Cluster

CloudHSM Software:


- Manage the Keys
- Manage the Users

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

CloudHSM – High Availability

- CloudHSM clusters are spread across Multi AZ (HA)
- Great for availability and durability




© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

CloudHSM – Integration with AWS Services

- Through integration with AWS KMS
- Configure KMS Custom Key Store with CloudHSM
- Example: EBS, S3, RDS …



© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

CloudHSM vs. KMS

Feature	AWS KMS	AWS CloudHSM
Tenancy	Multi-Tenant	Single-Tenant
Standard	FIPS 140-2 Level 3	FIPS 140-2 Level 3
Master Keys	• AWS Owned CMK • AWS Managed CMK • Customer Managed CMK	Customer Managed CMK
Key Types	• Symmetric • Asymmetric • Digital Signing	• Symmetric • Asymmetric • Digital Signing & Hashing
Key Accessibility	Accessible in multiple AWS regions (can't access keys outside the region it's created in)	• Deployed and managed in a VPC • Can be shared across VPCs (VPC Peering)
Cryptographic Acceleration	None	• SSL/TLS Acceleration • Oracle TDE Acceleration
Access & Authentication	AWS IAM	You create users and manage their permissions

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

CloudHSM vs. KMS

Feature	AWS KMS	AWS CloudHSM
High Availability	AWS Managed Service	Add multiple HSMs over different AZs
Audit Capability	• CloudTrail • CloudWatch	• CloudTrail • CloudWatch • MFA support
Free Tier	Yes	No

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

AWS WAF – Web Application Firewall



- Protects your web applications from common web exploits (Layer 7)
- **Layer 7 is HTTP** (vs Layer 4 is TCP/UDP)

- Deploy on
  - Application Load Balancer
  - API Gateway
  - CloudFront
  - AppSync GraphQL API
  - Cognito User Pool

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

AWS WAF – Web Application Firewall




- Define Web ACL (Web Access Control List) Rules:
  - **IP Set: up to 10,000 IP addresses** – use multiple Rules for more IPs
  - HTTP headers, HTTP body, or URI strings Protects from common attack - **SQL injection** and **Cross-Site Scripting (XSS)**
  - Size constraints, **geo-match (block countries)**
  - **Rate-based rules** (to count occurrences of events) – **for DDoS protection**
- Web ACL are Regional except for CloudFront
- A rule group is **a reusable set of rules that you can add to a web ACL**

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

WAF – Fixed IP while using WAF with a Load Balancer

- WAF does not support the Network Load Balancer (Layer 4)
- We can use Global Accelerator for fixed IP and WAF on the ALB



© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

AWS Shield: protect from DDoS attack



- **DDoS:** Distributed Denial of Service – many requests at the same time
- **AWS Shield Standard:**
  - Free service that is activated for every AWS customer
  - Provides protection from attacks such as SYN/UDP Floods, Reflection attacks and other layer 3/layer 4 attacks
- **AWS Shield Advanced:**
  - Optional DDoS mitigation service ($3,000 per month per organization)
  - Protect against more sophisticated attack on Amazon EC2, Elastic Load Balancing (ELB), Amazon CloudFront, AWS Global Accelerator, and Route 53
  - 24/7 access to AWS DDoS response team (DRP)
  - Protect against higher fees during usage spikes due to DDoS
  - Shield Advanced automatic application layer DDoS mitigation automatically creates, evaluates and deploys AWS WAF rules to mitigate layer 7 attacks

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

AWS Firewall Manager



- Manage rules in all accounts of an AWS Organization

- Security policy: common set of security rules
  - WAF rules (Application Load Balancer, API Gateways, CloudFront)
  - AWS Shield Advanced (ALB, CLB, NLB, Elastic IP, CloudFront)
  - Security Groups for EC2, Application Load BAlancer and ENI resources in VPC
  - AWS Network Firewall (VPC Level)
  - Amazon Route 53 Resolver DNS Firewall
  - Policies are created at the region level

- Rules are applied to new resources as they are created (good for compliance) across all and future accounts in your Organization

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

WAF vs. Firewall Manager vs. Shield



AWS WAF



AWS Firewall Manager



AWS Shield


- WAF, Shield and Firewall Manager are used together for comprehensive protection
- Define your Web ACL rules in WAF
- For granular protection of your resources, WAF alone is the correct choice
- If you want to use AWS WAF across accounts, accelerate WAF configuration, automate the protection of new resources, use Firewall Manager with AWS WAF
- Shield Advanced adds additional features on top of AWS WAF, such as dedicated support from the Shield Response Team (SRT) and advanced reporting.
- If you're prone to frequent DDoS attacks, consider purchasing Shield Advanced

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

AWS Best Practices for DDoS Resiliency Edge Location Mitigation (BP1, BP3)

- BP1 – CloudFront
  - Web Application delivery at the edge
  - Protect from DDoS Common Attacks (SYN floods, UDP reflection…)
- BP1 – Global Accelerator
  - Access your application from the edge
  - Integration with Shield for DDoS protection
  - Helpful if your backend is not compatible with CloudFront
- BP3 – Route 53
  - Domain Name Resolution at the edge
  - DDoS Protection mechanism




NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

© Stephane Maarek

AWS Best Practices for DDoS Resiliency
Best pratices for DDoS mitigation

- Infrastructure layer defense (BP1, BP3, BP6)
  - Protect Amazon EC2 against high traffic
  - That includes using Global Accelerator, Route 53, CloudFront, Elastic Load Balancing
- Amazon EC2 with Auto Scaling (BP7)
  - Helps scale in case of sudden traffic surges including a flash crowd or a DDoS attack
- Elastic Load Balancing (BP6)
  - Elastic Load Balancing scales with the traffic increases and will distribute the traffic to many EC2 instances




NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

© Stephane Maarek

AWS Best Practices for DDoS Resiliency Application Layer Defense

- Detect and filter malicious web requests (BP1, BP2)
  - CloudFront cache static content and serve it from edge locations, protecting your backend
  - AWS WAF is used on top of CloudFront and Application Load Balancer to filter and block requests based on request signatures
  - WAF rate-based rules can automatically block the IPs of bad actors
  - Use managed rules on WAF to block attacks based on IP reputation, or block anonymous Ips
  - CloudFront can block specific geographies
- Shield Advanced (BP1, BP2, BP6)
  - Shield Advanced automatic application layer DDoS mitigation automatically creates, evaluates and deploys AWS WAF rules to mitigate layer 7 attacks




NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

© Stephane Maarek

AWS Best Practices for DDoS Resiliency
Attack surface reduction

- Obfuscating AWS resources (BP1, BP4, BP6)
  - Using CloudFront, API Gateway, Elastic Load Balancing to hide your backend resources (Lambda functions, EC2 instances)
- Security groups and Network ACLs (BP5)
  - Use security groups and NACLs to filter traffic based on specific IP at the subnet or ENI-level
  - Elastic IP are protected by AWS Shield Advanced
- Protecting API endpoints (BP4)
  - Hide EC2, Lambda, elsewhere
  - Edge-optimized mode, or CloudFront + regional mode (more control for DDoS)
  - WAF + API Gateway: burst limits, headers filtering, use API keys



NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

© Stephane Maarek

Amazon GuardDuty




- Intelligent Threat discovery to protect your AWS Account
- Uses Machine Learning algorithms, anomaly detection, 3rd party data
- One click to enable (30 days trial), no need to install software
- Input data includes:
  - **CloudTrail Events Logs** – unusual API calls, unauthorized deployments
    - **CloudTrail Management Events** – create VPC subnet, create trail, …
    - **CloudTrail S3 Data Events** – get object, list objects, delete object, …
  - **VPC Flow Logs** – unusual internal traffic, unusual IP address
  - **DNS Logs** – compromised EC2 instances sending encoded data within DNS queries
  - **Optional Features** – EKS Audit Logs, RDS & Aurora, EBS, Lambda, S3 Data Events…
- Can setup **EventBridge rules** to be notified in case of findings
- EventBridge rules can target AWS Lambda or SNS
- **Can protect against CryptoCurrency attacks (has a dedicated "finding" for it)**

© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

Amazon GuardDuty



© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

Amazon Inspector

- Automated Security Assessments

- For EC2 instances
  - Leveraging the AWS System Manager (SSM) agent
  - Analyze against unintended network accessibility
  - Analyze the running OS against known vulnerabilities
- For Container Images push to Amazon ECR
  - Assessment of Container Images as they are pushed
- For Lambda Functions
  - Identifies software vulnerabilities in function code and package dependencies
  - Assessment of functions as they are deployed

- Reporting & integration with AWS Security Hub
- Send findings to Amazon Event Bridge



© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

What does Amazon Inspector evaluate?



- **Remember: only for EC2 instances, Container Images & Lambda functions**
- Continuous scanning of the infrastructure, only when needed
- Package vulnerabilities (EC2, ECR & Lambda) – database of CVE
- Network reachability (EC2)
- A risk score is associated with all vulnerabilities for prioritization


© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com

AWS Macie



- Amazon Macie is a fully managed data security and data privacy service that uses **machine learning and pattern matching to discover and protect your sensitive data in AWS.**
- Macie helps identify and alert you to **sensitive data, such as personally identifiable information (PII)**



© Stephane Maarek

NOT FOR DISTRIBUTION © Stephane Maarek www.datacumulus.com