

accumulatedMutations_MEF

Qun Li

19 Aug 2025 at 10:18:05

Contents

1	Env	2
2	Libraries	2
3	Def function	4
4	Load Data	7
5	Observed Accumulated Mutation Num	7
6	Imputed Accumulated Mutation Num	9
7	Accumulated Mutation Num normalized by cell number	13
8	MPGgenotypecheck	15
9	Calculating mutations of each cell and cells of each mutation	17
10	calMulti	18
11	scMutScore Model Validation	27
12	compareClonesScore	38
13	compareClonesScore figures	43
14	check randomly clone scMutScore	60
15	tracing allClones	64
16	randomlySelectMut	67
17	lineageTracingExample	71

18 lineageTracingExample with scMutScore	74
19 testModel	81
20 sessionInfo	85

1 Env

```
rm(list = ls())
setwd("/Users/liqun/Desktop/scMutraceReproducibility/Figure4/")
```

2 Libraries

```
library(FSA)
## ## FSA v0.10.0. See citation('FSA') if used in publication.
## ## Run fishR() for related website and fishR('IFAR') for related book.
library(ineq)
library(vegan)
## Loading required package: permute
library(dplyr)
##
## Attaching package: 'dplyr'
## The following objects are masked from 'package:stats':
##
##   filter, lag
## The following objects are masked from 'package:base':
##
##   intersect, setdiff, setequal, union
library(tidyr)
library(ggpubr)
## Loading required package: ggplot2
## Registered S3 methods overwritten by 'car':
##   method      from
##   hist.boot    FSA
##   confint.boot FSA
library(Seurat)
## Loading required package: SeuratObject
## Loading required package: sp
## 'SeuratObject' was built under R 4.5.0 but the current version is
## 4.5.1; it is recommended that you reinstall 'SeuratObject' as the ABI
## for R may have changed
##
## Attaching package: 'SeuratObject'
## The following objects are masked from 'package:base':
##
##   intersect, t
library(igraph)
##
```

```

## Attaching package: 'igraph'
## The following object is masked from 'package:Seurat':
##
##     components
## The following object is masked from 'package:tidyr':
##
##     crossing
## The following objects are masked from 'package:dplyr':
##
##     as_data_frame, groups, union
## The following object is masked from 'package:vegan':
##
##     diversity
## The following object is masked from 'package:permute':
##
##     permute
## The following objects are masked from 'package:stats':
##
##     decompose, spectrum
## The following object is masked from 'package:base':
##
##     union
library(ggraph)
##
## Attaching package: 'ggraph'
## The following object is masked from 'package:sp':
##
##     geometry
library(webshot)
library(ggplot2)
library(ggpmisc)
## Loading required package: ggpp
## Registered S3 methods overwritten by 'ggpp':
##   method                  from
##   heightDetails.titleGrob ggplot2
##   widthDetails.titleGrob  ggplot2
##
## Attaching package: 'ggpp'
## The following objects are masked from 'package:ggpubr':
##
##     as_npc, as_npcx, as_npcy
## The following object is masked from 'package:ggplot2':
##
##     annotate
library(stringr)
library(corrplot)
## corrplot 0.95 loaded
library(pheatmap)
library(reshape2)
##
## Attaching package: 'reshape2'
## The following object is masked from 'package:tidyr':
##

```

```
##      smiths
library(tidygraph)
##
## Attaching package: 'tidygraph'
## The following object is masked from 'package:igraph':
##
##      groups
## The following object is masked from 'package:stats':
##
##      filter
library(networkD3)
##
## Attaching package: 'networkD3'
## The following object is masked from 'package:Seurat':
##
##      JS
## The following object is masked from 'package:SeuratObject':
##
##      JS
library(tidyverse)
## -- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
## v forcats   1.0.0      v readr     2.1.5
## v lubridate 1.9.4      v tibble   3.3.0
## v purrr     1.1.0
## -- Conflicts ----- tidyverse_conflicts() --
## x lubridate::%--%()      masks igraph::%--%()
## x ggpp::annotate()      masks ggplot2::annotate()
## x tibble::as_data_frame() masks igraph::as_data_frame(), dplyr::as_data_frame()
## x purrr::compose()      masks igraph::compose()
## x igraph::crossing()     masks tidyr::crossing()
## x tidygraph::filter()   masks dplyr::filter(), stats::filter()
## x dplyr::lag()          masks stats::lag()
## x purrr::simplify()     masks igraph::simplify()
## i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become errors
library(patchwork)
```

3 Def function

```
retriveCellsByLocation <- function(CSM, locList){
  CSM$CellTag <- rownames(CSM)
  CSM_tmp <- CSM[, c("CellTag",locList)]
  data_MutPerCell_CSM_tmp <- data.frame(
    CellTag = rownames(CSM_tmp),
    MutNum = rowSums(CSM_tmp == "Mut"),
    WTNum = rowSums(CSM_tmp == "WT")
  )
  cells_Total <- data_MutPerCell_CSM_tmp[rowSums(data_MutPerCell_CSM_tmp[,c("MutNum", "WTNum")]) > 0, ]
  cells_WT <- data_MutPerCell_CSM_tmp[data_MutPerCell_CSM_tmp[, "WTNum"] > 0,]$CellTag
  cells_Mut <- data_MutPerCell_CSM_tmp[data_MutPerCell_CSM_tmp[, "MutNum"] > 0,]$CellTag
  cells <- list(Total = cells_Total, Mut = cells_Mut, WT = cells_WT)
  return(cells)
```

```

}

retrieveLocsByCells <- function(CSM, cellList){
  CSM$CellTag <- rownames(CSM)
  CSM_tmp <- CSM[CSM$CellTag %in% cellList,]
  data_CellPerMut_CSM_tmp <- data.frame(
    Location = colnames(CSM_tmp),
    CellMutNum = colSums(CSM_tmp == "Mut"),
    CellWTNum = colSums(CSM_tmp == "WT")
  )
  pos_Total <- data_CellPerMut_CSM_tmp[rowSums(data_CellPerMut_CSM_tmp[, c("CellMutNum", "CellWTNum")])]
  pos_Mut <- data_CellPerMut_CSM_tmp[data_CellPerMut_CSM_tmp[, "CellMutNum"] > 0 ,]$Location
  pos_WT <- data_CellPerMut_CSM_tmp[data_CellPerMut_CSM_tmp[, "CellWTNum"] > 0 ,]$Location
  pos <- list(Total = pos_Total, Mut = pos_Mut, WT = pos_WT)
  return(pos)
}

cal_MultiSpe <- function(matrixData) {
  res <- data.frame(
    Shannon = vegan::diversity(matrixData, index = "shannon"),
    Simpson = vegan::diversity(matrixData, index = "simpson"),
    Gini = apply(matrixData, 1, function(x) ineq(x + 0.00001, type = "Gini")),
    sumMut = rowSums(matrixData),
    Tau = NA
  )
  # Tau = sum(1 - (x / max(x))) / (n - 1)
  res$Tau <- apply(matrixData, 1, function(x) {
    if (all(x == 0)) return(NA)
    x <- x / max(x)
    sum(1 - x) / (length(x) - 1)
  })
  rownames(res) <- rownames(matrixData)
  return(res)
}

cal_scMutScore <- function(data_cell_mut, data_mut_time, data_meta){
  # data_cell_mut [cell * muts]
  # data_mut_time [muts * tissues/celltype/days]
  # data_meta [Cellbarcode, CellMutTag(tissues/celltype/days)]
  # data_cell_time_matrix
  replacement_map <- c("NoCall" = 0, "WT" = 0, "Mut" = 1)

  data_cell_mut_num <- as.data.frame(lapply(data_cell_mut, function(x) {
    ifelse(x %in% names(replacement_map), replacement_map[x], x)
  })))

  rownames(data_cell_mut_num) <- rownames(data_cell_mut)
  print(dim(data_cell_mut_num))
  print(dim(data_mut_time))

```

```

data_cell_time_matrix <- as.matrix(data_cell_mut_num) %*% as.matrix(data_mut_time)
rownames(data_cell_time_matrix) <- rownames(data_cell_mut)
colnames(data_cell_time_matrix) <- colnames(data_mut_time)

mutts_total <- unique(rownames(data_mut_time))

# get different tissues/time/celltype names
col_names_data <- colnames(data_cell_time_matrix)

col_length <- length(col_names_data)

col_coefficient_fix <- setNames(
  rep(1/col_length, col_length),
  col_names_data
)

data_cell_time_matrix <- data_cell_time_matrix[,col_names_data]

# Gini
res_index <- cal_MultiSpe(data_cell_time_matrix)

res_diversity <- as.data.frame((data_cell_time_matrix > 1) * rep(col_coefficient_fix[colnames(data_cell_time_matrix)],
res_diversity$Diversity <- rowSums(res_diversity)

res_diversity$Diversity[is.na(res_diversity$Diversity)] <- 0.00001

res_index$Gini[is.na(res_index$Gini)] <- 0.00001
res_index$Tau[is.na(res_index$Tau)] <- 0.00001

res_index$GiniTau <- res_index$Gini * res_index$Tau
res_index$scMutScore <- 2 / (
  (1 / (0.1 * res_index$GiniTau + 0.00001)) +
  (1 / (0.9 * res_diversity$Diversity + 0.00001))
)

res_index$Diversity <- res_diversity$Diversity

res_index$sumMut_norm <- (res_index$sumMut - min(res_index$sumMut)) /
  (max(res_index$sumMut) - min(res_index$sumMut))

res_index$GiniTau_norm <- (res_index$GiniTau - min(res_index$GiniTau)) /
  (max(res_index$GiniTau) - min(res_index$GiniTau))

res_index$scMutScoreQun <- res_index$sumMut_norm

res_index$scMutScore <- scales::rescale(res_index$scMutScore, to = c(0, 1))
res_index$scMutScoreQun <- scales::rescale(res_index$scMutScoreQun, to = c(0, 1))

res <- list(diversity = res_diversity, score = res_index, matrixD = data_cell_time_matrix)
return(res)
}

propagate_mutations <- function(data, time_points) {

```

```

for (i in 1:nrow(data)) {
  mut_time <- which(data[i, time_points] == "Mut")
  if (length(mut_time) > 0) {
    first_mut <- min(mut_time)
    data[i, time_points[first_mut:length(time_points)]] <- "Mut"
  }
}
return(data)
}

```

4 Load Data

```

MEF_CSM <- readRDS("../Data/MEF/MEF_CSM.rds")
MEF_CSM_hf1 <- MEF_CSM$hf1
MEF_CSM_hf2 <- MEF_CSM$hf2

MEF_SSM <- readRDS("../Data/MEF/MEF_SSM.rds")
MEF_SSM_hf1 <- MEF_SSM$hf1
MEF_SSM_hf2 <- MEF_SSM$hf2

MEF_Meta <- readRDS("../Data/MEF/MEF_Meta.rds")
MEF_Meta_hf1 <- MEF_Meta$hf1
MEF_Meta_hf2 <- MEF_Meta$hf2

MPG_data <- read.csv("../Data/MEF/MPG_combined.csv")

```

5 Observed Accumulated Mutation Num

```

Reps_sequencing <- c("Rep1_all", "Rep2_all")
Days_sequencing <- c("d6", "d9", "d12", "d15", "d21", "d28")

col_hf1_names <- c("hf1.d0", "hf1.d3", "hf1.d6", "hf1.d9", "hf1.d12", "hf1.d15", "hf1.d21", "hf1.d28")
col_hf2_names <- c("hf2.d0", "hf2.d3", "hf2.d6", "hf2.d9", "hf2.d12", "hf2.d15", "hf2.d21", "hf2.d28")

data_accMutNum_res <- as.data.frame(matrix(nrow = length(Days_sequencing), ncol = length(Reps_sequencing)))
colnames(data_accMutNum_res) <- Reps_sequencing
rownames(data_accMutNum_res) <- Days_sequencing

for (i in rownames(data_accMutNum_res)){
  data_accMutNum_res[i, "Rep1_all"] <- length(MEF_SSM_hf1[MEF_SSM_hf1[, paste0("hf1.", i)] == "Mut",]$mut_num)
  data_accMutNum_res[i, "Rep2_all"] <- length(MEF_SSM_hf2[MEF_SSM_hf2[, paste0("hf2.", i)] == "Mut",]$mut_num)
}

data_accMutNum_res$Days <- rownames(data_accMutNum_res)
data_accMutNum_res_plot <- melt(data_accMutNum_res)
## Using Days as id variables
colnames(data_accMutNum_res_plot) <- c("Days", "Group", "MutNum")


```

```

data_accMutNum_res_plot$Days <- factor(data_accMutNum_res_plot$Days, levels = c("d6", "d9", "d12", "d15", "d21", "d28"))
p_reps_somaticNum <- ggplot(data_accMutNum_res_plot, aes(x = Days, y = MutNum, colour = Group, fill = Group)) +
  geom_point(shape = 21, size = 3, stroke = 0.8) +
  ylab("Number of somatic mutations") +
  scale_colour_manual(values = c("#4d4d4d", "#b2182b")) +
  scale_fill_manual(values = c("#4d4d4d", "#b2182b")) +
  theme_classic()

p_reps_somaticNum

```



```

replacement_map <- c("NoCall" = 0, "WT" = 0, "Mut" = 1)


MEF_SSM_hf1_hf2 <- merge(MEF_SSM_hf1[,c("mutPos", col_hf1_names)], MEF_SSM_hf2[,c("mutPos", col_hf2_names)],
  by = "mutPos", all = TRUE)
MEF_SSM_hf1_hf2[is.na(MEF_SSM_hf1_hf2)] <- "NoCall"

MEF_SSM_hf1_hf2_num <- as.data.frame(lapply(MEF_SSM_hf1_hf2, function(x) {
  ifelse(x %in% names(replacement_map), replacement_map[x], x)
}))

rownames(MEF_SSM_hf1_hf2_num) <- MEF_SSM_hf1_hf2$mutPos

# propagate_mutations
p_accSomaticMut_heatmap_observed <- pheatmap(MEF_SSM_hf1_hf2_num[,c(2:17)], show_rownames = F, color = c("black", "red", "green"))
p_accSomaticMut_heatmap_observed

```

6 Imputed Accumulated Mutation Num

```

color_settings <- c(d0 = "#FFDC91FF", d3 = "#7876B1FF", d6 = "#4575b4",
  d9 = "#91bfdb", d12 = "#e0f3f8", d15 = "#fee090",
  d21 = "#fc8d59", d28 = "#BC3C29FF")

color_settings_2 <- c(Day_0 = "#FFDC91FF", Day_3 = "#7876B1FF", Day_6 = "#4575b4",
  Day_9 = "#91bfdb", Day_12 = "#e0f3f8", Day_15 = "#fee090",
  Day_21 = "#fc8d59", Day_28 = "#BC3C29FF")

Reps_sequencing <- c("Rep1_all", "Rep2_all")
Days_sequencing <- c("d0", "d3", "d6", "d9", "d12", "d15", "d21", "d28")

col_hf1_names <- c("hf1.d0", "hf1.d3", "hf1.d6", "hf1.d9", "hf1.d12", "hf1.d15", "hf1.d21", "hf1.d28")
col_hf2_names <- c("hf2.d0", "hf2.d3", "hf2.d6", "hf2.d9", "hf2.d12", "hf2.d15", "hf2.d21", "hf2.d28")

MEF_SSM_hf1_impute <- propagate_mutations(MEF_SSM_hf1, col_hf1_names)
MEF_SSM_hf2_impute <- propagate_mutations(MEF_SSM_hf2, col_hf2_names)

data_accMutNum_res <- as.data.frame(matrix(nrow = length(Days_sequencing), ncol = length(Reps_sequencing),
  colnames(data_accMutNum_res) <- Reps_sequencing
  rownames(data_accMutNum_res) <- Days_sequencing

```

```

for (i in rownames(data_accMutNum_res)){
  data_accMutNum_res[i, "Rep1_all"] <- length(MEF_SSM_hf1_impute[MEF_SSM_hf1_impute[, paste0("hf1.", i)],])
  data_accMutNum_res[i, "Rep2_all"] <- length(MEF_SSM_hf2_impute[MEF_SSM_hf2_impute[, paste0("hf2.", i)],])
}

data_accMutNum_res$Days <- rownames(data_accMutNum_res)
data_accMutNum_res_plot <- melt(data_accMutNum_res)
## Using Days as id variables
colnames(data_accMutNum_res_plot) <- c("Days", "Group", "MutNum")


data_accMutNum_res_mean_plot <- aggregate(MutNum ~ Days, data = data_accMutNum_res_plot, FUN = mean)

data_accMutNum_res_mean_plot$Days <- factor(data_accMutNum_res_mean_plot$Days, levels = c("d0", "d3", "d6", "d9", "d12", "d15", "d21", "d28"))

p_reps_somaticNum <- ggplot(data_accMutNum_res_mean_plot, aes(x = Days, y = MutNum, fill = Days)) +
  geom_col(position = "dodge") +
  theme_minimal(base_size = 14) +
  labs(title = "Mean Somatic mutations at different days",
       x = "Day",
       y = "Number of Somatic mutations") +
  scale_fill_manual(values = color_settings) +
  theme_classic(base_size = 14) +
  theme(axis.text.x = element_text(angle = 45, hjust = 1))

p_reps_somaticNum

```



```

replacement_map <- c("NoCall" = 0, "WT" = 0, "Mut" = 1)


MEF_SSM_hf1_hf2_impute <- merge(MEF_SSM_hf1_impute[,c("mutPos", col_hf1_names)], MEF_SSM_hf2_impute[,c(
MEF_SSM_hf1_hf2_impute[is.na(MEF_SSM_hf1_hf2_impute)] <- "NoCall"

MEF_SSM_hf1_hf2_impute_num <- as.data.frame(lapply(MEF_SSM_hf1_hf2_impute, function(x) {
  ifelse(x %in% names(replacement_map), replacement_map[x], x)
})))

rownames(MEF_SSM_hf1_hf2_impute_num) <- MEF_SSM_hf1_hf2_impute$mutPos

# propagate_mutations
p_accSomaticMut_heatmap_impute <- pheatmap(MEF_SSM_hf1_hf2_impute_num[,c(2:17)], show_rownames = F, col
p_accSomaticMut_heatmap_impute

```



```

pdf("../Figure/MEF/p_accSomaticMutNum_impute.pdf", width = 5.11, height = 4.51)
p_reps_somaticNum
dev.off()
## pdf
## 2

# cell number
hf1_cellNum <- as.data.frame(table(MEF_Meta_hf1$Day)) %>%
  mutate(Sample = "hf1")

```

```

hf2_cellNum <- as.data.frame(table(MEF_Meta_hf2$Day)) %>%
  mutate(Sample = "hf2")

hf_cellNum <- bind_rows(hf1_cellNum, hf2_cellNum)
colnames(hf_cellNum) <- c("Day", "Count", "Sample")

hf_cellNum_dayMean <- aggregate(Count ~ Day, data = hf_cellNum, FUN = mean)

days_order_row <- c("Day_0", "Day_3", "Day_6", "Day_9", "Day_12",
  "Day_15", "Day_21", "Day_28")


hf_cellNum_dayMean <- hf_cellNum_dayMean %>% filter(Day %in% days_order_row)
hf_cellNum_dayMean$Day <- factor(hf_cellNum_dayMean$Day, levels = days_order_row)

color_settings_2 <- c(Day_0 = "#FFDC91FF", Day_3 = "#7876B1FF", Day_6 = "#4575b4",
  Day_9 = "#91bfdb", Day_12 = "#e0f3f8", Day_15 = "#fee090",
  Day_21 = "#fc8d59", Day_28 = "#BC3C29FF")

p_hf_cellNum <- ggplot(hf_cellNum_dayMean, aes(x = Day, y = Count, fill = Day)) +
  geom_col(position = "dodge") +
  theme_minimal(base_size = 14) +
  labs(title = "Mean Cell counts at different days",
    x = "Day",
    y = "Cell count") +
  scale_fill_manual(values = color_settings_2) +
  theme_classic(base_size = 14) +
  theme(axis.text.x = element_text(angle = 45, hjust = 1))

p_hf_cellNum

```



```
#pdf("../Figure/MEF/p_hf_cellNum.pdf", width = 5.11, height = 4.51)
#p_hf_cellNum
#dev.off()
```

7 Accumulated Mutation Num normalized by cell number

```
color_settings_randomCells <- c(hf1.d3 = "#7876B1FF", hf1.d6 = "#4575b4", hf1.d9 = "#91bfdb", hf1.d12 = "#e0f3f8",
                                hf2.d3 = "#7876B1FF", hf2.d6 = "#4575b4", hf2.d9 = "#91bfdb", hf2.d12 = "#e0f3f8",
                                hf2.d15 = "#fee090", hf2.d21 = "#ff7f0e", hf2.d28 = "#d62728")

color_settings_randomCells_day <- c(d6 = "#4575b4", d9 = "#91bfdb", d12 = "#e0f3f8", d15 = "#fee090", d21 = "#ff7f0e", d28 = "#d62728")

totalCells <- c(rownames(MEF_CSM_hf1), rownames(MEF_CSM_hf2))

selectRandomNum <- c(1000, 2000, 3000, 4000, 5000)

dataSelect <- c("hf1.d6", "hf1.d9", "hf1.d12", "hf1.d15", "hf1.d21", "hf1.d28",
                "hf2.d6", "hf2.d9", "hf2.d12", "hf2.d15", "hf2.d21", "hf2.d28")

days <- c("d6", "d9", "d12", "d15", "d21", "d28")
reps <- 20
data_random_counts <- as.data.frame(matrix(nrow = (length(selectRandomNum) * length(dataSelect) * reps),
                                           colnames(data_random_counts) <- c("ID", "reps", "selectNum", "MutNum"))
```

```

set.seed(2025)
t = 0
for (i in dataSelect){
  dataCells <- totalCells[grep(i, totalCells)]
  selectNum <- selectRandomNum
  for (j in 1:reps){
    for (k in selectNum){
      dataCells_random <- sample(dataCells, k, replace = TRUE)
      hf1_selected <- dataCells_random[dataCells_random %in% rownames(MEF_CSM_hf1)]
      hf2_selected <- dataCells_random[dataCells_random %in% rownames(MEF_CSM_hf2)]

      data_random_hf1 <- MEF_CSM_hf1[hf1_selected,]
      data_random_hf2 <- MEF_CSM_hf2[hf2_selected,]

      num_hf1 <- sum(colSums(data_random_hf1 == "Mut") > 0)
      num_hf2 <- sum(colSums(data_random_hf2 == "Mut") > 0)
      t = t + 1
      if(t %% 400 == 0){
        print(paste0("processed ", t, " iterations"))
      }
      data_random_counts[t,]$ID <- i
      data_random_counts[t,]$reps <- j
      data_random_counts[t,]$selectNum <- k
      data_random_counts[t,]$MutNum <- num_hf1 + num_hf2
    }
  }
}

## [1] "processed 400 iterations"
## [1] "processed 800 iterations"
## [1] "processed 1200 iterations"

data_random_counts <- separate(data_random_counts,col = "ID",into = c("Timecourse", "Day"), sep = "\\.",
data_random_counts$ID <- paste(data_random_counts$Timecourse, data_random_counts$Day, sep = ".")
data_random_counts$Day <- factor(data_random_counts$Day, levels = days)
data_random_counts$ID <- factor(data_random_counts$ID, levels = dataSelect)

#p_random_somaticNum <- ggplot(data_random_counts[data_random_counts$selectNum == 1000,],
#                               aes(x = ID, y = MutNum, fill = ID)) +
#   geom_boxplot(outlier.shape = NA, alpha = 0.7) +
#   geom_jitter(width = 0.2, alpha = 0.4, size = 1) +
#   ylab("Number of Somatic Mutations") +
#   scale_fill_manual(values = color_settings_randomCells) +
#   theme_classic(base_size = 14) +
#   theme(axis.text.x = element_text(angle = 45, hjust = 1))


p_random_somaticNum <- ggplot(data_random_counts,
                              aes(x = Day, y = MutNum, color = factor(selectNum))) +
  geom_jitter(width = 0.2, alpha = 0.5, size = 1) +
  facet_wrap(~ Timecourse, ncol = 1, scales = "free_y") +
  ylab("Number of Somatic Mutations") +
  xlab("Day") +
  labs(color = "SelectNum") +
  scale_color_manual(values = c(

```

```

"1000" = "#4d4d4d",
"2000" = "#bababa",
"3000" = "#fddbc7",
"4000" = "#f4a582",
"5000" = "#b2182b"
)) +
theme_classic(base_size = 14) +
theme(axis.text.x = element_text(angle = 45, hjust = 1))
p_random_somaticNum

```



```

#pdf("../Figure/MEF/p_random_somaticNum.pdf", width = 5.11, height = 4.51)
#p_random_somaticNum
#dev.off()

```

8 MPGgenotypecheck

```

# check position
MPG_data <- read.csv("../Data/MEF/MPG_combined.csv")
MEF_detected_pos <- unique(union(MEF_SSM_hf1$position_cor, MEF_SSM_hf2$position_cor))
MEF_detected_pos[MEF_detected_pos %in% MPG_data$position_cor]
## [1] "10_28334861" "10_28384990" "11_103070309" "11_59698972" "11_80397502"

```

```
## [6] "12_59094027" "12_81947565" "13_44240902" "13_59527224" "15_102984869"
## [11] "15_31472794" "15_96305641" "15_96697854" "16_20124088" "16_37897824"
## [16] "16_38799521" "17_28695383" "1_162857222" "1_178800830" "1_61723999"
## [21] "2_169768737" "2_75700504" "3_19993055" "3_22093358" "3_55288508"
## [26] "4_103363073" "4_6980700" "5_36660914" "5_66596487" "6_128290883"
## [31] "6_90475221" "7_137044144" "7_141638786" "7_16356122" "8_45733398"
## [36] "8_45807946" "8_71690586" "8_94675603" "9_124330134" "9_21429385"
## [41] "9_60385333" "10_32940591" "10_78338121" "13_119610824" "13_49547531"
## [46] "14_103312866" "17_62865029" "18_60642899" "1_137967589" "1_57915729"
## [51] "2_121793360" "5_98880003" "6_120931717" "7_13047148" "7_133890940"
## [56] "8_45786901" "8_45802144" "9_100773522" "9_102813915"
```

```
MPG_data <- MPG_data[,c(3,8:44)]
```

```
MPG_data[MPG_data == ""] <- NA
```

```
MEF_SSM_refAlt <- rbind(MEF_SSM_hf1[,c("position_cor", "ref", "alt")], MEF_SSM_hf2[,c("position_cor", "ref", "alt")])
```

```
MPG_data_refAlt <- merge(MEF_SSM_refAlt, MPG_data, by = "position_cor", all.x = T)
```

```
MPG_data_refAlt[is.na(MPG_data_refAlt)] <- 0
```

```
MPG_data_refAlt[, 4:ncol(MPG_data_refAlt)] <- apply(MPG_data_refAlt[, 4:ncol(MPG_data_refAlt)], 2, function(x) {
  refCheck <- MPG_data_refAlt[, "ref"]
  ifelse(col != 0 & col != refCheck, 1, 0)
})
```

```
MPG_data_refAlt <- MPG_data_refAlt[!duplicated(MPG_data_refAlt$position_cor),]
```

```
rownames(MPG_data_refAlt) <- MPG_data_refAlt$position_cor
```

```
MPG_data_refAlt$MutNum <- rowSums(MPG_data_refAlt[,4:40])
```

```
MPG_data_refAlt_sorted <- MPG_data_refAlt[order(-MPG_data_refAlt$MutNum), ]
```

```
colnames_order <- c("C57BL_6J", "C57BL_10J", "C57BL_6NJ", "C57BR_cdJ", "C57L_J",
  "AKR_J", "A_J", "BALB_cJ", "BTBRT_Itpr3_J", "BUB_BnJ",
  "C3H_HeH", "C3H_HeJ", "C58_J", "CAST_EiJ", "CBA_J",
  "DBA_1J", "DBA_2J", "FVB_NJ", "I_LnJ", "KK_HlJ",
  "LEWES_EiJ", "LP_J", "MOLF_EiJ",
  "NOD_ShilTJ", "NZB_B1NJ", "NZO_H1LtJ", "NZW_LacJ",
  "PWK_PhJ", "RF_J", "SEA_GnJ", "SPRET_EiJ", "ST_bJ", "WSB_EiJ",
  "ZALLENDE_EiJ", "X129P2_01aHsd", "X129S1_SvImJ", "X129S5SvEv_Brd")
```

```
colnames_order[!colnames_order %in% colnames(MPG_data_refAlt_sorted)]
```


```
## character(0)
```

```
heatmap_data <- MPG_data_refAlt_sorted[, colnames_order]
```

```
custom_colors <- c("#4d4d4d", "#b2182b")
```

```
p_heatmapMPG <- pheatmap(heatmap_data, show_rownames = FALSE, cluster_rows = FALSE, cluster_cols = FALSE)
```

```
p_heatmapMPG
```

```
#pdf("../Figure/MEF/p_heatmapMPG.pdf", width = 5.11, height = 4.51)
#p_heatmapMPG
#dev.off()
```

9 Calculationg mutations of each cell and cells of each mutation

```
data_MutPerCell_hf1 <- data.frame(
  CellTag = rownames(MEF_CSM_hf1),
  MutNum_somatic = rowSums(MEF_CSM_hf1 == "Mut"),
  WTNum_somatic = rowSums(MEF_CSM_hf1 == "WT")
)

data_CellPerMut_hf1 <- data.frame(
  Location = colnames(MEF_CSM_hf1),
  CellMutNum = colSums(MEF_CSM_hf1 == "Mut"),
  CellWTNum = colSums(MEF_CSM_hf1 == "WT")
)

data_MutPerCell_hf2 <- data.frame(
  CellTag = rownames(MEF_CSM_hf2),
  MutNum_somatic = rowSums(MEF_CSM_hf2 == "Mut"),
  WTNum_somatic = rowSums(MEF_CSM_hf2 == "WT")
)
```

```
)

data_CellPerMut_hf2 <- data.frame(
  Location = colnames(MEF_CSM_hf2),
  CellMutNum = colSums(MEF_CSM_hf2 == "Mut"),
  CellWTNum = colSums(MEF_CSM_hf2 == "WT")
)
```

10 calMulti

```
# [Cell * Time] = [Cell * Mut] * [Mut * Time]
time_types <- c("Day_6", "Day_9", "Day_12", "Day_15", "Day_21", "Day_28")
cell_num = 1
mut_num = 1

# _hf1
cells_candidate_hf1 <- data_MutPerCell_hf1[data_MutPerCell_hf1$MutNum_somatic >= cell_num,]$CellTag
cells_candidate_hf1 <- cells_candidate_hf1[cells_candidate_hf1 %in% MEF_Meta_hf1$Cellbarcode]
mut_candidate_hf1 <- data_CellPerMut_hf1[data_CellPerMut_hf1$CellMutNum >= mut_num,]$Location

cell_time_num_hf1 <- sapply(col_hf1_names, function(i) sum(str_count(cells_candidate_hf1, i)))
total_cells_hf1 <- sum(cell_time_num_hf1)
cell_time_num_ratio_hf1 <- cell_time_num_hf1/total_cells_hf1 + 2

# data_Cell_Mut
data_cell_mut_raw_hf1 <- MEF_CSM_hf1[cells_candidate_hf1, mut_candidate_hf1]

# data_Mut_Time
data_mut_time_hf1 <- as.data.frame(matrix(nrow = length(mut_candidate_hf1), ncol = length(time_types)),
rownames(data_mut_time_hf1) <- mut_candidate_hf1
colnames(data_mut_time_hf1) <- time_types

for (i in 1:nrow(data_mut_time_hf1)){
  mut_tmp <- rownames(data_mut_time_hf1)[i]
  cell_tmp <- retrieveCellsByLocation(data_cell_mut_raw_hf1, mut_tmp)
  selected_meta_tags <- MEF_Meta_hf1[MEF_Meta_hf1$Cellbarcode %in% cell_tmp$Mut,]$Day
  data_mut_time_hf1[i,]$Day_6 <- sum(str_count(selected_meta_tags, "Day_6"))
  data_mut_time_hf1[i,]$Day_9 <- sum(str_count(selected_meta_tags, "Day_9"))
  data_mut_time_hf1[i,]$Day_12 <- sum(str_count(selected_meta_tags, "Day_12"))
  data_mut_time_hf1[i,]$Day_15 <- sum(str_count(selected_meta_tags, "Day_15"))
  data_mut_time_hf1[i,]$Day_21 <- sum(str_count(selected_meta_tags, "Day_21"))
  data_mut_time_hf1[i,]$Day_28 <- sum(str_count(selected_meta_tags, "Day_28"))
}

data_mut_time_hf1_nor <- sweep(data_mut_time_hf1, 2, log2(cell_time_num_ratio_hf1[3:8]), "/")

# _hf2
cells_candidate_hf2 <- data_MutPerCell_hf2[data_MutPerCell_hf2$MutNum_somatic >= cell_num,]$CellTag
cells_candidate_hf2 <- cells_candidate_hf2[cells_candidate_hf2 %in% MEF_Meta_hf2$Cellbarcode]
mut_candidate_hf2 <- data_CellPerMut_hf2[data_CellPerMut_hf2$CellMutNum >= mut_num,]$Location
```

```

cell_time_num_hf2 <- sapply(col_hf2_names, function(i) sum(str_count(cells_candidate_hf2, i)))
total_cells_hf2 <- sum(cell_time_num_hf2)
cell_time_num_ratio_hf2 <- cell_time_num_hf2/total_cells_hf2 + 2

# data_Cell_Mut
data_cell_mut_raw_hf2 <- MEF_CSM_hf2[cells_candidate_hf2, muts_candidate_hf2]

# data_Mut_Time
data_mut_time_hf2 <- as.data.frame(matrix(nrow = length(muts_candidate_hf2), ncol = length(time_types)))
rownames(data_mut_time_hf2) <- muts_candidate_hf2
colnames(data_mut_time_hf2) <- time_types

for (i in 1:nrow(data_mut_time_hf2)){
  mut_tmp <- rownames(data_mut_time_hf2)[i]
  cell_tmp <- retrieveCellsByLocation(data_cell_mut_raw_hf2, mut_tmp)
  selected_meta_tags <- MEF_Meta_hf2[MEF_Meta_hf2$Cellbarcode %in% cell_tmp$Mut,]$Day
  data_mut_time_hf2[i,]$Day_6 <- sum(str_count(selected_meta_tags, "Day_6"))
  data_mut_time_hf2[i,]$Day_9 <- sum(str_count(selected_meta_tags, "Day_9"))
  data_mut_time_hf2[i,]$Day_12 <- sum(str_count(selected_meta_tags, "Day_12"))
  data_mut_time_hf2[i,]$Day_15 <- sum(str_count(selected_meta_tags, "Day_15"))
  data_mut_time_hf2[i,]$Day_21 <- sum(str_count(selected_meta_tags, "Day_21"))
  data_mut_time_hf2[i,]$Day_28 <- sum(str_count(selected_meta_tags, "Day_28"))
}

data_mut_time_hf2_nor <- sweep(data_mut_time_hf2, 2, log2(cell_time_num_ratio_hf2[3:8]), "/")

res_index_hf1 <- cal_scMutScore(data_cell_mut_raw_hf1, data_mut_time_hf1_nor, MEF_Meta_hf1)
## [1] 4371 297
## [1] 297 6
res_index_hf2 <- cal_scMutScore(data_cell_mut_raw_hf2, data_mut_time_hf2_nor, MEF_Meta_hf2)
## [1] 2627 156
## [1] 156 6
res_index <- rbind(res_index_hf1$score, res_index_hf2$score)

res_index$cb <- rownames(res_index)
res_index <- separate(res_index, col = "cb", into = c("celltype", "cell"), sep = "_")
res_index$Tag <- res_index$celltype
res_index <- separate(res_index, col = "celltype", into = c("rep", "Day"), sep = "\\.")

res_index$Tag <- factor(res_index$Tag, levels = c("hf1.d0", "hf1.d3", "hf1.d6", "hf1.d9", "hf1.d12", "hf1.d15", "hf1.d21", "hf1.d28",
"hf2.d0", "hf2.d3", "hf2.d6", "hf2.d9", "hf2.d12", "hf2.d15", "hf2.d21", "hf2.d28"))

res_index$Day <- factor(res_index$Day, levels = c("d0", "d3", "d6", "d9", "d12", "d15", "d21", "d28"))

res_index <- res_index[res_index$Diversity > 0, ]


color_settings <- c(d0 = "#FFDC91FF", d3 = "#7876B1FF", d6 = "#4575b4",
d9 = "#91bfeb", d12 = "#e0f3f8", d15 = "#fee090",
d21 = "#fc8d59", d28 = "#BC3C29FF")

color_settings_2 <- c(Day_0 = "#FFDC91FF", Day_3 = "#7876B1FF", Day_6 = "#4575b4",
Day_9 = "#91bfeb", Day_12 = "#e0f3f8", Day_15 = "#fee090",
Day_21 = "#fc8d59", Day_28 = "#BC3C29FF")


```

```
res_index <- res_index[!is.na(res_index$scMutScore),]


ggplot(data = res_index, mapping = aes(x = Day, y = Gini, fill = Day)) +
  geom_violin(trim = TRUE) +
  geom_boxplot(width = 0.1, fill = "white", outliers = FALSE) +
  labs(x = "", y = "Gini") +
  scale_fill_manual(values = color_settings) +
  theme_classic()
## Warning: Groups with fewer than two datapoints have been dropped.
## i Set `drop = FALSE` to consider such groups for position adjustment purposes.
```




```
ggplot(data = res_index, mapping = aes(x = Day, y = Tau, fill = Day)) +
  geom_violin(trim = TRUE) +
  geom_boxplot(width = 0.1, fill = "white", outliers = FALSE) +
  labs(x = "", y = "Tau") +
  scale_fill_manual(values = color_settings) +
  theme_classic()
## Warning: Groups with fewer than two datapoints have been dropped.
## i Set `drop = FALSE` to consider such groups for position adjustment purposes.
```




```
ggplot(data = res_index, mapping = aes(x = Day, y = GiniTau, fill = Day)) +
  geom_violin(trim = TRUE) +
  geom_boxplot(width = 0.1, fill = "white", outliers = FALSE) +
  labs(x = "", y = "GiniTau") +
  scale_fill_manual(values = color_settings) +
  theme_classic()
## Warning: Groups with fewer than two datapoints have been dropped.
## i Set `drop = FALSE` to consider such groups for position adjustment purposes.
```




```
ggplot(data = res_index, mapping = aes(x = Day, y = scMutScore, fill = Day)) +
  geom_violin(trim = TRUE) +
  geom_boxplot(width = 0.1, fill = "white", outliers = FALSE) +
  labs(x = "", y = "scMutraceScore") +
  scale_fill_manual(values = color_settings) +
  theme_classic()
## Warning: Groups with fewer than two datapoints have been dropped.
## i Set `drop = FALSE` to consider such groups for position adjustment purposes.
```



```
ggplot(data = res_index, mapping = aes(x = Day, y = scMutScore, fill = Day)) +
  #geom_violin(trim = TRUE) +
  geom_boxplot(outliers = FALSE) +
  labs(x = "", y = "scMutraceScore") +
  scale_fill_manual(values = color_settings) +
  theme_classic()
```




```
ggplot(data = res_index, mapping = aes(x = Day, y = scMutScoreQun, fill = Day)) +
  #geom_violin(trim = TRUE) +
  geom_boxplot(outliers = FALSE) +
  labs(x = "", y = "sumMut") +
  scale_fill_manual(values = color_settings) +
  theme_classic()
```





```
res_index_long <- melt(res_index[,c("Gini", "Tau", "scMutScore")])
## No id variables; using all as measure variables

ggplot(res_index_long, aes(x=value, fill=variable)) +
  geom_density(alpha=0.4) +
  theme_classic() +
  labs(x="Value", y="Density", title="Diversity Indices Distribution") +
  scale_fill_brewer(palette="Set3")
```



```
corrplot(cor(res_index[,c("Gini", "Tau", "Shannon", "Simpson", "Diversity", "scMutScore", "sumMut")], us
method="circle", col = colorRampPalette(c("black", "white", "red"))(200),
addCoef.col = "white", tl.col = "black", number.cex = 0.8)
```



11 scMutScore Model Validation

```
set.seed(2025)

# 1. init
data_check_CM <- data_cell_mut_raw_hf1
data_check_Meta <- MEF_Meta_hf1[MEF_Meta_hf1$Cellbarcode %in% rownames(data_check_CM),]
col_check_names <- c("hf1.d0", "hf1.d3", "hf1.d6", "hf1.d9", "hf1.d12", "hf1.d15", "hf1.d21", "hf1.d28")
time_types <- c("Day_6", "Day_9", "Day_12", "Day_15", "Day_21", "Day_28")

cell_num <- 1
mut_num <- 1
mut_loss_ratio <- 0.5
cell_loss_ratio <- 0.5
iteration_times <- 100

# list for save data
data_scMutModel_list <- vector("list", iteration_times)

num_cells <- nrow(data_check_CM)
num_mutations <- ncol(data_check_CM)
cells_all <- rownames(data_check_CM)
mut_all <- colnames(data_check_CM)
```

```

# 2. loop
for (iter in seq_len(iteration_times)) {

  # 2.1 randomly loss info
  loss_cell_indices <- sample(seq_len(num_cells), ceiling(cell_loss_ratio * num_cells))
  loss_mut_indices <- sample(seq_len(num_mutations), ceiling(mut_loss_ratio * num_mutations))

  C_partial_missing <- data_check_CM
  # new data
  if(length(loss_cell_indices) > 0 && length(loss_mut_indices) > 0){
    C_partial_missing[loss_cell_indices, loss_mut_indices] <- "NoCall"
  }

  # 2.2 count cell/mut number
  MutPerCell <- rowSums(C_partial_missing == "Mut")
  CellPerMut <- colSums(C_partial_missing == "Mut")

  cells_candidate <- cells_all[MutPerCell >= cell_num & cells_all %in% data_check_Meta$Cellbarcode]
  muts_candidate <- muts_all[CellPerMut >= mut_num]

  message(paste0("Iteration: ", iter, " loss_cell_indices: ", length(loss_cell_indices), " loss_mut_ind",
  message(paste0("Iteration: ", iter, " cells_candidate: ", length(cells_candidate), " muts_candidate: ")

  data_cell_mut_raw_check <- C_partial_missing[cells_candidate, muts_candidate, drop = TRUE]
  #data_cell_mut_raw_check <- C_partial_missing
  #muts_candidate <- muts_all

  # 2.3 Mut × Time
  cell_time_num <- sapply(col_check_names, function(i) sum(str_count(cells_candidate, i)))
  total_cells <- sum(cell_time_num)
  cell_time_ratio <- cell_time_num / total_cells + 2 # +2 Avoidance 0

  # init Mut × Time
  M_partial_missing <- matrix(0, nrow = length(muts_candidate), ncol = length(time_types),
                             dimnames = list(muts_candidate, time_types))

  # Calculate the number of each mutation at each time
  for (t in seq_along(time_types)) {
    time_label <- time_types[t]
    # Find out in which cells each mutation occurs
    mut_cell_list <- apply(data_cell_mut_raw_check, 2, function(x) which(x == "Mut"))
    # Count the number of times each mutation occurs at that point in time
    for (mut in muts_candidate) {
      cells_with_mut <- rownames(data_cell_mut_raw_check)[data_cell_mut_raw_check[, mut] == "Mut"]
      selected_days <- data_check_Meta$Day[data_check_Meta$Cellbarcode %in% cells_with_mut]
      M_partial_missing[mut, t] <- sum(str_count(selected_days, time_label))
    }
  }

  # 2.4 normalized Mut × Time
  M_partial_missing_norm <- sweep(M_partial_missing, 2, log2(cell_time_ratio[3:8]), "/")

  # 2.5 scMutScore

```

```

res_index_tmp <- cal_scMutScore(data_cell_mut_raw_check, M_partial_missing_norm, data_check_Meta)$score
res_index_tmp$iteration <- paste0("iter", iter)
res_index_tmp <- res_index_tmp[res_index_tmp$Diversity > 0, ]

data_scMutModel_list[[iter]] <- res_index_tmp
}

## Iteration: 1 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 1 cells_candidate: 3452 muts_candidate: 287
## [1] 3452 287
## [1] 287 6
## Iteration: 2 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 2 cells_candidate: 3307 muts_candidate: 293
## [1] 3307 293
## [1] 293 6
## Iteration: 3 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 3 cells_candidate: 3402 muts_candidate: 287
## [1] 3402 287
## [1] 287 6
## Iteration: 4 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 4 cells_candidate: 3330 muts_candidate: 290
## [1] 3330 290
## [1] 290 6
## Iteration: 5 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 5 cells_candidate: 3451 muts_candidate: 292
## [1] 3451 292
## [1] 292 6
## Iteration: 6 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 6 cells_candidate: 3324 muts_candidate: 296
## [1] 3324 296
## [1] 296 6
## Iteration: 7 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 7 cells_candidate: 3345 muts_candidate: 291
## [1] 3345 291
## [1] 291 6
## Iteration: 8 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 8 cells_candidate: 3516 muts_candidate: 290
## [1] 3516 290
## [1] 290 6
## Iteration: 9 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 9 cells_candidate: 3324 muts_candidate: 292
## [1] 3324 292
## [1] 292 6
## Iteration: 10 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 10 cells_candidate: 3449 muts_candidate: 291
## [1] 3449 291
## [1] 291 6
## Iteration: 11 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 11 cells_candidate: 3451 muts_candidate: 288
## [1] 3451 288
## [1] 288 6
## Iteration: 12 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 12 cells_candidate: 3446 muts_candidate: 291
## [1] 3446 291

```

```

## [1] 291 6
## Iteration: 13 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 13 cells_candidate: 3444 muts_candidate: 293
## [1] 3444 293
## [1] 293 6
## Iteration: 14 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 14 cells_candidate: 3402 muts_candidate: 293
## [1] 3402 293
## [1] 293 6
## Iteration: 15 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 15 cells_candidate: 3291 muts_candidate: 288
## [1] 3291 288
## [1] 288 6
## Iteration: 16 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 16 cells_candidate: 3393 muts_candidate: 293
## [1] 3393 293
## [1] 293 6
## Iteration: 17 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 17 cells_candidate: 3225 muts_candidate: 294
## [1] 3225 294
## [1] 294 6
## Iteration: 18 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 18 cells_candidate: 3418 muts_candidate: 290
## [1] 3418 290
## [1] 290 6
## Iteration: 19 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 19 cells_candidate: 3449 muts_candidate: 296
## [1] 3449 296
## [1] 296 6
## Iteration: 20 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 20 cells_candidate: 3221 muts_candidate: 290
## [1] 3221 290
## [1] 290 6
## Iteration: 21 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 21 cells_candidate: 3246 muts_candidate: 293
## [1] 3246 293
## [1] 293 6
## Iteration: 22 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 22 cells_candidate: 3334 muts_candidate: 292
## [1] 3334 292
## [1] 292 6
## Iteration: 23 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 23 cells_candidate: 3167 muts_candidate: 295
## [1] 3167 295
## [1] 295 6
## Iteration: 24 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 24 cells_candidate: 3211 muts_candidate: 292
## [1] 3211 292
## [1] 292 6
## Iteration: 25 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 25 cells_candidate: 3502 muts_candidate: 291
## [1] 3502 291
## [1] 291 6

```

```

## Iteration: 26 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 26 cells_candidate: 3241 muts_candidate: 292
## [1] 3241 292
## [1] 292 6
## Iteration: 27 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 27 cells_candidate: 3384 muts_candidate: 292
## [1] 3384 292
## [1] 292 6
## Iteration: 28 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 28 cells_candidate: 3368 muts_candidate: 291
## [1] 3368 291
## [1] 291 6
## Iteration: 29 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 29 cells_candidate: 3437 muts_candidate: 293
## [1] 3437 293
## [1] 293 6
## Iteration: 30 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 30 cells_candidate: 3338 muts_candidate: 294
## [1] 3338 294
## [1] 294 6
## Iteration: 31 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 31 cells_candidate: 3394 muts_candidate: 293
## [1] 3394 293
## [1] 293 6
## Iteration: 32 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 32 cells_candidate: 3410 muts_candidate: 294
## [1] 3410 294
## [1] 294 6
## Iteration: 33 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 33 cells_candidate: 3371 muts_candidate: 290
## [1] 3371 290
## [1] 290 6
## Iteration: 34 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 34 cells_candidate: 3504 muts_candidate: 294
## [1] 3504 294
## [1] 294 6
## Iteration: 35 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 35 cells_candidate: 3368 muts_candidate: 290
## [1] 3368 290
## [1] 290 6
## Iteration: 36 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 36 cells_candidate: 3378 muts_candidate: 295
## [1] 3378 295
## [1] 295 6
## Iteration: 37 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 37 cells_candidate: 3323 muts_candidate: 294
## [1] 3323 294
## [1] 294 6
## Iteration: 38 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 38 cells_candidate: 3321 muts_candidate: 291
## [1] 3321 291
## [1] 291 6
## Iteration: 39 loss_cell_indices: 2186 loss_mut_indices: 149

```

```

## Iteration: 39 cells_candidate: 3420 muts_candidate: 290
## [1] 3420 290
## [1] 290 6
## Iteration: 40 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 40 cells_candidate: 3215 muts_candidate: 294
## [1] 3215 294
## [1] 294 6
## Iteration: 41 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 41 cells_candidate: 3474 muts_candidate: 291
## [1] 3474 291
## [1] 291 6
## Iteration: 42 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 42 cells_candidate: 3525 muts_candidate: 285
## [1] 3525 285
## [1] 285 6
## Iteration: 43 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 43 cells_candidate: 3364 muts_candidate: 288
## [1] 3364 288
## [1] 288 6
## Iteration: 44 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 44 cells_candidate: 3305 muts_candidate: 294
## [1] 3305 294
## [1] 294 6
## Iteration: 45 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 45 cells_candidate: 3362 muts_candidate: 292
## [1] 3362 292
## [1] 292 6
## Iteration: 46 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 46 cells_candidate: 3323 muts_candidate: 294
## [1] 3323 294
## [1] 294 6
## Iteration: 47 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 47 cells_candidate: 3417 muts_candidate: 291
## [1] 3417 291
## [1] 291 6
## Iteration: 48 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 48 cells_candidate: 3456 muts_candidate: 291
## [1] 3456 291
## [1] 291 6
## Iteration: 49 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 49 cells_candidate: 3506 muts_candidate: 292
## [1] 3506 292
## [1] 292 6
## Iteration: 50 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 50 cells_candidate: 3379 muts_candidate: 295
## [1] 3379 295
## [1] 295 6
## Iteration: 51 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 51 cells_candidate: 3239 muts_candidate: 294
## [1] 3239 294
## [1] 294 6
## Iteration: 52 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 52 cells_candidate: 3373 muts_candidate: 291

```



```

## [1] 3373 291
## [1] 291 6
## Iteration: 53 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 53 cells_candidate: 3338 muts_candidate: 287
## [1] 3338 287
## [1] 287 6
## Iteration: 54 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 54 cells_candidate: 3232 muts_candidate: 292
## [1] 3232 292
## [1] 292 6
## Iteration: 55 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 55 cells_candidate: 3425 muts_candidate: 289
## [1] 3425 289
## [1] 289 6
## Iteration: 56 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 56 cells_candidate: 3218 muts_candidate: 289
## [1] 3218 289
## [1] 289 6
## Iteration: 57 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 57 cells_candidate: 3285 muts_candidate: 294
## [1] 3285 294
## [1] 294 6
## Iteration: 58 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 58 cells_candidate: 3260 muts_candidate: 292
## [1] 3260 292
## [1] 292 6
## Iteration: 59 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 59 cells_candidate: 3532 muts_candidate: 290
## [1] 3532 290
## [1] 290 6
## Iteration: 60 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 60 cells_candidate: 3368 muts_candidate: 292
## [1] 3368 292
## [1] 292 6
## Iteration: 61 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 61 cells_candidate: 3414 muts_candidate: 295
## [1] 3414 295
## [1] 295 6
## Iteration: 62 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 62 cells_candidate: 3468 muts_candidate: 289
## [1] 3468 289
## [1] 289 6
## Iteration: 63 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 63 cells_candidate: 3327 muts_candidate: 289
## [1] 3327 289
## [1] 289 6
## Iteration: 64 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 64 cells_candidate: 3384 muts_candidate: 288
## [1] 3384 288
## [1] 288 6
## Iteration: 65 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 65 cells_candidate: 3232 muts_candidate: 290
## [1] 3232 290

```

```

## [1] 290 6
## Iteration: 66 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 66 cells_candidate: 3428 muts_candidate: 293
## [1] 3428 293
## [1] 293 6
## Iteration: 67 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 67 cells_candidate: 3204 muts_candidate: 290
## [1] 3204 290
## [1] 290 6
## Iteration: 68 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 68 cells_candidate: 3336 muts_candidate: 290
## [1] 3336 290
## [1] 290 6
## Iteration: 69 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 69 cells_candidate: 3297 muts_candidate: 288
## [1] 3297 288
## [1] 288 6
## Iteration: 70 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 70 cells_candidate: 3453 muts_candidate: 294
## [1] 3453 294
## [1] 294 6
## Iteration: 71 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 71 cells_candidate: 3295 muts_candidate: 293
## [1] 3295 293
## [1] 293 6
## Iteration: 72 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 72 cells_candidate: 3283 muts_candidate: 291
## [1] 3283 291
## [1] 291 6
## Iteration: 73 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 73 cells_candidate: 3265 muts_candidate: 293
## [1] 3265 293
## [1] 293 6
## Iteration: 74 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 74 cells_candidate: 3445 muts_candidate: 290
## [1] 3445 290
## [1] 290 6
## Iteration: 75 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 75 cells_candidate: 3306 muts_candidate: 293
## [1] 3306 293
## [1] 293 6
## Iteration: 76 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 76 cells_candidate: 3277 muts_candidate: 287
## [1] 3277 287
## [1] 287 6
## Iteration: 77 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 77 cells_candidate: 3423 muts_candidate: 288
## [1] 3423 288
## [1] 288 6
## Iteration: 78 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 78 cells_candidate: 3331 muts_candidate: 292
## [1] 3331 292
## [1] 292 6

```

```

## Iteration: 79 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 79 cells_candidate: 3371 muts_candidate: 290
## [1] 3371 290
## [1] 290 6
## Iteration: 80 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 80 cells_candidate: 3364 muts_candidate: 289
## [1] 3364 289
## [1] 289 6
## Iteration: 81 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 81 cells_candidate: 3534 muts_candidate: 292
## [1] 3534 292
## [1] 292 6
## Iteration: 82 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 82 cells_candidate: 3522 muts_candidate: 290
## [1] 3522 290
## [1] 290 6
## Iteration: 83 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 83 cells_candidate: 3356 muts_candidate: 288
## [1] 3356 288
## [1] 288 6
## Iteration: 84 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 84 cells_candidate: 3363 muts_candidate: 292
## [1] 3363 292
## [1] 292 6
## Iteration: 85 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 85 cells_candidate: 3351 muts_candidate: 289
## [1] 3351 289
## [1] 289 6
## Iteration: 86 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 86 cells_candidate: 3360 muts_candidate: 290
## [1] 3360 290
## [1] 290 6
## Iteration: 87 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 87 cells_candidate: 3358 muts_candidate: 291
## [1] 3358 291
## [1] 291 6
## Iteration: 88 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 88 cells_candidate: 3482 muts_candidate: 291
## [1] 3482 291
## [1] 291 6
## Iteration: 89 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 89 cells_candidate: 3390 muts_candidate: 291
## [1] 3390 291
## [1] 291 6
## Iteration: 90 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 90 cells_candidate: 3309 muts_candidate: 289
## [1] 3309 289
## [1] 289 6
## Iteration: 91 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 91 cells_candidate: 3510 muts_candidate: 290
## [1] 3510 290
## [1] 290 6
## Iteration: 92 loss_cell_indices: 2186 loss_mut_indices: 149

```

```

## Iteration: 92 cells_candidate: 3434 muts_candidate: 293
## [1] 3434 293
## [1] 293 6
## Iteration: 93 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 93 cells_candidate: 3429 muts_candidate: 292
## [1] 3429 292
## [1] 292 6
## Iteration: 94 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 94 cells_candidate: 3228 muts_candidate: 289
## [1] 3228 289
## [1] 289 6
## Iteration: 95 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 95 cells_candidate: 3352 muts_candidate: 292
## [1] 3352 292
## [1] 292 6
## Iteration: 96 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 96 cells_candidate: 3267 muts_candidate: 290
## [1] 3267 290
## [1] 290 6
## Iteration: 97 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 97 cells_candidate: 3366 muts_candidate: 290
## [1] 3366 290
## [1] 290 6
## Iteration: 98 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 98 cells_candidate: 3296 muts_candidate: 289
## [1] 3296 289
## [1] 289 6
## Iteration: 99 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 99 cells_candidate: 3295 muts_candidate: 293
## [1] 3295 293
## [1] 293 6
## Iteration: 100 loss_cell_indices: 2186 loss_mut_indices: 149
## Iteration: 100 cells_candidate: 3405 muts_candidate: 292
## [1] 3405 292
## [1] 292 6

# 3. merge res
data_scMutModel_res <- do.call(rbind, data_scMutModel_list)

# 4. column
data_scMutModel_res$cb <- rownames(data_scMutModel_res)
data_scMutModel_res <- separate(data_scMutModel_res, col = "cb", into = c("celltype", "cell"), sep = "_")
data_scMutModel_res$Tag <- data_scMutModel_res$celltype
data_scMutModel_res <- separate(data_scMutModel_res, col = "celltype", into = c("rep", "Day"), sep = "\\")

data_scMutModel_res$Tag <- factor(data_scMutModel_res$Tag, levels = col_check_names)
data_scMutModel_res$Day <- factor(data_scMutModel_res$Day, levels = c("d0", "d3", "d6", "d9", "d12", "d15"))

# 5. plot
p_scMutModel_randomly <- ggplot(data = data_scMutModel_res, mapping = aes(x = Day, y = scMutScore, fill = rep)) +
  #geom_violin(trim = TRUE, alpha = 0.6) +
  geom_boxplot(outliers = FALSE) +
  facet_wrap(~ iteration, nrow = 10, ncol = iteration_times / 10, scales = "free_y", labeller = label_both)

```

```

labs(x = "", y = "scMutraceScore") +
scale_fill_manual(values = color_settings) +
theme_classic()

#p_scMutModel_randomly

#pdf("../Figure/MEF/p_scMutModel_randomly_assess.pdf", width = 10.90, height = 7.03)
#p_scMutModel_randomly
#dev.off()


data_scMutModel_res_summary <- data_scMutModel_res %>%
  dplyr::group_by(iteration, Day) %>%
  dplyr::summarise(mean_scMutScore = mean(scMutScore, na.rm = TRUE)) %>%
  dplyr::ungroup()
## `summarise()` has grouped output by 'iteration'. You can override using the
## `.groups` argument.

data_scMutModel_res_summary_Qun <- data_scMutModel_res %>%
  dplyr::group_by(iteration, Day) %>%
  dplyr::summarise(mean_scMutScore = mean(scMutScoreQun, na.rm = TRUE)) %>%
  dplyr::ungroup()
## `summarise()` has grouped output by 'iteration'. You can override using the
## `.groups` argument.

pdf("../Figure/MEF/p_scMutModel_randomly_assess_merge.pdf", width = 5.40, height = 4.40)
ggplot(data = data_scMutModel_res_summary, mapping = aes(x = Day, y = mean_scMutScore, fill = Day)) +
  #geom_violin(trim = TRUE, alpha = 0.6) +
  geom_boxplot(outliers = FALSE) +
  labs(x = "", y = "scMutraceScore") +
  scale_fill_manual(values = color_settings) +
  theme_classic()
dev.off()
## pdf
## 2

ggplot(data = data_scMutModel_res_summary, mapping = aes(x = Day, y = mean_scMutScore, fill = Day)) +
  #geom_violin(trim = TRUE, alpha = 0.6) +
  geom_boxplot(outliers = FALSE) +
  labs(x = "", y = "scMutraceScore") +
  scale_fill_manual(values = color_settings) +
  theme_classic()

```



12 compareClonesScore

```
# generate data for comparision
MEF_meta_hf1_hf2 <- rbind(MEF_Meta_hf1, MEF_Meta_hf2)
res_index_scMut <- data.frame(Cellbarcode = rownames(res_index), scMutScore = res_index$scMutScore, Tag

res_index_scMut_meta <- merge(res_index_scMut, MEF_meta_hf1_hf2, by = "Cellbarcode")
res_index_scMut_meta$Day <- factor(res_index_scMut_meta$Day, levels = c("Day_0", "Day_3", "Day_6", "Day_9", "Day_12", "Day_15", "Day_21", "Day_28"))
res_index_scMut_meta <- res_index_scMut_meta[res_index_scMut_meta$Day %in% c("Day_6", "Day_9", "Day_12", "Day_15", "Day_21", "Day_28"),]

colNames_data_clone_score <- c("D0_tag", "D3_tag", "D13_tag", "Day", "Mean_Day_score", "Mean_Day_pseudo")
data_clone_score <- as.data.frame(matrix(ncol = length(colNames_data_clone_score)))
colnames(data_clone_score) <- colNames_data_clone_score
d0_tags <- unique(MEF_meta_hf1_hf2$CellTagD0_48k)

count_line = 0

for (i in 1:length(d0_tags)){
  d0_tag_tmp <- d0_tags[i]
  d3_tags <- unique(MEF_meta_hf1_hf2[MEF_meta_hf1_hf2$CellTagD0_48k == d0_tag_tmp,]$CellTagD3_48k)
  days_reprogramming <- unique(MEF_meta_hf1_hf2[MEF_meta_hf1_hf2$CellTagD0_48k == d0_tag_tmp,]$Day)
  for (day in 1:length(days_reprogramming)){
    if (length(d3_tags) >= 1){
```

```

for (j in 1:length(d3_tags)){
  d3_tag_tmp <- d3_tags[j]
  d13_tags <- unique(MEF_meta_hf1_hf2[MEF_meta_hf1_hf2$CellTagD0_48k == d0_tag_tmp & MEF_meta_hf1_hf2$CellTagD3_48k == d3_tag_tmp])
  if(length(d13_tags) >= 1){
    for (k in 1:length(d13_tags)){
      d13_tag_tmp <- d13_tags[k]
      count_line = count_line + 1
      data_clone_score[count_line,]$Day = days_reprogramming[day]
      data_clone_score[count_line,]$D0_tag = d0_tag_tmp
      data_clone_score[count_line,]$D3_tag = d3_tag_tmp
      data_clone_score[count_line,]$D13_tag = d13_tag_tmp
    }
  }else{
    count_line = count_line + 1
    data_clone_score[count_line,]$Day = days_reprogramming[day]
    data_clone_score[count_line,]$D0_tag = d0_tag_tmp
    data_clone_score[count_line,]$D3_tag = d3_tag_tmp
    data_clone_score[count_line,]$D13_tag = "NotAva"
  }
}
}
}

data_clone_score$ID <- paste(data_clone_score$D0_tag, data_clone_score$D3_tag, data_clone_score$D13_tag, sep = "_")
data_clone_score <- data_clone_score[data_clone_score$ID != "NotAva_NotAva_NotAva",]

for (i in 1:nrow(data_clone_score)){

  d0_tag_tmp <- data_clone_score[i,]$D0_tag
  d3_tag_tmp <- data_clone_score[i,]$D3_tag
  d13_tag_tmp <- data_clone_score[i,]$D13_tag
  day_tmp <- data_clone_score[i,]$Day

  data_clone_score[i,]$Mean_Day_score <- "NotAva"
  data_clone_score[i,]$Mean_Day_pseudotime <- "NotAva"

  id_check <- paste(d0_tag_tmp, d3_tag_tmp, d13_tag_tmp, sep = "_")
  data_clone_score[i,]$ID <- id_check

  scMutscore_tmp <- res_index_scMut_meta[res_index_scMut_meta$cloneTimeTag == id_check & res_index_scMut_meta$cloneTimeTag != "NotAva"]
  pseudotime_tmp <- res_index_scMut_meta[res_index_scMut_meta$cloneTimeTag == id_check & res_index_scMut_meta$cloneTimeTag != "NotAva"]

  scMutscore_tmp <- as.numeric(scMutscore_tmp[scMutscore_tmp != "NotAva"])
  pseudotime_tmp <- as.numeric(pseudotime_tmp[pseudotime_tmp != "NotAva"])
}

```

```

data_clone_score[i,]$Mean_Day_score <- mean(scMutscore_tmp)
data_clone_score[i,]$Mean_Day_pseudotime <- mean(pseudotime_tmp)
}

# filter
# clonetagDay
data_clone_score_clonetagDay <- data_clone_score[data_clone_score$Mean_Day_score != "NaN" & data_clone_score$Mean_Day_pseudotime != "NaN"]
ID_counts <- table(data_clone_score_clonetagDay$ID)
valid_IDs <- names(ID_counts[ID_counts >= 2])
data_clone_score_clonetagDay <- subset(data_clone_score_clonetagDay, ID %in% valid_IDs)

data_clone_score_clonetagDay$Mean_Day_score <- as.numeric(data_clone_score_clonetagDay$Mean_Day_score)
data_clone_score_clonetagDay$Mean_Day_pseudotime <- as.numeric(data_clone_score_clonetagDay$Mean_Day_pseudotime)

data_clone_score_clonetagDay$Day <- factor(data_clone_score_clonetagDay$Day, levels = c("Day_0", "Day_3"))

# reprogramming Day
p_clone_scMutraceScore <- ggplot(data_clone_score_clonetagDay, mapping = aes(x = as.factor(Day), y = Mean_Day_score)) +
  #geom_violin(trim = TRUE) +
  #geom_boxplot(width = 0.1, fill = "white", outliers = FALSE) +
  geom_boxplot(outliers = TRUE) +
  geom_line(aes(group = ID), color = "gray", alpha = 0.1) +
  #geom_point(size = 1, shape = 21, color = "black") +
  scale_fill_manual(values = color_settings_2) +
  labs(x = "", y = "scMutraceScore") +
  theme_classic()

p_clone_pseudotime <- ggplot(data_clone_score_clonetagDay, aes(x = as.factor(Day), y = Mean_Day_pseudotime)) +
  #geom_violin(trim = TRUE) +
  geom_boxplot(outliers = TRUE) +
  geom_line(aes(group = ID), color = "gray", alpha = 0.1) +
  #geom_point(size = 1, shape = 21, color = "black") +
  scale_fill_manual(values = color_settings_2) +
  labs(x = "", y = "Pseudotime") +
  theme_classic()

p_cell_scMutraceScore <- ggplot(data = res_index_scMut_meta, mapping = aes(x = Day, y = scMutScore, fill = Day)) +
  #geom_violin(trim = TRUE) +
  #geom_boxplot(width = 0.1, fill = "white", outliers = FALSE) +
  geom_boxplot(outliers = FALSE) +
  #stat_summary(fun.data="mean_sdl", fun.args = list(mult=1),geom="pointrange", color = "black") +
  scale_fill_manual(values = color_settings_2) +
  labs(x = "", y = "scMutraceScore") +
  theme_classic()

p_cell_pseudotime <- ggplot(data = res_index_scMut_meta[res_index_scMut_meta$pseudotime != "NotAva",], mapping = aes(x = Day, y = pseudotime, fill = Day)) +
  #geom_violin(trim = TRUE) +
  geom_boxplot(outliers = FALSE) +
  #geom_boxplot(width = 0.1, fill = "black") +
  #stat_summary(fun.data="mean_sdl", fun.args = list(mult=1),geom="pointrange", color = "black") +
  scale_fill_manual(values = color_settings_2) +
  labs(x = "", y = "pseudotime") +
  theme_classic()

```



```

theme_classic()

res_index_scMut_meta_success <- res_index_scMut_meta[res_index_scMut_meta$Outcome == "Successful",][,c("scMutScore", "pseudotime")]
res_index_scMut_meta_deadend <- res_index_scMut_meta[res_index_scMut_meta$Outcome == "DeadEnd",][,c("scMutScore", "pseudotime")]
res_index_scMut_meta_success_deadend <- rbind(res_index_scMut_meta_success, res_index_scMut_meta_deadend)

# Outcome
p_outcome_scMutraceScore <- ggplot(res_index_scMut_meta[res_index_scMut_meta$Outcome %in% c("DeadEnd", "Successful"),]) +
  labs(x = "", y = "scMutScore") +
  #geom_violin(trim = TRUE) +
  geom_boxplot(outliers = FALSE) +
  #geom_boxplot(width = 0.05, fill = "white", outlier.shape = NA) +
  stat_compare_means(method = "t.test", method.args = list(alternative = "greater")) +
  #geom_point(size = 1, shape = 21, color = "black") +
  scale_fill_manual(values = c("#7876B1FF", "#FFDC91FF")) +
  theme_classic()

p_outcome_pseudotime <- ggplot(res_index_scMut_meta[res_index_scMut_meta$Outcome %in% c("DeadEnd", "Successful"),]) +
  labs(x = "", y = "pseudotime") +
  #geom_violin(trim = TRUE) +
  geom_boxplot(outliers = FALSE) +
  #geom_boxplot(width = 0.05, fill = "white", outlier.shape = NA) +
  stat_compare_means(method = "t.test", method.args = list(alternative = "greater")) +
  #geom_point(size = 1, shape = 21, color = "black") +
  scale_fill_manual(values = c("#7876B1FF", "#FFDC91FF")) +
  theme_classic()

p_reprogramming_scMutraceScore <- ggplot(res_index_scMut_meta[res_index_scMut_meta$reprogramming %in% c("F_reprogramming", "T_reprogramming"),]) +
  labs(x = "", y = "scMutScore") +
  #geom_violin(trim = TRUE) +
  geom_boxplot(outliers = FALSE) +
  #geom_boxplot(width = 0.1, fill = "white", outlier.shape = NA) +
  stat_compare_means(method = "t.test", method.args = list(alternative = "greater")) +
  #geom_point(size = 1, shape = 21, color = "black") +
  scale_fill_manual(values = c("#7876B1FF", "#FFDC91FF")) +
  theme_classic()

p_reprogramming_pseudotime <- ggplot(res_index_scMut_meta[res_index_scMut_meta$reprogramming %in% c("F_reprogramming", "T_reprogramming"),]) +
  labs(x = "", y = "pseudotime") +
  #geom_violin(trim = TRUE) +
  geom_boxplot(outliers = FALSE) +
  #geom_boxplot(width = 0.1, fill = "white", outlier.shape = NA) +
  stat_compare_means(method = "t.test", method.args = list(alternative = "greater")) +
  #geom_point(size = 1, shape = 21, color = "black") +
  scale_fill_manual(values = c("#7876B1FF", "#FFDC91FF")) +
  theme_classic()

timepoint_color <- c(Day_6 = '#7D5188', Day_9 = '#7D71A5', Day_12 = '#738DAF', Day_15 = '#6EA5B0', Day_18 = '#6A8CB8', Day_21 = '#6A8CB8', Day_24 = '#6A8CB8', Day_27 = '#6A8CB8', Day_30 = '#6A8CB8')
cluster_color <- c(c0 = '#D5393E', c1 = '#5A6B93', c2 = '#519376', c3 = '#6E8371', c4 = '#A55F7F', c5 = '#A55F7F', c6 = '#A55F7F', c7 = '#A55F7F', c8 = '#A55F7F', c9 = '#A55F7F')
outcom_color <- c(BAB = "lightgray", DeadEnd = "#7876B1FF", Successful = "#FFDC91FF")
reprogramming_colors <- c(F_reprogramming = '#7876B1FF', T_reprogramming = '#FFDC91FF', NotAva = "#d9d9d9")

```

```

p_umap_reprogramming <- ggplot(data = res_index_scMut_meta[res_index_scMut_meta$reprogramming %in% c("F", "S")]) +
  scale_color_manual(values = reprogramming_colors) +
  xlab("") + ylab("") +
  theme_classic()

p_umap_outcome <- ggplot(data = res_index_scMut_meta[res_index_scMut_meta$Outcome %in% c("DeadEnd", "Successful")]) +
  scale_color_manual(values = outcom_color) +
  xlab("") + ylab("") +
  theme_classic()

p_umap_cell_day <- ggplot(data = res_index_scMut_meta) + geom_point(mapping = aes(x = TSNE_1, y = TSNE_2)) +
  scale_color_manual(values = color_settings_2) +
  xlab("") + ylab("") +
  theme_classic()

res_index_scMut_meta$cluster <- paste0("c", res_index_scMut_meta$cluster)
p_umap_cell_cluster <- ggplot(data = res_index_scMut_meta) + geom_point(mapping = aes(x = TSNE_1, y = TSNE_2)) +
  scale_color_manual(values = cluster_color) +
  xlab("") + ylab("") +
  theme_classic()

p_umap_cell_Pseudotime <- ggplot(res_index_scMut_meta[res_index_scMut_meta$pseudotime != "NotAvail",]) +
  geom_point(shape = 21, size = 2, alpha = 0.3) +
  scale_fill_gradientn(colours = c("#313695", "#4575b4", "#74add1", "#abd9e9", "#e0f3f8", "#ffffbf", "#fdae61", "#f4a460", "#d73027", "#a65628", "#8c964e", "#4db6ac")) +
  #scale_fill_gradient2(mid = "#738DAF", low = "#7D5188", high = "#FDEF77", midpoint = 12.924) +
  theme_classic() +
  labs(fill = "Pseudotime")

p_umap_cell_scMutScore <- ggplot(res_index_scMut_meta[res_index_scMut_meta$scMutScore != "NotAvail",]) +
  geom_point(shape = 21, size = 2, alpha = 0.3) +
  scale_fill_gradientn(colours = c("#313695", "#4575b4", "#74add1", "#abd9e9", "#e0f3f8", "#ffffbf", "#fdae61", "#f4a460", "#d73027", "#a65628", "#8c964e", "#4db6ac")) +
  #scale_fill_gradient2(mid = "#738DAF", low = "#7D5188", high = "#FDEF77", midpoint = 0.7065254, limit = 1) +
  theme_classic() +
  labs(fill = "scMutScore")

data_scMutScore_pseudotime <- res_index_scMut_meta[,c("scMutScore", "pseudotime")]
data_scMutScore_pseudotime <- data_scMutScore_pseudotime[data_scMutScore_pseudotime$scMutScore != "NotAvail",]
data_scMutScore_pseudotime$scMutScore <- as.numeric(data_scMutScore_pseudotime$scMutScore)
data_scMutScore_pseudotime$pseudotime <- as.numeric(data_scMutScore_pseudotime$pseudotime)
data_scMutScore_pseudotime$pseudotime_scale <- (data_scMutScore_pseudotime$pseudotime - min(data_scMutScore_pseudotime$pseudotime)) / (max(data_scMutScore_pseudotime$pseudotime) - min(data_scMutScore_pseudotime$pseudotime))

p_cor_scMutScore_pseudotime <- ggplot(data_scMutScore_pseudotime, aes(x = scMutScore, y = pseudotime_scale)) +
  geom_point() +
  geom_smooth(method = "lm", se = TRUE, color = "blue") +
  stat_cor(method = "pearson", label.x = 0.5, label.y = 1) +
  labs(x = "scMutScore", y = "Pseudotime") +
  theme_classic()

p_cor_scMutScore_sumMut <- ggplot(res_index, aes(x = scMutScore, y = log2(sumMut))) +
  geom_point() +
  geom_smooth(method = "lm", se = TRUE, color = "blue") +
  stat_cor(method = "pearson", label.x = 0.5, label.y = 1) +
  labs(x = "scMutScore", y = "sum of matrix") +
  theme_classic()

```

```


theme_classic()

cor.test(data_scMutScore_pseudotime$scMutScore, data_scMutScore_pseudotime$pseudotime_scale)
##
## Pearson's product-moment correlation
##
## data: data_scMutScore_pseudotime$scMutScore and data_scMutScore_pseudotime$pseudotime_scale
## t = 24.639, df = 5007, p-value < 2.2e-16
## alternative hypothesis: true correlation is not equal to 0
## 95 percent confidence interval:
## 0.3039094 0.3533129
## sample estimates:
## cor
## 0.3288361
cor.test(res_index$scMutScore, res_index$sumMut)
##
## Pearson's product-moment correlation
##
## data: res_index$scMutScore and res_index$sumMut
## t = 24.382, df = 6916, p-value < 2.2e-16
## alternative hypothesis: true correlation is not equal to 0
## 95 percent confidence interval:
## 0.2594998 0.3029015
## sample estimates:
## cor
## 0.2813445


```

13 compareClonesScore figures


```
p_cell_scMutraceScore
```




p_cell_pseudotime




p_clone_scMutraceScore




p_clone_pseudotime




p_outcome_scMutraceScore




```
p_outcome_pseudotime
## Warning in FUN(X[[i]], ...): NAs introduced by coercion
## Warning in FUN(X[[i]], ...): NAs introduced by coercion
## Warning: Removed 102 rows containing non-finite outside the scale range
## (`stat_boxplot()`).
## Warning: Removed 102 rows containing non-finite outside the scale range
## (`stat_compare_means()`).
```


p_reprogramming_scMutraceScore




```
p_reprogramming_pseudotime
## Warning in FUN(X[[i]], ...): NAs introduced by coercion
## Warning in FUN(X[[i]], ...): NAs introduced by coercion
## Warning: Removed 135 rows containing non-finite outside the scale range
## (`stat_boxplot()`).
## Warning: Removed 135 rows containing non-finite outside the scale range
## (`stat_compare_means()`).
```




p_umap_reprogramming




`p_umap_outcome`




p_umap_cell_day




p_umap_cell_cluster




p_umap_cell_Pseudotime




p_umap_cell_scMutScore



```
p_cor_scMutScore_pseudotime  
## `geom_smooth()` using formula = 'y ~ x'
```



```
p_cor_scMutScore_sumMut  
## `geom_smooth()` using formula = 'y ~ x'
```



save figures

```
# save data
pdf("../Figure/MEF/p_cell_scMutraceScore.pdf", width = 5.36, height = 3.42)
p_cell_scMutraceScore
dev.off()
## pdf
## 2

pdf("../Figure/MEF/p_cell_pseudotime.pdf", width = 5.36, height = 3.42)
p_cell_pseudotime
dev.off()
## pdf
## 2

pdf("../Figure/MEF/p_clone_scMutraceScore.pdf", width = 5.36, height = 3.42)
p_clone_scMutraceScore
dev.off()
## pdf
## 2

pdf("../Figure/MEF/p_clone_pseudotime.pdf", width = 5.36, height = 3.42)
p_clone_pseudotime
dev.off()
## pdf
## 2
```

```
pdf("../Figure/MEF/p_umap_cell_day.pdf", width = 5.36, height = 3.42)
p_umap_cell_day
dev.off()
## pdf
## 2

pdf("../Figure/MEF/p_umap_cell_scMutScore.pdf", width = 5.36, height = 3.42)
p_umap_cell_scMutScore
dev.off()
## pdf
## 2

pdf("../Figure/MEF/p_umap_cell_Pseudotime.pdf", width = 5.36, height = 3.42)
p_umap_cell_Pseudotime
dev.off()
## pdf
## 2

pdf("../Figure/MEF/p_success_faile_scMutraceScore.pdf", width = 5.36, height = 3.42)
p_reprogramming_scMutraceScore
dev.off()
## pdf
## 2
```

14 check randomly clone scMutScore

```
selected_Days <- c("Day_6", "Day_9", "Day_12", "Day_15", "Day_21", "Day_28")
set.seed(2025)
data_random_cells <- res_index_scMut_meta[sample(nrow(res_index_scMut_meta), 1000, replace = TRUE), c("scMutScore", "Day")]
data_random_cells$Day <- "Day_6"

for (i in 2:length(selected_Days)){
  random_rows_1 <- res_index_scMut_meta[sample(nrow(res_index_scMut_meta), 50), c("scMutScore", "Day")]
  random_rows_1$Day <- selected_Days[i]
  data_random_cells <- rbind(data_random_cells, random_rows_1)
}

data_random_cells$Day <- factor(data_random_cells$Day, levels = c("Day_6", "Day_9", "Day_12", "Day_15", "Day_21", "Day_28"))

p_random_cell_days <- ggplot(data = data_random_cells, mapping = aes(x = Day, y = scMutScore, fill = Day)) +
  #geom_violin(trim = TRUE) +
  geom_boxplot(outliers = TRUE) +
  #stat_summary(fun.data="mean_sdl", fun.args = list(mult=1), geom="pointrange", color = "black") +
  scale_fill_manual(values = color_settings_2) +
  labs(x = "", y = "scMutScore") +
  theme_classic()

data_random_clones <- data_clone_score_clonetagDay[sample(nrow(data_clone_score_clonetagDay), 400, replace = TRUE), c("scMutScore", "Day")]
data_random_clones$Day <- "Day_6"

for (i in 2:length(selected_Days)){
```

```


random_rows_1 <- data_clone_score_clonetagDay[sample(nrow(data_clone_score_clonetagDay), 50), c("Mean", "Day")]
random_rows_1$Day <- selected_Days[i]
data_random_clones <- rbind(data_random_clones, random_rows_1)
}

data_random_clones$Day <- factor(data_random_clones$Day, levels = c("Day_6", "Day_9", "Day_12", "Day_15", "Day_21", "Day_28"))

p_random_clone_days <- ggplot(data_random_clones, mapping = aes(x = as.factor(Day), y = Mean_Day_score,
#geom_violin(trim = TRUE) +
geom_boxplot(outliers = TRUE) +
geom_line(aes(group = ID), color = "gray", alpha = 0.1) +
#geom_point(size = 1, shape = 21, color = "black") +
scale_fill_manual(values = color_settings_2) +
labs(x = "", y = "scMutraceScore") +
theme_classic())

p_random_cell_days


```



```

p_random_clone_days

```



```
pdf("../Figure/MEF/p_random_cell_days.pdf", width = 5.36, height = 3.42)
p_random_cell_days
dev.off()
## pdf
## 2

pdf("../Figure/MEF/p_random_clone_days.pdf", width = 5.36, height = 3.42)
p_random_clone_days
dev.off()
## pdf
## 2

library(clinfun)
# cells scMutscore
res_index_selected <- res_index_scMut_meta[res_index_scMut_meta$Day %in% c('Day_6', 'Day_9', 'Day_12',
res_index_selected$Day <- factor(res_index_selected$Day, levels = c('Day_6', 'Day_9', 'Day_12', 'Day_15',
jonckheere.test(x = res_index_selected$scMutScore, g = res_index_selected$Day, alternative = "increasing",
## Warning in jonckheere.test(x = res_index_selected$scMutScore, g = res_index_selected$Day, : Sample sizes in each group are not the same.
## p-value based on normal approximation. Specify nperm for permutation p-value
##
## Jonckheere-Terpstra test
##
## data:
## JT = 10520356, p-value < 2.2e-16
```

```

## alternative hypothesis: increasing
#JT = 10520356, p-value < 2.2e-16
#alternative hypothesis: increasing

res_index_selected <- res_index_scMut_meta[res_index_scMut_meta$Day %in% c('Day_6', 'Day_9', 'Day_12',
res_index_selected <- res_index_scMut_meta[res_index_scMut_meta$pseudotime != "NotAva",]
res_index_selected$Day <- factor(res_index_selected$Day , levels = c('Day_6', 'Day_9', 'Day_12', 'Day_15'))
jonckheere.test(x = as.numeric(res_index_selected$pseudotime), g = res_index_selected$Day, alternative = "increasing")
## Warning in jonckheere.test(x = as.numeric(res_index_selected$pseudotime), : Sample size > 100 or data not balanced
## p-value based on normal approximation. Specify nperm for permutation p-value
##
## Jonckheere-Terpstra test
##
## data:
## JT = 6857494, p-value < 2.2e-16
## alternative hypothesis: increasing
#JT = 6857494, p-value < 2.2e-16
#alternative hypothesis: increasing

# clone scMutScore
data_clone_score_clonetagDay_selected <- data_clone_score_clonetagDay[data_clone_score_clonetagDay$Day %in% c('Day_6', 'Day_9', 'Day_12', 'Day_15'),]
data_clone_score_clonetagDay_selected$Day <- factor(data_clone_score_clonetagDay_selected$Day , levels = c('Day_6', 'Day_9', 'Day_12', 'Day_15'))
jonckheere.test(x = data_clone_score_clonetagDay_selected$Mean_Day_score, g = data_clone_score_clonetagDay_selected$Day, alternative = "increasing")
## Warning in jonckheere.test(x = data_clone_score_clonetagDay_selected$Mean_Day_score, : Sample size > 100 or data not balanced
## p-value based on normal approximation. Specify nperm for permutation p-value
##
## Jonckheere-Terpstra test
##
## data:
## JT = 31093, p-value = 8.216e-15
## alternative hypothesis: increasing
#JT = 31093, p-value = 8.216e-15
#alternative hypothesis: increasing
jonckheere.test(x = as.numeric(data_clone_score_clonetagDay_selected$Mean_Day_pseudotime), g = data_clone_score_clonetagDay_selected$Day, alternative = "increasing")
## Warning in jonckheere.test(x = as.numeric(data_clone_score_clonetagDay_selected$Mean_Day_pseudotime), : Sample size > 100 or data not balanced
## p-value based on normal approximation. Specify nperm for permutation p-value
##
## Jonckheere-Terpstra test
##
## data:
## JT = 37857, p-value < 2.2e-16
## alternative hypothesis: increasing
#JT = 37857, p-value < 2.2e-16
#alternative hypothesis: increasing

# data_random_cells
data_random_cells$Day <- factor(data_random_cells$Day , levels = c('Day_6', 'Day_9', 'Day_12', 'Day_15'))
jonckheere.test(x = data_random_cells$scMutScore, g = data_random_cells$Day, alternative = "increasing")
## Warning in jonckheere.test(x = data_random_cells$scMutScore, g = data_random_cells$Day, : Sample size > 100 or data not balanced
## p-value based on normal approximation. Specify nperm for permutation p-value
##
## Jonckheere-Terpstra test
##

```

```
## data:
## JT = 135420, p-value = 0.657
## alternative hypothesis: increasing
#JT = 135420, p-value = 0.657
#alternative hypothesis: increasing

#data_random_clones
data_random_clones$Day <- factor(data_random_clones$Day , levels = c('Day_6', 'Day_9', 'Day_12', 'Day_15'))
jonckheere.test(x = data_random_clones$Mean_Day_score, g = data_random_clones$Day, alternative = "increasing")
## Warning in jonckheere.test(x = data_random_clones$Mean_Day_score, g = data_random_clones$Day, : Sample sizes
## p-value based on normal approximation. Specify nperm for permutation p-value
##
## Jonckheere-Terpstra test
##
## data:
## JT = 58798, p-value = 0.9372
## alternative hypothesis: increasing
#JT = 58798, p-value = 0.9372
#alternative hypothesis: increasing
```

15 tracing allClones


```
res_index_scMut_meta_MEF <- res_index_scMut_meta[res_index_scMut_meta$CellTagD0_48k != "NotAva" & res_index_scMut_meta$CellTagD3_48k != "NotAva"]
res_index_scMut_meta_D3 <- res_index_scMut_meta[res_index_scMut_meta$CellTagD3_48k != "NotAva" & res_index_scMut_meta$CellTagD13_48k != "NotAva"]
res_index_scMut_meta_D13 <- res_index_scMut_meta[res_index_scMut_meta$CellTagD13_48k != "NotAva",]

p_cell_MEF <- ggplot(data = res_index_scMut_meta_MEF, mapping = aes(x = Day, y = scMutScore, fill = Day)) +
  geom_violin(trim = TRUE) + coord_cartesian(ylim = c(0, 1)) +
  geom_boxplot(width = 0.1, fill = "white", outliers = FALSE) +
  scale_fill_manual(values = color_settings_2) +
  labs(x = "", y = "scMuttraceScore") +
  theme_classic()


p_cell_D3 <- ggplot(data = res_index_scMut_meta_D3, mapping = aes(x = Day, y = scMutScore, fill = Day)) +
  geom_violin(trim = TRUE) + coord_cartesian(ylim = c(0, 1)) +
  geom_boxplot(width = 0.1, fill = "white", outliers = FALSE) +
  scale_fill_manual(values = color_settings_2) +
  labs(x = "", y = "scMuttraceScore") +
  theme_classic()

p_cell_D13 <- ggplot(data = res_index_scMut_meta_D13, mapping = aes(x = Day, y = scMutScore, fill = Day)) +
  geom_violin(trim = TRUE) + coord_cartesian(ylim = c(0, 1)) +
  geom_boxplot(width = 0.1, fill = "white", outliers = FALSE) +
  #stat_summary(fun.data="mean_sdl", fun.args = list(mult=1),geom="pointrange", color = "black") +
  scale_fill_manual(values = color_settings_2) +
  labs(x = "", y = "scMuttraceScore") +
  theme_classic()
```



p_cell_MEF



p_cell_D3



p_cell_D13



16 randomlySelectMut

```
color_settings <- c(d0 = "#FFDC91FF", d3 = "#7876B1FF", d6 = "#4575b4",
  d9 = "#91b9db", d12 = "#e0f3f8", d15 = "#fee090",
  d21 = "#fc8d59", d28 = "#BC3C29FF")

color_settings_2 <- c(Day_0 = "#FFDC91FF", Day_3 = "#7876B1FF", Day_6 = "#4575b4",
  Day_9 = "#91b9db", Day_12 = "#e0f3f8", Day_15 = "#fee090",
  Day_21 = "#fc8d59", Day_28 = "#BC3C29FF")

col_names_days <- c("Day_6", "Day_9", "Day_12", "Day_15", "Day_21", "Day_28", "sampleSize")
reps_random <- 100
row_names_reps <- paste("iter", c(1:reps_random), sep = "_")

sample_num <- c(10, 30, 50, 100, 150)

data_random_muts2cell_hf1 <- as.data.frame(matrix(nrow = reps_random * length(sample_num), ncol = length(sample_num)))
data_random_muts2cell_hf2 <- as.data.frame(matrix(nrow = reps_random * length(sample_num), ncol = length(sample_num)))

colnames(data_random_muts2cell_hf1) <- col_names_days
colnames(data_random_muts2cell_hf2) <- col_names_days

#rownames(data_random_muts2cell_hf1) <- row_names_reps
```

```

#rownames(data_random_muts2cell_hf2) <- row_names_reps

hf1_muts <- data_CellPerMut_hf1$Location
hf2_muts <- data_CellPerMut_hf2$Location

set.seed(2025)
line_count <- 0
for (i in 1:reps_random){

  for (j in sample_num){

    line_count <- line_count + 1
    hf1_muts_tmp <- sample(hf1_muts, j, replace = TRUE)
    hf2_muts_tmp <- sample(hf2_muts, j, replace = TRUE)

    hf1_cells <- retrieveCellsByLocation(MEF_CSM_hf1, hf1_muts_tmp)$Mut
    hf2_cells <- retrieveCellsByLocation(MEF_CSM_hf2, hf2_muts_tmp)$Mut

    data_random_muts2cell_hf1[line_count, "Day_6"] <- sum(str_count(hf1_cells, "hf1.d6"))
    data_random_muts2cell_hf1[line_count, "Day_9"] <- sum(str_count(hf1_cells, "hf1.d9"))
    data_random_muts2cell_hf1[line_count, "Day_12"] <- sum(str_count(hf1_cells, "hf1.d12"))
    data_random_muts2cell_hf1[line_count, "Day_15"] <- sum(str_count(hf1_cells, "hf1.d15"))
    data_random_muts2cell_hf1[line_count, "Day_21"] <- sum(str_count(hf1_cells, "hf1.d21"))
    data_random_muts2cell_hf1[line_count, "Day_28"] <- sum(str_count(hf1_cells, "hf1.d28"))
    data_random_muts2cell_hf1[line_count, "sampleSize"] <- j

    data_random_muts2cell_hf2[line_count, "Day_6"] <- sum(str_count(hf2_cells, "hf2.d6"))
    data_random_muts2cell_hf2[line_count, "Day_9"] <- sum(str_count(hf2_cells, "hf2.d9"))
    data_random_muts2cell_hf2[line_count, "Day_12"] <- sum(str_count(hf2_cells, "hf2.d12"))
    data_random_muts2cell_hf2[line_count, "Day_15"] <- sum(str_count(hf2_cells, "hf2.d15"))
    data_random_muts2cell_hf2[line_count, "Day_21"] <- sum(str_count(hf2_cells, "hf2.d21"))
    data_random_muts2cell_hf2[line_count, "Day_28"] <- sum(str_count(hf2_cells, "hf2.d28"))
    data_random_muts2cell_hf2[line_count, "sampleSize"] <- j
  }
}

data_random_muts2cell_hf1$iteration <- rownames(data_random_muts2cell_hf1)
data_random_muts2cell_hf2$iteration <- rownames(data_random_muts2cell_hf2)

data_random_muts2cell_hf1_long <- data_random_muts2cell_hf1 %>%
  pivot_longer(
    cols = starts_with("Day"),
    names_to = "Day",
    values_to = "CellNum"
  )

data_random_muts2cell_hf2_long <- data_random_muts2cell_hf2 %>%
  pivot_longer(
    cols = starts_with("Day"),
    names_to = "Day",
    values_to = "CellNum"
  )


```

```
data_random_muts2cell_hf1_long$Day <- factor(data_random_muts2cell_hf1_long$Day, levels = c("Day_6", "D
data_random_muts2cell_hf2_long$Day <- factor(data_random_muts2cell_hf2_long$Day, levels = c("Day_6", "D
```


```
p_Mut2Cell_hf1 <- ggplot(data_random_muts2cell_hf1_long,
  aes(x = Day, y = CellNum, color = factor(sampleSize))) +
  geom_jitter(width = 0.2, alpha = 0.5, size = 1) +
  #facet_wrap(~ Timecourse, ncol = 1, scales = "free_y") +
  ylab("Number of cells") +
  xlab("Day") +
  labs(color = "SelectNum") +
  scale_color_manual(values = c(
    "10" = "#4d4d4d",
    "30" = "#bababa",
    "50" = "#fddbc7",
    "100" = "#f4a582",
    "150" = "#b2182b"
  )) +
  theme_classic(base_size = 14) +
  theme(axis.text.x = element_text(angle = 45, hjust = 1))
```

```
p_Mut2Cell_hf2 <- ggplot(data_random_muts2cell_hf2_long,
  aes(x = Day, y = CellNum, color = factor(sampleSize))) +
  geom_jitter(width = 0.2, alpha = 0.5, size = 1) +
  #facet_wrap(~ Timecourse, ncol = 1, scales = "free_y") +
  ylab("Number of cells") +
  xlab("Day") +
  labs(color = "SelectNum") +
  scale_color_manual(values = c(
    "10" = "#4d4d4d",
    "30" = "#bababa",
    "50" = "#fddbc7",
    "100" = "#f4a582",
    "150" = "#b2182b"
  )) +
  theme_classic(base_size = 14) +
  theme(axis.text.x = element_text(angle = 45, hjust = 1))
```

```
p_Mut2Cell_hf1
```



p_Mut2Cell1_hf2



```
pdf("../Figure/MEF/p_Mut2Cell_hf1.pdf", width = 5.36, height = 3.42)
p_Mut2Cell_hf1
dev.off()
## pdf
## 2

pdf("../Figure/MEF/p_Mut2Cell_hf2.pdf", width = 5.36, height = 3.42)
p_Mut2Cell_hf2
dev.off()
## pdf
## 2
```

17 lineageTracingExample

```
selected_start_cloneID <- 2352
data_clone_score_selected <- res_index_scMut_meta[res_index_scMut_meta$CellTagD0_48k == selected_start_
colnames(data_clone_score_selected) <- c("Cellbarcode", "scMutScore", "D0_tag", "D3_tag", "D13_tag")

# Categorization of all situations
data_clone_score_selected_long <- bind_rows(
  # C1: D3 == NotAva & D13 != NotAva → D0 → D13
  data_clone_score_selected %>%
```

```

dplyr::filter(D3_tag == "NotAva" & D13_tag != "NotAva") %>%
dplyr::select(source = D0_tag, target = D13_tag),

# C2: D3 == NotAva & D13 == NotAva → D0 → D0_self
data_clone_score_selected %>%
  dplyr::filter(D3_tag == "NotAva" & D13_tag == "NotAva") %>%
  dplyr::mutate(target = paste0(D0_tag, "_self")) %>%
  dplyr::select(source = D0_tag, target),

# C3: D3 != NotAva & D13 != NotAva → D0→D3
data_clone_score_selected %>%
  dplyr::filter(D3_tag != "NotAva" & D13_tag != "NotAva") %>%
  dplyr::select(source = D0_tag, target = D3_tag),

# C4: D3 != NotAva & D13 != NotAva → D3→D13
data_clone_score_selected %>%
  dplyr::filter(D3_tag != "NotAva" & D13_tag != "NotAva") %>%
  dplyr::select(source = D3_tag, target = D13_tag),

# C5: D3 != NotAva & D13 == NotAva → D0→D3
data_clone_score_selected %>%
  dplyr::filter(D3_tag != "NotAva" & D13_tag == "NotAva") %>%
  dplyr::select(source = D0_tag, target = D3_tag),

# C6: D3 != NotAva & D13 == NotAva → D3→D3_self
data_clone_score_selected %>%
  dplyr::filter(D3_tag != "NotAva" & D13_tag == "NotAva") %>%
  dplyr::mutate(target = paste0(D3_tag, "_self")) %>%
  dplyr::select(source = D3_tag, target)
)

# Counting the number of pairs
clone_links <- data_clone_score_selected_long %>%
  dplyr::group_by(source, target) %>%
  dplyr::summarise(value = n()) %>%
  dplyr::arrange(desc(value))
## `summarise()` has grouped output by 'source'. You can override using the
## `.groups` argument.

clone_links <- as.data.frame(clone_links)

clone_nodes <- data.frame(
  name=c(as.character(clone_links$source),
  as.character(clone_links$target)) %>% unique()
)

clone_nodes$group <- ""

for (i in 1:nrow(clone_nodes)){
  checkNode <- as.character(clone_nodes[i,"name"])
  if (checkNode %in% as.character(data_clone_score_selected$D0_tag)){
    clone_nodes[i,"group"] <- "MEF"
  }
}

```



```

if (checkNode %in% as.character(data_clone_score_selected$D3_tag)){
  clone_nodes[i,"group"] <- "D3"
}


if (checkNode %in% as.character(data_clone_score_selected$D13_tag)){
  clone_nodes[i,"group"] <- "D13"
}
}

clone_links$IDsource <- match(clone_links$source, clone_nodes$name)-1
clone_links$IDtarget <- match(clone_links$target, clone_nodes$name)-1

p_sankeyNetwork <- sankeyNetwork(Links = clone_links, Nodes = clone_nodes,
  Source = "IDsource", Target = "IDtarget",
  Value = "value", NodeID = "name",
  sinksRight=FALSE,
  colourScale = JS("d3.scaleOrdinal()
    .domain(['MEF', 'D3', 'D13'])
    .range(['#1f77b4', '#ff7f0e', '#2ca02c'])"),
  NodeGroup = "group")

p_sankeyNetwork

```



```
#htmlwidgets::saveWidget(p_sankeyNetwork, "../Figures/sankey_plot_temp.html")
#webshot("../Figures/sankey_plot_temp.html", "../Figures/p_sankey_plot.pdf")
```

18 lineageTracingExample with scMutScore

```
selected_start_cloneID <- c(124, 487, 2352)

data_clone_score_selected <- res_index_scMut_meta[res_index_scMut_meta$CellTagD0_48k %in% selected_start_cloneID, ]
colnames(data_clone_score_selected) <- c("Cellbarcode", "scMutScore", "D0_tag", "D3_tag", "D13_tag")

# Categorization of all situations
data_clone_score_selected_long <- bind_rows(
  # C1: D3 == NotAva & D13 != NotAva → D0 → D13
  data_clone_score_selected %>%
    dplyr::filter(D3_tag == "NotAva" & D13_tag != "NotAva") %>%
    dplyr::select(source = D0_tag, target = D13_tag),

  # C2: D3 == NotAva & D13 == NotAva → D0 → D0_self
  data_clone_score_selected %>%
    dplyr::filter(D3_tag == "NotAva" & D13_tag == "NotAva") %>%
    dplyr::mutate(target = paste0(D0_tag, "_self")) %>%
    dplyr::select(source = D0_tag, target),

  # C3: D3 != NotAva & D13 != NotAva → D0→D3
  data_clone_score_selected %>%
    dplyr::filter(D3_tag != "NotAva" & D13_tag != "NotAva") %>%
    dplyr::select(source = D0_tag, target = D3_tag),

  # C4: D3 != NotAva & D13 != NotAva → D3→D13
  data_clone_score_selected %>%
    dplyr::filter(D3_tag != "NotAva" & D13_tag != "NotAva") %>%
    dplyr::select(source = D3_tag, target = D13_tag),

  # C5: D3 != NotAva & D13 == NotAva → D0→D3
  data_clone_score_selected %>%
    dplyr::filter(D3_tag != "NotAva" & D13_tag == "NotAva") %>%
    dplyr::select(source = D0_tag, target = D3_tag),

  # C6: D3 != NotAva & D13 == NotAva → D3→D3_self
  data_clone_score_selected %>%
    dplyr::filter(D3_tag != "NotAva" & D13_tag == "NotAva") %>%
    dplyr::mutate(target = paste0(D3_tag, "_self")) %>%
    dplyr::select(source = D3_tag, target)
)

# Counting the number of pairs
clone_links <- data_clone_score_selected_long %>%
  dplyr::group_by(source, target) %>%
  dplyr::summarise(value = n()) %>%
  dplyr::arrange(desc(value))
```

```

## `summarise()` has grouped output by 'source'. You can override using the
## `.groups` argument.

clone_links <- as.data.frame(clone_links)

clone_links <- clone_links[!grepl("_self", clone_links$target), ]

#clone_links <- clone_links[clone_links$value > 1,]

clone_nodes <- data.frame(
  name=c(as.character(clone_links$source),
  as.character(clone_links$target)) %>% unique()
)

clone_nodes$group <- ""

for (i in 1:nrow(clone_nodes)){
  checkNode <- as.character(clone_nodes[i,"name"])
  if (checkNode %in% as.character(data_clone_score_selected$D0_tag)){
    clone_nodes[i,"group"] <- "MEF"
  }

  if (checkNode %in% as.character(data_clone_score_selected$D3_tag)){
    clone_nodes[i,"group"] <- "D3"
  }

  if (checkNode %in% as.character(data_clone_score_selected$D13_tag)){
    clone_nodes[i,"group"] <- "D13"
  }
}

# cal node scMutScore
clone_nodes$scMutScore <- 0

data_MEF_D3_D13 <- data.frame()

for (i in 1:nrow(clone_nodes)){
  group_tmp <- clone_nodes[i, "group"]
  node_tmp <- clone_nodes[i, "name"]
  print(node_tmp)
  print(group_tmp)
  if (group_tmp == "MEF"){
    data_mef_tmp <- res_index_scMut_meta[res_index_scMut_meta$CellTagD0_48k %in% selected_start_cloneID
    if(nrow(data_mef_tmp) == 0){
      data_mef_tmp_tmp <- res_index_scMut_meta[res_index_scMut_meta$CellTagD0_48k == selected_start_cloneID]
      data_mef_tmp_tmp$Tag <- "MEF"
      clone_nodes[i, "scMutScore"] <- min(data_mef_tmp_tmp$scMutScore)
      data_MEF_D3_D13 <- rbind(data_MEF_D3_D13, data_mef_tmp_tmp)
    }else{
      data_mef_tmp$Tag <- "MEF"
      clone_nodes[i, "scMutScore"] <- min(data_mef_tmp$scMutScore)
      data_MEF_D3_D13 <- rbind(data_MEF_D3_D13, data_mef_tmp)
    }
  }
}

```

```

}
if (group_tmp == "D3"){
  data_d3_tmp <- res_index_scMut_meta[res_index_scMut_meta$CellTagD0_48k %in% selected_start_cloneID &
  if(nrow(data_d3_tmp) == 0){
    data_d3_tmp_tmp <- res_index_scMut_meta[res_index_scMut_meta$CellTagD0_48k == selected_start_cloneID]
    data_d3_tmp_tmp$Tag <- "D3"
    clone_nodes[i, "scMutScore"] <- min(data_d3_tmp_tmp$scMutScore)
    data_MEF_D3_D13 <- rbind(data_MEF_D3_D13, data_d3_tmp_tmp)
  }else{
    data_d3_tmp$Tag <- "D3"
    clone_nodes[i, "scMutScore"] <- min(data_d3_tmp$scMutScore)
    data_MEF_D3_D13 <- rbind(data_MEF_D3_D13, data_d3_tmp)
  }
}
if (group_tmp == "D13"){
  data_d13_tmp <- res_index_scMut_meta[res_index_scMut_meta$CellTagD0_48k %in% selected_start_cloneID]
  data_d13_tmp$Tag <- "D13"
  clone_nodes[i, "scMutScore"] <- min(data_d13_tmp$scMutScore)
  data_MEF_D3_D13 <- rbind(data_MEF_D3_D13, data_d13_tmp)
}
}

## [1] "487"
## [1] "MEF"
## [1] "124"
## [1] "MEF"
## [1] "2352"
## [1] "MEF"
## [1] "204"
## [1] "D3"
## [1] "240"
## [1] "D3"
## [1] "212"
## [1] "D3"
## [1] "2683"
## [1] "D3"
## [1] "767"
## [1] "D3"
## [1] "488"
## [1] "D3"
## [1] "2717"
## [1] "D3"
## [1] "543"
## [1] "D3"
## [1] "779"
## [1] "D3"
## [1] "83"
## [1] "D13"
## [1] "93"
## [1] "D13"
## [1] "770"
## [1] "D3"
## [1] "784"
## [1] "D3"

```

```

## [1] "104"
## [1] "D13"
## [1] "43"
## [1] "D13"
## [1] "47"
## [1] "D13"
## [1] "99"
## [1] "D13"
## [1] "2069"
## [1] "D13"
## [1] "2118"
## [1] "D13"
## [1] "2120"
## [1] "D13"
## [1] "2151"
## [1] "D13"
## [1] "2187"
## [1] "D13"
## [1] "2261"
## [1] "D13"
## [1] "2281"
## [1] "D3"
## [1] "2396"
## [1] "D3"
## [1] "2804"
## [1] "D3"
## [1] "178"
## [1] "D13"
## [1] "2027"
## [1] "D13"
## [1] "110"
## [1] "D13"
## [1] "522"
## [1] "D3"
## [1] "128"
## [1] "D13"

data_MEF_D3_D13$Tag <- factor(data_MEF_D3_D13$Tag, levels = c("MEF", "D3", "D13"))
clone_nodes$group <- factor(clone_nodes$group, levels = c("MEF", "D3", "D13"))
data_MEF_D3_D13$Day <- factor(data_MEF_D3_D13$Day, levels = c("Day_0", "Day_3", "Day_6", "Day_9", "Day_12"))

network <- graph_from_data_frame(d=clone_links, vertices=clone_nodes, directed=T)

color_settings_network_1 <- c( D13 = "#e41a1c", D3 = "#377eb8", MEF = "#4daf4a")
color_settings_network_2 <- colorRampPalette(c("#fee8c8", "#fdbb84", "#e34a33"))
colors <- color_settings_network_2(5)

breaks <- unique(quantile(V(network)$scMutScore, probs = seq(0, 1, length.out = 6)))

value_group <- cut(V(network)$scMutScore, breaks = breaks, include.lowest = TRUE, labels = FALSE)

```

```

my_color_2 <- colors[value_group]

edge_width <- log2(E(network)$value + 0.1)

vertex_frame_color <- color_settings_network_1[V(network)$group]


p_selected_clone_MEF <- ggplot(data = data_MEF_D3_D13[data_MEF_D3_D13$Tag == "MEF",], mapping = aes(x = 
  geom_violin(trim = FALSE) + coord_cartesian(ylim = c(0, 1)) +
  geom_boxplot(width = 0.05, fill = "white", outliers = FALSE) +
  #stat_summary(fun.data="mean_sdl", fun.args = list(mult=1),geom="pointrange", color = "black") +
  scale_fill_manual(values = color_settings_2) +
  labs(x = "", y = paste0("scMutraceScore_", selected_start_cloneID)) +
  theme_classic()

p_selected_clone_D3 <- ggplot(data = data_MEF_D3_D13[data_MEF_D3_D13$Tag == "D3",], mapping = aes(x = D
  geom_violin(trim = FALSE) + coord_cartesian(ylim = c(0, 1)) +
  geom_boxplot(width = 0.05, fill = "white", outliers = FALSE) +
  #stat_summary(fun.data="mean_sdl", fun.args = list(mult=1),geom="pointrange", color = "black") +
  scale_fill_manual(values = color_settings_2) +
  labs(x = "", y = paste0("scMutraceScore_", selected_start_cloneID)) +
  theme_classic()

p_selected_clone_D13 <- ggplot(data = data_MEF_D3_D13[data_MEF_D3_D13$Tag == "D13",], mapping = aes(x = 
  geom_violin(trim = FALSE) + coord_cartesian(ylim = c(0, 1)) +
  geom_boxplot(width = 0.05, fill = "white", outliers = FALSE) +
  #stat_summary(fun.data="mean_sdl", fun.args = list(mult=1),geom="pointrange", color = "black") +
  scale_fill_manual(values = color_settings_2) +
  labs(x = "", y = paste0("scMutraceScore_", selected_start_cloneID)) +
  theme_classic()

#pdf("../Figures/p_network_plot.pdf", width = 12, height = 12)
plot(network,
  vertex.color=my_color_2,
  vertex.label.color = "black",
  vertex.label.cex = 0.8,
  vertex.size = 15,
  #vertex.frame.width = 3,
  #vertex.frame.color = vertex_frame_color,
  edge.color = "black",
  edge.arrow.size = 0.4,
  edge.width = edge_width)

```



```
#dev.off()
col_fun <- colorRampPalette(c("#fee8c8", "#fdbb84", "#e34a33"))
col_seq <- col_fun(length(my_color_2))
image(z = matrix(1:length(my_color_2), ncol = 1), col = col_seq,
      axes = FALSE, main = "Gradient Legend")
axis(4, at = seq(0, 1, length.out = 5), labels = round(seq(0, 1, length.out = 5), 2))
```

Gradient Legend



```
pdf("../Figure/MEF/gradient_legend.pdf", width = 3, height = 5)
image(z = matrix(1:length(my_color_2), ncol = 1), col = col_seq,
      axes = FALSE, main = "Gradient Legend")
axis(4, at = seq(0, 1, length.out = 5), labels = round(seq(0, 1, length.out = 5), 2))
dev.off()
## pdf
## 2

pdf("../Figure/MEF/p_network_plot.pdf", width = 7.68, height = 5.29)
plot(network,
      vertex.color=my_color_2,
      vertex.label.color = "black",
      vertex.label.cex = 0.8,
      vertex.size = 15,
      edge.color = "black",
      edge.arrow.size = 0.4,
      edge.width = edge_width)
dev.off()
## pdf
## 2
```


19 testModel

```

m1 <- c(1, 1, 1, 1, 1, 1, 1, 1)
m2 <- c(0, 1, 1, 1, 1, 1, 1, 1)
m3 <- c(0, 0, 1, 0, 0, 0, 0, 0)
m4 <- c(0, 0, 0, 1, 1, 1, 1, 1)
m5 <- c(0, 0, 0, 0, 1, 1, 1, 1)
m6 <- c(0, 0, 0, 0, 0, 1, 0, 0)
m7 <- c(0, 0, 0, 0, 0, 0, 1, 0)
m8 <- c(0, 0, 0, 0, 0, 0, 0, 1)

t1 <- c(1, 0, 0, 0, 0, 0, 0, 0)
t2 <- c(1, 1, 0, 0, 0, 0, 0, 0)
t3 <- c(1, 1, 1, 1, 0, 0, 0, 0)
t4 <- c(1, 1, 1, 1, 0, 0, 0, 0)
t5 <- c(1, 1, 0, 1, 1, 0, 0, 0)
t6 <- c(1, 1, 0, 1, 1, 1, 1, 1)

test_Matrix_cm <- data.frame(m1 = m1, m2 = m2, m3 = m3, m4 = m4, m5 = m5, m6 = m6, m7 = m7, m8 = m8)
test_Matrix_mt <- data.frame(t1 = t1, t2 = t2, t3 = t3, t4 = t4, t5 = t5, t6 = t6)
rownames(test_Matrix_cm) <- c("c1", "c2", "c3", "c4", "c5", "c6", "c7", "c8")

test_Matrix_ct <- as.matrix(test_Matrix_cm) %>% as.matrix(test_Matrix_mt)
rownames(test_Matrix_ct) <- c("c1", "c2", "c3", "c4", "c5", "c6", "c7", "c8")

res <- cal_MultiSpe(test_Matrix_ct)

#test_Matrix_cm
#test_Matrix_mt
#test_Matrix_ct


cal_scMutScore(test_Matrix_cm, test_Matrix_mt, NA)
## [1] 8 8
## [1] 8 6
## $diversity
##      t1      t2      t3      t4      t5      t6 Diversity
## c1  0 0.0000000 0.0000000 0.0000000 0.0000000 0.0000000 0.0000000
## c2  0 0.1666667 0.1666667 0.1666667 0.1666667 0.1666667 0.8333333
## c3  0 0.1666667 0.1666667 0.1666667 0.1666667 0.1666667 0.8333333
## c4  0 0.1666667 0.1666667 0.1666667 0.1666667 0.1666667 0.8333333
## c5  0 0.1666667 0.1666667 0.1666667 0.1666667 0.1666667 0.8333333
## c6  0 0.1666667 0.1666667 0.1666667 0.1666667 0.1666667 0.8333333
## c7  0 0.1666667 0.1666667 0.1666667 0.1666667 0.1666667 0.8333333
## c8  0 0.1666667 0.1666667 0.1666667 0.1666667 0.1666667 0.8333333
##
## $score
##      Shannon Simpson      Gini sumMut      Tau      GiniTau scMutScore
## c1 1.791759 0.8333333 0.0000000      6 0.0000000 0.000000000 0.00000000
## c2 1.767761 0.8264463 0.07575716     11 0.1000000 0.007575716 0.06691216
## c3 1.737983 0.8165680 0.16666590     13 0.3333333 0.055555299 0.48481273
## c4 1.736741 0.8177778 0.14444387     15 0.2000000 0.028888773 0.25320566
## c5 1.711547 0.8096886 0.20588163     17 0.3500000 0.072058569 0.62733159

```


```
## c6 1.692020 0.8024691 0.24073994      18 0.4800000 0.115555170 1.00000000
## c7 1.692020 0.8024691 0.24073994      18 0.4800000 0.115555170 1.00000000
## c8 1.692020 0.8024691 0.24073994      18 0.4800000 0.115555170 1.00000000
##      Diversity sumMut_norm GiniTau_norm scMutScoreQun
## c1 0.0000000    0.0000000    0.0000000    0.0000000
## c2 0.8333333    0.4166667    0.0655593    0.4166667
## c3 0.8333333    0.5833333    0.4807686    0.5833333
## c4 0.8333333    0.7500000    0.2499998    0.7500000
## c5 0.8333333    0.9166667    0.6235859    0.9166667
## c6 0.8333333    1.0000000    1.0000000    1.0000000
## c7 0.8333333    1.0000000    1.0000000    1.0000000
## c8 0.8333333    1.0000000    1.0000000    1.0000000
##
## $matrixD
##      t1 t2 t3 t4 t5 t6
## c1  1  1  1  1  1  1
## c2  1  2  2  2  2  2
## c3  1  2  3  3  2  2
## c4  1  2  3  3  3  3
## c5  1  2  3  3  4  4
## c6  1  2  3  3  4  5
## c7  1  2  3  3  4  5
## c8  1  2  3  3  4  5

my_colors <- c("#f7f7f7", "#d9d9d9", "#bdbdbd", "#969696", "#636363", "#252525")
breaks <- c(0, 0.5, 1.5, 2.5, 3.5, 4.5, 5.5)


p_Matrix_cm <- pheatmap(test_Matrix_cm, cluster_rows = F, cluster_cols = F, color = my_colors, breaks =
```



```
p_Matrix_mt <- pheatmap(test_Matrix_mt, cluster_rows = F, cluster_cols = F, color = my_colors, breaks =
```



```
p_Matrix_ct <- pheatmap(test_Matrix_ct, cluster_rows = F, cluster_cols = F, color = my_colors, breaks =
p_Matrix_cm
p_Matrix_mt
p_Matrix_ct
```



```
pdf("../Figure/MEF/p_Matrix_cm.pdf", width = 3.40, height = 2.69)
p_Matrix_cm
dev.off()
## pdf
## 2

pdf("../Figure/MEF/p_Matrix_mt.pdf", width = 3.40, height = 2.69)
p_Matrix_mt
dev.off()
## pdf
## 2

pdf("../Figure/MEF/p_Matrix_ct.pdf", width = 3.40, height = 2.69)
p_Matrix_ct
dev.off()
## pdf
## 2
```

20 sessionInfo

```
sessionInfo()
## R version 4.5.1 (2025-06-13)
## Platform: aarch64-apple-darwin20
```

```

## Running under: macOS Tahoe 26.2
##
## Matrix products: default
## BLAS:   /Library/Frameworks/R.framework/Versions/4.5-arm64/Resources/lib/libRblas.0.dylib
## LAPACK: /Library/Frameworks/R.framework/Versions/4.5-arm64/Resources/lib/libRlapack.dylib; LAPACK v
##
## locale:
## [1] en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8
##
## time zone: Europe/Stockholm
## tzcode source: internal
##
## attached base packages:
## [1] stats      graphics  grDevices  utils      datasets  methods    base
##
## other attached packages:
## [1] clinfun_1.1.5      patchwork_1.3.2    lubridate_1.9.4    forcats_1.0.0
## [5] purrr_1.1.0        readr_2.1.5        tibble_3.3.0       tidyverse_2.0.0
## [9] networkD3_0.4.1    tidygraph_1.3.1    reshape2_1.4.4     pheatmap_1.0.13
## [13] corrplot_0.95      stringr_1.5.2      ggpmisc_0.6.2      ggpp_0.5.9
## [17] webshot_0.5.5      ggraph_2.2.2       igraph_2.1.4       Seurat_5.3.0
## [21] SeuratObject_5.2.0 sp_2.2-0           ggpubr_0.6.1       ggplot2_4.0.0
## [25] tidyr_1.3.1        dplyr_1.1.4        vegan_2.7-1        permute_0.9-8
## [29] ineq_0.2-13        FSA_0.10.0
##
## loaded via a namespace (and not attached):
## [1] RcppAnnoy_0.0.22    splines_4.5.1      later_1.4.4
## [4] polyclip_1.10-7     fastDummies_1.7.5  lifecycle_1.0.4
## [7] rstatix_0.7.2       processx_3.8.6     globals_0.18.0
## [10] lattice_0.22-7      MASS_7.3-65        backports_1.5.0
## [13] magrittr_2.0.4      plotly_4.11.0      rmarkdown_2.29
## [16] yaml_2.3.10         httpuv_1.6.16      sctransform_0.4.2
## [19] spam_2.11-1         spatstat.sparse_3.1-0 reticulate_1.43.0
## [22] cowplot_1.2.0       pbapply_1.7-4      RColorBrewer_1.1-3
## [25] abind_1.4-8         Rtsne_0.17         tweenr_2.0.3
## [28] data.tree_1.2.0     ggrepel_0.9.6      irlba_2.3.5.1
## [31] listenv_0.9.1       spatstat.utils_3.2-0 MatrixModels_0.5-4
## [34] goftest_1.2-3       RSpectra_0.16-2    spatstat.random_3.4-2
## [37] fitdistrplus_1.2-4  parallelly_1.45.1  codetools_0.2-20
## [40] ggforce_0.5.0        tidymodels_1.2.1   farver_2.1.2
## [43] viridis_0.6.5       matrixStats_1.5.0  spatstat.explore_3.5-3
## [46] jsonlite_2.0.0      progressr_0.16.0    Formula_1.2-5
## [49] ggirges_0.5.7       survival_3.8-3     tools_4.5.1
## [52] ica_1.0-3           Rcpp_1.1.0         glue_1.8.0
## [55] gridExtra_2.3       xfun_0.53          mgcv_1.9-3
## [58] withr_3.0.2         fastmap_1.2.0      SparseM_1.84-2
## [61] callr_3.7.6         digest_0.6.37      timechange_0.3.0
## [64] R6_2.6.1           mime_0.13          colorspace_2.1-2
## [67] scattermore_1.2     tensor_1.5.1       dichromat_2.0-0.1
## [70] spatstat.data_3.1-8 generics_0.1.4      data.table_1.17.8
## [73] graphlayouts_1.2.2  httr_1.4.7         htmlwidgets_1.6.4
## [76] uwot_0.2.3          pkgconfig_2.0.3    gtable_0.3.6
## [79] lmtest_0.9-40      S7_0.2.0           htmltools_0.5.8.1

```

```
## [82] carData_3.0-5          dotCall64_1.2          scales_1.4.0
## [85] png_0.1-8              spatstat.univar_3.1-4  knitr_1.50
## [88] rstudioapi_0.17.1      tzdb_0.5.0             nlme_3.1-168
## [91] zoo_1.8-14             cachem_1.1.0           KernSmooth_2.23-26
## [94] parallel_4.5.1         miniUI_0.1.2           pillar_1.11.1
## [97] grid_4.5.1             vctrs_0.6.5           RANN_2.6.2
## [100] promises_1.3.3         car_3.1-3              xtable_1.8-4
## [103] cluster_2.1.8.1        evaluate_1.0.5         mvtnorm_1.3-3
## [106] cli_3.6.5              compiler_4.5.1         rlang_1.1.6
## [109] future.apply_1.20.0    ggsignif_0.6.4         labeling_0.4.3
## [112] ps_1.9.1               plyr_1.8.9             stringi_1.8.7
## [115] viridisLite_0.4.2      deldir_2.0-4           lazyeval_0.2.2
## [118] spatstat.geom_3.6-0    quantreg_6.1           Matrix_1.7-4
## [121] RcppHNSW_0.6.0         hms_1.1.3              future_1.67.0
## [124] shiny_1.11.1           ROCR_1.0-11            broom_1.0.10
## [127] memoise_2.0.1          polynom_1.4-1
```