```
CREATE TABLE "SYSTEM"."AI_SNIPPET"
 (	"AI_SNIPPET_ID" NUMBER(*,0),
	"PULSE_ID" NUMBER(*,0),
	"GRAM_FILENAME" VARCHAR2(80 BYTE),
	"AUDIO_FILENAME" VARCHAR2(80 BYTE),
	"FREQ_MIN" NUMBER(12,3),
	"FREQ_MAX" NUMBER(12,3),
	"NO_FRAME" NUMBER(4,0),
	"RESOLUTION" NUMBER(12,3),
	"A_ORG_CFREQ" NUMBER(12,3),
	"A_START_TIME" NUMBER,
	"A_END_TIME" NUMBER,
	"SAMPLING_RATE" NUMBER(12,3),
	"DET_SONAR" VARCHAR2(10 BYTE),
	"LATITUDE_DEGREE" NUMBER,
	"LATITUDE_MINUTE" NUMBER,
	"LATITUDE_SECOND" NUMBER,
	"LONGITUDE_DEGREE" NUMBER,
	"LONGITUDE_MINUTE" NUMBER,
	"LONGITUDE_SECOND" NUMBER,
	"DET_DATE" DATE,
	"DET_PLATFORM" VARCHAR2(30 BYTE),
	"DISTANCE_KM" NUMBER(12,3),
	"COMMENTS1" VARCHAR2(80 BYTE),
	"COMMENTS2" VARCHAR2(240 BYTE),
	"DATE_SET_CHNG" DATE,
	"DELETED" NUMBER(1,0),
	 CONSTRAINT "AISN_PK" PRIMARY KEY ("AI_SNIPPET_ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."ACTIVE_SONAR"
  (	"SONAR_ID" NUMBER(*,0),
	"SONAR_NAME" VARCHAR2(100 BYTE),
	"SONAR_NAME_ISUS90" VARCHAR2(100 BYTE),
	"TRANS_TYPE" VARCHAR2(20 BYTE),
```

```
        "SONAR_TYPE" VARCHAR2(20 BYTE),
        "TRM_MODE" VARCHAR2(10 BYTE),
        "MODULATION" VARCHAR2(12 BYTE),
        "SOURCE_LEVEL_MIN" NUMBER(4,0),
        "SOURCE_LEVEL_MAX" NUMBER(4,0),
        "RANGE_RESOL_M_MIN" NUMBER(4,0),
        "RANGE_RESOL_M_MAX" NUMBER(4,0),
        "DPLR_RESOL_KTS_MIN" NUMBER(6,2),
        "DPLR_RESOL_KTS_MAX" NUMBER(6,2),
        "DET_RANGE_KM" NUMBER(12,3),
        "MANUFACTURER" VARCHAR2(30 BYTE),
        "MANUFACT_DATE" VARCHAR2(20 BYTE),
        "VERSION" NUMBER(5,0),
        "DATE_SET_CHNG" DATE,
        "COMMENTS" VARCHAR2(80 BYTE),
        "DELETED" NUMBER(1,0),
         CONSTRAINT "AI_PK" PRIMARY KEY ("SONAR_ID")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "SYSTEM"  ENABLE
 ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."CCF2CD_LOG"
 (     "CCFCD_ID" NUMBER,
       "DATASET_ID" NUMBER,
       "SHIP_SUB" CHAR(12 BYTE),
       "CTRY_NAME" CHAR(35 BYTE),
       "CTRY_CODE" CHAR(3 BYTE),
       "TARGET_TYPE" CHAR(6 BYTE),
       "TARGET_NAME" CHAR(30 BYTE),
       "NUM_APPLIED" NUMBER(3,0),
       "APPL_DATE" TIMESTAMP (6),
        PRIMARY KEY ("CCFCD_ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
```

```
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."CD_BACKUP_LOG"
  (     "BACKUP_ID" NUMBER(*,0),
        "BACKUP_TYPE" VARCHAR2(5 BYTE),
        "BACKUP_DATE" DATE,
        "BACK_BY" VARCHAR2(8 BYTE),
        "BACKUP_MEDIA" VARCHAR2(5 BYTE),
        "BACKUP_MEDIA_ID" VARCHAR2(30 BYTE),
        "NO_CLASSES" NUMBER,
        "NO_VESSEL" NUMBER,
        "NO_SONAR" NUMBER,
        "NO_WEAPON" NUMBER,
        "NO_TR" NUMBER,
        "NO_NB_GRAM" NUMBER,
        "SIZE_NB_GRAM" NUMBER(12,3),
        "NO_AI_GRAM" NUMBER,
        "SIZE_AI_GRAM" NUMBER(12,3),
        "NO_TR_GRAM" NUMBER,
        "SIZE_TR_GRAM" NUMBER(12,3),
        "NO_NB_AUDIO" NUMBER,
        "SIZE_NB_AUDIO" NUMBER(12,3),
        "NO_AI_AUDIO" NUMBER,
        "SIZE_AI_AUDIO" NUMBER(12,3),
        "NO_TR_AUDIO" NUMBER,
        "SIZE_TR_AUDIO" NUMBER(12,3),
        "NO_VESSEL_IMAGE" NUMBER,
        "SIZE_VESSEL_IMAGE" NUMBER(12,3),
        "NO_FLAG_IMAGE" NUMBER,
        "SIZE_FLAG_IMAGE" NUMBER(12,3),
        "NO_RELEASE_LOG" NUMBER,
        "SIZE_RELEASE_LOG" NUMBER(12,3),
        "TOTAL_SIZE" NUMBER(15,3),
        "COMMENTS" VARCHAR2(80 BYTE),
         CONSTRAINT "BLOG_PK" PRIMARY KEY ("BACKUP_ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
```

```
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "SYSTEM" ;


CREATE TABLE "SYSTEM"."CD_CHANGE_LOG"
 (      "CHNG_ID" NUMBER(*,0),
        "OPERATOR" VARCHAR2(20 BYTE),
        "CHNG_DATE" DATE,
        "TABLE_NAME" VARCHAR2(30 BYTE),
        "RECORD_ID" VARCHAR2(20 BYTE),
        "TYPE_CHNG" VARCHAR2(20 BYTE),
        "MENU_NAME" VARCHAR2(30 BYTE),
        "COMMENTS" VARCHAR2(80 BYTE),
        "DATASET_ID" NUMBER,
         CONSTRAINT "CDCL_PK" PRIMARY KEY ("CHNG_ID")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "SYSTEM"  ENABLE
 ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."CHARACTERISTICS"
  (      "CHAR_ID" NUMBER(*,0),
         "VESSEL_ID" NUMBER(*,0),
         "CAVITATION_DEPTH_M" NUMBER(12,3),
         "CAVITATION_SPEED" NUMBER(12,3),
         "CAVITATION_I90" VARCHAR2(8 BYTE),
         "DIST_FEATURES" VARCHAR2(40 BYTE),
         "SPECTRAL_RANGE" VARCHAR2(6 BYTE),
         "BLADE_RESONANCE" CHAR(1 BYTE),
         "FLUTTER" CHAR(1 BYTE),
         "SHAFT_RUB" CHAR(1 BYTE),
         "WHINE" CHAR(1 BYTE),
         "TRANSMISSIONS" CHAR(1 BYTE),
         "NOISE_MAKER" CHAR(1 BYTE),
         "BEST_TRK_FREQ" NUMBER(12,3),
         "STRONG_SRC_GT_300" NUMBER(12,3),
         "STRONG_SRC_LT_300" NUMBER(12,3),
```

```
"DISCRETE_FREQ1_MAX" NUMBER(12,3),
"DISCRETE_FREQ1_AVG" NUMBER(12,3),
"DISCRETE_FREQ1_MIN" NUMBER(12,3),
"DISCRETE_FREQ1_TYPE" VARCHAR2(30 BYTE),
"DISCRETE_FREQ2_MAX" NUMBER(12,3),
"DISCRETE_FREQ2_AVG" NUMBER(12,3),
"DISCRETE_FREQ2_MIN" NUMBER(12,3),
"DISCRETE_FREQ2_TYPE" VARCHAR2(30 BYTE),
"DISCRETE_FREQ3_MAX" NUMBER(12,3),
"DISCRETE_FREQ3_AVG" NUMBER(12,3),
"DISCRETE_FREQ3_MIN" NUMBER(12,3),
"DISCRETE_FREQ3_TYPE" VARCHAR2(30 BYTE),
"DISCRETE_FREQ4_MAX" NUMBER(12,3),
"DISCRETE_FREQ4_AVG" NUMBER(12,3),
"DISCRETE_FREQ4_MIN" NUMBER(12,3),
"DISCRETE_FREQ4_TYPE" VARCHAR2(30 BYTE),
"RANGE1_SPD_LO" NUMBER(5,2),
"RANGE1_SPD_HI" NUMBER(5,2),
"RANGE1_TPK_RPM" NUMBER(7,2),
"RANGE2_SPD_LO" NUMBER(5,2),
"RANGE2_SPD_HI" NUMBER(5,2),
"RANGE2_TPK_RPM" NUMBER(7,2),
"RANGE3_SPD_LO" NUMBER(5,2),
"RANGE3_SPD_HI" NUMBER(5,2),
"RANGE3_TPK_RPM" NUMBER(7,2),
 CONSTRAINT "CHAR_PK" PRIMARY KEY ("CHAR_ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."CLASSES"
  (     "CLASS_ID" NUMBER(*,0),
        "CLASS_NAME" RAW(200),
        "CLASS_NAME_K" RAW(200),
        "SHIP_SUB" VARCHAR2(12 BYTE),
        "CLASS_TYPE" VARCHAR2(5 BYTE),
        "ACTIVE_SONAR1" NUMBER(*,0),
        "ACTIVE_SONAR2" NUMBER(*,0),
```

"DRAUGHT_M" NUMBER(12,3),
"LENGTH_M" NUMBER(12,3),
"WIDTH_M" NUMBER(12,3),
"DISPLACEMENT" NUMBER(12,3),
"DET_RANGE_KM" NUMBER(12,3),
"NUMBER_BLADES" NUMBER(2,0),
"NUMBER_SHAFTS" NUMBER(1,0),
"PROPULSION_TYPE" VARCHAR2(20 BYTE),
"ENGINE_TYPE" VARCHAR2(30 BYTE),
"NUMBER_CYLINDERS" NUMBER(2,0),
"STROKE_TYPE" NUMBER(1,0),
"NUMBER_ENGINES" NUMBER(1,0),
"MAX_CFR" NUMBER(12,3),
"AVG_CFR" NUMBER(12,3),
"MIN_CFR" NUMBER(12,3),
"MAX_CSR" NUMBER(12,3),
"AVG_CSR" NUMBER(12,3),
"MIN_CSR" NUMBER(12,3),
"MAX_EFR" NUMBER(12,3),
"AVG_EFR" NUMBER(12,3),
"MIN_EFR" NUMBER(12,3),
"PSR_CSR_RATIO" NUMBER(12,3),
"PSR_CFR_RATIO" NUMBER(12,3),
"PSR_EFR_RATIO" NUMBER(12,3),
"TURBINE_TYPE" VARCHAR2(30 BYTE),
"NUMBER_TURBINES" NUMBER(1,0),
"MAX_TSR" NUMBER(12,3),
"AVG_TSR" NUMBER(12,3),
"MIN_TSR" NUMBER(12,3),
"PSR_TSR_RATIO" NUMBER(12,3),
"TSR_GEN_RATIO" NUMBER(12,3),
"MOTOR_TYPE" VARCHAR2(30 BYTE),
"NUMBER_MOTORS" NUMBER(1,0),
"NUMBER_SLOT" NUMBER(2,0),
"MAX_MSR" NUMBER(12,3),
"AVG_MSR" NUMBER(12,3),
"MIN_MSR" NUMBER(12,3),
"PSR_MSR_RATIO" NUMBER(12,3),
"MIN_SPEED" NUMBER(12,3),
"MAX_SPEED" NUMBER(12,3),
"MAX_PSR" NUMBER(12,3),
"AVG_PSR" NUMBER(12,3),
"MIN_PSR" NUMBER(12,3),
"BR_GEN_RATIO" NUMBER(12,3),
"GEAR_RED_TYPE" VARCHAR2(25 BYTE),
"PSR_BGR_RATIO" NUMBER(12,3),
"USER_COUNTRIES" VARCHAR2(80 BYTE),

```
        "H_MAST_M" NUMBER(12,3),
        "H_RADAR_M" NUMBER(12,3),
        "H_BRIDGE_M" NUMBER(12,3),
        "COMMENTS" VARCHAR2(80 BYTE),
        "VERSION" NUMBER(5,0),
        "DATE_SET_CHNG" DATE,
        "DELETED" NUMBER(1,0),
        "CLASS_NAME_ISUS90" RAW(200),
         CONSTRAINT "CLS_PK" PRIMARY KEY ("CLASS_ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."COUNTRY_CODES"
  (     "COUNTRY_ID" NUMBER(*,0),
        "CTRY_CODE" VARCHAR2(2 BYTE),
        "CTRY_NAME" VARCHAR2(35 BYTE),
        "HOSTILE_LEVEL" NUMBER,
        "CTRY_NAME_ISUS90" VARCHAR2(20 BYTE),
        "FLAG_FILENAME" VARCHAR2(40 BYTE),
        "COMMENTS" VARCHAR2(40 BYTE),
        "DATE_SET_CHNG" DATE,
        "DELETED" NUMBER(1,0),
         CONSTRAINT "CTRY_PK" PRIMARY KEY ("COUNTRY_ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."DATASET"
```

```
(       "DATASET_ID" NUMBER,
        "DATASET_NAME" CHAR(45 BYTE),
        "DATASET_SIZE" NUMBER(9,0),
        "RECEIPT_DATE" TIMESTAMP (6),
        "RECEIPT_PATH" CHAR(10 BYTE),
        "DET_DATE" TIMESTAMP (6),
        "LATITUDE_DEGREE" NUMBER(2,0),
        "LATITUDE_MINUTE" NUMBER(2,0),
        "LATITUDE_SECOND" NUMBER(2,0),
        "LONGITUDE_DEGREE" NUMBER(3,0),
        "LONGITUDE_MINUTE" NUMBER(2,0),
        "LONGITUDE_SECOND" NUMBER(2,0),
        "DET_PLATFORM" CHAR(30 BYTE),
        "DET_VESSEL" VARCHAR2(100 BYTE),
        "DET_SONAR" CHAR(10 BYTE),
        "DISTANCE_KM" NUMBER(12,3),
        "QA_UNIT" CHAR(4 BYTE),
        "QA_OPERATOR" CHAR(8 BYTE),
        "QA_DATE" TIMESTAMP (6),
        "SIGNAL_TYPE" CHAR(5 BYTE),
        "NO_IMAGES" NUMBER(2,0),
        "NO_IMG_REVIEWD" NUMBER(2,0),
        "NO_FEAT" NUMBER(3,0),
        "NO_REVIEWD" NUMBER(3,0),
        "LOADED" NUMBER(1,0),
        "NO_AUDIO" NUMBER(1,0),
        "COMMENTS" CHAR(80 BYTE),
        "A1_STATUS" CHAR(10 BYTE),
        "A1_ST_DATE" TIMESTAMP (6),
        "A1_NO_FEAT" NUMBER(3,0),
        "A1_NO_REVIEWD" NUMBER(3,0),
        "A2_STATUS" CHAR(10 BYTE),
        "A2_ST_DATE" TIMESTAMP (6),
        "A2_NO_FEAT" NUMBER(3,0),
        "A2_NO_REVIEWD" NUMBER(3,0),
        "A3_STATUS" CHAR(10 BYTE),
        "A3_ST_DATE" TIMESTAMP (6),
        "A3_NO_FEAT" NUMBER(3,0),
        "A3_NO_REVIEWD" NUMBER(3,0),
        "C0_STATUS" CHAR(10 BYTE),
        "C0_ST_DATE" TIMESTAMP (6),
        "C0_NO_FEAT" NUMBER(3,0),
        "C0_NO_REVIEWD" NUMBER(3,0),
         PRIMARY KEY ("DATASET_ID")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
```

```
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."DB_DIST_GROUP"
  (      "GROUP_ID" NUMBER(*,0),
         "GROUP_NAME" VARCHAR2(30 BYTE),
         "IF_SYSTEM" VARCHAR2(15 BYTE),
         "IF_MEDIA" VARCHAR2(10 BYTE),
         "CLASS_INFO" CHAR(1 BYTE),
         "NB_INFO" CHAR(1 BYTE),
         "AI_INFO" CHAR(1 BYTE),
         "TR_INFO" CHAR(1 BYTE),
         "WEAPON_INFO" CHAR(1 BYTE),
         "NB_GRAM_INFO" CHAR(1 BYTE),
         "NB_AUDIO_INFO" CHAR(1 BYTE),
         "IMAGE_FILE" CHAR(1 BYTE),
         "AI_GRAM_INFO" CHAR(1 BYTE),
         "AI_AUDIO_INFO" CHAR(1 BYTE),
         "TR_AUDIO_INFO" CHAR(1 BYTE),
         "FREQ_MIN" NUMBER(12,3),
         "FREQ_MAX" NUMBER(12,3),
         "FINAL_DIST_DATE" DATE,
         "COMMENTS" VARCHAR2(80 BYTE),
          CONSTRAINT "DGR_PK" PRIMARY KEY ("GROUP_ID")
  USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM"  ENABLE
   ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM" ;


  CREATE TABLE "SYSTEM"."DB_DIST_LOG"
   (      "LOG_ID" NUMBER(*,0),
          "GROUP_NAME" VARCHAR2(30 BYTE),
```

```
        "IF_SYSTEM" VARCHAR2(15 BYTE),
        "DIST_PATH" VARCHAR2(10 BYTE),
        "DB_FILENAME" VARCHAR2(80 BYTE),
        "DB_FILESIZE_MB" NUMBER(7,2),
        "DIST_DATE" DATE,
        "DIST_OPERATOR" VARCHAR2(8 BYTE),
        "DOC_NO" VARCHAR2(50 BYTE),
        "NO_CLASSES" NUMBER(5,0),
        "NO_VESSEL" NUMBER(5,0),
        "NO_SONAR" NUMBER(5,0),
        "NO_TR_EVENT" NUMBER(5,0),
        "NO_WEAPON" NUMBER(5,0),
        "NO_IMAGE" NUMBER(5,0),
        "COMMENTS" VARCHAR2(80 BYTE),
        "LOG_FILENAME" VARCHAR2(80 BYTE),
         CONSTRAINT "DLOG_PK" PRIMARY KEY ("LOG_ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 131072 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."DIST_LIST"
  (     "DIST_LIST_ID" NUMBER(*,0),
        "GROUP_ID" NUMBER(*,0),
        "TABLE_NAME" VARCHAR2(15 BYTE),
        "ID" NUMBER(*,0),
        "PARENT_ID" NUMBER(*,0),
        "IAUDIOINCLUDE" NUMBER(*,0) DEFAULT 1,
         CONSTRAINT "DL_PK" PRIMARY KEY ("DIST_LIST_ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 196608 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 393216 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
```

```
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."DIST_TO"
  (     "LOG_ID" NUMBER(*,0),
        "DESTINATION" VARCHAR2(30 BYTE),
        "COMPLT_DATE" DATE,
        "COMPLT_OPTR" VARCHAR2(20 BYTE),
         CONSTRAINT "DT_PK" PRIMARY KEY ("LOG_ID", "DESTINATION")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."DS_BACKUP_LOG"
  (     "DS_BACKUP_ID" NUMBER,
        "DATASET_ID" NUMBER,
        "MEDIA_NO" CHAR(6 BYTE),
        "BACKUP_MEDIA" CHAR(5 BYTE),
        "BACKUP_OPERATOR" CHAR(8 BYTE),
        "BACKUP_DATE" TIMESTAMP (6),
        "COMMENTS" CHAR(80 BYTE),
         PRIMARY KEY ("DS_BACKUP_ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."DS_DIST_LOG"
  (     "DIST_LOG_ID" NUMBER,
        "DATASET_ID" NUMBER,
```

```
        "DESTINATION" CHAR(50 BYTE),
        "DISTRIB_DATE" TIMESTAMP (6),
        "OPERATOR" CHAR(8 BYTE),
        "DOC_NO" CHAR(50 BYTE),
        "COMMENTS" CHAR(80 BYTE),
         PRIMARY KEY ("DIST_LOG_ID")
  USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM"  ENABLE
   ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM" ;


  CREATE TABLE "SYSTEM"."FRAME_SNIPPET"
   (    "FRM_SNP_ID" NUMBER(*,0),
        "FRAME_ID" NUMBER(*,0),
        "TR_SNIPPET_ID" NUMBER(*,0),
        "DATE_SET_CHNG" DATE,
        "DELETED" NUMBER(1,0),
         CONSTRAINT "FRSN_PK" PRIMARY KEY ("FRM_SNP_ID")
  USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 131072 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM"  ENABLE
   ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
  STORAGE(INITIAL 262144 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM" ;


  CREATE TABLE "SYSTEM"."HARMONICS"
   (    "HARM_ID" NUMBER(*,0),
        "SIGNATURES_ID" NUMBER(*,0),
        "HARM_NO" NUMBER(3,0),
        "FREQ" NUMBER(12,3),
        "PREDOMINANCE" NUMBER(1,0),
         CONSTRAINT "HARM_PK" PRIMARY KEY ("HARM_ID")
  USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
```

```
 STORAGE(INITIAL 131072 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 131072 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."HELP" SHARING=METADATA
  (     "TOPIC" VARCHAR2(50 BYTE) NOT NULL ENABLE,
        "SEQ" NUMBER NOT NULL ENABLE,
        "INFO" VARCHAR2(80 BYTE),
         CONSTRAINT "HELP_TOPIC_SEQ" PRIMARY KEY ("TOPIC", "SEQ")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 16384 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 0 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 49152 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."IMAGE_DATA"
  (     "IMAGE_ID" NUMBER(*,0),
        "VESSEL_ID" NUMBER(*,0),
        "IMG_FILENAME" VARCHAR2(80 BYTE),
        "SOURCE" VARCHAR2(12 BYTE),
        "DATE_SET_CHNG" DATE,
        "COMMENTS" VARCHAR2(80 BYTE),
        "DELETED" NUMBER(1,0),
         CONSTRAINT "IMG_PK" PRIMARY KEY ("IMAGE_ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
```

```
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "SYSTEM" ;


CREATE TABLE "SYSTEM"."NB_SNIPPET"
 (      "NB_SNIPPET_ID" NUMBER(*,0),
        "GRAM_FILENAME" VARCHAR2(80 BYTE),
        "AUDIO_FILENAME" VARCHAR2(80 BYTE),
        "FREQ_MIN" NUMBER(12,3),
        "FREQ_MAX" NUMBER(12,3),
        "NO_FRAME" NUMBER(4,0),
        "RESOLUTION" NUMBER(12,3),
        "A_START_TIME" NUMBER,
        "A_END_TIME" NUMBER,
        "SAMPLING_RATE" NUMBER(12,3),
        "DET_SONAR" VARCHAR2(10 BYTE),
        "LATITUDE_DEGREE" NUMBER,
        "LATITUDE_MINUTE" NUMBER,
        "LATITUDE_SECOND" NUMBER,
        "LONGITUDE_DEGREE" NUMBER,
        "LONGITUDE_MINUTE" NUMBER,
        "LONGITUDE_SECOND" NUMBER,
        "DET_DATE" DATE,
        "DET_PLATFORM" VARCHAR2(30 BYTE),
        "DISTANCE_KM" NUMBER(12,3),
        "COMMENTS1" VARCHAR2(80 BYTE),
        "COMMENTS2" VARCHAR2(240 BYTE),
        "DATE_SET_CHNG" DATE,
        "DELETED" NUMBER(1,0),
         CONSTRAINT "NBSN_PK" PRIMARY KEY ("NB_SNIPPET_ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."PULSE_FREQUENCY_ISUS90"
  (     "PULSE_F_ID" NUMBER,
        "FREQUENCY" NUMBER(12,3),
```

```
        "SONAR_ID" NUMBER(*,0),
         CONSTRAINT "PFI90_PK" PRIMARY KEY ("PULSE_F_ID")
  USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM"  ENABLE
   ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM" ;


  CREATE TABLE "SYSTEM"."PULSE_SEG_LENGTH_ISUS90"
   (      "SEG_ID" NUMBER,
        "LENGTH_MIN" NUMBER,
        "LENGTH_MAX" NUMBER,
        "PULSE_F_ID" NUMBER,
         CONSTRAINT "PLI90_PK" PRIMARY KEY ("SEG_ID")
  USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM"  ENABLE
   ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM" ;


  CREATE TABLE "SYSTEM"."PULSE_SEG_SWING_ISUS90"
   (      "SWING_ID" NUMBER,
        "SWING" NUMBER(12,3),
        "MODULATION" VARCHAR2(5 BYTE),
        "PULSE_F_ID" NUMBER,
         CONSTRAINT "PSI90_PK" PRIMARY KEY ("SWING_ID")
  USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM"  ENABLE
   ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
```

```
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "SYSTEM" ;


CREATE TABLE "SYSTEM"."PULSE_SEGMENTS"
 (      "SEGMENT_ID" NUMBER(*,0),
        "FREQ_START" NUMBER(12,3),
        "FREQ_STOP" NUMBER(12,3),
        "MODULATION" VARCHAR2(12 BYTE),
        "SEG_LEN_MS_MIN" NUMBER(6,0),
        "SEG_LEN_MS_MAX" NUMBER(6,0),
        "DATE_SET_CHNG" DATE,
        "DELETED" NUMBER(1,0),
        "SEGMENT_NAME" VARCHAR2(16 BYTE),
        "SONAR_ID" NUMBER(*,0),
         CONSTRAINT "SEG_PK" PRIMARY KEY ("SEGMENT_ID")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."PULSES"
  (      "PULSE_ID" NUMBER(*,0),
         "SONAR_ID" NUMBER(*,0),
         "PULSE_NAME" VARCHAR2(30 BYTE),
         "NO_SEGMENT" NUMBER(2,0),
         "SPL" NUMBER(12,3),
         "PLS_LEN_MS_MIN" NUMBER(10,0),
         "PLS_LEN_MS_MAX" NUMBER(10,0),
         "REP_TIME_MS_MIN" NUMBER(12,3),
         "REP_TIME_MS_MAX" NUMBER(12,3),
         "TRM_MODE" VARCHAR2(10 BYTE),
         "MODULATION" VARCHAR2(12 BYTE),
         "FIRST_SEG_ID" NUMBER(*,0),
         "SECOND_SEG_ID" NUMBER(*,0),
         "THIRD_SEG_ID" NUMBER(*,0),
         "FOURTH_SEG_ID" NUMBER(*,0),
```

```
        "FIFTH_SEG_ID" NUMBER(*,0),
        "SIXTH_SEG_ID" NUMBER(*,0),
        "SEVENTH_SEG_ID" NUMBER(*,0),
        "DET_COUNT" NUMBER(*,0),
        "COMMENTS" VARCHAR2(80 BYTE),
        "DATE_SET_CHNG" DATE,
        "DELETED" NUMBER(1,0),
         CONSTRAINT "PUL_PK" PRIMARY KEY ("PULSE_ID")
  USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM"  ENABLE
   ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM" :

  CREATE TABLE "SYSTEM"."REDO_DB" SHARING=METADATA
   (    "DBID" NUMBER NOT NULL ENABLE,
        "GLOBAL_DBNAME" VARCHAR2(129 BYTE),
        "DBUNAME" VARCHAR2(32 BYTE),
        "VERSION" VARCHAR2(32 BYTE),
        "THREAD#" NUMBER NOT NULL ENABLE,
        "RESETLOGS_SCN_BAS" NUMBER,
        "RESETLOGS_SCN_WRP" NUMBER,
        "RESETLOGS_TIME" NUMBER NOT NULL ENABLE,
        "PRESETLOGS_SCN_BAS" NUMBER,
        "PRESETLOGS_SCN_WRP" NUMBER,
        "PRESETLOGS_TIME" NUMBER NOT NULL ENABLE,
        "SEQNO_RCV_CUR" NUMBER,
        "SEQNO_RCV_LO" NUMBER,
        "SEQNO_RCV_HI" NUMBER,
        "SEQNO_DONE_CUR" NUMBER,
        "SEQNO_DONE_LO" NUMBER,
        "SEQNO_DONE_HI" NUMBER,
        "GAP_SEQNO" NUMBER,
        "GAP_RET" NUMBER,
        "GAP_DONE" NUMBER,
        "APPLY_SEQNO" NUMBER,
        "APPLY_DONE" NUMBER,
        "PURGE_DONE" NUMBER,
        "HAS_CHILD" NUMBER,
        "ERROR1" NUMBER,
        "STATUS" NUMBER,
```

```
"CREATE_DATE" DATE,
"TS1" NUMBER,
"TS2" NUMBER,
"GAP_NEXT_SCN" NUMBER,
"GAP_NEXT_TIME" NUMBER,
"CURSCN_TIME" NUMBER,
"RESETLOGS_SCN" NUMBER NOT NULL ENABLE,
"PRESETLOGS_SCN" NUMBER NOT NULL ENABLE,
"GAP_RET2" NUMBER,
"CURLOG" NUMBER,
"ENDIAN" NUMBER,
"ENQIDX" NUMBER,
"SPARE4" NUMBER,
"SPARE5" DATE,
"SPARE6" VARCHAR2(65 BYTE),
"SPARE7" VARCHAR2(129 BYTE),
"TS3" NUMBER,
"CURBLKNO" NUMBER,
"SPARE8" NUMBER,
"SPARE9" NUMBER,
"SPARE10" NUMBER,
"SPARE11" NUMBER,
"SPARE12" NUMBER
 ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSAUX" ;

 CREATE INDEX "SYSTEM"."REDO_DB_IDX" ON "SYSTEM"."REDO_DB" ("DBID", "THREAD#",
"RESETLOGS_SCN", "RESETLOGS_TIME")
 PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSAUX" ;


 CREATE TABLE "SYSTEM"."REDO_LOG" SHARING=METADATA
 (     "DBID" NUMBER NOT NULL ENABLE,
       "GLOBAL_DBNAME" VARCHAR2(129 BYTE),
       "DBUNAME" VARCHAR2(32 BYTE),
       "VERSION" VARCHAR2(32 BYTE),
       "THREAD#" NUMBER NOT NULL ENABLE,
       "RESETLOGS_SCN_BAS" NUMBER,
       "RESETLOGS_SCN_WRP" NUMBER,
```

```
"RESETLOGS_TIME" NUMBER NOT NULL ENABLE,
"PRESETLOGS_SCN_BAS" NUMBER,
"PRESETLOGS_SCN_WRP" NUMBER,
"PRESETLOGS_TIME" NUMBER NOT NULL ENABLE,
"SEQUENCE#" NUMBER NOT NULL ENABLE,
"DUPID" NUMBER,
"STATUS1" NUMBER,
"STATUS2" NUMBER,
"CREATE_TIME" VARCHAR2(32 BYTE),
"CLOSE_TIME" VARCHAR2(32 BYTE),
"DONE_TIME" VARCHAR2(32 BYTE),
"FIRST_SCN_BAS" NUMBER,
"FIRST_SCN_WRP" NUMBER,
"FIRST_TIME" NUMBER,
"NEXT_SCN_BAS" NUMBER,
"NEXT_SCN_WRP" NUMBER,
"NEXT_TIME" NUMBER,
"FIRST_SCN" NUMBER,
"NEXT_SCN" NUMBER,
"RESETLOGS_SCN" NUMBER NOT NULL ENABLE,
"BLOCKS" NUMBER,
"BLOCK_SIZE" NUMBER,
"OLD_BLOCKS" NUMBER,
"CREATE_DATE" DATE,
"ERROR1" NUMBER,
"ERROR2" NUMBER,
"FILENAME" VARCHAR2(513 BYTE),
"TS1" NUMBER,
"TS2" NUMBER,
"ENDIAN" NUMBER,
"SPARE2" NUMBER,
"SPARE3" NUMBER,
"SPARE4" NUMBER,
"SPARE5" DATE,
"SPARE6" VARCHAR2(65 BYTE),
"SPARE7" VARCHAR2(129 BYTE),
"TS3" NUMBER,
"PRESETLOGS_SCN" NUMBER NOT NULL ENABLE,
"SPARE8" NUMBER,
"SPARE9" NUMBER,
"SPARE10" NUMBER,
"OLD_STATUS1" NUMBER,
"OLD_STATUS2" NUMBER,
"OLD_FILENAME" VARCHAR2(513 BYTE)
) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
```

```
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSAUX" ;

  CREATE INDEX "SYSTEM"."REDO_LOG_IDX" ON "SYSTEM"."REDO_LOG" ("DBID", "THREAD#",
"RESETLOGS_SCN", "RESETLOGS_TIME")
  PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSAUX" ;


  CREATE TABLE "SYSTEM"."SIG_SNIPPET"
   (      "SIG_SNP_ID" NUMBER(*,0),
          "NB_SNIPPET_ID" NUMBER(*,0),
          "SIGNATURE_ID" NUMBER(*,0),
          "DATE_SET_CHNG" DATE,
          "DELETED" NUMBER(1,0),
           CONSTRAINT "SIGSN_PK" PRIMARY KEY ("SIG_SNP_ID")
  USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM"  ENABLE
   ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM" ;


  CREATE TABLE "SYSTEM"."SIGNATURES"
   (      "SIGNATURE_ID" NUMBER(*,0),
          "VESSEL_ID" NUMBER(*,0),
          "TYPE_NOISE" VARCHAR2(15 BYTE),
          "CATEGORY_NOISE" VARCHAR2(15 BYTE),
          "ASPECT_TGT" VARCHAR2(30 BYTE),
          "NOISE_SOURCE" VARCHAR2(25 BYTE),
          "NOISE_SOURCE_L2" VARCHAR2(20 BYTE),
          "PROPULSION_SOURCE" VARCHAR2(12 BYTE),
          "OPERATING_MODE" VARCHAR2(20 BYTE),
          "SPEED_ACOUS_SIGN_LO_KN" NUMBER(12,3),
          "SPEED_ACOUS_SIGN_HI_KN" NUMBER(12,3),
          "FREQ_NOISE_LO_HZ" NUMBER(12,3),
          "FREQ_NOISE_HI_HZ" NUMBER(12,3),
```

```
"FREQ_NOISE_AVG_HZ" NUMBER(12,3),
"NOISE_SOURCE_DEPTH_M" NUMBER(5,0),
"SPL_LO_DB" NUMBER(12,3),
"SPL_HI_DB" NUMBER(12,3),
"SPL_AVG_DB" NUMBER(12,3),
"BNDWTH_NOISE_LO_HZ" NUMBER(12,3),
"BNDWTH_NOISE_HI_HZ" NUMBER(12,3),
"BNDWTH_NOISE_AVG_HZ" NUMBER(12,3),
"TIME_NOISE_LO_SEC" NUMBER(12,3),
"TIME_NOISE_HI_SEC" NUMBER(12,3),
"NUMBER_HARMONICS" NUMBER(4,0),
"HARM_PREDOMINANCE" NUMBER(4,0),
"MULTIPLETS" NUMBER(1,0),
"DESYNCHRONIZATION" NUMBER(12,3),
"STABILITY" VARCHAR2(10 BYTE),
"REDUCTION_RATIO_MIN" NUMBER(12,3),
"REDUCTION_RATIO_MAX" NUMBER(12,3),
"RED_RATION_RMKS" VARCHAR2(80 BYTE),
"DET_COUNT" NUMBER,
"GEN_RMKS" VARCHAR2(240 BYTE),
"DATE_SET_CHNG" DATE,
"DELETED" NUMBER(1,0),
"HARMONIC_LIST" VARCHAR2(240 BYTE),
"PREDOMINANCE_LIST" VARCHAR2(80 BYTE),
"CPA" CHAR(1 BYTE),
 CONSTRAINT "SIGN_PK" PRIMARY KEY ("SIGNATURE_ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
 ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 196608 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."TR_FRAME"
 (  "FRAME_ID" NUMBER(*,0),
    "TR_ID" NUMBER(*,0),
    "MFB_NO" NUMBER(3,0),
    "MFB_VALUE_1" NUMBER(9,4),
    "MFB_VALUE_2" NUMBER(9,4),
    "MFB_VALUE_3" NUMBER(9,4),
    "MFB_VALUE_4" NUMBER(9,4),
```

```
"MFB_VALUE_5" NUMBER(9,4),
"MFB_VALUE_6" NUMBER(9,4),
"MFB_VALUE_7" NUMBER(9,4),
"MFB_VALUE_8" NUMBER(9,4),
"MFB_VALUE_9" NUMBER(9,4),
"MFB_VALUE_10" NUMBER(9,4),
"MFB_VALUE_11" NUMBER(9,4),
"MFB_VALUE_12" NUMBER(9,4),
"MFB_VALUE_13" NUMBER(9,4),
"MFB_VALUE_14" NUMBER(9,4),
"MFB_VALUE_15" NUMBER(9,4),
"MFB_VALUE_16" NUMBER(9,4),
"MFB_VALUE_17" NUMBER(9,4),
"MFB_VALUE_18" NUMBER(9,4),
"MFB_VALUE_19" NUMBER(9,4),
"MFB_VALUE_20" NUMBER(9,4),
"MFB_VALUE_21" NUMBER(9,4),
"MFB_VALUE_22" NUMBER(9,4),
"MFB_VALUE_23" NUMBER(9,4),
"MFB_VALUE_24" NUMBER(9,4),
"MFB_VALUE_25" NUMBER(9,4),
"MFB_VALUE_26" NUMBER(9,4),
"MFB_VALUE_27" NUMBER(9,4),
"MFB_VALUE_28" NUMBER(9,4),
"MFB_VALUE_29" NUMBER(9,4),
"MFB_VALUE_30" NUMBER(9,4),
"MFB_VALUE_31" NUMBER(9,4),
"MFB_VALUE_32" NUMBER(9,4),
"DET_COUNT" NUMBER(5,0),
"COMMENTS" VARCHAR2(80 BYTE),
"DATE_SET_CHNG" DATE,
"DELETED" NUMBER(1,0),
 CONSTRAINT "TRFR_PK" PRIMARY KEY ("FRAME_ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 196608 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 983040 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."TR_SNIPPET"
```

```
(     "TR_SNIPPET_ID" NUMBER(*,0),
      "AUDIO_FILENAME" VARCHAR2(80 BYTE),
      "NO_FRAME" NUMBER(4,0),
      "A_START_TIME" NUMBER,
      "A_END_TIME" NUMBER,
      "SAMPLING_RATE" NUMBER(6,0),
      "DET_SONAR" VARCHAR2(10 BYTE),
      "LATITUDE_DEGREE" NUMBER,
      "LATITUDE_MINUTE" NUMBER,
      "LATITUDE_SECOND" NUMBER,
      "LONGITUDE_DEGREE" NUMBER,
      "LONGITUDE_MINUTE" NUMBER,
      "LONGITUDE_SECOND" NUMBER,
      "DET_DATE" DATE,
      "DET_PLATFORM" VARCHAR2(30 BYTE),
      "DISTANCE_KM" NUMBER(12,3),
      "COMMENTS" VARCHAR2(240 BYTE),
      "DATE_SET_CHNG" DATE,
      "DELETED" NUMBER(1,0),
       CONSTRAINT "TRSN_PK" PRIMARY KEY ("TR_SNIPPET_ID")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "SYSTEM"  ENABLE
 ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "SYSTEM" ;


CREATE TABLE "SYSTEM"."TRANSIENT"
 (     "TR_ID" NUMBER(*,0),
       "CLASS_ID" NUMBER(*,0),
       "VESSEL_ID" NUMBER(*,0),
       "TR_NAME" VARCHAR2(200 BYTE),
       "TR_GROUP" VARCHAR2(20 BYTE),
       "COMMENTS" VARCHAR2(80 BYTE),
       "DATE_SET_CHNG" DATE,
       "DELETED" NUMBER(1,0),
        CONSTRAINT "TR_PK" PRIMARY KEY ("TR_ID")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
```

```
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."VESSEL_DATA"
  (    "VESSEL_ID" NUMBER(*,0),
       "CLASS_ID" NUMBER(*,0),
       "COUNTRY_ID" NUMBER(*,0),
       "VESSEL_NAME" RAW(200),
       "VESSEL_NAME_K" RAW(200),
       "VESSEL_NAME_ISUS90" RAW(200),
       "CTRY_USER_RMKS" VARCHAR2(35 BYTE),
       "PENDANT_NO" VARCHAR2(10 BYTE),
       "CALL_SIGN" VARCHAR2(20 BYTE),
       "CREW" NUMBER(5,0),
       "LAID_DOWN" VARCHAR2(20 BYTE),
       "COMMISSIONED" VARCHAR2(20 BYTE),
       "RETIRED" VARCHAR2(20 BYTE),
       "MANUFACTURER" VARCHAR2(30 BYTE),
       "VERSION" NUMBER(5,0),
       "DATE_SET_CHNG" DATE,
       "COMMENTS" VARCHAR2(80 BYTE),
       "DELETED" NUMBER(1,0),
        CONSTRAINT "VES_PK" PRIMARY KEY ("VESSEL_ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM"  ENABLE
  ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
 STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
 BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
 TABLESPACE "SYSTEM" ;


 CREATE TABLE "SYSTEM"."WEAPON"
  (    "WEAPON_ID" NUMBER(*,0),
       "WEAPON_MODEL" VARCHAR2(30 BYTE),
       "WEAPON_TYPE" VARCHAR2(20 BYTE),
       "ATTACK_RANGE_KM" NUMBER(12,3),
```

```
        "GUIDE_METHOD" VARCHAR2(20 BYTE),
        "MANUFACTURER" VARCHAR2(30 BYTE),
        "MANUFACT_DATE" VARCHAR2(20 BYTE),
        "VERSION" NUMBER,
        "DATE_SET_CHNG" DATE,
        "COMMENTS" VARCHAR2(80 BYTE),
        "DELETED" NUMBER(1,0),
         CONSTRAINT "WP_PK" PRIMARY KEY ("WEAPON_ID")
  USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM"  ENABLE
   ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM" ;


  CREATE TABLE "SYSTEM"."WEAPON_CARRIER"
   (    "WCARRIER_ID" NUMBER(*,0),
        "WEAPON_ID" NUMBER(*,0),
        "CLASS_ID" VARCHAR2(30 BYTE),
        "QUANTITY" NUMBER(5,0),
        "DATE_SET_CHNG" DATE,
         CONSTRAINT "WC_PK" PRIMARY KEY ("WCARRIER_ID")
  USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM"  ENABLE
   ) PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "SYSTEM" ;
```