Averox Pvt Ltd
Averox Diplomatic Enclave Islamabad
315548282020
hassan@averox.com

Professional Anatomical Treatment Plan

Analysis Details:

Target Muscle Group:
Orbicularis Oculi

Analysis Type:
hyperactivity

Primary Treatment:
Massage Therapy

Treatment Intensity:
moderate

Session Frequency:
twice_weekly

Primary symptoms:
numbness

Severity Scale:
3

Follow-up Plan:
3_months



Generated Treatment Plan:

PROFESSIONAL ANATOMICAL TREATMENT PLAN
Target Area: ORBICULARIS OCULI
Analysis Type: hyperactivity
Primary Treatment: massage therapy
CLINICAL ASSESSMENT:
The patient presents with symptoms affecting the orbicularis oculi region. Based on the hyperactivity analysis, the following treatment protocol is recommended.
Primary Symptoms: numbness
Severity Rating: 3
TREATMENT PROTOCOL:
1. Initial Assessment
- Comprehensive evaluation of orbicularis oculi function and condition
- Baseline documentation with clinical photography
- Patient history and contraindication screening
2. Primary Treatment: massage therapy
- Treatment Intensity: moderate
- Session Frequency: twice_weekly
- Progressive monitoring of muscle response and patient tolerance
- Adjustment of treatment parameters based on individual response
3. Monitoring and Follow-up
- Regular assessment of treatment efficacy
- Documentation of progressive improvements
- 3_months
PATIENT EDUCATION:
- Expected timeline for visible results: 7-14 days
- Potential side effects and their management
- Post-treatment care instructions
- Activity restrictions and recommendations
SAFETY CONSIDERATIONS:
- Patient should be advised of all potential risks and contraindications
- Informed consent must be obtained prior to treatment

- Emergency protocols should be reviewed with patient
- Contact information for post-treatment concerns provided

This treatment plan should be reviewed and adjusted based on individual patient response and clinical judgment.