

# Data Structures and Algorithms ( CS09203 )

## Lab Report

Name: Qurrat ul Ain Registration #: SEU-F16-132

Lab Report #: 07

Dated: 21-05-2018

Submitted To: Sir. Usman Ahmed

The University of Lahore, Islamabad Campus Department of Computer Science & Information Technology

# Experiment # 7 Double Link list-Basic Insertion

#### Objective

The objective of this session is to understand graph and adjacent matrix in C++. using C++..

#### **Software Tool**

1. I use Code Blocks with GCC compiler.

### 1 Theory

In graph theory and computer science, an adjacency matrix is a square matrix used to represent a finite graph. The elements of the matrix indicate whether pairs of vertices are adjacent or not in the graph. In the special case of a finite simple graph, the adjacency matrix is a (0,1)-matrix with zeros on its diagonal. If the graph is undirected, the adjacency matrix is symmetric. The relationship between a graph and the eigenvalues and eigenvectors of its adjacency matrix is studied in spectral graph theory. The adjacency matrix should be distinguished from the incidence matrix for a graph, a different matrix representation whose elements indicate whether vertex-edge pairs are incident or not, and degree matrix which contains information about the degree of each vertex.

#### 2 Task

#### 2.1 Procedure: Task 7

Write a C++ code using functions for: 1.Add edges in adjacent matrix. 2.Dispaly the addes edges.

2.2

```
Enter the number of vertexes: 2

Enter 1 if the vertex 1 is adjacent to 2, otherwise 0: 1

(1) (2)

(1) 0 1

(2) 1 0

Process exited after 16.92 seconds with return value 0

Press any key to continue . . .
```

Figure 1: output

```
\#include < iostream >
\#include < iomanip >
using namespace std;
// A function to print the adjacency matrix.
void PrintMat(int mat[][20], int n)
         int i, j;
         cout << " \ n \ " << setw (4) << " ";
         for(i = 0; i < n; i++)
                  cout << setw(3) << "(" << i+1 << ")";
         cout << " \ n \ " ;
         // Print 1 if the corresponding vertexes are connected otherwise 0
         for(i = 0; i < n; i++)
                  cout << setw(3) << "(" << i+1 << ")";
                  for (j = 0; j < n; j++)
                            cout \ll setw(4) \ll mat[i][j];
                  cout << " \ \ " \ ;
```

```
}
}
int main()
          int i, j, v;
          cout << "Enter_the_number_of_vertexes:_";</pre>
          cin >> v;
          int mat [20][20];
          cout << " \ n";
          // Take input of the adjacency of each pair of vertexes.
          for (i = 0; i < v; i++)
                    for(j = i; j < v; j++)
                              \mathbf{i}\,\mathbf{f}\,(\,\mathrm{i}\ !=\ \mathrm{j}\,)
                                        cout << "Enter_1_if_the_vertex_" << i+1 << "_is_
                                        cin>>mat[i][j];
                                        mat[j][i] = mat[i][j];
                              }
                              else
                                       mat[i][j] = 0;
                    }
          }
          PrintMat(mat, v);
}
```

### 3 Conclusion

In today lab we have discussed how we can create edges in adjacent matrix and display it on a screen .