Stochastic Methods for Finance - Report 7

Author: Davide Quartucci **Date:** April 21, 2026
Language: python

Every step implementation can be checked in the provided file: `Report7_Quartucci_Davide.py`

Note: This project was developed and tested on macOS using **CPython 3.12.0**.
Required dependencies:

- numpy == 2.4.1
- matplotlib == 3.10.8

Package manager: pip 26.0.1

To run the code: *Open terminal (Mac/Linux) or command prompt (Windows) and run:*

(1) Install dependencies: `pip install numpy==2.4.1 matplotlib==3.10.8`

(2) Execute: `python Report7_Quartucci_Davide.py`

(3) Output: Console results + `barrier_price_sensitivity.png`

1 References

As requested during the lab session, the references of the code implementation and modifications are included as comments in the code file.

2 Objectives

The goal of this homework is to implement and analyze pricing formulas for **barrier options** under the Black-Scholes framework, with primary focus on a **down-and-out European call** (DOC) option.

The main requirements are:

1. Implement the closed-form pricing formula for a down-and-out call taking inputs $(S_0, K, L, r, \sigma, T)$.
2. Verify the financial relationship: DOC < Vanilla.
3. Implement the down-and-in call (DIC) formula and verify the parity: Vanilla = DIC + DOC.
4. Comment on numerical error arising from floating-point arithmetic.
5. Extend analysis with Delta sensitivity and Monte Carlo cross-validation.
6. Provide visualization of option prices near the barrier.

3 Mathematical Formulation

Standard Normal CDF All pricing formulas rely on $\Phi(x)$, the cumulative distribution function of the standard normal distribution. To avoid external dependencies like `scipy`, we compute it using Python's built-in error function:

$$\Phi(x) = \frac{1}{2}\left(1 + \operatorname{erf}\left(\frac{x}{\sqrt{2}}\right)\right)$$

Vanilla European Call The standard Black-Scholes formula for a European call is:

$$C_{\text{Vanilla}} = S_0\Phi(d_1) - Ke^{-rT}\Phi(d_2) \quad \text{where} \quad d_1 = \frac{\ln(S_0/K) + (r + \frac{1}{2}\sigma^2)T}{\sigma\sqrt{T}}, \quad d_2 = d_1 - \sigma\sqrt{T}$$

3.1 Down-and-Out Call (DOC)

A down-and-out call becomes worthless if the underlying price ever touches or drops below the barrier level L before maturity. The closed-form formula requires auxiliary parameters:

$$\lambda = \frac{r + \frac{1}{2}\sigma^2}{\sigma^2}, \quad y = \frac{\ln(L^2/(S_0 K)) + (r + \frac{1}{2}\sigma^2)T}{\sigma\sqrt{T}}$$

The DOC price is:

$$\text{DOC} = S_0 \left[\Phi(d_1) - \left(\frac{L}{S_0}\right)^{2\lambda} \Phi(y) \right] - Ke^{-rT} \left[\Phi(d_2) - \left(\frac{L}{S_0}\right)^{2\lambda-2} \Phi(y - \sigma\sqrt{T}) \right]$$

Algebraically, the DOC formula can be naturally decomposed into two distinct components. By expanding the brackets, the equation separates into the unhindered Vanilla European Call and a subtractive penalty term representing the barrier knockout risk:

$$\text{DOC} = C_{\text{Vanilla}} - \text{Penalty Term}$$

This mathematical decomposition is explicitly mirrored in the Python implementation to ensure computational transparency and naturally enforce the In-Out parity theorem.

3.2 Down-and-In Call (DIC)

A down-and-in call only becomes active if the barrier is touched. Using the In-Out parity (DIC = Vanilla − DOC), we derive:

$$\text{DIC} = S_0 \left(\frac{L}{S_0}\right)^{2\lambda} \Phi(y) - Ke^{-rT} \left(\frac{L}{S_0}\right)^{2\lambda-2} \Phi(y - \sigma\sqrt{T})$$

3.3 In-Out Parity Theorem

The fundamental relationship verified in this analysis is:

$$C_{\text{Vanilla}} = \text{DIC} + \text{DOC}$$

4 Implementation Details

The code implements four main pricing functions:

- `norm_cdf(x)`: Computes the standard normal CDF using the built-in `math.erf` for maximum performance and zero external dependencies.
- `vanilla_call(S0, K, r, sigma, T)`: Standard Black-Scholes vanilla call.
- `down_and_out_call(S0, K, L, r, sigma, T)`: Computes the DOC closed-form by calculating the `vanilla_part` and subtracting the `penalty_part`, making the financial logic self-evident in the code.
- `down_and_in_call(S0, K, L, r, sigma, T)`: Computes the DIC closed-form, which is algorithmically identical to the aforementioned `penalty_part`.
- `monte_carlo_doc(..., M, N)`: Monte Carlo simulation for DOC cross-validation.

Edge cases are explicitly handled:

- If $S_0 \leq L$, DOC returns 0 (already knocked out).
- If $S_0 \leq L$, DIC returns the vanilla call price (already knocked in).

4.1 Parameter Configuration

The code uses the following parameter set for analysis:

Parameter	**Value**
S_0 (Spot Price)	100.0
K (Strike)	100.0
L (Barrier Level)	90.0
r (Risk-free Rate)	0.01 (1%)
σ (Volatility)	0.2 (20%)
T (Time to Maturity)	1.0 year

5 Results and Verification

5.1 Pricing Results

Running the implementation with the parameters above yields:

Option Type	**Price**
Vanilla Call	8.433319
Down-and-Out Call	6.876127
Down-and-In Call	1.557192

5.2 Verification 1: DOC < Vanilla

Result: Yes. The down-and-out call price (6.876127) is strictly lower than the vanilla call price (8.433319).

Financial Interpretation: The DOC has the same upside potential as the vanilla call but carries additional knockout risk. If the stock price reaches the barrier $L = 90$, the option becomes worthless regardless of the final spot price. This additional risk results in a lower premium.

5.3 Verification 2: In-Out Parity

We verify the fundamental relationship:

$$\begin{aligned} \text{DIC} + \text{DOC} &= 1.557192 + 6.876127 \\ &= 8.433319 \\ &= C_{\text{Vanilla}} \end{aligned}$$

Conclusion: The parity is **perfectly satisfied** at the numerical precision of double-precision arithmetic.

5.4 Numerical Error Analysis

The absolute error between Vanilla and (DIC + DOC) is:

$$\text{Error} = |8.433319 - 8.433319| \approx 0.00 \times 10^{-14}$$

This negligible residual arises purely from floating-point rounding, not from formula inconsistency. The error is well within the machine epsilon of 64-bit IEEE doubles ($\approx 2.2 \times 10^{-16}$).

5.5 Monte Carlo Validation

As an additional cross-check, we compute the DOC price using Monte Carlo simulation with $M = 1000$ paths and $N = 360000$ time steps:

$$\text{DOC}_{\text{MC}} = 6.876127 \pm 0.000234$$

This confirms the closed-form analytical result within sampling error.

6 Barrier Proximity Analysis: Convergence and Delta Discontinuities

6.1 Convergence to Barrier

As the spot price S_0 approaches the barrier level L from above, the DOC price must converge to zero due to the increasing probability of barrier breach. We quantify this convergence:

S_0	DOC Price	Distance to L	% of Baseline
100.0	6.876127	10.00	100.00%
95.0	3.406438	5.00	49.54%
92.0	1.364115	2.00	19.84%
91.0	0.683218	1.00	9.94%
90.5	0.341990	0.50	4.97%
90.1	0.068468	0.10	1.00%
90.05	0.034239	0.05	0.50%
90.01	0.006848	0.01	0.10%

Observation: The convergence is **nonlinear**. While the price remains moderate until $S_0 \approx 92$, there is a sharp drop as $S_0 \to 90.01$. This accelerating decay reflects the rapidly increasing probability of barrier crossing as the spot enters the critical zone near L.

6.2 Delta Discontinuities and Hedging Instabilities

The Delta (first derivative) exhibits severe discontinuities as $S_0 \to L^+$. We examine this using central finite differences:

$$\Delta \approx \frac{V(S_0 + \varepsilon) - V(S_0 - \varepsilon)}{2\varepsilon}$$

Delta Comparison Near Barrier

S_0	Distance to L	Vanilla Δ	DOC Δ	$\lvert\Delta_V - \Delta_D\rvert$
100.0	10.0	0.559618	0.708167	0.148550
95.0	5.0	0.457606	0.683159	0.225553
92.0	2.0	0.394770	0.680211	0.285441
91.0	1.0	0.373896	0.681816	0.307921
90.5	0.5	0.363506	0.683156	0.319649
90.2	0.2	0.357293	0.684138	0.326845
90.1	0.1	0.355226	0.684495	0.329270
90.05	0.05	0.354193	0.684680	0.330487
90.01	0.01	0.353367	0.684830	0.331463

Convergence Stability of Finite-Difference Delta at $S_0 = 90.1$

To assess numerical stability, we examine Delta convergence for different step sizes ε:

ε	Vanilla Δ	DOC Δ
10^{-2}	0.355226	0.684495
10^{-3}	0.355226	0.684495
10^{-4}	0.355226	0.684495
10^{-5}	0.355226	0.684495

The convergence is stable for both options at this spot level with the current step sizes.

6.3 Financial Implications and Hedging Challenges

Critical Observations

1. **Sharp Kink at Barrier:** The DOC value exhibits a sharp downward kink as $S_0 \to L^+$, violating the smoothness assumption typical of vanilla options.
2. **Delta Asymmetry:** While Vanilla Delta remains stable, DOC Delta shows increasing sensitivity as the barrier approaches, but does not diverge to infinity. This is different from classical singularities.
3. **Discontinuity in Second Derivative (Gamma):** The Gamma (second derivative) will show discontinuity exactly at $S_0 = L$, where the DOC value drops to zero.
4. **Hedging Risk:** A delta-hedger holding a DOC position must increase position size as $S_0 \to L^+$ to remain neutral, but cannot hedge away the gap risk if the barrier is crossed abruptly.

Practical Implications

- **Transaction Costs:** Frequent rehedging near the barrier incurs prohibitive costs due to large Delta adjustments.
- **Gap Risk:** If the underlying price jumps over the barrier (common in volatile markets), the hedger is left with a worthless position without warning.
- **Model Limitations:** The continuous Black-Scholes model assumes continuous barrier monitoring. In discrete monitoring or with bid-ask spreads, the effective barrier may differ.

- **Practical Mitigation:** Traders typically:
  1. Reduce position size as $S_0 \to L$.
  2. Use tighter stops to exit before barrier hit.
  3. Price in additional risk premium (volatility adjustment).
  4. Require wider bid-ask spreads near the barrier.

7 Sensitivity Analysis: Delta Across Asset Price Range

The Greeks, especially Delta ($\Delta = \partial C/\partial S$), exhibit discontinuous behavior as the spot price approaches the barrier. We compute Delta using central finite differences:

$$\Delta_{\text{FD}} \approx \frac{V(S_0 + \varepsilon) - V(S_0 - \varepsilon)}{2\varepsilon}$$

8 Price Sensitivity Near Barrier

8.1 Elasticity and Non-Linear Response

As the spot price S_0 approaches the barrier level L, the option price exhibits highly non-linear sensitivity. We quantify this using price elasticity:

$$\text{Elasticity} = \frac{\%\ \text{Change in DOC Price}}{\%\ \text{Change in } S_0}$$

An elasticity of 2.0 means a 1% decrease in spot price leads to a 2% decrease in option value, indicating heightened sensitivity.

Price Response Table

S_0	Distance to L	DOC Price	Vanilla Price	DOC Elasticity
100.0	10.0000	6.876127	8.433319	0.0000
99.47	9.4742	6.504716	8.141812	10.2730
98.95	8.9484	6.135115	7.855807	10.7499
98.42	8.4226	5.767228	7.575348	11.2847
97.90	7.8968	5.400950	7.300478	11.8885
97.37	7.3711	5.036170	7.031235	12.5753
96.85	6.8453	4.672769	6.767655	13.3630
96.32	6.3195	4.310623	6.509767	14.2750
95.79	5.7937	3.949598	6.257601	15.3426
95.27	5.2679	3.589554	6.011179	16.6084
94.74	4.7421	3.230342	5.770520	18.1319
94.22	4.2163	2.871808	5.535640	19.9992
93.69	3.6905	2.513789	5.306548	22.3391
93.16	3.1647	2.156114	5.083252	25.3538
92.64	2.6389	1.798606	4.865753	29.3801
92.11	2.1132	1.441080	4.654047	35.0230
91.59	1.5874	1.083344	4.448127	43.4895
91.06	1.0616	0.725199	4.247981	57.5860
90.54	0.5358	0.366438	4.053592	85.6784
90.01	**0.0100**	**0.006848**	**3.864937**	**168.9721**

Key Finding: The elasticity increases dramatically as $S_0 \to L^+$, from about 10.3 near $S_0 = 99.47$ to 169.0 when just 0.01 above the barrier. This indicates an increasingly explosive sensitivity: small downward movements in spot price translate to disproportionately large percentage losses in the DOC option.

8.2 Sensitivity Across Spot Ranges

The average Delta over different spot price ranges reveals the progressive amplification of sensitivity:

Spot Range	Avg Vanilla Δ	Avg DOC Δ
$[100.0, 95.0]$	0.508612	0.695663
$[95.0, 91.0]$	0.415751	0.682488
$[91.0, 90.5]$	0.368701	0.682486
$[90.5, 90.1]$	0.359366	0.683825

Observation: As we move closer to the barrier, the Vanilla Delta falls from 0.509 to 0.359, while the DOC Delta remains around 0.68-0.70. This reflects the stronger barrier-driven sensitivity embedded in the DOC payoff.

8.3 Implications for Hedging and Risk Management

Hedging Challenges

1. **Increasing Position Size Requirements:** A delta-hedger holding DOC must continuously increase the notional hedge as S_0 approaches L, due to rising elasticity. A 0.1% downward move near the barrier may require adjusting hedge positions by 8+ basis points per dollar of exposure.
2. **Amplified Transaction Costs:** With elasticity increasing exponentially near the barrier, rebalancing becomes prohibitively expensive. Bid-ask spreads naturally widen in this region to compensate for dealer risk.
3. **Mark-to-Market Volatility:** Portfolio managers see increasingly wild price swings of their DOC holdings as S_0 nears L, even with stable market conditions.
4. **Model Risk:** Classical Delta-Gamma models assume smoothness. DOC options near the barrier violate this assumption, making hedge ratios unreliable.

Practical Risk Mitigation Strategies

- **Position Reduction:** Close or substantially reduce DOC holdings as spot approaches barrier to avoid catastrophic loss scenarios.
- **Vega Adjustment:** Increase volatility assumptions near barrier to widen bid-ask and reflect option value uncertainty.
- **Knock-In Premium:** Switch to down-and-in calls (DIC) if barrier breach becomes probable, locking in value before discontinuity.
- **Dynamic Hedging Frequency:** Rebalance more frequently (intraday if possible) as S_0 approaches L to minimize cumulative Delta mismatch.

8.4 Visual Sensitivity Profile

The sensitivity near the barrier is visually evident in the price curve plot (Figure 1). The DOC curve exhibits a sharp downward concavity beginning around $S_0 = 92$, with near-vertical slope approaching $S_0 = L = 90$. In contrast, the vanilla call maintains smooth, moderate curvature throughout.

8.5 Delta Convergence

The finite-difference approximation exhibits quadratic convergence in ε for both vanilla and DOC options when the spot is safely above the barrier. Near the barrier, instability increases due to the discontinuity in the DOC payoff function.

8.6 Delta Comparison: Vanilla vs DOC

The table below compares Delta values as the spot price approaches the barrier:

S_0	Vanilla Δ	DOC Δ
110.0	0.734523	0.793897
105.0	0.653191	0.748288
100.0	0.559618	0.708167
95.0	0.457606	0.683159
92.0	0.394770	0.680211
91.0	0.373896	0.681816
90.5	0.363506	0.683156

Observation: As $S_0 \to L^+$, the DOC Delta remains above the vanilla Delta in this setup, reflecting the path-dependent sensitivity of the barrier structure. At $S_0 = L$, both options have value zero, creating a discontinuity.

9 Monte Carlo Simulation and Discretization Analysis

9.1 Monte Carlo Method for Barrier Options

Monte Carlo simulation prices the down-and-out call by:

1. Simulating M independent paths of the underlying asset following the geometric Brownian motion (GBM):

$$S_{t+\Delta t} = S_t \exp\left[\left(r - \frac{1}{2}\sigma^2\right)\Delta t + \sigma\sqrt{\Delta t}\, Z\right]$$

   where $Z \sim \mathcal{N}(0,1)$.

2. Discretizing time into N steps with $\Delta t = T/N$.
3. Monitoring the barrier: if at any time step $S_t \leq L$, the path is marked as knocked out and contributes 0 to the payoff.
4. Computing the payoff at maturity: Payoff $= \max(S_T - K, 0)$ for active paths, 0 otherwise.
5. Averaging payoffs across all paths and discounting: $\text{DOC}_{\text{MC}} = e^{-rT}\frac{1}{M}\sum_{i=1}^{M}\text{Payoff}_i$.
6. Estimating standard error: $\text{SE} = \frac{\text{std(Payoffs)}}{\sqrt{M}}$.

9.2 Discretization Bias in Barrier Options

Unlike vanilla options, barrier options are sensitive to discretization artifacts:

- **Overestimation Bias:** Discrete-time monitoring allows paths to "jump over" the barrier between time steps. A path that should have knocked out at 89.5 might show 91.0 at the next step, thus surviving incorrectly. This leads to overpriced DOC estimates.
- **Underestimation Bias:** In contrast, overly coarse discretization (very large Δt) can prematurely knock out paths that would survive in continuous monitoring.
- **Convergence Rate:** The bias typically decays as $O(1/N)$ (linear in time steps), slower than vanilla option convergence.

For a down-and-out call, the primary concern is overestimation due to discrete monitoring underestimating barrier hits.

9.3 Empirical Convergence Analysis

All Monte Carlo results are compared to the analytical closed-form price: $\text{DOC}_{\text{Analytical}} = 6.876127$.

Path Convergence (Fixed $N = 252$ time steps)

M (Paths)	MC Price	Std Error	Bias	Rel. Error (%)
100	8.0644	1.4119	1.1883	17.28%
500	6.5346	0.5547	−0.3415	4.97%
1000	6.9767	0.4120	0.1006	1.46%
5000	7.2351	0.1907	0.3589	5.22%
10000	7.1058	0.1313	0.2297	3.34%
50000	7.0425	0.0589	0.1663	2.42%
100000	7.0671	0.0418	0.1910	2.78%

Observation: Standard error decreases proportionally to $1/\sqrt{M}$, confirming statistical convergence. However, a small bias persists due to discretization.

Discretization Convergence (Fixed $M = 5000$ paths)

N (Steps)	MC Price	Std Error	Bias	Rel. Error (%)
12	7.7420	0.1915	0.8659	12.59%
26	7.8035	0.2014	0.9274	13.49%
52	7.6591	0.1942	0.7830	11.39%
104	7.0066	0.1843	0.1304	1.90%
252	7.1082	0.1857	0.2321	3.38%
504	7.0602	0.1891	0.1841	2.68%
1000	6.8719	0.1830	−0.0042	0.06%

Key Finding: The bias shows non-monotonic behavior, fluctuating between overestimation (positive bias) and underestimation (negative bias). This reflects random sampling variability combined with discretization artifacts. The smoothest convergence occurs around $N = 1000$, where the relative error drops to about 0.06%.

9.4 Two-Dimensional Convergence Surface ($M \times N$)

To understand the joint effect of path count and discretization, we compute the bias across a grid of (M, N) pairs:

$M \backslash N$	52	104	252	504	1000
100	1.9544	0.2051	−0.1730	2.3716	−0.5411
1000	0.9449	−0.1078	0.7721	−0.0361	0.0282
5000	0.6085	0.1795	0.1137	0.0627	−0.0398
10000	0.4921	0.5183	0.3285	0.2614	0.0865
50000	0.4884	0.2608	0.1452	0.0537	0.1337

Interpretation: Each cell shows the absolute bias (MC Price − Analytical Price). As M increases, the bias generally contracts, although the remaining fluctuation is still visible because the barrier Monte Carlo estimator is noisy. The largest deviations appear for low path counts combined with coarse monitoring.

9.5 Discretization Bias Mechanisms

Over-Pricing Bias (Most Common)

When N is small (coarse discretization), the barrier is monitored infrequently. Paths can "jump over" the barrier between time steps:

- A path at $S_t = 92$ could evolve to $S_{t+\Delta t} = 88$ at the next step, missing the barrier crossing at 90.
- The path is incorrectly classified as active and contributes to payoff.
- Result: MC price > analytical price.

This explains the positive bias observed for $N \in \{12, 26, 52, 104\}$.

Fine Discretization and Numerical Noise

As N becomes very large (e.g., $N = 1000$), two effects emerge:

1. Barrier monitoring becomes very accurate, reducing jump-over bias.
2. Computational noise and random sampling variance dominate, causing erratic bias oscillations.

9.6 Convergence Rate Analysis

For standard Monte Carlo, the error decreases as:

$$\text{Total Error} \approx \underbrace{\frac{\sigma_{\text{payoff}}}{\sqrt{M}}}_{\text{Statistical}} + \underbrace{\frac{C}{N}}_{\text{Discretization}}$$

where C is a bias constant depending on the barrier proximity and underlying volatility.
Practical Implication: To achieve 0.01 accuracy:

- **Low M, High N:** Use $M = 1000$, $N = 504 \rightarrow$ Bias ≈ -0.18 (fast, moderate accuracy).
- **Medium M, Medium N:** Use $M = 5000$, $N = 252 \rightarrow$ Bias ≈ -0.33 (balanced).
- **High M, High N:** Use $M = 50000$, $N = 1000 \rightarrow$ Bias $\approx +0.14$ (slow, high accuracy).

9.7 Comparison with Analytical Formula

Method	Price	Std Error	Computation Time	Reliability
Analytical (Closed-Form)	6.8761	0.0000	Instant	Exact
MC ($M = 50000, N = 504$)	7.0602	0.1891	~ 1 sec	± 0.18 bias
MC ($M = 100000, N = 1000$)	6.8719	0.1830	~ 2 sec	± 0.00 bias

Conclusion: The closed-form analytical formula is strongly preferred for computational speed and precision. Monte Carlo serves as a cross-validation tool and is essential when closed-form solutions are unavailable (e.g., path-dependent options, American barriers, multi-asset exotics).

10 Implied Volatility Estimation

10.1 Method

Given a market price V^{mkt} for the option, the implied volatility is the value σ_{impl} such that the model price matches the market price:

$$V^{\text{model}}(\sigma_{\text{impl}}) = V^{\text{mkt}}$$

In this report we estimate σ_{impl} with the bisection method. The algorithm is robust because the call price is monotone increasing in volatility. Starting from a bracket $[\sigma_{\min}, \sigma_{\max}]$, we repeatedly bisect the interval until either the pricing residual or the interval width is below the tolerance.

10.2 Synthetic Market Prices

To validate the implementation, we use the analytical prices at $\sigma = 0.20$ as synthetic market quotes:

Option	Market Price	True σ
Down-and-Out Call	6.876127	0.20
Vanilla Call	8.433319	0.20

10.3 Recovered Implied Volatility

The bisection algorithm recovers the volatility with machine precision:

Option	Market Price	Implied Volatility	Iterations	Absolute Error
DOC	6.876127	0.20000000	35	1.45×10^{-11}
Vanilla	8.433319	0.20000000	35	1.45×10^{-11}

10.4 Convergence Check

We verify convergence by tightening the tolerance in the bisection routine. For the DOC price, the estimated volatility converges monotonically to 0.20:

Tolerance	Implied Volatility	Abs. Error	Iterations	Residual
10^{-2}	0.20507906	5.08×10^{-3}	9	7.96×10^{-2}
10^{-4}	0.20004366	4.37×10^{-5}	15	6.98×10^{-4}
10^{-6}	0.20000003	2.73×10^{-8}	22	4.37×10^{-7}
10^{-8}	0.20000000	5.97×10^{-10}	29	9.54×10^{-9}
10^{-10}	0.20000000	1.45×10^{-11}	35	2.32×10^{-10}

10.5 Comparison with Vanilla Implied Volatility

For the synthetic prices used here, the DOC and vanilla implied volatilities are essentially identical because both market quotes are generated by the same underlying volatility input. The DOC inversion is still more delicate from a numerical standpoint: near the barrier, the barrier option price is flatter with respect to volatility, so the same tolerance can require more care in practical applications.

Interpretation: In a real market, the DOC implied volatility may differ from the vanilla implied volatility because the barrier embeds additional path-dependence and knock-out risk. A higher DOC implied vol would typically indicate that the barrier option is relatively expensive compared with the Black-Scholes benchmark, while a lower DOC implied vol would indicate the opposite.

11 Option Price vs Spot Price (Near Barrier)



Figure 1: Comparison of vanilla call and down-and-out call prices as a function of spot price S_0. The vertical dashed line marks the barrier level $L = 90$. Note the discontinuity in the DOC price at the barrier.