



1. Активний аларм у CloudWatch на суму \$1.



The screenshot shows the AWS CloudWatch Alarms console. The left sidebar contains navigation links for CloudWatch, Alarms, and various monitoring services. The main content area displays a table of alarms. One alarm, 'AWS-Billing-Alarm', is listed with a state of 'OK' and 'Actions enabled'. The conditions for this alarm are 'EstimatedCharges >= 1 for 1 datapoints within 6 hours'. The console also shows options to 'Create alarm', 'Create composite alarm', and 'Mute rules - new'.

Name	State	Actions	Actions muted - new	Last state update (UTC)	Conditions
AWS-Billing-Alarm	OK	Actions enabled	-	2026-05-15 08:20:16	EstimatedCharges >= 1 for 1 datapoints within 6 hours

2. Список користувачів у IAM



The screenshot shows the AWS IAM console details for the user 'AWS_admin'. The left sidebar contains navigation links for Identity and Access Management (IAM), Access Management, Access reports, and Related consoles. The main content area displays the user's summary, permissions, groups, tags, security credentials, and last accessed information. The 'Security credentials' tab is selected, showing the console sign-in link, console password status, and multi-factor authentication (MFA) settings. The 'Access keys' section shows that there are no access keys for this user.

Summary

- ARN: [arn:aws:iam::432705135854:user/AWS_admin](#)
- Created: May 15, 2026, 11:25 (UTC+03:00)
- Console access: Enabled with MFA
- Last console sign-in: Never

Security credentials

Console sign-in

- Console sign-in link: [https://432705135854.signin.aws.amazon.com/console](#)
- Console password: Not enabled
- Last console sign-in: Never

Multi-factor authentication (MFA) (1)

Use MFA to increase the security of your AWS environment. Signing in with MFA requires an authentication code from an MFA device. Each user can have a maximum of 8 MFA devices assigned. [Learn more](#)


Type	Identifier	Certifications	Created on
Virtual	arn:aws:iam::432705135854:mfa/Phone	Not Applicable	Fri May 15 2026

Access keys (0)


Use access keys to send programmatic calls to AWS from the AWS CLI, AWS Tools for PowerShell, AWS SDKs, or direct AWS API calls. You can have a maximum of two access keys (active or inactive) at a time. [Learn more](#)

No access keys. As a best practice, avoid using long-term credentials like access keys. Instead, use tools which provide short term credentials. [Learn more](#)

3. Скріншот завантаженого файлу у S3 Бакет



4. Таблиця у Glue Catalog, яку створив кравлер



5. Вікно результатів Athena з даними з файлу.

The screenshot displays the Amazon Athena Query Editor interface. The top navigation bar shows the user is logged in as 'AWS_admin' in the 'eu-north-1' region. The main interface is divided into several sections:

- Left Sidebar:** Contains 'Data' and 'Tables' sections. Under 'Tables', the table 'data_camp_iz_2026' is listed.
- SQL Editor:** The query 'SELECT * FROM data_camp_iz_2026 LIMIT 10;' is entered.
- Query Results:** The query has completed successfully. The results are displayed in a table with 10 rows. The table has columns: #, product_id, name, category, and price.
- Query Stats:** Shows the query execution details: Time in queue: 64 ms, Run time: 350 ms, Data scanned: 6.21 KB.

The query results table is as follows:

#	product_id	name	category	price
1	1001	Toys Product 1001	Toys	810.05
2	1002	Stationery Product 1002	Stationery	797.22
3	1003	Stationery Product 1003	Stationery	1246.05
4	1004	Stationery Product 1004	Stationery	1371.25
5	1005	Books Product 1005	Books	1451.14