

airport_db (1).sql [postgres@localhost] ×

airport_db (1)

Tx: Auto ▾

Playground ▾

postgres.public ▾

1 ✓

2

select upper(airline_name) from airline;

364 ms

Output

upper(airline_name):text ×

CSV

upper ▾

1	IPC
2	PDN
3	KLE
4	KHS
5	YLQ
6	NGL

50 rows ▾

defaultVersion Control

Database Explorer

postgres@localhost2 of 5

- postgres1 of 3
- projdb1 of 3
- Server Objects
- Query Files1
- airport_db (1)

airport_db (1).sql [postgres@localhost]

airport_db (1)

postgres@localhostpostgres@localhost

1 ✓select REPLACE(airline_name,'air','aero') from airline;374 ms

Services

Database

- postgres@localhost
 - airport_db (1).sql 374 ms

OutputREPLACE(airline_name,'air','aero');text

replace

1	IPC
2	PDN
3	KLE
4	KHS
5	YLQ
6	NGL

50 rows

Desktop > airport_db (1).sql1:56 LF UTF-8 4 spacesTrial: 2 days

defaultVersion Control

Database Explorer

postgres@localhost2 of 5

- postgres1 of 3
- projdb1 of 3
- Server Objects
- Query Files1
- airport_db (1)

airport_db (1).sql [postgres@localhost]

airport_db (1)

postgres@localhostpostgres@localhost

1 ✓select * from flights where airline_id = 1 or airline_id = 2;393 ms

Services

Database

- postgres@localhost
 - airport_db (1).sql 393 ms

Outputpostgres.public.flights

DDL

CSV

48 rows

	id	airport_id	departing_gate	arriving_gate	airline_id	status	timestamp
1	20	1891	5429	1	Delayed	2021-01-01 12:00:00	
2	19	<null>	9380	1	Delayed	2021-01-01 12:00:00	
3	14	<null>	13	1	Delayed	2021-01-01 12:00:00	
4	9	144	23	1	Delayed	2021-01-01 12:00:00	
5	11	335	515	1	Delayed	2021-01-01 12:00:00	
6	6	32	31	2	Delayed	2021-01-01 12:00:00	

Desktop > airport_db (1).sql1:60 LF UTF-8 4 spacesTrial: 2 days

defaultVersion Control

Database Explorer

postgres@localhost2 of 5

- postgres1 of 3
- projdb1 of 3
- Server Objects
- Query Files
- airport_db (1)

airport_db (1).sql [postgres@localhost]airport_db (1)

1✓SELECT first_name, to_char(date_of_birth, 'Month DD, YYYY') from passengers;366 ms

Services

Database

- postgres@localhost
 - airport_db (1).sql366 ms

OutputResult 22

first_namefirst_name : to_char : to_char

1	Hilde	January	03, 2000
2	Arvy	June	09, 1974
3	Reinald	June	07, 1982
4	Con	October	17, 1986
5	Wayne	April	22, 1996
6	Tildy	April	15, 2004

200 rows

Desktop > airport_db (1).sql1:18 LF UTF-8 4 spacesTrial: 2 days

defaultVersion Control

Database Explorer

postgres@localhost2 of 5

- postgres1 of 3
- projdb1 of 3
- Server Objects
- Query Files
- airport_db (1)

airport_db (1).sql [postgres@localhost]airport_db (1)

1

select flight_id from flights where scheduled_arrival != actual_arrival;

381 ms

Services

Database

- postgres@localhost
 - airport_db (1).sql 381 ms

Outputpostgres.public.flights

flight_id

1	1
2	2
3	3
4	4
5	5
6	6

Database > airport_db (1)

1:14LFUTF-84 spaces

Trial: 2 days

defaultVersion Control

Database Explorer

postgres@localhost2 of 5

- postgres1 of 3
- projdb1 of 3
- Server Objects
- Query Files
- airport_db (1)

airport_db (1).sql [postgres@localhost]

airport_db (1)

postgres.publicpostgres@localhost

1 ✓select * from flights where scheduled_arrival < actual_arrival;388 ms

Services

Database

- postgres@localhost
 - airport_db (1).sql388 ms

Outputpostgres.public.flights

flight_idflight_noscheduled_departurescheduled_arrivaldepartu

1	1	US-CT	2024-01-22	2023-09-08	
2	2	US-NM	2023-07-21	2023-09-17	
3	4	RU-KR	2024-01-02	2023-03-18	
4	8	US-AZ	2023-07-29	2023-04-08	
5	9	IN-DR		2023-09-19	
6	12	CA-NL	2023-03-22	2023-06-04	

Desktop > airport_db (1).sql1:48 LF UTF-8 4 spacesTrial: 2 days

defaultVersion Control

Database Explorer

postgres@localhost2 of 5

- postgres1 of 3
- projdb1 of 3
- Server Objects
- Query Files
- airport_db (1)

airport_db (1).sql [postgres@localhost]

airport_db (1)

postgres.publicpostgres@localhost

1 ✓select * from airline where created_at BETWEEN '2023-11-01' and '2024-03-31' 377 ms

2 ⚠and airline_country = 'France' or airline_country = 'Portugal' or airline_country = 'Poland'

Services

Tx: Auto

Database

- postgres@localhost
 - airport_db (1).sql 377 ms

Outputpostgres.public.airline

Tx: AutoDDL

	airline_id	airline_co_	airline_na_	airline_co_	created_at	update_at
1	4	00KB	KHS	France	2023-11-18	2024-02-18
2	13	0IFE	IFH	Portugal	2024-01-09	2023-11-09
3	15	SYKZ	KKG	Poland	2023-12-24	2023-10-30
4	16	KDUC	DUC	Poland	2023-05-28	2023-06-03
5	24	ZSRG	RUG	Portugal	2024-03-11	2023-08-24
6	28	RKPD	JDG	Poland	2023-11-03	2023-12-06

10 rows

2:42LFUTF-84 spaces

Trial: 2 days

defaultVersion Control

Database Explorer

postgres@localhost

- airline
- airport
- baggage
- baggage_check
- boarding_pass
- booking
- booking_flight
- flights
- passengers
- phonebook
- security_check
- Database Objects
- virtual views 1
- projdb 1 of 3
- Server Objects
- Query Files 1
- airport_db (1)

airport_db (1).sql [postgres@localhost]

postgres

postgres.publicpostgres@localhost

1 ✓select * from baggage where weight_in_kg >25 ORDER BY weight_in_kg DESC LIMIT 3; 367 ms

Services

Database

- postgres@localhost
 - airport_db (1).sql 367 ms

Outputpostgres.information_schema.tablespostgres.public.baggage

baggage_idweight_in_kgcreated_dateupdate_datebooking_id

1	321	49.88	2023-07-07	2023-11-10	34
2	61	49.57	2023-04-21	2023-07-31	46
3	102	49.44	2024-01-24	2023-11-01	5

3 rows

Desktopairport_db (1).sql1:72LFUTF-84 spacesTrial: 2 days

defaultVersion Control

Database Explorer

postgres@localhost

- airline
- airport
- baggage
- baggage_check
- boarding_pass
- booking
- booking_flight
- flights
- passengers
- phonebook
- security_check
- Database Objects
- virtual views 1
- projdb 1 of 3
- Server Objects
- Query Files 1
- airport_db (1)

airport_db (1).sql [postgres@localhost]

postgres

postgres.publicpostgres@localhost

1select first_name,last_name from passengers order by date_of_birth DESC LIMIT 1;358 ms13

Services

Outputpostgres.information_schema.tablespostgres.public.passengers

first_namelast_name

1BernieMichal

1 row

Desktop > airport_db (1).sql1:28 LF UTF-8 4 spacesTrial: 2 days

default Version Control

Database Explorer

postgres@localhost

- airline
- airport
- baggage
- baggage_check
- boarding_pass
- booking
- booking_flight
- flights
- passengers
- phonebook
- security_check
- Database Objects
- virtual views 1
- projdb 1 of 3
- Server Objects
- Query Files 1
- airport_db (1)

airport_db (1).sql [postgres@localhost]

postgres

postgres.public postgres@localhost

1 ✓ select booking_platform,MIN(price) from booking group by booking_platform; 371 ms

Services

Output postgres.information_schema.tables Result 12

CSV

booking_platform	min
BULGOWSKI LLC	8011.07
Mitchell LLC	8985.71
Rice-White	9692.56
Zieme-Gerhold	1877.98
Conroy, Wilderman and Bradtke	4994.44
Schoen Group	

494 rows

Desktop > airport_db (1).sql 1:59 LF UTF-8 4 spaces Trial: 2 days

The screenshot shows the DBeaver IDE interface. On the left is the Database Explorer showing a PostgreSQL database named 'postgres@localhost' with several schemas like 'airline', 'airport', 'baggage', etc. The main panel is the Query Editor, showing a SQL query: `select * from airline where airline_code ~ '[0-9]';`. The query has been executed, and the results are shown in the Results Viewer at the bottom. The results viewer shows a table with columns: 'airline_id', 'airline_co...', 'airline_na...', 'airline_co...', 'created_at', and 'update_at'. The first row of data is visible: 1, 22, 2AK6, HGZ, Philippines, 2024-03-13, 2023-10-20.

defaultVersion Control

Database Explorer

postgres@localhost

- airline
- airport
- baggage
- baggage_check
- boarding_pass
- booking
- booking_flight
- flights
- passengers
- phonebook
- security_check
- Database Objects
- virtual views 1
- projdb 1 of 3
- Server Objects
- Query Files 1
- airport_db (1)

airport_db (1).sql [postgres@localhost]

postgres

1 ✓select * from airline order by created_at DESC LIMIT 1; 359 ms

Services

Database

- postgres@localhost
 - airport_db (1).sql 359 ms

Outputpostgres.information_schema.tablespostgres.public.airline

airline_id : airline_co... : airline_na... : airline_co... : created_at : update_at :
19 KNQXNQXVenezuela2024-03-162023-09-16

1 row

Desktop > airport_db (1).sql1:55 LF UTF-8 4 spacesTrial: 2 days

defaultVersion Control

Database Explorer

postgres@localhost

- airline
- airport
- baggage
- baggage_check
- boarding_pass
- booking
- booking_flight
- flights
- passengers
- phonebook
- security_check
- Database Objects
- virtual views 1
- projdb 1 of 3
- Server Objects
- Query Files 1
- airport_db (1)

airport_db (1).sql [postgres@localhost]

postgres

postgres.publicpostgres@localhost

select * from baggage_check where booking_id BETWEEN 200 and 300 and check_result = 'Checked';352 ms12

Services

Database

- postgres@localhost
 - airport_db (1).sql 352 ms

Outputpostgres.information_schema.tablespostgres.public.baggage_check

baggage_che...check_resultcreated_atupdate_atbooking_idpass

1	8	Checked	2023-08-25	2024-02-07	242	
2	16	Checked	2023-11-27	2024-03-06	247	
3	18	Checked	2023-08-21	2023-05-14	200	
4	20	Checked	2024-01-31	2023-10-27	204	
5	44	Checked	2023-11-27	2023-09-02	229	
6	55	Checked	2024-02-04	2023-12-20	257	

57 rows

Desktop > airport_db (1).sql1:87 LF UTF-8 4 spacesTrial: 2 days

defaultVersion Control

Database Explorer

postgres@localhost

- airline
- airport
- baggage
- baggage_check
- boarding_pass
- booking
- booking_flight
- flights
- passengers
- phonebook
- security_check
- Database Objects
- virtual views 1
- projdb 1 of 3
- Server Objects
- Query Files 1
- airport_db (1)

airport_db (1).sql [postgres@localhost]

postgres

postgres.publicpostgres@localhost

1select * from baggage_check where update_at < created_at 373 ms

2and DATE_TRUNC('month',update_at) = DATE_TRUNC('month',created_at);

Services

Database

- postgres@localhost
 - airport_db (1).sql 373 ms

Outputpostgres.information_schema.tablespostgres.public.baggage_check

baggage_che...check_resultcreated_atupdate_atbooking_idpass

1	34	Checked	2023-04-25	2023-04-08	28
2	86	Checked	2023-12-25	2023-12-07	312
3	104	Checked	2024-03-17	2024-03-14	41
4	109	Not checked	2023-08-30	2023-08-09	469
5	119	Not checked	2023-	2023-12-01	135
6	148	Checked	2024-03-17	2024-03-16	86

18 rows

Desktop > airport_db (1).sql2:63 LF UTF-8 4 spacesTrial: 2 days