

MATHEMATICS PAPER 2

11.15 am – 12.45 pm (1½ hours)

Subject Code 180

- Label 1 Read carefully the instructions on the Answer Sheet. Stick a barcode label and insert the information required in the spaces provided.
- Label 2 When told to open this book, you should check that all the questions are there. Look for the words **END OF PAPER** after the last question.
- Label 3 All questions carry equal marks.
- Label 4 **ANSWER ALL QUESTIONS.** You should mark all your answers on the Answer Sheet.
- Label 5 You should mark only **ONE** answer for each question. If you mark more than one answer, you will receive **NO MARKS** for that question.
- Label 6 No marks will be deducted for wrong answers.

FORMULAS FOR REFERENCE

SPHERE	Surface area	$= 4\pi r^2$
	Volume	$= \frac{4}{3}\pi r^3$
CYLINDER	Area of curved surface	$= 2\pi rh$
	Volume	$= \pi r^2 h$
CONE	Area of curved surface	$= \pi rl$
	Volume	$= \frac{1}{3}\pi r^2 h$
PRISM	Volume	$= \text{base area} \times \text{height}$
PYRAMID	Volume	$= \frac{1}{3} \times \text{base area} \times \text{height}$

There are 36 questions in Section A and 18 questions in Section B.
 The diagrams in this paper are not necessarily drawn to scale.
 Choose the best answer for each question.

Section A

Label 1 If n is a positive integer, then $3^{2n} \cdot 4^n =$

A 6^{2n}

B 6^{3n}

C 12^{2n}

D 12^{3n}

Label 2 $\frac{1}{n+3} - \frac{1}{3-n} =$

A $\frac{6}{9-n^2}$

B $\frac{6}{n^2-9}$

C $\frac{2n}{9-n^2}$

D $\frac{2n}{n^2-9}$

Label 3 $(x+x)(y+y+y) =$

A $6xy$

B $2x+3y$

C x^2y^3

D $6x^2y^3$

Label 4 Let x be the smaller one of two consecutive integers. If the sum of the squares of the two integers is less than three times the product of the two integers by 1, then

- A! $x^2 + (x+1)^2 = 3x(x+1) - 1$
- B! $x^2 + (x+1)^2 = 3x(x+1) + 1$
- C! $3(x^2 + (x+1)^2) = x(x+1) - 1$
- D! $3(x^2 + (x+1)^2) = x(x+1) + 1$

Label 5 Which of the following statements about the graph of $y = (x+1)^2 - 4$ is true?

- A! The coordinates of the vertex of the graph are $(-1, 4)$.
- B! The equation of the axis of symmetry of the graph is $x = 1$.
- C! The x -intercepts of the graph are -1 and 3 .
- D! The y -intercept of the graph is -3 .

Label 6 The solution of $15 \geq 4(x+2) - 1$ is

- A! $x \leq -2$
- B! $x \leq 2$
- C! $x \geq -2$
- D! $x \geq 2$


Label 7 The price of 6 oranges and 3 apples is \$42 while the price of 8 oranges and 5 apples is \$60. Find the price of an apple.

- A! \$3
- B! \$4
- C! \$5
- D! \$6

Label 8 Let $f(x) = x^2 - ax + 2a$, where a is a constant. If $f(-3) = 29$, then $a =$

- A. 38
- B. 20
- C. 4
- D. -4

Label 9 In the figure, the 1st pattern consists of 4 dots. For any positive integer n , the $(n+1)$ th pattern is formed by adding 4 dots to the n th pattern. Find the number of dots in the 9th pattern.



- A. 36
- B. 40
- C. 81
- D. 100

Label 10 If the bus fare is increased from \$4 to \$5, then the percentage increase of the fare is

- A. 20%
- B. 25%
- C. 80%
- D. 125%

Label 11 A sum of \$30 000 is deposited at an interest rate of 12% per annum for 4 years, compounded monthly. Find the amount correct to the nearest dollar.

- A. \$44 400
- B. \$47 206
- C. \$48 141
- D. \$48 367

Label 12 Express $\sqrt{2007}$ as a decimal correct to 5 significant figures.

- A. 44.790
- B. 44.799
- C. 44.79953
- D. 44.800

Label 13 Let a and b be non-zero numbers. If $7a + 5b = 3a + 8b$, then $a:b =$

- A. 3:4
- B. 4:3
- C. 10:13
- D. 13:10

Label 14 It is given that y is partly constant and partly varies directly as x . When $x = 2$, $y = 17$ and when $x = 4$, $y = 11$. Find the value of x when $y = 5$.


- A. 5
- B. 6
- C. 8
- D. 12

Label 15 A and B are two points on a map. If the bearing of A from B is 110° , then the bearing of B from A is

- A. 070°
- B. 250°
- C. 290°
- D. 340°


Label 16 In the figure, OAB is a sector with centre O . If the perimeter of the sector OAB is 12 cm , find OA correct to the nearest 0.01 cm .

- A. 3.36 cm
- B. 3.91 cm
- C. 4.31 cm
- D. 7.64 cm



Label 17 In the figure, the volume of the right prism is

- A. 456 cm^3
- B. 540 cm^3
- C. 552 cm^3
- D. 636 cm^3




Label 18 If a solid metal hemisphere of radius r is melted and recast into 3 identical solid right circular cones of height h and base radius r , then $r:h=$

- A. $2:3$
- B. $3:2$
- C. $3:4$
- D. $4:3$

Label 19 In the figure, $ABCD$ is a parallelogram. E is a point lying on AB . If EC and BD intersect at F , then the ratio of the area of $\triangle DEF$ to the area of $\triangle CBF$ is

- A. $1:1$
- B. $1:2$
- C. $2:1$
- D. $2:3$



Label 20 If x and y are acute angles such that $x + y = 90^\circ$, which of the following must be true?

- I. $\sin x = \cos y$
- II. $\sin(90^\circ - x) = \cos(90^\circ - y)$
- III. $\tan x \tan y = 1$

- A. I and II only
- B. I and III only
- C. II and III only
- D. I, II and III

Label 21 $\frac{\cos A}{\sin A} + \frac{\sin A}{\cos A} =$


- A. 1
- B. $1 + \tan^2 A$
- C. $\sin A \cos A$
- D. $\frac{1}{\sin A \cos A}$

Label 22 Solve the equation $\sin \theta = \sqrt{3} \cos \theta$, where $0^\circ \leq \theta \leq 90^\circ$.

- A. $\theta = 0^\circ$
- B. $\theta = 30^\circ$
- C. $\theta = 45^\circ$
- D. $\theta = 60^\circ$


Label 23 In the figure, ABC is a right-angled triangle, BD is the angle bisector of $\angle ABC$. If $AB = c$, then $CD =$

- A. $\frac{c}{\sqrt{3}}$
- B. $\frac{c}{2\sqrt{3}}$
- C. $\frac{\sqrt{3}c}{2}$
- D. $\frac{\sqrt{3}c}{4}$



Label 24 In the figure, $ABCDE$ is a right pyramid with the square base $BCDE$. F is a point lying on AC such that BF and DF are perpendicular to AC . The angle between the plane ABC and the plane ACD is

- A. $\angle ACB$
- B. $\angle BAD$
- C. $\angle BCD$
- D. $\angle BFD$




Label 25 Which of the following plane figures have rotational symmetry?


I.



II.




III.



- A. I and II only
- B. I and III only
- C. II and III only
- D. I, II and III

Label 26 In the figure, the square $ABCD$ is divided into nine identical squares and four of them are shaded. The number of axes of reflectional symmetry of the square $ABCD$ is

- A. 0
- B. 4
- C. 5
- D. 8




Label 27. If the sum of the interior angles of a convex n -sided polygon is 4 times the sum of the exterior angles of the polygon, then $n =$

- A. 4
- B. 6
- C. 8
- D. 10

Label 28. In the figure, AY and CY are the angle bisectors of $\angle BAX$ and $\angle DCX$ respectively. If $\angle AXC = 100^\circ$, then $\angle AYC =$

- A. 40°
- B. 50°
- C. 60°
- D. 80°



Label 29. If the point $(3, -2)$ is rotated clockwise about the origin through 90° , then the coordinates of its image are

- A. $(2, 3)$
- B. $(3, 2)$
- C. $(-2, -3)$
- D. $(-3, -2)$

Label 30. If the rectangular coordinates of the point A are $(-1, 1)$, then the polar coordinates of A are


- A. $(1, 135^\circ)$
- B. $(1, 225^\circ)$
- C. $(\sqrt{2}, 135^\circ)$
- D. $(\sqrt{2}, 225^\circ)$

Label 31 Find the equation of the straight line which is perpendicular to the straight line $x + 2y + 3 = 0$ and passes through the point $(1, 3)$.

- A $x + 2y - 7 = 0$
- B $x - 2y + 5 = 0$
- C $2x + y - 5 = 0$
- D $2x - y + 1 = 0$

Label 32 The figure shows the graph of the straight line $ax + by + 1 = 0$. Which of the following is true?

- A $a > 0$ and $b > 0$
- B $a > 0$ and $b < 0$
- C $a < 0$ and $b > 0$
- D $a < 0$ and $b < 0$




Label 33 Two numbers are randomly drawn at the same time from five cards numbered 1, 2, 3, 4 and 5 respectively. Find the probability that the sum of the numbers drawn is a multiple of 3.

- A $\frac{2}{5}$
- B $\frac{3}{10}$
- C $\frac{9}{20}$
- D $\frac{9}{25}$

Label 34 If the mode of the seven numbers 8, 7, 1, 3, 7, a and b is 8, then the median of the seven numbers is

- A 3
- B 6
- C 7
- D 8

Label 35



In the figure, B_X and B_Y are the box-and-whisker diagrams for the distributions X and Y respectively. Let μ_1 , q_1 and r_1 be the mean, the interquartile range and the range of X respectively while μ_2 , q_2 and r_2 be the mean, the interquartile range and the range of Y respectively. Which of the following must be true?

- I. $\mu_1 < \mu_2$
- II. $q_1 < q_2$
- III. $r_1 < r_2$


- A. I only
- B. II only
- C. I and III only
- D. II and III only

Label 36 The stem-and-leaf diagram below shows the distribution of the weights (in kg) of some students!


Stem (tens)	Leaf (units)
3	6
4	2 4 5 7 8 9
5	2 3 4 5 6 7 8
6	1 2 3 6 7
7	0 5 8
8	4 7
9	3

Which of the following frequency curves may represent the distribution of their weights?


A.




B.



C.



D.



Section B

Label 37 If $a > 0$, then $\frac{3\sqrt{a}}{2} - \frac{a}{\sqrt{4a}} =$





A. $\frac{1}{2}$

B. $\frac{\sqrt{a}}{2}$

C. $\sqrt{a}$

D. $2\sqrt{a}$

Label 38 Which of the following may represent the graph of $y = f(x)$ and the graph of $y = f(x+1)$ on the same rectangular coordinate system?



Label 39 Which of the following is the greatest?

A: 500^{3000}

B: 2000^{2500}

C: 2500^{2000}

D: 3000^{500}

Label 40 Let $f(x)$ be a polynomial. If $f(x)$ is divisible by $x-1$, which of the following must be a factor of $f(2x+1)$?

A: x

B: $x-3$

C: $2x-1$

D: $2x+1$

Label 41 $ABCDE70000_{16} =$

A: $10(16^9) + 11(16^8) + 12(16^7) + 13(16^6) + 14(16^5) + 7(16^4)$

B: $10(16^{10}) + 11(16^9) + 12(16^8) + 13(16^7) + 14(16^6) + 7(16^5)$

C: $11(16^9) + 12(16^8) + 13(16^7) + 14(16^6) + 15(16^5) + 7(16^4)$

D: $11(16^{10}) + 12(16^9) + 13(16^8) + 14(16^7) + 15(16^6) + 7(16^5)$

Label 42 If $p = q^2 - 12q + 6 = 2q - 7$, then $p =$

A: 1 or 13

B: -1 or -13


C: -5 or 19

D: -9 or -33

Label 43 Which of the regions in the figure may represent the solution of

$$\begin{cases} y \geq 4 \\ x + y \leq 8 \\ 2x + y \geq 8 \end{cases}$$

- A. Region I
- B. Region II
- C. Region III
- D. Region IV



Label 44 Let a_n be the n th term of an arithmetic sequence. If $a_1 = a_2 - 6$ and $a_1 + a_2 + \cdots + a_{28} = 1624$, then $a_1 =$

- A. -52
- B. -26
- C. -23
- D. -39

Label 45 The sum of all the positive terms in the geometric sequence $4, -2, 1, \dots$ is

- A. 8
- B. $\frac{8}{3}$
- C. $\frac{16}{3}$
- D. $\frac{16}{5}$


Label 46. Let k be a constant and $-90^\circ < \theta < 90^\circ$. If the figure shows the graph of $y = k \sin(x^\circ + \theta)$, then

A. $k = -2$ and $\theta = -30^\circ$.

B. $k = -2$ and $\theta = 30^\circ$.

C. $k = 2$ and $\theta = -30^\circ$.

D. $k = 2$ and $\theta = 30^\circ$.




Label 47. In the figure, find x correct to the nearest integer.

A. 14

B. 15

C. 16

D. 17




Label 48. In the figure, A , B , C and D are points lying on the circle. If $AB = 5$, $AD = 3$ and $BD = 7$, then $\angle BCD =$

A. 60° .

B. 85° .


C. 95° .

D. 120° .



Label 49 In the figure, A , B and C are points lying on the circle. AB is a diameter of the circle. DB is the tangent to the circle at B . If ACD is a straight line with $AC = 4$ and $CD = 2$, then $AB =$

- A. $2\sqrt{6}$
- B. $4\sqrt{3}$
- C. $4\sqrt{6}$
- D. $8\sqrt{3}$



Label 50 If $\triangle ABC$ is an obtuse-angled triangle, which of the following points must lie outside $\triangle ABC$?

- I. The centroid of $\triangle ABC$
- II. The circumcentre of $\triangle ABC$
- III. The orthocentre of $\triangle ABC$

- A. I and II only
- B. I and III only
- C. II and III only
- D. I, II and III

Label 31 A circle C touches the y -axis. If the coordinates of the centre of C are $(-3, 4)$, then the equation of C is

- A. $(x-3)^2 + (y+4)^2 = 9$
- B. $(x-3)^2 + (y+4)^2 = 16$
- C. $(x+3)^2 + (y-4)^2 = 9$
- D. $(x+3)^2 + (y-4)^2 = 16$

Label 52 Let a be a constant. If the circle $x^2 + y^2 + ax - 6y - 3 = 0$ passes through the point $(-2, 3)$, then the area of the circle is

- A. 3π
- B. 10π
- C. 16π
- D. 35π

Label 53 A bag contains 8 black balls and 5 white balls. If two balls are drawn randomly from the bag one by one without replacement, then the probability that the two balls are of the same colour is

- A. $\frac{14}{39}$
- B. $\frac{19}{39}$
- C. $\frac{89}{156}$
- D. $\frac{89}{169}$

Label 34 One letter is chosen randomly from each of the two words 'CUBE' and 'CONE'. Find the probability that the two letters chosen are different.

- A. $\frac{1}{4}$
- B. $\frac{3}{4}$
- C. $\frac{1}{8}$
- D. $\frac{7}{8}$

END OF PAPER

卷二
Paper 2

題號 Question No.	答案 Key	題號 Question No.	答案 Key
1.	A (45)	31.	D (53)
2.	D (62)	32.	A (35)
3.	A (88)	33.	A (43)
4.	A (52)	34.	C (79)
5.	D (48)	35.	B (58)
6.	B (83)	36.	C (79)
7.	B (82)	37.	C (54)
8.	D (84)	38.	D (47)
9.	A (89)	39.	B (50)
10.	B (86)	40.	A (19)
11.	D (49)	41.	A (45)
12.	D (85)	42.	C (42)
13.	A (70)	43.	B (60)
14.	B (71)	44.	C (56)
15.	C (59)	45.	C (42)
16.	A (52)	46.	D (45)
17.	A (87)	47.	B (74)
18.	B (35)	48.	A (48)
19.	A (40)	49.	A (48)
20.	D (56)	50.	C (44)
21.	D (66)	51.	C (52)
22.	D (75)	52.	C (59)
23.	B (52)	53.	B (69)
24.	D (58)	54.	D (52)
25.	C (76)		
26.	B (85)		
27.	D (44)		
28.	B (76)		
29.	C (54)		
30.	C (36)		

註：括號內數字為答對百分率。

Note: Figures in brackets indicate the percentages of candidates choosing the correct answers.