



Handwriting practice line with dashed boxes for letter formation.



Handwriting practice line with dashed boxes for letter formation.




Handwriting practice line with dashed boxes for letter formation.



Handwriting practice line with dashed boxes for letter formation.



Handwriting practice line with dashed boxes for letter formation.



Handwriting practice line with dashed boxes for letter formation.



Handwriting practice line with dashed boxes for letter formation.



Handwriting practice line with dashed boxes for letter formation.

xxxxxxxxxx

xxxxx =

xxx = 0

xxxxxxxx = xx

xxx = 01

xxxxxxxx = 01

xxx = 0

xxx = xxxxxx

xxx =

xxxxxxxx

There are 36 questions in Section A and 18 questions in Section B.
 The diagrams in this paper are not necessarily drawn to scale.
 Choose the best answer for each question.

Section A

Label 1 $2^n \cdot 3^n =$

A. 5^n

B. 6^n

C. 8^n

D. 9^n

Label 2 If $P = \frac{VT}{R} - 2$, then $T =$

A. $\frac{P}{V} + 2R$

B. $\frac{RP + 2}{V}$

C. $R\left(\frac{P}{V} + 2\right)$

D. $\frac{R(P + 2)}{V}$

Label 3 $\frac{1}{a-2} - \frac{2}{1-a} =$

A. $\frac{3}{(a-1)(a-2)}$

B. $\frac{a-3}{(a-1)(a-2)}$

C. $\frac{3a-1}{(a-1)(a-2)}$

D. $\frac{3a-5}{(a-1)(a-2)}$

Label 4 $(3x-5)(2x^2+5x-3)=$

- A $6x^3+5x^2-34x+15$
- B $6x^3-5x^2+34x+15$
- C $6x^3+25x^2+16x+15$
- D $6x^3-25x^2-16x+15$

Label 5 If a and b are constants such that $a(x^2-x)+b(x^2+x)\equiv 2x^2+4x$, then $a=$


- A -1
- B 1
- C 2
- D 3

Label 6 Let $f(x)=x^2-9x+c$, where c is a constant. If $f(-1)=8$, then $c=$

- A -2
- B 0
- C 6
- D 8

Label 7 In the figure, the area of the trapezium is 96 cm^2 . Find x .

- A 1
- B 5
- C 7
- D 11



Label 8 If the quadratic equation $x^2 + bx + 4b = 0$ has equal roots, then $b =$

- A. 4
- B. 16
- C. 0 or 4
- D. 0 or 16

Label 9 If x is a positive integer satisfying the inequality $x - 5 \leq 1 - x$, then the least value of x is

- A. 0
- B. 1
- C. 2
- D. 3

Label 10 If a dictionary is sold at its marked price, then the percentage profit is 30%. If the dictionary is sold at a 20% discount on its marked price, then the profit is \$5. Find the cost of the dictionary.

- A. \$104
- B. \$105
- C. \$125
- D. \$130

Label 11 A sum of \$30 000 is deposited at an interest rate of 5% per annum for 2 years, compounded yearly. Find the interest correct to the nearest dollar.

- A. \$3000
- B. \$3075
- C. \$3114
- D. \$3122

Label 2 In the following sequence, the 1st term, the 2nd term and the 3rd term are 1, 2 and 3 respectively. For any positive integer n , the $(n+3)$ th term is the sum of the $(n+2)$ th term, the $(n+1)$ th term and the n th term. Find the 9th term of the sequence.

1, 2, 3, 6, 11, ...

- A 51
- B 68
- C 125
- D 230


Label 3 The scale of a map is 1:5000. If the area of a garden on the map is 4 cm^2 , then the actual area of the garden is

- A 100 m^2
- B 200 m^2
- C 10000 m^2
- D 20000 m^2

Label 4 It is given that y is partly constant and partly varies inversely as x . When $x=1$, $y=-1$ and when $x=2$, $y=1$. Find the value of x when $y=2$.

- A -4
- B 1
- C 2.5
- D 4

Label 5 The figure shows the positions of three real numbers a , b and c on the number line. Which of the following is the best estimate of $c(a-b)$?



- A -15
- B -9
- C 9
- D 15

Label 6 If the angle of elevation of P from Q is 40° , then the angle of depression of Q from P is

- A 40°
- B 50°
- C 130°
- D 140°

Label 7 The base of a solid right pyramid is a square. If the perimeter of the base is 48 cm and the length of each slant edge of the pyramid is 10 cm , then the total surface area of the pyramid is

- A 192 cm^2
- B 336 cm^2
- C 384 cm^2
- D $96\sqrt{7}\text{ cm}^2$

Label 8 The base radius and the height of a right circular cylinder are 3 cm and 12 cm respectively while the base radius of a right circular cone is 6 cm . If the volume of the circular cylinder and the volume of the circular cone are the same, then the height of the circular cone is


- A 3 cm
- B 9 cm
- C 18 cm
- D 27 cm

Label 9 It is given that A , B and C are solid spheres. If the volume of B : the volume of $C = 1 : 8$ and the surface area of A : the surface area of $B = 9 : 4$, then the radius of A : the radius of $C =$

- A $3 : 4$
- B $3 : 16$
- C $9 : 8$
- D $9 : 32$


Label 10 In the figure, OAB is a sector of radius r cm . If $\angle AOB = 120^\circ$ and the area of the sector is 12π cm², then $r =$

- A 3
- B 4
- C 6
- D 18




Label 11 In the figure, $2AB = 3BC$. Find θ correct to the nearest degree

- A 34°
- B 42°
- C 48°
- D 56°




Label 12 In the figure, $ABCD$ is a rectangle. It is given that E is the foot of the perpendicular from D to AC . If the area of $\triangle ADE$ is 1 cm² , then the area of $\triangle ABC$ is

- A 3 cm² .
- B 4 cm² .
- C 5 cm² .
- D $2\sqrt{3}$ cm² .



Label 13 In the figure, ADE is a straight line. If $\angle ABC = x$ and $\angle CDE = y$, then $AD =$

- A $BC \sin x - CD \sin y$
- B $BC \sin x - CD \cos y$
- C $BC \cos x - CD \sin y$
- D $BC \cos x - CD \cos y$



Label 14 If A and B are acute angles such that $A + B = 90^\circ$, then $\cos^2 A + \sin^2 B =$


- A 1
- B $2 \sin^2 A$
- C $2 \cos^2 A$
- D $2 \cos^2 B$

Label 15 In $\triangle ABC$, $AB : BC : AC = 3 : 4 : 5$. Find $\tan A : \cos C$.

- A 3:3
- B 4:3
- C 4:5
- D 5:3

Label 16 In the figure, $ABCD$ is a rhombus and ABE is a straight line. If $\angle BCE = 40^\circ$ and $BC = CE$, then $\angle CAD =$

- A 35°
- B 40°
- C 45°
- D 50°




Label 21 If each interior angle of a regular n -sided polygon is 144° , then $n =$

- A. 10
- B. 12
- C. 14
- D. 16


Label 28 In the figure, $x =$

- A. 50°
- B. 60°
- C. 70°
- D. 80°



Label 29 In the figure, the regular hexagon is divided into six equilateral triangles and two of them are shaded. The number of folds of rotational symmetry of the hexagon is

- A. 2
- B. 3
- C. 4
- D. 6



Label 30 The coordinates of the point A are $(-3, 3)$. If A is reflected with respect to the straight line $x = 1$ to the point B , then the distance between A and B is


- A. 4
- B. 5
- C. 6
- D. 8

Label 31 The coordinates of the points A and B are $(3, 9)$ and $(7, 1)$ respectively. If P is a point lying on the straight line $y = x + 1$ such that $AP = PB$, then the coordinates of P are

- A. $(3, 2)$
- B. $(3, 4)$
- C. $(5, 5)$
- D. $(5, 6)$


Label 32 In the figure, the equation of the straight line L is

- A. $x + y = 4$
- B. $x - y = 4$
- C. $x + y = -4$
- D. $x - y = -4$



Label 33 In the figure, the straight line $L_1: y = ax + b$ and the straight line $L_2: y = cx + d$ intersect at a point on the positive x -axis. Which of the following must be true?

- A. $ab > 0$
- B. $cd > 0$
- C. $ac = bd$
- D. $ad = bc$



Label 34 Peter has one \$1 coin, one \$2 coin and one \$5 coin in his pocket. If Peter takes out two coins randomly from his pocket, then the probability that he will get enough money to buy a pen of price \$3.5 is

A. $\frac{1}{2}$

B. $\frac{1}{3}$

C. $\frac{2}{3}$

D. $\frac{1}{6}$

Label 35 The mean height of 54 boys and 36 girls is 162 cm . If the mean height of the girls is 153 cm , then the mean height of the boys is


A. 147 cm

B. 157.5 cm

C. 168 cm

D. 175.5 cm

Label 36 The box-and-whisker diagram below shows the distribution of temperatures (in °C) of water in an experiment under various settings. Which of the following are true?



- I. The range is 40 °C .
- II. The median is 24 °C .
- III. The interquartile range is 12 °C .

A. I and II only


B. I and III only

C. II and III only

D. I, II and III


Section B

Label 37




The figure above shows the graph of $y = f(x)$. If $f(x) = 3g(x)$, which of the following may represent the graph of $y = g(x)$?


A




B



C



D



Label 38 Which of the following is the best estimate of 1234^{3235} ?

A 10^{4000}


B 10^{5000}

C 10^{10000}


D 10^{20000}

Label 39 Which of the following may represent the graph of $y = -3^{-x}$?


A




B



C



D



40 Convert the decimal number $16^{12} + 14$ to a hexadecimal number.

A $10000000000D_{16}$

B $10000000000E_{16}$

C $10000000000D_{16}$

D $10000000000E_{16}$

41 When $x^{2009} + x^{2008} + x^{2007} + \cdots + x$ is divided by $x + 1$, the remainder is

A -1

B 0

C 1

D 2009

Label 42 If the sum of the first n terms of a sequence is $n^2 + 2n$, then the 5th term of the sequence is

A 2

B 11

C 13

D 35


Label 43 Let a_n be the n th term of a geometric sequence. If $a_7 = 32$ and $a_9 = 8$, which of the following must be true?

- I. $a_1 > 0$
- II. $a_1 - a_2 > 0$
- III. $a_2 + a_3 + a_4 + \cdots + a_{100} > 0$


- A. I and II only
- B. I and III only
- C. II and III only
- D. I, II and III

Label 44 Which of the following shaded regions may represent the solution of $y \leq x - 9$?


A




B



C



D




Label 45 For $0^\circ \leq x < 360^\circ$, how many roots does the equation $\cos^2 x - \sin^2 x = 1$ have?

- A. 2
- B. 3
- C. 4
- D. 5


Label 46 Let $-90^\circ < \theta < 90^\circ$. If the figure shows the graph of $y = 7 \sin(x^\circ + \theta)$, then

- A. $\theta = -60^\circ$
- B. $\theta = -30^\circ$
- C. $\theta = 30^\circ$
- D. $\theta = 60^\circ$




Label 47 In the figure, $ABCDEFGH$ is a rectangular block. EG and FH intersect at X . M is the mid-point of BG . If the angle between MX and the plane $BCHG$ is θ , then $\tan \theta =$

- A. $\frac{2}{3}$
- B. $\frac{6}{17}$
- C. $\frac{2}{\sqrt{29}}$
- D. $\frac{8}{\sqrt{261}}$




Label 43 In the figure, AB is a diameter of the circle $ABCD$. It is given that AC and BD intersect at E . If $\angle AED = \theta$, then $\frac{CD}{AB} =$

- A. $\sin \theta$
- B. $\cos \theta$
- C. $\tan \theta$
- D. $\frac{1}{\tan \theta}$




Label 49 In the figure, $ABCD$ is a circle. If $AB = AC$, $AB \parallel DC$ and $\angle ABD = 40^\circ$, then $\angle CBD =$

- A. 10°
- B. 20°
- C. 30°
- D. 40°




Label 50 In the figure, AB is the tangent to the circle at A . If $AB = 20$ and $BC = 50$, find the radius of the circle.

- A. 20
- B. 25
- C. 29
- D. 30



Label 51 In the figure, G is the centroid of $\triangle ABC$. AG , BG and CG are produced to meet BC , AC and AB at L , M and N respectively. If $BL = 13$ cm, $BN = 5$ cm and $CM = 12$ cm, find the area of $\triangle ABC$.

- A. 60 cm^2
- B. 120 cm^2
- C. 180 cm^2
- D. 240 cm^2




Label 52 The coordinates of two vertices of a triangle are $(-4, -8)$ and $(6, 2)$. If the coordinates of the circumcentre of the triangle are $(k, -4)$, then $k =$



- A. -1
- B. 0
- C. 1
- D. 2

- Label 53 In the figure, the circle touches the positive x -axis and the positive y -axis. The coordinates of the points A and B are $(21, 0)$ and $(0, 28)$ respectively. If AB passes through the centre of the circle, find the equation of the circle.

- A. $x^2 + y^2 - 12x - 12y + 36 = 0$
 B. $x^2 + y^2 - 21x - 28y + 196 = 0$
 C. $x^2 + y^2 - 24x - 24y + 144 = 0$
 D. $x^2 + y^2 - 42x - 56y + 441 = 0$



- Label 54 The broken line graphs below show the annual revenue (in million dollars) of Company X and Company Y in 2008 and 2009.



Which of the following statements about the percentage increases of the annual revenue of the two companies from 2008 to 2009 is true?

- A. The percentage increases of the annual revenue of company X and company Y are the same.
 B. The percentage increase of the annual revenue of company X is twice that of company Y .
 C. The percentage increase of the annual revenue of company X is five times that of company Y .
 D. The percentage increase of the annual revenue of company X is ten times that of company Y .

END OF PAPER

□

□

□

□

□

□

□

□

□

□

□

□

□

□

□

□

□

□

□

□

□

□