

```
(kali㉿kali)-[~]
```

```
$ nmap 127.0.0.1
```

Starting Nmap 7.98 (<https://nmap.org>) at 2026-05-29 15:10 -0400

Nmap scan report for localhost (127.0.0.1)

Host is up (0.0000030s latency).

All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.

Not shown: 1000 closed tcp ports (reset)

Nmap done: 1 IP address (1 host up) scanned in 0.06 seconds

```
(kali㉿kali)-[~]
```

```
$ sudo nmap -sS 127.0.0.1
```

[sudo] password for kali:

Starting Nmap 7.98 (<https://nmap.org>) at 2026-05-29 15:10 -0400

Nmap scan report for localhost (127.0.0.1)

Host is up (0.0000030s latency).

All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.

Not shown: 1000 closed tcp ports (reset)

Nmap done: 1 IP address (1 host up) scanned in 0.11 seconds

```
(kali㉿kali)-[~]
```

```
$ sudo nmap -sV 127.0.0.1
```

Starting Nmap 7.98 (<https://nmap.org>) at 2026-05-29 15:11 -0400

Nmap scan report for localhost (127.0.0.1)

Host is up (0.0000030s latency).

All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.

Not shown: 1000 closed tcp ports (reset)

Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 0.21 seconds

```
(kali㉿kali)-[~]
```

```
$ sudo nmap -O 127.0.0.1
```

Starting Nmap 7.98 (<https://nmap.org>) at 2026-05-29 15:11 -0400

Nmap scan report for localhost (127.0.0.1)

Host is up (0.000040s latency).

All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.

Not shown: 1000 closed tcp ports (reset)

Too many fingerprints match this host to give specific OS details

Network Distance: 0 hops

OS detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 1.55 seconds

```
(kali㉿kali)-[~]
```

```
$ sudo nmap -A 127.0.0.1
```

Starting Nmap 7.98 (<https://nmap.org>) at 2026-05-29 15:13 -0400

Nmap scan report for localhost (127.0.0.1)

Host is up (0.000053s latency).

All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.

Not shown: 1000 closed tcp ports (reset)

Too many fingerprints match this host to give specific OS details

Network Distance: 0 hops

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 1.74 seconds

```
(kali㉿kali)-[~]
```

```
$ sudo nmap -f 127.0.0.1
```

Starting Nmap 7.98 (<https://nmap.org>) at 2026-05-29 15:14 -0400

Nmap scan report for localhost (127.0.0.1)

Host is up (0.0000070s latency).

All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.

Not shown: 1000 closed tcp ports (reset)

Nmap done: 1 IP address (1 host up) scanned in 0.08 seconds

```
(kali㉿kali)-[~]
```

```
$ sudo nmap -T2 127.0.0.1
```

Starting Nmap 7.98 (<https://nmap.org>) at 2026-05-29 15:16 -0400

```
(kali㉿kali)-[~]
```

```
$ sudo nmap -D RND:5 127.0.0.1
```

Starting Nmap 7.98 (<https://nmap.org>) at 2026-05-29 15:16 -0400

Nmap scan report for localhost (127.0.0.1)

Host is up (0.000010s latency).

All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.

Not shown: 1000 closed tcp ports (reset)

Nmap done: 1 IP address (1 host up) scanned in 0.07 seconds

```
(kali㉿kali)-[~]
```

```
$
```