Package 'RLumBuild'

July 31, 2019

```
Type Package
Title RLum Universe Package Building
Version 0.1.3.9000-3
Date 2019-07-31
Author Sebastian Kreutzer [aut, cre] (<a href="https://orcid.org/0000-0002-0734-2199">https://orcid.org/0000-0002-0734-2199</a>),
     Christoph Burow [aut] (<a href="https://orcid.org/0000-0002-5023-4046">https://orcid.org/0000-0002-5023-4046</a>)
Maintainer Sebastian Kreutzer < sebastian.kreutzer@u-bordeaux-montaigne.fr>
Description Build packages from the RLum-universe.
      A collection of tools and scripts to unify the building of packages.
License GPL-3
BugReports https://github.com/R-Lum/RLumBuild/issues
URL https://github.com/R-Lum/RLumBuild
Depends R (>= 3.4.0),
     utils
Imports crayon (>= 1.3.4),
     rmarkdown (>= 1.12),
     cli (>= 1.1.0),
     devtools (\geq 2.0.2),
     miniCRAN (>= 0.2.11),
     stringi (>= 1.4.3),
     stringr (>= 1.4.0),
     roxygen2 (>= 6.1.1),
     Rcpp (>= 1.0.1),
     R2HTML (>= 2.3.2),
     pander (>= 0.6.3),
     pkgbuild (>= 1.0.3),
     xtable (>= 1.8-4)
Encoding UTF-8
LazyData true
RoxygenNote 6.1.1
R topics documented:
```

2 build_package

	build_package module_add_HowToCite module_add_RLumTeam module_build_documentation module_check_ReverseDependencies module_compile_Attributes module_create_DependencyGraph module_knit_NEWS module_knit_README module_set_VersionNumber module_verify_ExampleTimings module_write_BibTeX module_write_BibTeX module_write_FunctionList	3 4 4 5 6 6 7 8 8 9 9
Index	1	1

RLumBuild-package

RLum Universe Package Building #'

Description

Build packages from the RLum-universe. A collection of tools and scripts to unify the building of packages.

Details

Funding

In 2019, the work of Sebastian Kreutzer as maintainer of the package was supported by the LabEx LaScArBxSK (ANR - n. ANR-10-LABX-52).

build_package

Check and Build Package

Description

Central function to run the package build process.

Usage

```
build_package(path = ".", exclude = NULL, write_Rbuildignore = TRUE,
   as_cran = FALSE)
```

Arguments

```
path character (with default): set package path
```

exclude character (optional): names of build modules you want to exclude]

write_Rbuildignore

logical (optional): writes are master build-ignore

as_cran logical (with default): enable/disable --as-cran check

Function version

0.1.0

How to cite

Kreutzer, S., 2019. build_package(): Check and Build Package. Function version 0.1.0. In: Kreutzer, S., Burow, C., 2019. RLumBuild: RLum Universe Package BuildingR package version 0.1.3.9000-3. https://github.com/R-Lum/RLumBuild

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (France) , RLum Developer Team

Examples

```
print("This is only to silence the CRAN check")
## Not run:
build_package()
## End(Not run)
```

module_add_HowToCite Add How to Cite Section

Description

Adds a function tailored section 'How to Cite' to each manual page as long as author names and a section 'Function version' exists.

Usage

```
module_add_HowToCite()
```

Details

Output example

Burow, C., Kreutzer, S. (2019). module_add_HowToCite(): Add How to Cite Section. Function version 0.1.0. In: Kreutzer, S., Burow, C. (2019). RLumBuild: RLum Universe Package BuildingR package version 0.1.1.9000-5. https://github.com/R-Lum/RLumBuild

Function version

0.3.0

How to cite

Burow, C., Kreutzer, S., 2019. module_add_HowToCite(): Add How to Cite Section. Function version 0.3.0. In: Kreutzer, S., Burow, C., 2019. RLumBuild: RLum Universe Package BuildingR package version 0.1.3.9000-3. https://github.com/R-Lum/RLumBuild

Author(s)

Christoph Burow (Germany), Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (Frange), RLum Developer Team

module_add_RLumTeam

Module: add RLum-Team and update version timestamp

Description

If the package was supported by the RLumTeam (the standard) the RLum-Team is added as author to all functions.

Usage

module_add_RLumTeam()

Function version

0.1.0

How to cite

Kreutzer, S., 2019. module_add_RLumTeam(): Module: add RLum-Team and update version timestamp. Function version 0.1.0. In: Kreutzer, S., Burow, C., 2019. RLumBuild: RLum Universe Package BuildingR package version 0.1.3.9000-3. https://github.com/R-Lum/RLumBuild

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (France) , RLum Developer Team

module_build_documentation

Module: Build Documentation

Description

Create documentation using roxygen2

Usage

module_build_documentation()

Function version

0.1.0

How to cite

Kreutzer, S., 2019. module_build_documentation(): Module: Build Documentation. Function version 0.1.0. In: Kreutzer, S., Burow, C., 2019. RLumBuild: RLum Universe Package BuildingR package version 0.1.3.9000-3. https://github.com/R-Lum/RLumBuild

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (France) , RLum Developer Team

 ${\it module_check_ReverseDependencies} \\ {\it Check\ Reverse\ Dependencies}$

Description

Check the reverse dependencies of the package

Usage

module_check_ReverseDependencies()

Function version

0.1.0

How to cite

Kreutzer, S., 2019. module_check_ReverseDependencies(): Check Reverse Dependencies. Function version 0.1.0. In: Kreutzer, S., Burow, C., 2019. RLumBuild: RLum Universe Package BuildingR package version 0.1.3.9000-3. https://github.com/R-Lum/RLumBuild

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (France) , RLum Developer Team

module_compile_Attributes

Module: Compile attributes

Description

Compile C++ attributes if such code is part of the package

Usage

```
module_compile_Attributes()
```

Function version

0.1.0

How to cite

Kreutzer, S., 2019. module_compile_Attributes(): Module: Compile attributes. Function version 0.1.0. In: Kreutzer, S., Burow, C., 2019. RLumBuild: RLum Universe Package BuildingR package version 0.1.3.9000-3. https://github.com/R-Lum/RLumBuild

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (France) , RLum Developer Team

```
module_create_DependencyGraph
```

Create Dependency Graph

Description

Create package dependency graph

Usage

```
module_create_DependencyGraph(Rversion = paste(R.version[c("major",
    "minor")], collapse = "."))
```

Arguments

Rversion [character] (with default): R version for which the graph is created

Details

The script based on:

Function version

0.1.0

module_knit_NEWS 7

How to cite

Kreutzer, S., 2019. module_create_DependencyGraph(): Create Dependency Graph. Function version 0.1.0. In: Kreutzer, S., Burow, C., 2019. RLumBuild: RLum Universe Package BuildingR package version 0.1.3.9000-3. https://github.com/R-Lum/RLumBuild

Note

Module currently not acctivated

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (France) , RLum Developer Team

module_knit_NEWS

Module: Knit NEWS

Description

Create NEWS.md from NEWS.Rmd

Usage

module_knit_NEWS()

Function version

0.1.0

How to cite

Kreutzer, S., 2019. module_knit_NEWS(): Module: Knit NEWS. Function version 0.1.0. In: Kreutzer, S., Burow, C., 2019. RLumBuild: RLum Universe Package BuildingR package version 0.1.3.9000-3. https://github.com/R-Lum/RLumBuild

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (France) , RLum Developer Team

Description

Create README.md from README.Rmd

Usage

```
module_knit_README()
```

Function version

0.1.0

How to cite

Kreutzer, S., 2019. module_knit_README(): Module: Knit README. Function version 0.1.0. In: Kreutzer, S., Burow, C., 2019. RLumBuild: RLum Universe Package BuildingR package version 0.1.3.9000-3. https://github.com/R-Lum/RLumBuild

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (France) , RLum Developer Team

module_set_VersionNumber

Module: set_VersionNumber

Description

Automatically set version number in DESCRIPTION file if the pattern '.9000' is found.

Usage

```
module_set_VersionNumber()
```

Details

If the package is under development it is somehow meaningful to easily distinguish between different build versions. In the R community the pattern '.9000' in a version number is used to declare a package under development. If such pattern is found, the module either adds '-1' or if already their, increase such number by '1' every time the package is built.

For release versions the patter '.9000' is removed from the DESCRIPTION file and nothing is done if the module is run.

Function version

0.1.0

How to cite

Kreutzer, S., 2019. module_set_VersionNumber(): Module: set_VersionNumber. Function version 0.1.0. In: Kreutzer, S., Burow, C., 2019. RLumBuild: RLum Universe Package BuildingR package version 0.1.3.9000-3. https://github.com/R-Lum/RLumBuild

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (France) , RLum Developer Team

Description

Check and display the timing results of the example checks to avoid too long example runs.

Usage

module_verify_ExampleTimings()

Function version

0.1.0

How to cite

Kreutzer, S., 2019. module_verify_ExampleTimings(): Verify Example Timings. Function version 0.1.0. In: Kreutzer, S., Burow, C., 2019. RLumBuild: RLum Universe Package BuildingR package version 0.1.3.9000-3. https://github.com/R-Lum/RLumBuild

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (France) , RLum Developer Team

module_write_BibTeX Create Package BibTeX file

Description

A BibTeX file to be used to cite the package is automatically created.

Usage

```
module_write_BibTeX()
```

Function version

0.1.0

How to cite

Kreutzer, S., 2019. module_write_BibTeX(): Create Package BibTeX file. Function version 0.1.0. In: Kreutzer, S., Burow, C., 2019. RLumBuild: RLum Universe Package BuildingR package version 0.1.3.9000-3. https://github.com/R-Lum/RLumBuild

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (France) , RLum Developer Team

```
module_write_FunctionList
```

Write Function Argument List

Description

Create a spread-sheet table with all function arguments

Create a HTML and markdown list of all major functions in the package

Usage

```
module_write_FunctionList()
module_write_FunctionList()
```

Details

Pevious versions were written by Michael Dietze and Sebastian Kreutzer. This version programmatically fetches all functions and arguments and does not rely on parsing the .Rd files with regular expressions.

Function version

0.1.0

0.1.0

How to cite

Burow, C., Kreutzer, S., 2019. module_write_FunctionList(): Write Function Argument List. Function version 0.1.0. In: Kreutzer, S., Burow, C., 2019. RLumBuild: RLum Universe Package BuildingR package version 0.1.3.9000-3. https://github.com/R-Lum/RLumBuild

Author(s)

Christoph Burow, Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (France)

Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (France) , RLum Developer Team

Index

```
*Topic package
    RLumBuild-package, 2
build_package, 2
character, 2
logical, 2
module\_add\_HowToCite, 3
module_add_RLumTeam, 4
module_build_documentation, 4
{\tt module\_check\_ReverseDependencies}, {\tt 5}
module_compile_Attributes, 6
module_create_DependencyGraph, 6
module_knit_NEWS, 7
module_knit_README, 8
{\tt module\_set\_VersionNumber, 8}
module_verify_ExampleTimings, 9
{\tt module\_write\_BibTeX}, 9
\verb|module_write_FunctionList|, 10
RLumBuild (RLumBuild-package), 2
RLumBuild-package, 2
```