Package 'RLumSTARR'

August 29, 2021

Type Package
Title Spatially Resolved Radiofluorescence Analysis (EXPERIMENTAL PACKAGE)
Version 0.1.0.9000-108
Author Sebastian Kreutzer [aut, cre] (https://orcid.org/0000-0002-0734-2199), Dirk Mittelstrass [aut] (https://orcid.org/0000-0002-9567-8791)
Maintainer Sebastian Kreutzer < sebastian.kreutzer@aber.ac.uk>
Description Analysing spatially resolved radiofluorescence data using ImageJ in combination with Bayesian number-crunching.A collection of functions to support early work on the subject.
License GPL-3
Depends R (>= 4.0), utils,
Imports cli (>= 3.0.1), coda (>= 0.19-1), data.table (>= 1.14), khroma (>= 1.6), Luminescence (>= 0.9.8), matrixStats (>= 0.60.1), methods, rjags (>= 4-10),
Suggests rmarkdown,
knitr
Encoding UTF-8
Language en-GB
LazyData true
VignetteBuilder knitr
RoxygenNote 7.1.1
R topics documented:
RLumSTARR-package 2 create_RFCurveArray 2 extract_TRUELight 3 get_MCMCParameters 5 melt_RLumSTARR 6 run_ImageJ 7 run_TRUELightExtraction 9

Index 11

RLumSTARR-package

SpaTiAlly Resolved Radiofluorescence

Description

A collection of functions to analyse spatially resolved radiofluorescence data

Details

Funding

• Sebastian Kreutzer received funding from the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement No 844457 (CREDit).

Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Dirk Mittelstrass (Germany), RLum Developer Team

References

##TODO

create_RFCurveArray

Create Multidimensional Curve Arrays from RF File input

Description

Helper function to create a multidimensional curve array based on RF-file input imported using the function Luminescence::read_RF2R() to prepare the Bayesian modelling process

Usage

```
create_RFCurveArray(files)
```

Arguments

files

list (required): list of .rf files to be imported

Value

Returns a list of class RLumSTARR_RFCurveArrary with two arrays for the RF_nat and the RF_reg curve

Function version

0.1.0

extract_TRUELight 3

How to cite

Kreutzer, S., 2021. create_RFCurveArray(): Create Multidimensional Curve Arrays from RF File input. Function version 0.1.0. In: Kreutzer, S., Mittelstrass, D., 2021. RLumSTARR: Spatially Resolved Radiofluorescence Analysis (EXPERIMENTAL PACKAGE). R package version 0.1.0.9000-108.

Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

See Also

Luminescence::read_RF2R

Examples

```
## list files using package external data
files <- list.files(system.file("extdata", "", package="RLumSTARR"), full.names=TRUE)
## create curve array
create_RFCurveArray(files = files)</pre>
```

extract_TRUELight

Extract True Light from the Camera Measurements using a Bayesian Approach

Description

A Bayesian modelling approach to extract the true light using the expanding region-of-interest (ROI) approach proposed by Cunningham and Clark-Balzan (2017). The function will return the results for a **single** curve from a **single** ROI

Usage

```
extract_TRUELight(
  data,
  element = c("RF_nat", "RF_reg"),
  ROI = 2,
  stepping = 1,
  method_control = list(),
  verbose = TRUE
)
```

Arguments

data array (required): object created by create_RFCurveArray

element character (with default): element from the input to be analysed, 'supported are

only RF_nat or RF_reg

4 extract_TRUELight

ROI numeric (optional): ROI to be analysed, if nothing is given all ROIs are anal-

ysed, however, the first ROIS is discarded!

stepping numeric (with default): stepping parameter that allows you to model only every

xth (the value in stepping). This option can be extremely useful to play with data because it dramatically improves the modelling speed because less data are

considered.

method_control list(optional): parameter to be passed to rjags. Supported are n.chain, n.iter,

thin, variable.names, model, see details for more.

verbose logical (with default): enable/disable terminal feedback

Details

Method control

Supported options to be passed via the parameter method_control, most of them are used internally for the calls to rjags::jags.model and rjags::coda.samples.

PARAMETER	TYPE	DESCRIPTION
n.chain	numeric	the number of MCMC chains
n.iter	numeric	number of iterations for the MC runs
thin	numeric	thinning interval used for the monitoring
variable.names	character	variable names to monitor, alpha is always monitored
model	character	the bugs model

Value

Returns a list of class RLumSTARR_TRUELight with an the following elements:

- ...\$RF_curve: Luminescence::RLum.Data.Curve object (the RF curve with the true light)
- ...\$rjags_output: rjags::coda.samples output for further processing. Note: Regardless the observed variable, the parameter alpha will always be used to create the curve
- ...\$model: the model used to run the Bayesian process, use writeLines to have nicely formatted terminal output

Function version

0.1.0

How to cite

Kreutzer, S., 2021. extract_TRUELight(): Extract True Light from the Camera Measurements using a Bayesian Approach. Function version 0.1.0. In: Kreutzer, S., Mittelstrass, D., 2021. RLum-STARR: Spatially Resolved Radiofluorescence Analysis (EXPERIMENTAL PACKAGE). R package version 0.1.0.9000-108.

Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

References

Cunningham, A.C., Clark-Balzan, L., 2017. Overcoming crosstalk in luminescence images of mineral grains. Radiation Measurements 106, 498–505. doi:10.1016/j.radmeas.2017.06.004

get_MCMCParameters 5

See Also

```
create_RFCurveArray, get_MCMCParameters
```

Examples

```
## list files using package external data
files <- list.files(system.file("extdata", "", package="RLumSTARR"), full.names=TRUE)

## create curve array
dat <- create_RFCurveArray(files = files)
output <- extract_TRUELight(
    data = dat,
    ROI = c(4),
    stepping = 10,
    verbose = FALSE,
    method_control = list(
        n.chain = 1,
        n.iter = 50,
        thin = 20))</pre>
```

get_MCMCParameters

Extracts a parameter from an MCMC list

Description

Short cut to extract a parameter from an MCMC list or an object of class RLumSTARR_TRUELight created by the functions extract_TRUELight or run_TRUELightExtraction. In the latter case, the row names of the extracted matrices have the same dimension as the RF curve. If more processing is wanted, 'coda' package should be used.

Usage

```
get_MCMCParameters(mcmc, parameter = NULL, prob = 0.95, unlist = TRUE)
```

Arguments

mcmc coda::mcmc or coda::mcmc.list (**required**): input object, if created by extract_TRUELight

the correct object is extracted automatically

parameter character (optional): name of the parameter to be extracted. If NULL (the default)

all found parameters are extracted and the result is a list with matrices of those parameter. If parameter is a vector, the function will try to extract the names

parameters.

prob numeric (with default): probability for the HPD calculation (cf. coda::HPDinterval)

unlist logical (with default): if TRUE the output is a matrix of the means of the lower

and upper intervals of the parameter. If the parameter was estimated based on multiple chains, this chains are also subject to an average calculation. If FALSE

the output is a list as returned by coda::HPDinterval

6 melt_RLumSTARR

Value

Returns a matrix with the parameter value or a named list with such matrices if parameters has a length > 1.

Function version

0.1.0

How to cite

Kreutzer, S., 2021. get_MCMCParameters(): Extracts a parameter from an MCMC list. Function version 0.1.0. In: Kreutzer, S., Mittelstrass, D., 2021. RLumSTARR: Spatially Resolved Radiofluorescence Analysis (EXPERIMENTAL PACKAGE). R package version 0.1.0.9000-108.

Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

See Also

```
coda::HPDinterval, extract_TRUELight
```

Examples

```
## load example files
files <- list.files(system.file("extdata", "", package="RLumSTARR"), full.names=TRUE)</pre>
##prepare data and run model
dat <- create_RFCurveArray(files = files)</pre>
output <-
 extract_TRUELight(
   data = dat,
   ROI = c(4),
   stepping = 60,
   verbose = FALSE,
   method_control = list(
   n.chain = 1,
   n.iter = 50,
   thin = 20))
##extract parameters
get_MCMCParameters(output)
```

melt_RLumSTARR

Melt output from RLumSTARR into simple data frames

Description

The function provides a convenient way to convert the objects created by RLumSTARR into simple data.frames that can be processed conveniently by other functions for example the package ggplot2.

run_ImageJ 7

Usage

```
melt_RLumSTARR(x, ...)
```

Arguments

x (**required**): input object of class RLumSTARR_RFCurveArray or RLumSTARR_TRUELight
... further parameters, currently not used

Value

data.frame

Function version

0.1.0

How to cite

Kreutzer, S., 2021. melt_RLumSTARR(): Melt output from RLumSTARR into simple data frames. Function version 0.1.0. In: Kreutzer, S., Mittelstrass, D., 2021. RLumSTARR: Spatially Resolved Radiofluorescence Analysis (EXPERIMENTAL PACKAGE). R package version 0.1.0.9000-108.

Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

run_ImageJ

Run ImageJ SR-RF macro

Description

The script runs the SR-RF ImageJ macro in batch mode out of R

Usage

```
run_ImageJ(
  path,
  RF_nat = "default",
  RF_reg = "default",
  bg_rm = "take_from_RF_reg",
  image_group_size = 5,
  image_alignment = TRUE,
  first_slices_rm = FALSE,
  noise_tolorance = 10,
  ROI_size = 10,
  center_x = 0.5,
  center_y = 0.5,
  diameter = 0.9,
  use_predefined_ROIs = FALSE,
  channel_time = 5,
```

8 run_ImageJ

```
save_workflow_images = FALSE,
save_additional_results = FALSE,
save_signal_decay_videos = FALSE,
offset_time = 0,
.ImageJ = "/Applications/Fiji.app/Contents/MacOS/ImageJ-macosx")
```

Arguments

```
character (required): path to files to be analysed
path
RF_nat
                  character (default): name of the RF_nat file
RF_reg
                  character (default): name of the RF_reg file
                  character (with default): background subtraction options. Allowed are none (no
bg_rm
                  background subtraction), take_from_RF_reg (takes the last 100 channels from
                  the RF_reg signal: dangerous) or <your file name> (this does not work in batch
                  mode)
image_group_size
                  numeric (with default): grouping value for running median to remove outliers
image_alignment
                  logical (with default): enable/disable image alignment
first_slices_rm
                  logical (with default): remove first slice of each curve set
noise_tolorance
                  numeric (with default): noise tolerance parameter
                  numeric (with default): ROI size in pixel
ROI_size
center_x
                  numeric (with default): aliquot ROI centre x-coordinate
                  numeric (with default): aliquot ROI centre y-coordinate
center_y
diameter
                  numeric (with default): relative diameter aliquot ROI
use_predefined_ROIs
                  logical (with default): use pre-defined ROIs imported from a file ROIs.zip
                  found in the same folder as the files
channel_time
                  numeric (with default): channel time, this parameter was set the moment the
                  sequence was written
save_workflow_images
                  logical (with default): enable/disable writing of additional workflow images
save_additional_results
                  logical (with default): enable/disable writing of additional workflow images
save_signal_decay_videos
                  logical (with default): enable/disable writing of additional workflow videos
                  numeric (with default): offset time for the time axis
offset_time
.ImageJ
                  numeric (with default): Path to ImageJ (the macro is shipped with the package)
```

Value

This functions returns the path of the analysed data

Function version

0.1.0

How to cite

Kreutzer, S., 2021. run_ImageJ(): Run ImageJ SR-RF macro. Function version 0.1.0. In: Kreutzer, S., Mittelstrass, D., 2021. RLumSTARR: Spatially Resolved Radiofluorescence Analysis (EXPERIMENTAL PACKAGE). R package version 0.1.0.9000-108.

Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

Examples

##TODO

run_TRUELightExtraction

Run Automated TRUE-Light Extraction over multiple datasets

Description

Runs [extract_TRUELight] automatically in a parallel processing mode using [parallel::mclapply]. In essence, the function calls [extract_TRUELight] and extracts the RF curves from the results and constructs an [Luminescence::RLum.Analysis-class] for further analyses.

Usage

```
run_TRUELightExtraction(
  data,
  ROI,
  stepping = 1,
  mc.cores = max(c(1, parallel::detectCores() - 2)),
  method_control = list(),
  include_jags_output = FALSE,
  verbose = TRUE
)
```

Arguments

data	[array] (**required**): object created by [create_RFCurveArray]
ROI	[numeric] (*optional*): ROIs to be analysed, if nothing is given all ROIs are analysed, however, the first ROIS is discarded!
stepping	[numeric] (*with default*): the stepping parameter from and to be passed to [extract_TRUELight]
mc.cores	[numeric] (*with default*): number of cores used for the processing, passed to [parallel::mclapply]
method_control	[list] (*optional*): parameters to be passed to [extract_TRUELight]

include_jags_output

[logical] (*with default*): allows to include the output from JAGS as info object in the [Luminescence::RLum.Analysis-class] output objects for further diagnostics. Setting this option to 'TRUE' is not recommended for large datasets, since it will tremendously inflate the size of output and consume a lot of memory. If in-depth diagnostics are required, the function [extract_TRUELight] is recommended instead.

verbose

[logical] (*with default*): enable/disable verbose mode. The output of the MCMC sampling using 'rjags' is **always** silent.

Value

The output is a [list] containing [Luminescence::RLum.Analysis-class] objects with two [Luminescence::RLum.Data.Curclass] objects for 'RF_nat' and 'RF_reg' respectively.

Function version

0.1.0

How to cite

Kreutzer, S., 2021. run_TRUELightExtraction(): Run Automated TRUE-Light Extraction over multiple datasets. Function version 0.1.0. In: Kreutzer, S., Mittelstrass, D., 2021. RLumSTARR: Spatially Resolved Radiofluorescence Analysis (EXPERIMENTAL PACKAGE). R package version 0.1.0.9000-108.

Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

Examples

```
## list files using package external data
files <- list.files(system.file("extdata", "", package="RLumSTARR"), full.names=TRUE)
## create curve array
dat <- create_RFCurveArray(files = files)
output <- run_TRUELightExtraction(
data = dat,
stepping = 15,
mc.cores = 1,
ROI = 5,
verbose = TRUE,
method_control = list(
n.chain = 1,
n.iter = 50,
thin = 20))</pre>
```

Index

```
* package
    RLumSTARR-package, 2
array, 3
character, 3-5, 8
coda::HPDinterval, 5, 6
coda::mcmc, 5
coda::mcmc.list, 5
create_RFCurveArray, 2, 3, 5
data.frame, 6, 7
extract_TRUELight, 3, 5, 6
get\_MCMCParameters, 5, 5
list, 2, 4-6
logical, 4, 5, 8
Luminescence::read_RF2R, 3
Luminescence::RLum.Data.Curve, 4
matrix, 5
melt_RLumSTARR, 6
numeric, 4, 5, 8
rjags::coda.samples,4
rjags::jags.model, 4
RLumSTARR (RLumSTARR-package), 2
RLumSTARR-package, 2
run_ImageJ, 7
run_TRUELightExtraction, 5, 9
writeLines, 4
```