Package 'RLumSTARR'

January 4, 2021
Type Package
Title Spatially Resolved Radiofluorescence Analysis (EXPERIMENTAL PACKAGE)
Version 0.1.0.9000-58
Author Sebastian Kreutzer [aut, cre] (https://orcid.org/0000-0002-0734-2199), Dirk Mittelstrass [aut] (https://orcid.org/0000-0002-9567-8791)
Maintainer Sebastian Kreutzer < sebastian.kreutzer@aber.ac.uk>
Description Analysing spatially resolved radiofluorescence data using ImageJ. A collection of functions to support early work on the subject.
License GPL-3
Depends R (>= 3.5.0), utils, methods
Imports Luminescence (>= 0.9.8), rjags (>= 4-8), coda (>= 0.19-1)
Encoding UTF-8
Language en-GB
LazyData true
RoxygenNote 7.1.1
R topics documented:
RLumSTARR-package 2 create_RFCurveArray 2 extract_TRUELight 3 get_MCMCParameter 4 run_ImageJ 5
Index 7

RLumSTARR-package

SpaTiAlly Resolved Radiofluorescence

Description

A collection of functions to analyse spatially resolved radiofluorescence data

Details

Funding

 Sebastian Kreutzer received funding from the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement No 844457 (CREDit).

Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Dirk Mittelstrass (Germany), RLum Developer Team

References

##TODO

create_RFCurveArray

Create Multidimensional Curve Arrays from File input

Description

Helper function to create a multidimensional curve array to prepare the Bayesian process

Usage

```
create_RFCurveArray(files)
```

Arguments

files

list (required): list of .rf files to be imported

Value

Returns a list with two arrays for the RF_nat and the RF_reg curve

Function version

0.1.0

How to cite

Kreutzer, S., 2021. create_RFCurveArray(): Create Multidimensional Curve Arrays from File input. Function version 0.1.0. In: Kreutzer, S., Mittelstrass, D., 2021. RLumSTARR: Spatially Resolved Radiofluorescence Analysis (EXPERIMENTAL PACKAGE). R package version 0.1.0.9000-58.

extract_TRUELight 3

Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom), RLum Developer Team

Examples

##TODO

 $extract_TRUELight$ Extract True Light from the Camera Measurements using a Bayesian

Approach

Description

A Bayesian modelling approach to extract the true light using the expanding region-of-interest (ROI) approach proposed by Cunningham and Clark-Balzan (2017). The function will return the results for a single curve.

Usage

```
extract_TRUELight(data, ROI = 1, method_control = list())
```

Arguments

array (required): curve array created by create_RFCurveArray data

ROI numeric (with default): ROI to be analysed

method_control list (optional): parameter to be passed to rjags. Supported are n.chain, n.iter,

thin, variable.names, model

Value

Returns a list with an Luminescence::RLum.Data.Curve object (the RF curve with the true light) and the rjags::coda.samples output for further processing. Note: Regardless the observed variable, the parameter alpha will be always be used to create the curve

Function version

0.1.0

How to cite

Kreutzer, S., 2021. extract_TRUELight(): Extract True Light from the Camera Measurements using a Bayesian Approach. Function version 0.1.0. In: Kreutzer, S., Mittelstrass, D., 2021. RLum-STARR: Spatially Resolved Radiofluorescence Analysis (EXPERIMENTAL PACKAGE). R package version 0.1.0.9000-58.

Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom), RLum Developer Team

4 get_MCMCParameter

References

Cunningham, A.C., Clark-Balzan, L., 2017. Overcoming crosstalk in luminescence images of mineral grains. Radiation Measurements 106, 498–505. doi:10.1016/j.radmeas.2017.06.004

Examples

##TODO

get_MCMCParameter

Extracts a parameter from an MCMC list

Description

Short cut to extract a parameter from an MCMC list. If more processing is wanted, the 'coda' package can be used

Usage

```
get_MCMCParameter(mcmc, parameter, prob = 0.95, unlist = TRUE)
```

Arguments

mcmc coda::mcmc or coda::mcmc.list (required) input

parameter character (**required**): name of the parameter to be extracted prob numeric (with default): probability for the HPD calculation

unlist logical (with default): if TRUE the output is a matrix otherwise a list

Value

Returns a matrix with the parameter value or a list

Function version

0.1.0

How to cite

Kreutzer, S., 2021. get_MCMCParameter(): Extracts a parameter from an MCMC list. Function version 0.1.0. In: Kreutzer, S., Mittelstrass, D., 2021. RLumSTARR: Spatially Resolved Radiofluorescence Analysis (EXPERIMENTAL PACKAGE). R package version 0.1.0.9000-58.

Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

See Also

coda::HPDinterval

run_ImageJ 5

Examples

##TODO

run_ImageJ

Run ImageJ SR-RF macro

Description

The script runs the SR-RF ImageJ macro in batch mode out of R

Usage

```
run_ImageJ(
 path,
 RF_nat = "default",
 RF_reg = "default",
 bg_rm = "take_from_RF_reg",
  image_group_size = 5,
  image_alignment = TRUE,
  first_slices_rm = FALSE,
 noise_tolorance = 10,
 ROI_size = 10,
  center_x = 0.5,
  center_y = 0.5,
  diameter = 0.9,
  use_predefined_ROIs = FALSE,
  channel_time = 5,
  save_workflow_images = FALSE,
  save_additional_results = FALSE,
  save_signal_decay_videos = FALSE,
 offset_time = 0,
  .ImageJ = "/Applications/Fiji.app/Contents/MacOS/ImageJ-macosx"
)
```

Arguments

```
character (required): path to files to be analysed
path
                  character (default): name of the RF_nat file
RF_nat
                  character (default): name of the RF_reg file
RF_reg
                  character (with default): background subtraction options. Allowed are none (no
bg_rm
                  background subtraction), take_from_RF_reg (takes the last 100 channels from
                  the RF_reg signal: dangerous) or <your file name> (this does not work in batch
                  mode)
image_group_size
                   numeric (with default): grouping value for running median to remove outliers
image_alignment
                  logical (with default): enable/disable image alignment
first_slices_rm
                  logical (with default): remove first slice of each curve set
```

fun_ImageJ

noise_tolorance numeric (with default): noise tolerance parameter ROI_size numeric (with default): ROI size in pixel numeric (with default): aliquot ROI centre x-coordinate center_x numeric (with default): aliquot ROI centre y-coordinate center_y diameter numeric (with default): relative diameter aliquot ROI use_predefined_ROIs logical (with default): use pre-defined ROIs imported from a file ROIs.zip found in the same folder as the files numeric (with default): channel time, this parameter was set the moment the channel_time sequence was written save_workflow_images logical (with default): enable/disable writing of additional workflow images save_additional_results

logical (with default): enable/disable writing of additional workflow images

save_signal_decay_videos

logical (with default): enable/disable writing of additional workflow videos

. ImageJ numeric (with default): Path to ImageJ (the macro is shipped with the package)

Value

This functions returns the path of the analysed data

Function version

0.1.0

How to cite

Kreutzer, S., 2021. run_ImageJ(): Run ImageJ SR-RF macro. Function version 0.1.0. In: Kreutzer, S., Mittelstrass, D., 2021. RLumSTARR: Spatially Resolved Radiofluorescence Analysis (EXPERIMENTAL PACKAGE). R package version 0.1.0.9000-58.

Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

Examples

##TODO

Index

```
* package
    RLumSTARR-package, 2
array, 3
character, 4, 5
coda::HPDinterval, 4
coda::mcmc, 4
coda::mcmc.list, 4
{\tt create\_RFCurveArray}, 2, {\it 3}
\verb|extract_TRUELight|, 3
get_MCMCParameter, 4
list, 2–4
logical, 4-6
{\tt Luminescence::RLum.Data.Curve}, \textit{3}
matrix, 4
numeric, 3-6
rjags::coda.samples, 3
RLumSTARR (RLumSTARR-package), 2
RLumSTARR-package, 2
run_ImageJ, 5
```