Package 'rxylib'

May 3, 2019

Type Package

Title Import XY-Data into R

Description Provides access to the 'xylib' C library for to import xy
data from powder diffraction, spectroscopy and other experimental methods.

Version 0.2.4

Date 2019-05-03

Author Sebastian Kreutzer [aut, trl, cre] (<https://orcid.org/0000-0002-0734-2199>),
Johannes Friedrich [aut] (<https://orcid.org/0000-0002-0805-9547>),
RLum Team [ctb],
Marcin Wojdyr [cph] (C++ library 'xylib'),
Peng Zhang [cph] (C++ library 'xylib')

Maintainer Sebastian Kreutzer <sebastian.kreutzer@u-bordeaux-montaigne.fr>

URL https://github.com/R-Lum/rxylib

BugReports https://github.com/R-Lum/rxylib/issues

License GPL-3 | LGPL-2.1

Depends R (>= 3.3.0),
utils

Imports methods,
Rcpp (>= 0.12.11)

Suggests testthat (>= 1.0.2)

LinkingTo Rcpp (>= 0.12.11),
BH (>= 1.62.0-1)

Encoding UTF-8

Collate 'methods_rxylib.R'
'rxylib.R'
'RcppExports.R'
'read_xyData.R'
'convert_xy2TKA.R'

RoxygenNote 6.1.1

R topics documented:

`rxylib-package` *Import XY-Data into R*

Description

Provides access to the 'xylib' C library for to import xy data from powder diffraction, spectroscopy and other experimental methods, like gamma-ray spectrometry.

Package:	rxylib
Type:	Package
Version:	0.2.4
Date:	2019-XX-XX
License:	GPL-3 | LGPL-2.1 (for the C++ library 'xylib')

Details

Funding

Between 2017-2019, the work of Sebastian Kreutzer as maintainer of the package was supported by LabEx LaScArBxSK (ANR - n. ANR-10-LABX-52).

Supported data formats

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Université Bordeaux Montaigne (France), Johannes Friedrich (University of Bayreuth, Germany), RLum Team (family support), Marcin Wojdyr (maintainer and author of the C++ library 'xylib'), Peng Zhang (author of the C++ library 'xylib')

`convert_xy2TKA` *Convert xy-data to TKA*

Description

Convert data to the Toolkit file format (TKA) as exported by, e.g., by the software Canberra Genie 2000.

Usage

```
convert_xy2TKA(object, file = NULL, overwrite = FALSE)
```

Arguments

`object`	rxylib (**required**): xy data as imported by the function read_xyData. Optional a file supported by the `rxylib`-package can be provided as input. Arguments can be provided as list.
`file`	character (optional): optional file path or file name for the output to be written. If only a path is provided the output file name is derived from the input file name. Argument can be provided as list.
`overwrite`	logical (with default): force overwriting of existing files if `TRUE`.

Details

Supported formats

- Canberra CNF
- further formats on request ...

Value

Returns a list of matrix objects or an output TKA-file.

Function version

0.1.0

How to cite

Kreutzer, S. (2019). convert_xy2TKA(): Convert xy-data to TKA. Function version 0.1.0. In: Kreutzer, S., Friedrich, J. (2019). rxylib: Import XY-Data into R R package version 0.2.4. https://CRAN.R-project.org/package=rxylib

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Université Bordeaux Montaigne (France)

Examples

```
##convert CNF data (no export to file system)
convert_xy2TKA(
 object = system.file("extdata/ExampleSpectrum.CNF", package = "rxylib"))

## Not run:
##export as file

##create temporary filepath
##(for usage replace by own path)
temp_file <- tempfile(pattern = "output", fileext = ".TKA")

##convert and write to file system
convert_xy2TKA(
 object = system.file("extdata/ExampleSpectrum.CNF", package = "rxylib"),
 file = temp_file)


## End(Not run)
```

methods_rxylib *methods_ryxlib*

Description

S3-methods support by the package `rxylib`. Listed functions can be passed directly into S3 generics (e.g., plot, print) without reshaping the data.

Usage

```
## S3 method for class 'rxylib'
print(x, ...)

## S3 method for class 'rxylib'
plot(x, block = NULL, ...)
```

Arguments

`x`	(**required**): input opject
`...`	further arguments that can be passed to the method
`block`	numeric (with default): select block for plotting, e.g. `c(1:2)`.

read_xyData *Import xy-Data for Supported Formats into R*

Description

The function provides access to the underlying `xylib` to import data for supported file formats into R. In most cases, only the file path is needed with further arguments to import the data. The function automatically recognises allowed formats. See rxylib-package for supported formats.

Usage

```
read_xyData(file, options = "", verbose = TRUE, metaData = TRUE)
```

Arguments

`file`	character (**required**): path and file to be imported. The argument accepts an `URL`.
`options`	character (with default): set format options (see rxylib-package)
`verbose`	logical (*with default*): enables/disables verbose mode
`metaData`	logical (*with default*): enables/disbales the export of metadata

Value

The functions returns a list of matrices.

Function version

0.3.0

How to cite

Kreutzer, S., Friedrich, J. (2019). read_xyData(): Import xy-Data for Supported Formats into R. Function version 0.3.0. In: Kreutzer, S., Friedrich, J. (2019). rxylib: Import XY-Data into R R package version 0.2.4. https://CRAN.R-project.org/package=rxylib

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France), Johannes Friedrich, University of Bayreuth (Germany)

Examples

```
##load example dataset
file <- system.file("extdata/ExampleSpectrum.CNF", package = "rxylib")
results <- read_xyData(file)
results

##plot xy-spectrum
plot(results,
 type = "l",
 xlab = "Energy [keV]",
 ylab = "Counts",
 main = "Thorite - 1800 s")

mtext(side = 3, "Canberra Inspector 1000, 3 x 3 NaI probe")

##plot contour for TL-spectrum
##imported from an XSYG-file
spectrum <- read_xyData(system.file("extdata/TLSpectrum.xsyg", package = "rxylib"))
contour(
 x = spectrum$dataset[[1]]$data_block[,1],
 y = 1:ncol(spectrum$dataset[[1]]$data_block[,-1]),
 z = spectrum$dataset[[1]]$data_block[,-1],
 xlab = "Wavelength [nm]",
 ylab = "#Channel",
 main = "TL Spectrum")
```

Index