

Package ‘rxylib’

July 6, 2017

Type Package

Title Import XY-Data into R

Description Provides access to the 'xylib' C library for to import xy data from powder diffraction, spectroscopy and other experimental methods.

Version 0.1.1

Date 2017-07-06

Author Sebastian Kreutzer [aut, trl, cre],
Johannes Friedrich [ctb],
RLum Team [ctb],
Marcin Wojdyr [cph] (C++ library 'xylib'),
Peng Zhang [cph] (C++ library 'xylib')

Maintainer Sebastian Kreutzer <sebastian.kreutzer@u-bordeaux-montaigne.fr>

URL <https://github.com/R-Lum/rxylib>

BugReports <https://github.com/R-Lum/rxylib/issues>

License GPL-3 | LGPL-2.1

Depends R (>= 3.3.0), utils

Imports Rcpp (>= 0.12.11), httr (>= 1.2.1)

Suggests testthat (>= 1.0.2)

LinkingTo Rcpp (>= 0.12.11), BH (>= 1.62.0-1)

Encoding UTF-8

Collate 'rxylib.R' 'RcppExports.R' 'read_xyData.R'

RoxygenNote 6.0.1

NeedsCompilation yes

R topics documented:

| | |
|--------------------------|----------|
| rxylib-package | 2 |
| read_xyData | 3 |
| Index | 4 |

rxylib-package

*Import XY-Data into R***Description**

Provides access to the 'xylib' C library for to import xy data from powder diffraction, spectroscopy and other experimental methods, like gamma-ray spectrometry.

Package: rxylib
 Type: Package
 Version: 0.1.1
 Date: 2017-07-06
 License: GPL-3 | LGPL-2.1 (for the C++ library 'xylib')

Details

Currently the package uses 'xylib' in version 1.6 (unreleased).

Supported data formats

| ID | NAME | DESCRIPTION | FILE EXTENSION | VALID_OPTIONS | DATATYPE |
|-------|--------------|----------------------------------|-------------------|---------------|----------|
| [1,] | cpi | Sietronics Sieray CPI | cpi | | ascii |
| [2,] | uxd | Bruker Diffrac-AT UXD | uxd | | ascii |
| [3,] | rigaku_dat | Rigaku DAT | dat | | ascii |
| [4,] | bruker_raw | Siemens/Bruker RAW | raw | | binary |
| [5,] | bruker_spc | Bruker ESP300-E SPC | spc | | binary |
| [6,] | vamas | VAMAS ISO-14976 | vms | | ascii |
| [7,] | philips_udf | Philips UDF | udf | | ascii |
| [8,] | spe | PI WinSpec SPE | spe | | binary |
| [9,] | pdcif | Powder Diffraction CIF | cif | | ascii |
| [10,] | philips_rd | Philips PC-APD RD/SD | rd sd | | binary |
| [11,] | xrdml | PANalytical XRDML | xrdml | | ascii |
| [12,] | canberra_mca | Canberra MCA | mca dat | | binary |
| [13,] | canberra_cnf | Canberra CNF | cnf | | binary |
| [14,] | xfit_xdd | XFIT XDD | xdd | | ascii |
| [15,] | riet7 | RIET7/LHPM/PSI_DMC | dat | | ascii |
| [16,] | dbws | DBWS data | dbw rit neu | | ascii |
| [17,] | chiplot | ChiPLOT data | chi | | ascii |
| [18,] | spectra | Spectra / VGX 900 | 1 2 3 4 5 6 7 8 9 | | ascii |
| [19,] | specsxy | SPECS SpecsLab2 xy | xy | | ascii |
| [20,] | csv | CSV or TSV | csv tsv tab | decimal-comma | ascii |
| [21,] | xsyg | Freiberg Instruments (FI) Lexsyg | xsyg | | ascii |

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France), Johannes Friedrich (University of Bayreuth, Germany; bug fix contributions), RLum Team (family support), Marcin Wojdyr (maintainer and author of the C++ library 'xylib'), Peng Zhang (author of the C++ library 'xylib')

read_xyData*Import xy-Data for Supported Formats into R*

Description

The function provides access to the underlying `xylib` to import data for supported file formats into R. In most cases, only the file path is needed with further arguments to import the data. The function automatically recognises allowed formats. See [rxylib-package](#) for supported formats.

Usage

```
read_xyData(file, options = "", verbose = TRUE)
```

Arguments

| | |
|----------------------|---|
| <code>file</code> | character (required): path and file to be imported. The argument accepts an URL. |
| <code>options</code> | character (with default): set format options (see rxylib-package) |
| <code>verbose</code> | logical (<i>with default</i>): enables/disables verbose mode |

Value

The functions returns a [list](#) of matrices.

Function version

0.1.1

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)

Examples

```
##load example dataset
file <- system.file("extdata/ExampleSpectrum.CNF", package = "rxylib")
results <- read_xyData(file)

##plot spectrum
plot(results[[1]],
      type = "l",
      log = "y",
      xlab = "Energy [keV]",
      ylab = "Counts",
      main = "Thorite - 1800 s")

mtext(side = 3, "Canberra Inspector 1000, 3 x 3 NaI probe")
```

Index

*Topic **IO**

read_xyData, [3](#)

*Topic **package**

rxylib-package, [2](#)

character, [3](#)

list, [3](#)

logical, [3](#)

read_xyData, [3](#)

rxylib (rxylib-package), [2](#)

rxylib-package, [2](#), [3](#)