Source Code

[Index.html]

```
!DOCTYPE html>
html lang="en":
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Udupi Hotel !!</title>
   <!-- Custom CSS -->
<link rel="stylesheet" href="style.css" />
      rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.4/css/all.min.css"
   k rel="icon" href="assets/icons.png" type="image/x-icon" />
 <body onload="myFunction()">
      type="button"
data-toggle="collapse"
           data-target="#navbarNav"
aria-controls="navbarNav
aria-expanded="false"
        </button>

</p
            <span class="navbar-toggler-icon"></span>

<

<
   div class="carousel-inner">
  <!-- Menu items dynamically loaded here -->
  <div id="menuItems" class="carousel-item"></div>
              class="carousel-control-prev"
href="#menuCarousel"
role="button"
               data-slide="prev"
                <span class="carousel-control-prev-icon" aria-hidden="true"></span:</pre>
```

```
span class="sr-only">Previous</span
        href="#menuCarousel'
role="button"
data-slide="next"
        <span class="carousel-control-next-icon" aria-hidden="true"></span>
<span class="sr-only">Next</span>
<!-- Include contact.html --> <section id="contact" class="container contact-section">
  </div class="form-group">
</abel for="message">Message</label>
<textarea
    class="form-control"</pre>
               id="message"
rows="5"
             required ></textarea>
            Submit
    </div>
<div class="col-md-6">
      <div class="row">
  <div class="col-md-12">
          <</div>
            class="text-center bg-light p-3"
style="background-color: black !important; color: #ffffff"
  <div class="container">
  &copy; 2023 Udupi Hotel All rights reserved.
  <a href="#" class="scroll-btn">
  <i class="fas fa-arrow-up"></i>
<!-- jQuery and Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
<!-- Custom JavaScript -->
```

[STYLE.CSS]

```
font-family: Arial, sans-serif;
background-color: black;
  navbar-brand {
  font-weight: bold;
  menuItems .card {
  margin-bottom: 20px;
       jumbotron {
 padding: 100px 0;
/* Spinner -//
#loading {
position: fixed;
width: 100%;
height: 1000h;
background: black no-repeat center;
z-index: 99999;
#loading .spinner {
   --size: 62px;
  --size: 62px;
position: fixed;
right: 50%;
left: 47%;
top: 50%;
bottom: 50%;
width: var(--size);
height: var(--size);
perspective: 800px;
#loading .inner {
  position: absolute;
  box-sizing: border-box;
  width: 100%;
  height: 100%;
  border-radius: 50%;
  border: 3px solid transparent;
#loading .inner.one {
  left: 50%;
  top: 50%;
   animation: rotate-one 1s linear infinite;
border-bottom: 3px solid #2cfffe;
#loading .inner.two {
  right: 50%;
  top: 50%;
  animation: rotate-two 1s linear infinite;
  border-right: 3px solid #fcc10f;
}
#loading .inner.three {
  right: 50%;
  bottom: 50%;
  animation: rotate-three 1s linear infinite;
  border-top: 3px solid #ec1b60;
  pkeyframes rotate-one {
   /* Define your animation here */
      transform: rotateX(35deg) rotateY(-45deg) rotateZ(0deg);
   1
100% {
    transform: rotateX(35deg) rotateY(-45deg) rotateZ(360deg);
  Okeyframes rotate-two {
/* Define your animation here */
       " {
    transform: rotateX(50deg) rotateY(10deg) rotateZ(0deg);
   }
100% {
    transform: rotateX(50deg) rotateY(10deg) rotateZ(360deg);
  Okeyframes rotate-three {
    /* Define your animation here */
       transform: rotateX(35deg) rotateY(55deg) rotateZ(0deg);
   }
100% {
    transform: rotateX(35deg) rotateY(55deg) rotateZ(360deg);
```

```
/* Navbar styles */
.transparent-navbar {
  background-color: transparent !important;
  background-image: url("assets/background-navbar.jpg");
  background-size: cover;
background-repeat: no-repeat;
  background-size: cover;
box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);
 navbar-brand {
font-size: 35px;
  font-weight: bold;
line-height: 50px;
 navbar-nav .nav-link {
font-size: 18px;
color: #ffffff !important;
line-height: normal;
navbar-nav .nav-link:hover {
  color: #ffb300 !important;
/* Landing page styles */
.jumbotron {
  background-image: url("assets/background-image.jpeg");
  background-mage. Unit deserged
background-size: cover;
background-repeat: no-repeat;
color: #ffffff;
padding: 270px 0;
border-radius: 0;
jumbotron h1 {
  font-size: 48px;
  font-weight: bold;
.jumbotron p {
font-size: 24px;
.jumbotron .btn-primary {
font-size: 20px;
padding: 12px 24px;
border-radius: 50px;
background-color: #000000;
border-color: #000000;
.jumbotron .btn-primary:hover {
  background-color: #ff0000;
  border-color: #ff0000;
carousel-control-prev,
carousel-control-next {
  color: #ffffff;
 color: #ffffff;
opacity: 0.5;
width: 30px;
height: 30px;
background-color: rgba(0, 0, 0, 0.3);
border-radius: 50%;
tine-height: 30px;
text-align: center;
font-size: 20px;
transition: opacity 0.3s;
position: absolute;
top: 50%;
transform: translateY(-50%);
carousel-control-prev:hover,
carousel-control-next:hover {
  opacity: 1;
carousel-control-prev {
  left: -40px;
 carousel-control-next {
  right: -40px;
carousel-indicators {
  bottom: -60px;
```

```
container {
  padding-top: 20px;
  padding-bottom: 20px;
.container h2 {
  font-size: 36px;
  font-weight: bold;
  text-align: center;
  margin-bottom: 40px;
  padding: 70px 0;
.card {
border-radius: 10px;
box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);
margin-bottom: 30px;
width: 31%;
display: inline-block;
margin-right: 1%;
vertical-align: top;
.card:last-child {
margin-right: 0;
 card img {
border-radius: 10px 10px 0 0;
width: 100%;
 card-body {
  padding: 20px;
.card-title {
font-size: 24px;
font-weight: bold;
margin-bottom: 10px;
 .card-text {
  font-size: 16px;
  color: #666666;
 container {
  margin-bottom: 50px;
/* Contact form styles */
.contact-section {
border: 5px solid hsl(0, 100%, 50%);
border-radius: 8px;
height: 100%;
width: 100%;
padding-top: 100px; /* Adjust the padding as needed */
padding-bottom: 100px; /* Adjust the padding as needed */
background-position: center;
background-size: cover;
background-repeat: no-repeat;
background-image: url(assets/background-contact.jpg);
}
 container .row {
  margin-left: 0;
  margin-right: 0;
 contact-image {
  text-align: center;
  margin-bottom: 30px;
 contact-image img {
  max-width: 100%;
  height: auto;
 contact-form {
  background-color: #f9f9f9;
   border-radius: 5px;
box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);
padding: 20px;
.section-title {
  margin-top: -80px;
  margin-left: 470px;
  color: white;
.contact-info {
  margin-top: 300px;
  margin-left: 100px;
  color: white;
  contact-item {
   display: flex;
align-items: center;
```

```
margin-bottom: 20px;
  contact-item i {
font-size: 24px;
margin-right: 10px;
 .contact-item p {
  margin: 0;
  /* Footer styles */
Footer {
   padding: 20px 0;
footer p {
  font-size: 16px;
  text-align: center;
  margin-bottom: 0;
  color: rgb(255, 0, 0);
scroll-btn {
    position: fixed;
    bottom: 20px;
    right: 20px;
    display: flex;
    align-items: center;
    justify-content: center;
    width: 40px;
    height: 40px;
    border-radius: 50%;
    background-color: #ffffff;
    color: #333333;
    text-decoration: none;
    box-shadow: 0 2px 5px rgba(0, 0, 0, 0.1);
    transition: background-color 0.3s ease-in-out;
}
  .scroll-btn:hover {
  background-color: #000000;
  scroll-btn i {
font-size: 20px;
  /* Responsive styles */
omedia (max-width: 767.98px) {
   .jumbotron {
   padding: 100px 0;
}
   .container {
  padding: 20px;
}
   .container h2 {
  font-size: 28px;
  margin-bottom: 20px;
  padding: 20px 0;
}
   .card {
width: 100%;
margin-right: 0;
}
    .section-title {
  margin-top: 0;
  margin-left: 0;
  text-align: center;
    .contact-info {
  margin-top: 30px;
  margin-left: 0;
  text-align: center;
```

[SCRIPT.JS]

```
ar preloader = document.getElementById("loading");
 function myFunction() {
  preloader.style.display = "none";
$(document).ready(function () {
  $("#contactForm").submit(function (event) {
  event.preventDefault();
     var name = $("#name").val();
var email = $("#email").val();
var message = $("#message").val();
     // Simulating a successful form submission
if (name && email && message) {
        sendEmail(name, email, message);
       // Display a success message
showAlert("success", "Form submitted successfully!");
    // Reset the form fields
$("#name").val("");
$("#email").val("");
$("#message").val("");
} else {
// Display an error message if any of the fields are empty
showAlert("error", "Please fill in all the required fields.");
  // Fetch menu items dynamically
fetchMenuItems();
 function fetchMenuItems() {
     var menuItems = [
          title: "Dish 1",
image: "assets/dish1.jpg",
description: "Idlis are round cakes made from a batter of steamed rice and fermented black lentil..",
          title: "Dish 2",
image: "assets/dish2.jpg",
description:
               "Vada is a savoury, fried snack. To many, it may look like a fried version of doughnuts..".
          title: "Dish 3",
image: "assets/dish3.jpg",
           description:
 rom left over dosa batter.",
          title: "Dish 4",
image: "assets/dish4.jpg",
description:
 "The staple food of Kerala is greatly influenced by the history and culture of the state. It's a blend of both vegetarian and non-
egetarian options.",
          title: "Dish 5",
image: "assets/dish5.jpg",
               'Curd rice aids digestion and provides relief from stomach and digestive problems. Curd rice is a meal that can help you relax and unwind.
          title: "Dish 6", image: "assets/dish6.jpeg", description: "Masala dosa is a roasted dosa served with potato curry, chutney and sambar, while saada (plain) dosa is prepared with a lighter
          title: "Dish 7",
image: "assets/dish7.png",
           description:
" Thali recommended to have the combination of rasam, sambar, sabzi or palya, dessert and a salad. the thali can also be extended further by adding snacks like medu vada, mirchi bajji or even vegetable bonda or some deep fried poori"
          title: "Dish 8",
image: "assets/dish8.jpg",
 description:

"Rich in flavour and spices, a traditional Maharastrian thali consists of kothimbir vadi (coriander fritters), bhakri roti (millet flatbread), pitla (chickpea flour curry), bhajis, like vangyache bharit .",
```

```
title: "Dish 9",
image: "assets/dish9.jpg",
        "Non-vegetarian food (in Indian English sometimes shortened to non-veg food) contains meat (red meat, poultry, seafood, or the flesh of any animal), and sometimes, eggs.",
           title: "Dish 10", image: "assets/dish10.jpg",
       image. assets/ursniv.jpg ,
description:
"Poori or Puri is a traditional Indian fried bread that is delicious to enjoy with almost any main dish. It's a simple unleavened bread
from just whole wheat flour, salt, and water..",
           title: "Dish 11", image: "assets/dish11.jpg",
                "Mangalore buns are sweet fried bread made with mashed bananas, flour, sugar and spiced with a touch of ground cumin.",
      title: "Dish 12",
image: "assets/dish12.jpg",
description: "Meals that come with two flaky rotis at the centre of the plate. Around it come spicy chutneys, dals, and thick gravies that go
rbly with the light rotis. It's a celebration of rustic Karnataka flavours.",
     var menuItemsHTML = "":
     var carouselIndicatorsHTML = "";
var itemsPerPage = 3; // Number of menu items to display per page
var pageCount = Math.ceil(menuItems.length / itemsPerPage);
     for (var i = 0; i < pageCount; i++) {
  var startIndex = i * itemsPerPage;
  var endIndex = (i + 1) * itemsPerPage;
  var menuItemsPage = menuItems.slice(startIndex, endIndex);</pre>
        var carouselItemClass =
  i === 0 ? "carousel-item active" : "carousel-item";
var carouselIndicatorClass = i === 0 ? "active" : "";
        menuItemsHTML +=
  '<div class="' + carouselItemClass + '">' + '<div class="card-deck">';
        menuItemsPage.forEach(function (item) {
    menuItemsHTML +=
    '<idv class="card">' +
    '<iimg snc="' +</pre>
               '<img src="'
item.image +</pre>
               '" class="card-img-top" alt="' + item.title +
                item.title +
        menuItemsHTML += "</div></div>";
        carouselIndicatorsHTML +=
  '
     $("#menu .carousel-indicators").html(carouselIndicatorsHTML);
$("#menu .carousel-inner").html(menuItemsHTML);
 // Initialize the carousel
$(".carousel").carousel();
}, 1000);
unction sendEmail(name, email, message) {
 // Custom code to send email
// Replace this with your own email sending
console.log("Sending email to: " + email);
console.log("Message: " + message);
function showAlert(type, message) {
   // Display an alert message with the given type (success, error)
   // You can customize this as per your needs
   var alertClass = type === "success" ? "alert-success" : "alert-danger";
   var alertHTML =
        '<div class="alert ' +</pre>
      message +

'<button type="button" class="close" data-dismiss="alert" aria-label="Close">' +

'<span aria-hidden="true">&times;</span>' +

"</button>" +

"</div>";
     alertClass +
' alert-dismissible fade show" role="alert">' +
```

\$("#alertContainer").html(alertHTML)