Financial Dependence and Healthcare Utilization among Older Adults

Evidence from the Longitudinal Ageing Study in India (LASI) Wave 1, 2017–18

Ramesh Beniwal

2026-11-02

Table of contents

1 Summary Statistics **3**

2 Main Results **3**
2.1 Outpatient 3
2.2 Inpatient 4

3 Pension Amount **5**

4 Tobit and Negative Binomial (Number of OPD Visits) **6**

5 Heterogeneity (Outpatient) **7**
5.1 OPD visits by facility type 13

6 Probit (Outpatient) **14**

Table 1

Table 2: Summary Statistics

Variable	N	Mean	SD	Min	Max
Panel A: Dependent Variables					
Outpatient healthcare utilization	30,743	0.558	0.497	0.000	1.000
Inpatient healthcare utilization	21,501	0.117	0.322	0.000	1.000
Healthcare utilization (overall)	30,746	0.713	0.452	0.000	1.000
Panel B: Independent Variables					
Any Pension	31,024	0.315	0.465	0.000	1.000
Old age pension	31,024	0.251	0.433	0.000	1.000
Widow pension	31,024	0.059	0.236	0.000	1.000
Annapurna pension	31,024	0.011	0.106	0.000	1.000
Old age pension, by gender					
Female	16,118	0.241	0.428	0.000	1.000
Male	14,906	0.261	0.439	0.000	1.000
Old age pension, by marital status					
Married	20,209	0.240	0.427	0.000	1.000
Widowed	10,815	0.271	0.445	0.000	1.000
Widow pension, by gender					
Female	16,118	0.114	0.318	0.000	1.000
Male	14,906	0.000	0.000	0.000	0.000
Widow pension, by marital status					
Married	20,209	0.001	0.024	0.000	1.000
Widowed	10,815	0.169	0.375	0.000	1.000
Panel C: Control Variables					
Age (years)	31,024	68.864	7.434	60.000	100.000
Gender (1 = Male)	31,024	0.480	0.500	0.000	1.000
Education status	31,024	0.460	0.498	0.000	1.000
Residence type (1 = Rural)	31,024	0.664	0.472	0.000	1.000
Marital status (1 = Married)	31,024	0.651	0.477	0.000	1.000
Religion					
Hindu	31,023	0.731	0.443	0.000	1.000
Muslim	31,023	0.118	0.323	0.000	1.000
Christian	31,023	0.098	0.297	0.000	1.000
Sikh	31,023	0.031	0.173	0.000	1.000
Other	31,023	0.022	0.147	0.000	1.000
Caste / Social group					
Scheduled Caste (SC)	29,992	0.169	0.374	0.000	1.000
Scheduled Tribe (ST)	29,992	0.171	0.377	0.000	1.000
Other Backward Class (OBC)	29,992	0.392	0.488	0.000	1.000
General (Others)	29,992	0.268	0.443	0.000	1.000
MPCE quintile					
Quintile 1	31,024	0.206	0.404	0.000	1.000
Quintile 2	31,024	0.206	0.405	0.000	1.000
Quintile 3	31,024	0.204	0.403	0.000	1.000
Quintile 4	31,024	0.197	0.398	0.000	1.000
Quintile 5	31,024	0.187	0.390	0.000	1.000
Panel D: Additional Variables					

1 Summary Statistics

2 Main Results

2.1 Outpatient

Table 3: Outpatient Healthcare Utilization and Pension

	Outpatient Healthcare Utilization					
	(1)	(2)	(3)	(4)	(5)	(6)
Any Pension	0.042***	0.036***	0.048***			
	(0.008)	(0.007)	(0.007)			
Old Age Pension				0.031***	0.029***	0.043***
				(0.008)	(0.007)	(0.007)
N	30,743	30,743	29,716	30,743	30,743	29,716
$Mean\ of\ Dep.\ Variable$	0.558	0.558	0.558	0.558	0.558	0.558
R^2	0.002	0.103	0.112	0.001	0.103	0.112
Widow Pension	0.058***	0.040***	0.033***			
	(0.012)	(0.012)	(0.012)			
Annapurna Pension				-0.031	-0.031	-0.023
				(0.034)	(0.030)	(0.030)
N	30,743	30,743	29,716	30,743	30,743	29,716
$Mean\ of\ Dep.\ Variable$	0.558	0.558	0.558	0.558	0.558	0.558
R^2	0.001	0.103	0.111	0.000	0.102	0.111
State FE	No	Yes	Yes	No	Yes	Yes
Additional Controls	No	No	Yes	No	No	Yes

Note: The sample consists of individuals aged 60-100 years at the time of the survey. Old Age Pension, Widow Pension, and Annapurna Pension are separate indicators for receipt of the respective pension benefits. Any Pension is an indicator equal to one if the respondent receives at least one of the Old Age, Widow, or Annapurna pensions. Outpatient healthcare utilization is an indicator equal to one if the respondent consulted a healthcare provider (doctors, AYUSH practitioners, dentists, nurses, and traditional healers) during the last 12 months. Additional Controls include age, gender, educational attainment, marital status (1 = married, 0 = widowed; other categories are excluded), rural or urban residence, religion, caste category, and monthly per capita consumption expenditure (MPCE) quintile. Standard errors clustered at PSU level are in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Source: Authors' calculations from LASI

2.2 Inpatient

Table 4: Inpatient Healthcare Utilization and Pension

	Inpatient Healthcare Utilization					
	(1)	(2)	(3)	(4)	(5)	(6)
Any Pension	0.002	0.000	0.007			
	(0.005)	(0.005)	(0.005)			
Old Age Pension				0.001	-0.000	0.001
				(0.005)	(0.005)	(0.006)
N	21,501	21,501	20,760	21,501	21,501	20,760
$Mean\ of\ Dep.\ Variable$	0.117	0.117	0.116	0.117	0.117	0.116
R^2	0.000	0.012	0.024	0.000	0.012	0.024
Widow Pension	0.003	-0.001	0.018*			
	(0.009)	(0.009)	(0.010)			
Annapurna Pension				0.017	0.043**	0.043**
				(0.022)	(0.022)	(0.022)
N	21,501	21,501	20,760	21,501	21,501	20,760
$Mean\ of\ Dep.\ Variable$	0.117	0.117	0.116	0.117	0.117	0.116
R^2	0.000	0.012	0.024	0.000	0.012	0.024
State FE	No	Yes	Yes	No	Yes	Yes
Additional Controls	No	No	Yes	No	No	Yes

Note: The sample consists of individuals aged 60-100 years at the time of the survey. Old Age Pension, Widow Pension, and Annapurna Pension are separate indicators for receipt of the respective pension benefits. Any Pension is an indicator equal to one if the respondent receives at least one of the Old Age, Widow, or Annapurna pensions. Inpatient healthcare utilization is an indicator equal to one if the respondent was admitted to a hospital or long-term care facility for at least one night during the last 12 months. Additional Controls include age, gender, educational attainment, marital status (1 = married, 0 = widowed; other categories are excluded), rural or urban residence, religion, caste category, and monthly per capita consumption expenditure (MPCE) quintile. Standard errors clustered at PSU level are in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Source: Authors' calculations from LASI

3 Pension Amount

Table 5: Outpatient and Inpatient Healthcare Utilization and Pension Amount

	Outpatient Healthcare Utilization			**Inpatient Healthcare Utilization**		
	(1)	(2)	(3)	(4)	(5)	(6)
Any Pension Amount	0.027***	0.020**	0.023**	0.011*	-0.001	-0.000
	(0.009)	(0.009)	(0.010)	(0.006)	(0.007)	(0.007)
N	9,546	9,546	9,300	6,912	6,912	6,737
$Mean\ of\ Dep.\ Variable$	0.587	0.587	0.588	0.118	0.118	0.117
R^2	0.002	0.110	0.122	0.001	0.016	0.027
State FE	No	Yes	Yes	No	Yes	Yes
Additional Controls	No	No	Yes	No	No	Yes

Note: The sample consists of individuals aged 60-100 years at the time of the survey who report receiving a pension amount. Any Pension Amount is the natural logarithm of the pension amount received by the respondent. Outpatient healthcare utilization is an indicator equal to one if the respondent consulted a healthcare provider (doctors, AYUSH practitioners, dentists, nurses, and traditional healers) during the last 12 months. Inpatient healthcare utilization is an indicator equal to one if the respondent was admitted to a hospital or long-term care facility for at least one night during the last 12 months. Additional Controls include age, gender, educational attainment, marital status (1 = married, 0 = widowed; other categories are excluded), rural or urban residence, religion, caste category, and monthly per capita consumption expenditure (MPCE) quintile. Standard errors clustered at PSU level are in parentheses.
* p<0.10, ** p<0.05, *** p<0.01
Source: Authors' calculations from LASI

4 Tobit and Negative Binomial (Number of OPD Visits)

Table 6: Number of OPD Visits and Pension: Tobit and Negative Binomial Estimates

	Number of OPD Visits							
	Tobit (1)	NB (2)	Tobit (3)	NB (4)	Tobit (5)	NB (6)	Tobit (7)	NB (8)
Any Pension	0.688***	0.126***						
	(0.101)	(0.023)						
Old Age Pension			0.629***	0.120***				
			(0.104)	(0.024)				
Widow Pension					0.413**	0.055		
					(0.177)	(0.041)		
Annapurna Pension							-0.169	0.010
							(0.448)	(0.116)
N	29,716	29,716	29,716	29,716	29,716	29,716	29,716	29,716
State FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Additional Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Note: The sample consists of individuals aged 60-100 years at the time of the survey. Old Age Pension, Widow Pension, and Annapurna Pension are separate indicators for receipt of the respective pension benefits. Any Pension is an indicator equal to one if the respondent receives at least one of the Old Age, Widow, or Annapurna pensions. Number of OPD visits is the number of outpatient visits to a healthcare provider during the last 12 months. The count includes respondents with zero visits. Odd-numbered columns report Tobit estimates left-censored at zero; even-numbered columns report negative binomial (NB) estimates with a log link. State fixed effects enter as state dummies. Coefficients are not marginal effects, so the sign and significance are the main focus. Additional Controls include age, gender, educational attainment, marital status (1 = married, 0 = widowed; other categories are excluded), rural or urban residence, religion, caste category, and monthly per capita consumption expenditure (MPCE) quintile. Standard errors clustered at PSU level are in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Source: Authors' calculations from LASI

5 Heterogeneity (Outpatient)

Table 7: Outpatient Healthcare Utilization and Pension: Heterogeneity by Residence

	Outpatient Healthcare Utilization					
	Urban			**Rural**		
	(1)	(2)	(3)	(4)	(5)	(6)
Any Pension	0.050***	0.056***	0.069***	0.045***	0.033***	0.040***
	(0.014)	(0.012)	(0.013)	(0.009)	(0.008)	(0.008)
R^2	0.002	0.085	0.092	0.002	0.117	0.127
Old Age Pension	0.032**	0.043***	0.058***	0.037***	0.027***	0.037***
	(0.015)	(0.013)	(0.014)	(0.010)	(0.008)	(0.008)
R^2	0.001	0.084	0.091	0.001	0.117	0.127
Widow Pension	0.083***	0.061***	0.054**	0.050***	0.035**	0.026*
	(0.022)	(0.021)	(0.023)	(0.015)	(0.014)	(0.015)
R^2	0.001	0.083	0.090	0.001	0.117	0.126
Annapurna Pension	0.041	0.009	0.017	-0.038	-0.028	-0.026
	(0.083)	(0.069)	(0.072)	(0.037)	(0.032)	(0.032)
R^2	0.000	0.083	0.089	0.000	0.117	0.126
N	10,288	10,288	9,777	20,455	20,455	19,939
$Mean\ of\ Dep.\ Variable$	0.577	0.577	0.579	0.548	0.548	0.548
State FE	No	Yes	Yes	No	Yes	Yes
Additional Controls	No	No	Yes	No	No	Yes

Note: The sample consists of individuals aged 60-100 years at the time of the survey. Old Age Pension, Widow Pension, and Annapurna Pension are separate indicators for receipt of the respective pension benefits. Any Pension is an indicator equal to one if the respondent receives at least one of the Old Age, Widow, or Annapurna pensions. Outpatient healthcare utilization is an indicator equal to one if the respondent consulted a healthcare provider (doctors, AYUSH practitioners, dentists, nurses, and traditional healers) during the last 12 months. Additional Controls are the same as in the main tables, excluding the variable used to split the sample. Standard errors clustered at PSU level are in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Source: Authors' calculations from LASI

Table 8: Outpatient Healthcare Utilization and Pension: Heterogeneity by Caste

	Outpatient Healthcare Utilization					
	Upper Caste			**Lower Caste**		
	(1)	(2)	(3)	(4)	(5)	(6)
Any Pension	0.026*	0.027*	0.037**	0.059***	0.042***	0.052***
	(0.015)	(0.014)	(0.014)	(0.009)	(0.008)	(0.008)
R^2	0.001	0.060	0.069	0.003	0.115	0.124
Old Age Pension	0.024	0.028*	0.043***	0.045***	0.032***	0.044***
	(0.016)	(0.015)	(0.015)	(0.009)	(0.008)	(0.008)
R^2	0.000	0.060	0.069	0.002	0.115	0.123
Widow Pension	0.013	0.008	-0.009	0.077***	0.052***	0.045***
	(0.025)	(0.024)	(0.026)	(0.015)	(0.013)	(0.014)
R^2	0.000	0.059	0.068	0.001	0.115	0.122
Annapurna Pension	0.121*	0.048	0.062	-0.044	-0.044	-0.034
	(0.073)	(0.069)	(0.070)	(0.037)	(0.033)	(0.033)
R^2	0.000	0.059	0.068	0.000	0.114	0.122
N	7,962	7,960	7,960	21,755	21,755	21,754
$Mean\ of\ Dep.\ Variable$	0.617	0.617	0.617	0.536	0.536	0.536
State FE	No	Yes	Yes	No	Yes	Yes
Additional Controls	No	No	Yes	No	No	Yes

Note: The sample consists of individuals aged 60-100 years at the time of the survey. Old Age Pension, Widow Pension, and Annapurna Pension are separate indicators for receipt of the respective pension benefits. Any Pension is an indicator equal to one if the respondent receives at least one of the Old Age, Widow, or Annapurna pensions. Outpatient healthcare utilization is an indicator equal to one if the respondent consulted a healthcare provider (doctors, AYUSH practitioners, dentists, nurses, and traditional healers) during the last 12 months. Additional Controls are the same as in the main tables, excluding the variable used to split the sample. Standard errors clustered at PSU level are in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Source: Authors' calculations from LASI

Table 9: Outpatient Healthcare Utilization and Pension: Heterogeneity by MPCE

	Outpatient Healthcare Utilization					
	Lower MPCE (Q1-Q3)			**Higher MPCE (Q4-Q5)**		
	(1)	(2)	(3)	(4)	(5)	(6)
Any Pension	0.046***	0.042***	0.045***	0.051***	0.043***	0.049***
	(0.009)	(0.008)	(0.009)	(0.012)	(0.011)	(0.011)
R^2	0.002	0.108	0.111	0.002	0.104	0.108
Old Age Pension	0.039***	0.037***	0.043***	0.031**	0.030**	0.039***
	(0.010)	(0.009)	(0.009)	(0.013)	(0.012)	(0.012)
R^2	0.001	0.107	0.111	0.001	0.103	0.107
Widow Pension	0.050***	0.037***	0.025	0.087***	0.059***	0.046**
	(0.015)	(0.014)	(0.016)	(0.019)	(0.018)	(0.020)
R^2	0.001	0.107	0.110	0.002	0.103	0.107
Annapurna Pension	-0.031	-0.026	-0.021	0.002	-0.033	-0.034
	(0.040)	(0.035)	(0.035)	(0.056)	(0.050)	(0.051)
R^2	0.000	0.106	0.110	0.000	0.102	0.107
N	18,930	18,930	18,383	11,813	11,813	11,333
$Mean\ of\ Dep.\ Variable$	0.533	0.533	0.533	0.598	0.598	0.598
State FE	No	Yes	Yes	No	Yes	Yes
Additional Controls	No	No	Yes	No	No	Yes

Note: The sample consists of individuals aged 60-100 years at the time of the survey. Old Age Pension, Widow Pension, and Annapurna Pension are separate indicators for receipt of the respective pension benefits. Any Pension is an indicator equal to one if the respondent receives at least one of the Old Age, Widow, or Annapurna pensions. Outpatient healthcare utilization is an indicator equal to one if the respondent consulted a healthcare provider (doctors, AYUSH practitioners, dentists, nurses, and traditional healers) during the last 12 months. Additional Controls are the same as in the main tables, excluding the variable used to split the sample. Standard errors clustered at PSU level are in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Source: Authors' calculations from LASI

Table 10: Outpatient Healthcare Utilization and Pension: Heterogeneity by Education

	Outpatient Healthcare Utilization					
	No Education			**Any Education**		
	(1)	(2)	(3)	(4)	(5)	(6)
Any Pension	0.053***	0.044***	0.049***	0.044***	0.042***	0.046***
	(0.010)	(0.009)	(0.009)	(0.011)	(0.011)	(0.011)
R^2	0.003	0.116	0.124	0.001	0.093	0.102
Old Age Pension	0.038***	0.031***	0.041***	0.033***	0.036***	0.045***
	(0.010)	(0.009)	(0.009)	(0.012)	(0.011)	(0.011)
R^2	0.001	0.115	0.124	0.001	0.092	0.101
Widow Pension	0.056***	0.042***	0.031**	0.112***	0.080***	0.051**
	(0.014)	(0.013)	(0.014)	(0.025)	(0.024)	(0.026)
R^2	0.001	0.115	0.123	0.001	0.092	0.100
Annapurna Pension	-0.015	-0.005	-0.003	-0.051	-0.062	-0.054
	(0.040)	(0.036)	(0.037)	(0.047)	(0.043)	(0.042)
R^2	0.000	0.115	0.122	0.000	0.092	0.100
N	16,617	16,617	16,079	14,126	14,126	13,637
$Mean\ of\ Dep.\ Variable$	0.544	0.544	0.545	0.574	0.574	0.574
State FE	No	Yes	Yes	No	Yes	Yes
Additional Controls	No	No	Yes	No	No	Yes

Note: The sample consists of individuals aged 60-100 years at the time of the survey. Old Age Pension, Widow Pension, and Annapurna Pension are separate indicators for receipt of the respective pension benefits. Any Pension is an indicator equal to one if the respondent receives at least one of the Old Age, Widow, or Annapurna pensions. Outpatient healthcare utilization is an indicator equal to one if the respondent consulted a healthcare provider (doctors, AYUSH practitioners, dentists, nurses, and traditional healers) during the last 12 months. Additional Controls are the same as in the main tables, excluding the variable used to split the sample. Standard errors clustered at PSU level are in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Source: Authors' calculations from LASI

Table 11: Outpatient Healthcare Utilization and Pension: Heterogeneity by Age

	Outpatient Healthcare Utilization					
	Age $\leq$ 75			**Age $>$ 75**		
	(1)	(2)	(3)	(4)	(5)	(6)
Any Pension	0.054***	0.043***	0.051***	-0.001	0.013	0.034**
	(0.008)	(0.008)	(0.008)	(0.015)	(0.014)	(0.014)
R^2	0.002	0.103	0.113	0.000	0.111	0.121
Old Age Pension	0.044***	0.034***	0.049***	-0.008	0.011	0.026*
	(0.009)	(0.008)	(0.008)	(0.015)	(0.014)	(0.015)
R^2	0.001	0.102	0.112	0.000	0.111	0.120
Widow Pension	0.069***	0.049***	0.029**	0.016	0.003	0.026
	(0.014)	(0.013)	(0.014)	(0.028)	(0.027)	(0.028)
R^2	0.001	0.102	0.111	0.000	0.111	0.120
Annapurna Pension	-0.039	-0.035	-0.025	0.013	-0.002	-0.007
	(0.037)	(0.032)	(0.032)	(0.076)	(0.078)	(0.077)
R^2	0.000	0.101	0.111	0.000	0.111	0.120
N	25,388	25,388	24,545	5,355	5,355	5,171
$Mean\ of\ Dep.\ Variable$	0.560	0.560	0.561	0.545	0.545	0.546
State FE	No	Yes	Yes	No	Yes	Yes
Additional Controls	No	No	Yes	No	No	Yes

Note: The sample consists of individuals aged 60-100 years at the time of the survey. Old Age Pension, Widow Pension, and Annapurna Pension are separate indicators for receipt of the respective pension benefits. Any Pension is an indicator equal to one if the respondent receives at least one of the Old Age, Widow, or Annapurna pensions. Outpatient healthcare utilization is an indicator equal to one if the respondent consulted a healthcare provider (doctors, AYUSH practitioners, dentists, nurses, and traditional healers) during the last 12 months. Additional Controls are the same as in the main tables, excluding the variable used to split the sample. Standard errors clustered at PSU level are in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Source: Authors' calculations from LASI

Table 12: Outpatient Healthcare Utilization and Pension: Heterogeneity by Gender

	Outpatient Healthcare Utilization					
	Male			**Female**		
	(1)	(2)	(3)	(4)	(5)	(6)
Any Pension	0.040***	0.034***	0.045***	0.037***	0.030***	0.048***
	(0.010)	(0.010)	(0.010)	(0.009)	(0.009)	(0.009)
R^2	0.001	0.100	0.108	0.001	0.109	0.119
Old Age Pension	0.041***	0.035***	0.046***	0.024**	0.024**	0.038***
	(0.011)	(0.010)	(0.010)	(0.010)	(0.009)	(0.010)
R^2	0.001	0.100	0.108	0.000	0.109	0.118
Widow Pension	–	–	–	0.043***	0.025**	0.034***
				(0.013)	(0.012)	(0.013)
R^2	–	–	–	0.001	0.108	0.117
Annapurna Pension	-0.010	-0.022	-0.017	-0.050	-0.036	-0.027
	(0.043)	(0.038)	(0.039)	(0.041)	(0.038)	(0.038)
R^2	0.000	0.099	0.107	0.000	0.108	0.117
N	14,739	14,739	14,290	16,004	16,004	15,426
$Mean\ of\ Dep.\ Variable$	0.539	0.539	0.539	0.575	0.575	0.575
State FE	No	Yes	Yes	No	Yes	Yes
Additional Controls	No	No	Yes	No	No	Yes

Note: The sample consists of individuals aged 60-100 years at the time of the survey. Old Age Pension, Widow Pension, and Annapurna Pension are separate indicators for receipt of the respective pension benefits. Any Pension is an indicator equal to one if the respondent receives at least one of the Old Age, Widow, or Annapurna pensions. Outpatient healthcare utilization is an indicator equal to one if the respondent consulted a healthcare provider (doctors, AYUSH practitioners, dentists, nurses, and traditional healers) during the last 12 months. Additional Controls are the same as in the main tables, excluding the variable used to split the sample. Standard errors clustered at PSU level are in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Source: Authors' calculations from LASI

5.1 OPD visits by facility type

Table 13: Number of OPD Visits and Pension: Heterogeneity by Facility Type

	Number of OPD Visits								
	Public			**Private**			**Both**		
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Any Pension	-0.040	-0.178	-0.017	0.165	0.179*	0.217*	-0.175	-0.025	0.074
	(0.146)	(0.143)	(0.156)	(0.117)	(0.105)	(0.112)	(0.227)	(0.220)	(0.242)
R^2	0.000	0.106	0.118	0.000	0.089	0.100	0.000	0.091	0.101
Old Age Pension	-0.120	-0.261*	-0.109	0.180	0.162	0.215*	-0.141	0.102	0.221
	(0.151)	(0.149)	(0.164)	(0.130)	(0.112)	(0.116)	(0.240)	(0.234)	(0.243)
R^2	0.000	0.107	0.118	0.000	0.088	0.100	0.000	0.091	0.101
Widow Pension	0.078	-0.076	-0.021	0.244	0.243	0.138	0.093	-0.244	-0.290
	(0.275)	(0.268)	(0.295)	(0.208)	(0.205)	(0.213)	(0.377)	(0.363)	(0.411)
R^2	0.000	0.106	0.118	0.000	0.088	0.100	0.000	0.091	0.101
Annapurna Pension	0.403	1.430*	1.487**	-1.314***	-0.672	-0.637	-0.930	0.035	-0.035
	(0.747)	(0.732)	(0.746)	(0.385)	(0.409)	(0.421)	(0.866)	(0.733)	(0.716)
R^2	0.000	0.107	0.120	0.001	0.088	0.100	0.000	0.091	0.101
N	4,204	4,204	4,065	9,832	9,832	9,502	2,707	2,707	2,617
Mean of Dep. Variable	4.306	4.306	4.311	4.724	4.724	4.724	6.470	6.470	6.453
State FE	No	Yes	Yes	No	Yes	Yes	No	Yes	Yes
Additional Controls	No	No	Yes	No	No	Yes	No	No	Yes

Note: The sample consists of individuals aged 60-100 years at the time of the survey. Old Age Pension, Widow Pension, and Annapurna Pension are separate indicators for receipt of the respective pension benefits. Any Pension is an indicator equal to one if the respondent receives at least one of the Old Age, Widow, or Annapurna pensions. Number of OPD visits is the number of outpatient visits to a healthcare provider during the last 12 months. Public, Private, and Both refer to the type of facility visited. The sample is restricted to respondents with at least one outpatient visit. Additional Controls include age, gender, educational attainment, marital status (1 = married, 0 = widowed; other categories are excluded), rural or urban residence, religion, caste category, and monthly per capita consumption expenditure (MPCE) quintile. Standard errors clustered at PSU level are in parentheses.
* p<0.10, ** p<0.05, *** p<0.01
Source: Authors' calculations from LASI

6 Probit (Outpatient)

Table 14: Outpatient Healthcare Utilization and Pension: Probit Estimates

	Outpatient Healthcare Utilization					
	(1)	(2)	(3)	(4)	(5)	(6)
Any Pension	0.106***	0.100***	0.137***			
	(0.020)	(0.019)	(0.020)			
AME	0.042	0.036	0.049			
MEM	0.042	0.038	0.053			
Old Age Pension				0.080***	0.079***	0.123***
				(0.021)	(0.020)	(0.020)
AME				0.031	0.029	0.044
MEM				0.031	0.030	0.048
Pseudo R^2	0.001	0.079	0.087	0.001	0.079	0.086
Widow Pension	0.150***	0.112***	0.093***			
	(0.032)	(0.032)	(0.035)			
AME	0.058	0.040	0.033			
MEM	0.058	0.042	0.036			
Annapurna Pension				-0.078	-0.085	-0.064
				(0.086)	(0.080)	(0.082)
AME				-0.031	-0.031	-0.023
MEM				-0.031	-0.033	-0.025
N	30,743	30,743	29,716	30,743	30,743	29,716
$Mean\ of\ Dep.\ Variable$	0.558	0.558	0.558	0.558	0.558	0.558
Pseudo R^2	0.001	0.078	0.085	0.000	0.078	0.085
State FE	No	Yes	Yes	No	Yes	Yes
Additional Controls	No	No	Yes	No	No	Yes

Note: The sample consists of individuals aged 60-100 years at the time of the survey. Old Age Pension, Widow Pension, and Annapurna Pension are separate indicators for receipt of the respective pension benefits. Any Pension is an indicator equal to one if the respondent receives at least one of the Old Age, Widow, or Annapurna pensions. Outpatient healthcare utilization is an indicator equal to one if the respondent consulted a healthcare provider (doctors, AYUSH practitioners, dentists, nurses, and traditional healers) during the last 12 months. Coefficients are probit estimates, and each comes from a separate regression. AME is the average marginal effect and MEM is the marginal effect at the means, both computed from equivalent models with state fixed effects entered as dummies. Additional Controls include age, gender, educational attainment, marital status (1 = married, 0 = widowed; other categories are excluded), rural or urban residence, religion, caste category, and monthly per capita consumption expenditure (MPCE) quintile. Standard errors clustered at PSU level are in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Source: Authors' calculations from LASI