The Wayback Machine - http://web.archive.org/web/20151225025401/http://wiki.wiremod.com:80/wiki/Gates_Vector

Gates Vector

From Wiremod Wiki

Contents

- 1 Addition
- 2 Angles (Degree or Radian)
- 3 Clamp (numbers)
- 4 Clamp (vectors)
- 5 Component Integral
- 6 Compose
- 7 Cross Product
- 8 D-Latch
- 9 Decompose
- 10 Delta (Vector)
- 11 Demultiplexer
- 12 Division
- 13 Dot Product
- 14 Equal
- 15 Greater Than
- 16 Greater Than or Equal To
- 17 Identity
- 18 Inequal
- 19 Is In World
- 20 Largest
- 21 Latch
- 22 Less Than
- 23 Less Than or Equal To
- 24 Magnitude
- 25 Multiplexer
- 26 Multiplication
- 27 Multiplication (component)
- 28 Negate
- 29 Normalise
- 30 Positive
- 31 Random
- 32 Rotate
- 33 Round
- 34 Select
- 35 Decompose
- 36 Shift Components Right
- 37 Smallest
- 38 Subtraction
- 39 To String

Addition

Inputs: VAB
Outputs: VOut

Description: Adds 2 vectors together.

Angles (Degree or Radian)

Inputs: 💟 A

Outputs: N Yaw, Pitch

Description: Outputs the direction of the vector as Yaw and Pitch.

Clamp (numbers)

Inputs: V A N Min Max

Outputs: V Out

Description: Clamps each component of the vector between Min and Max.

Clamp (vectors)

Inputs:

A Min Max

Outputs: V Out

Description: Clamps each component of the vector A between the corresponding components of vectors Min and Max.

Component Integral

Description: Accumulates each component of vector A.

Compose

Inputs: NABC
Outputs: VOut

Description: Composes an Vector based on inputs A B and C.

Cross Product

Description: Outputs the cross product of vector A and B. For more information look [here (http://web.archive.org/web/20151225025401/http://en.wikipedia.org/wiki/Cross_product)].

D-Latch

Description: If Clk is 1 then updates the output else it will hold the current output.

Decompose

Inputs: VA
Outputs: NABC

Description: Split a vector in its 3 components.

Delta (Vector)

Inputs: ☑ A
Outputs: ☑ Out

Description: Outputs the change of value of vector A.

Demultiplexer

Inputs: V In N Select
Outputs: V A B C D E F G H

Description: Outputs In to the selected output.

Division

Description: Output vector A divided by vector B.

Dot Product

Description: Output the dot product of vector A and B. For more information look [[1] (http://web.archive.org/web/20151225025401/http://

en.wikipedia.org/wiki/Dot_product)].

Equal

Inputs: VAB
Outputs: NOut

Description: Outputs 1 when the magnitude vector A and B are equal else outputs 0.

Greater Than

Inputs:	▼ A B
Outputs:	N Out
Description:	Outputs 1 when the magnitude of vector A is greater than the magnitude of vector B else outputs 0.

Greater Than or Equal To

Identity

Inputs:	☑ A
Outputs:	N Out
Description:	Outputs A. Useful for organizing your wiring

Inequal

Inputs:	☑ A B
Outputs:	N Out
Description:	Outputs 1 when the magnitude of vector A and B are not equal else outputs 0.

Is In World

Inputs:	☑ In
Outputs:	N Out
Description:	Outputs 1 when vector A is in the world else outputs 0.

Largest

Latch

Less Than

Less Than or Equal To

Magnitude

Multiplexer

ABCDEFGH Select **Inputs:**

Outputs: Out

Description: Outputs the selected vector.

Multiplication

Outputs:

V A B Inputs: **Out**

Description: Outputs the multiplication of vector A and B.

Multiplication (component)

Inputs: V A B

Outputs: Out

Description: Outputs the multiplication of the individual components vector A and B.

Negate

In **Inputs: Out Outputs:**

Description: Outputs the negated vector.

Normalise

In Inputs: **Outputs: Out**

Description: Outputs the normalized vector, which is a vector in the same direction with a magnitude of 1. Also called a unit vector.

Positive

Description: Outputs the absolute vector.

Random

Inputs: None
Outputs:

Outputs:

Description: Outputs a normalized vector in a random direction.

Rotate

Description: Outputs vector A rotate by angle B

Round

Inputs: ☑ in
Outputs: ☑ Out

Description: Outputs the vector rounded to the nearest integers

Select

Inputs:	V ABCDEFGHN Select
Outputs:	☑ Out
Description:	Outputs the selected vector.

Decompose

Inputs: ☑ in
Outputs: ☑ Out

Description: Outputs the vector with the components shifted left; X=Y, Y=Z and Z=X.

Shift Components Right

Inputs:	☑ in
Outputs:	☑ Out
Description:	Outputs the vector with the components shifted right; X=Z, Y=X and Z=Y.

Smallest

Subtraction

Inputs:	☑ A B
Outputs:	☑ Out
Description:	Outputs the vector B subtracted from vector A.

To String

Inputs: V A
Outputs: S Out
Description: Outputs the vector as a string; "[X,Y,Z]"

Retrieved from "http://wiki.wiremod.com/w/index.php?title=Gates_Vector&oldid=470"

- This page was last modified on 9 January 2012, at 16:42.
- This page has been accessed 6,465 times.
- Content is available under GNU Free Documentation License 1.3 or later.