

# Vulnerability Report

**Target:** https://parocyber.com  
**Summary score:** 96  
**Generated at:** 2025-09-19T11:29:50.703511Z

## https://parocyber.com/ (score: 10)

### Findings

**Missing Header** — CSP helps prevent XSS and data injection.  
Severity: Medium

**Missing Header** — HSTS forces browsers to use HTTPS.  
Severity: Medium

**Missing Header** — Prevents clickjacking.  
Severity: Low

**Missing Header** — Stops content sniffing (nosniff).  
Severity: Low

**Missing Header** — Controls what referrer data is sent.  
Severity: Low

**Missing Header** — Limits browser features.  
Severity: Low

**XSS hint** —  
Severity: Medium

### SSL/TLS

```
{'hostname': 'parocyber.com', 'port': 443, 'cipher': ('TLS_AES_256_GCM_SHA384', 'TLSv1.3', 256), 'cert': {}}
```

### Shodan (if any)

None

## https://parocyber.com/services (score: 10)

### Findings

**Missing Header** — CSP helps prevent XSS and data injection.  
Severity: Medium

**Missing Header** — HSTS forces browsers to use HTTPS.  
Severity: Medium

**Missing Header** — Prevents clickjacking.  
Severity: Low

**Missing Header** — Stops content sniffing (nosniff).  
Severity: Low

**Missing Header** — Controls what referrer data is sent.  
Severity: Low

**Missing Header** — Limits browser features.  
Severity: Low

**XSS hint** —  
Severity: Medium

## SSL/TLS

```
{'hostname': 'parocyber.com', 'port': 443, 'cipher': ('TLS_AES_256_GCM_SHA384', 'TLSv1.3', 256), 'cert': {}}
```

## Shodan (if any)

None

## https://parocyber.com/blog-home-3-col (score: 8)

### Findings

**Missing Header** — CSP helps prevent XSS and data injection.  
Severity: Medium

**Missing Header** — HSTS forces browsers to use HTTPS.  
Severity: Medium

**Missing Header** — Prevents clickjacking.  
Severity: Low

**Missing Header** — Stops content sniffing (nosniff).  
Severity: Low

**Missing Header** — Controls what referrer data is sent.  
Severity: Low

**Missing Header** — Limits browser features.  
Severity: Low

## SSL/TLS

```
{'hostname': 'parocyber.com', 'port': 443, 'cipher': ('TLS_AES_256_GCM_SHA384', 'TLSv1.3', 256), 'cert': {}}
```

## Shodan (if any)

None

## https://parocyber.com/service-single-CybConsult (score: 10)

### Findings

**Missing Header** — CSP helps prevent XSS and data injection.  
Severity: Medium

**Missing Header** — HSTS forces browsers to use HTTPS.  
Severity: Medium

**Missing Header** — Prevents clickjacking.  
Severity: Low

**Missing Header** — Stops content sniffing (nosniff).  
Severity: Low

**Missing Header** — Controls what referrer data is sent.

Severity: Low

**Missing Header** — Limits browser features.

Severity: Low

**XSS hint** —

Severity: Medium

## SSL/TLS

```
{'hostname': 'parocyber.com', 'port': 443, 'cipher': ('TLS_AES_256_GCM_SHA384', 'TLSv1.3', 256), 'cert': {}}
```

## Shodan (if any)

None

## mailto:support@parocyber.com (score: 8)

### Findings

**Missing Header** — CSP helps prevent XSS and data injection.

Severity: Medium

**Missing Header** — HSTS forces browsers to use HTTPS.

Severity: Medium

**Missing Header** — Prevents clickjacking.

Severity: Low

**Missing Header** — Stops content sniffing (nosniff).

Severity: Low

**Missing Header** — Controls what referrer data is sent.

Severity: Low

**Missing Header** — Limits browser features.

Severity: Low

## SSL/TLS

```
{}
```

## Shodan (if any)

None

## https://parocyber.com/contact-us (score: 10)

### Findings

**Missing Header** — CSP helps prevent XSS and data injection.

Severity: Medium

**Missing Header** — HSTS forces browsers to use HTTPS.

Severity: Medium

**Missing Header** — Prevents clickjacking.

Severity: Low

**Missing Header** — Stops content sniffing (nosniff).

Severity: Low

**Missing Header** — Controls what referrer data is sent.  
Severity: Low

**Missing Header** — Limits browser features.  
Severity: Low

**XSS hint** —  
Severity: Medium

## SSL/TLS

```
{'hostname': 'parocyber.com', 'port': 443, 'cipher': ('TLS_AES_256_GCM_SHA384', 'TLSv1.3', 256), 'cert': {}}
```

## Shodan (if any)

None

## https://parocyber.com/service-single-Training (score: 10)

### Findings

**Missing Header** — CSP helps prevent XSS and data injection.  
Severity: Medium

**Missing Header** — HSTS forces browsers to use HTTPS.  
Severity: Medium

**Missing Header** — Prevents clickjacking.  
Severity: Low

**Missing Header** — Stops content sniffing (nosniff).  
Severity: Low

**Missing Header** — Controls what referrer data is sent.  
Severity: Low

**Missing Header** — Limits browser features.  
Severity: Low

**XSS hint** —  
Severity: Medium

## SSL/TLS

```
{'hostname': 'parocyber.com', 'port': 443, 'cipher': ('TLS_AES_256_GCM_SHA384', 'TLSv1.3', 256), 'cert': {}}
```

## Shodan (if any)

None

## https://parocyber.com/index (score: 10)

### Findings

**Missing Header** — CSP helps prevent XSS and data injection.  
Severity: Medium

**Missing Header** — HSTS forces browsers to use HTTPS.  
Severity: Medium

**Missing Header** — Prevents clickjacking.  
Severity: Low

**Missing Header** — Stops content sniffing (nosniff).  
Severity: Low

**Missing Header** — Controls what referrer data is sent.  
Severity: Low

**Missing Header** — Limits browser features.  
Severity: Low

**XSS hint** —  
Severity: Medium

## SSL/TLS

```
{'hostname': 'parocyber.com', 'port': 443, 'cipher': ('TLS_AES_256_GCM_SHA384', 'TLSv1.3', 256), 'cert': {}}
```

## Shodan (if any)

None

## https://parocyber.com/service-single-SecSoftware (score: 10)

### Findings

**Missing Header** — CSP helps prevent XSS and data injection.  
Severity: Medium

**Missing Header** — HSTS forces browsers to use HTTPS.  
Severity: Medium

**Missing Header** — Prevents clickjacking.  
Severity: Low

**Missing Header** — Stops content sniffing (nosniff).  
Severity: Low

**Missing Header** — Controls what referrer data is sent.  
Severity: Low

**Missing Header** — Limits browser features.  
Severity: Low

**XSS hint** —  
Severity: Medium

## SSL/TLS

```
{'hostname': 'parocyber.com', 'port': 443, 'cipher': ('TLS_AES_256_GCM_SHA384', 'TLSv1.3', 256), 'cert': {}}
```

## Shodan (if any)

None

## https://parocyber.com/about-us (score: 10)

### Findings

**Missing Header** — CSP helps prevent XSS and data injection.  
Severity: Medium

**Missing Header** — HSTS forces browsers to use HTTPS.  
Severity: Medium

**Missing Header** — Prevents clickjacking.  
Severity: Low

**Missing Header** — Stops content sniffing (nosniff).  
Severity: Low

**Missing Header** — Controls what referrer data is sent.  
Severity: Low

**Missing Header** — Limits browser features.  
Severity: Low

**XSS hint** —  
Severity: Medium

## SSL/TLS

```
{'hostname': 'parocyber.com', 'port': 443, 'cipher': ('TLS_AES_256_GCM_SHA384', 'TLSv1.3', 256), 'cert': {}}
```

## Shodan (if any)

None

---