

Amazon Redshift

- Redshift Serverless
- Provisioned clusters dashboard
- ▼ Clusters
 - Reserved nodes
 - Snapshots
- Query editor
- Query editor v2
- Query and database monitoring
- Datashares
- ▼ Integrations
 - Zero-ETL integrations
 - S3 event integrations

Amazon Redshift > Clusters > sales-cluster

sales-cluster

Actions Edit Add partner integration Query data

General information Info

Cluster identifier sales-cluster	Status Available	Node type ra3.large	Endpoint sales-cluster.clpf2jdt2rci.us-east-1.redshift.amazonaws.com:5439/dev
Custom domain name -	Date created November 10, 2025, 09:58 IST	Number of nodes 1	JDBC URL jdbc:redshift://sales-cluster.clpf2jdt2rci.us-east-1.redshift.amazonaws.com:5439/dev
Cluster namespace ARN arn:aws:redshift:us-east-1:567329923344:namespace:70ca5fae-cb6e-4a84-8b1f-1d1588c979fc	Multi-AZ No	Patch version Patch 194	ODBC URL Driver={Amazon Redshift (x64)}; Server=sales-cluster.clpf2jdt2rci.us-east-1.redshift.amazonaws.com; Database=dev
AWS Glue Data Catalog registration status Deregistered	Cluster configuration Production	Total used storage 0 bytes of 976.6 GB used (0.00%)	

Cluster details Query monitoring Databases Datashares Integrations Resource Policy Schedules Maintenance Properties

Amazon Redshift

Redshift Serverless

Provisioned clusters dashboard

Clusters

- Reserved nodes
- Snapshots

Query editor

Query editor v2

Query and database monitoring

Datashares

Integrations

- Zero-ETL integrations
- S3 event integrations

Amazon Redshift > Query editor

Editor Query history Saved queries Scheduled queries

Status **Connected** database dev user admin Change connection

Query 1

```
1 CREATE DATABASE sales_dw;
2 CREATE TABLE public.fact_sales (
3     sales_id INT NOT NULL,
4     store_id INT NOT NULL,
5     product_id INT NOT NULL,
6     quantity INT NOT NULL,
7     unit_price DECIMAL(10,2),
8     sale_timestamp TIMESTAMP,
9     channel VARCHAR(20)
10 )
11 DISTKEY(store_id)
12 SORTKEY(sale_timestamp);
13
```

Run Save Schedule Clear

Send feedback

Query results Table details

Query 3229

Execution Data Visualize

Amazon Redshift

Redshift Serverless

Provisioned clusters dashboard

Clusters

- Reserved nodes
- Snapshots

Query editor

Query editor v2

Query and database monitoring [New](#)

Datashares

Integrations

- Zero-ETL integrations
- S3 event integrations [New](#)

IAM Identity Center

Amazon Redshift > Query editor

Editor Query history Saved queries Scheduled queries

Status Connected database dev user admin [Change connection](#)

Query 1

```
10 )
11 DISTKEY(store_id)
12 SORTKEY(sale_timestamp);
13
14 COPY public.fact_sales
15 FROM 's3://student-data-lake-34/redshift-data/redshift_sales_data.csv'
16 IAM_ROLE 'arn:aws:iam::567329923344:role/RedshiftS3AccessRole'
17 FORMAT AS CSV
18 IGNOREHEADER 1
19 DELIMITER ',';
20
```

[Run](#) [Save](#) [Schedule](#) [Clear](#) [Send feedback](#)

Query results Table details

Query 3229 [Execution](#) [Data](#) [Visualize](#)