



# Part 6 Final Submission

## CRYPTOGEAR

TEAM MEMBERS

JOSE CANIZARES


RAYMOND DUNCAN

SAYED SARDER

ANH-KHOA THAN

# TRELLO

- ▶ LINK: <https://trello.com/b/pylsuMqk/cryptogear>



# LINK TO OUR GITHUB REPOSITORY

- ▶ <https://github.com/R1413/CryptoGear>
- ▶ LINK TO OUR README: <https://github.com/R1413/CryptoGear/blob/master/Android/README.md>






# SCREENSHOTS OF RAYMOND DUNCAN'S CONTRIBUTION



This screenshot shows a GitHub pull request titled "Finished the friend search algorithm". The description explains that the friend search algorithm was completed, but it couldn't be tested beforehand. It mentions that there are a few changes that need to be made before it will fix the code as already written. For example, there is a threshold variable within the findFriends function which controls the allowed percent similarity of the matched users. The query within the function will also be changed to query the correct table.

The pull request is by user #1419, committed 13 hours ago. It shows 1 changed file with 40 additions and 9 deletions.

```
1 // ...
2 // ...
3 // ...
4 // ...
5 // ...
6 // ...
7 // ...
8 // ...
9 // ...
10 // ...
11 // ...
12 // ...
13 // ...
14 // ...
15 // ...
16 // ...
17 // ...
18 // ...
19 // ...
20 // ...
21 // ...
22 // ...
23 // ...
24 // ...
25 // ...
26 // ...
27 // ...
28 // ...
29 // ...
30 // ...
31 // ...
32 // ...
33 // ...
34 // ...
35 // ...
36 // ...
37 // ...
38 // ...
39 // ...
40 // ...
41 // ...
42 // ...
43 // ...
44 // ...
45 // ...
46 // ...
47 // ...
48 // ...
49 // ...
50 // ...
51 // ...
52 // ...
53 // ...
54 // ...
55 // ...
56 // ...
57 // ...
58 // ...
59 // ...
60 // ...
61 // ...
62 // ...
63 // ...
64 // ...
65 // ...
66 // ...
67 // ...
68 // ...
69 // ...
70 // ...
71 // ...
72 // ...
73 // ...
74 // ...
75 // ...
76 // ...
77 // ...
78 // ...
79 // ...
80 // ...
81 // ...
82 // ...
83 // ...
84 // ...
85 // ...
86 // ...
87 // ...
88 // ...
89 // ...
90 // ...
91 // ...
92 // ...
93 // ...
94 // ...
95 // ...
96 // ...
97 // ...
98 // ...
99 // ...
100 // ...
```




This screenshot shows the code changes in the pull request. The code is written in JavaScript and is part of a function named findFriends. It includes comments and code for finding friends based on a threshold percentage and performing a sorting algorithm.

```
1 // ...
2 // ...
3 // ...
4 // ...
5 // ...
6 // ...
7 // ...
8 // ...
9 // ...
10 // ...
11 // ...
12 // ...
13 // ...
14 // ...
15 // ...
16 // ...
17 // ...
18 // ...
19 // ...
20 // ...
21 // ...
22 // ...
23 // ...
24 // ...
25 // ...
26 // ...
27 // ...
28 // ...
29 // ...
30 // ...
31 // ...
32 // ...
33 // ...
34 // ...
35 // ...
36 // ...
37 // ...
38 // ...
39 // ...
40 // ...
41 // ...
42 // ...
43 // ...
44 // ...
45 // ...
46 // ...
47 // ...
48 // ...
49 // ...
50 // ...
51 // ...
52 // ...
53 // ...
54 // ...
55 // ...
56 // ...
57 // ...
58 // ...
59 // ...
60 // ...
61 // ...
62 // ...
63 // ...
64 // ...
65 // ...
66 // ...
67 // ...
68 // ...
69 // ...
70 // ...
71 // ...
72 // ...
73 // ...
74 // ...
75 // ...
76 // ...
77 // ...
78 // ...
79 // ...
80 // ...
81 // ...
82 // ...
83 // ...
84 // ...
85 // ...
86 // ...
87 // ...
88 // ...
89 // ...
90 // ...
91 // ...
92 // ...
93 // ...
94 // ...
95 // ...
96 // ...
97 // ...
98 // ...
99 // ...
100 // ...
```




# SCREENSHOTS OF SAYED SARDER'S CONTRIBUTION



This screenshot shows the GitHub interface for the repository R1413/CryptoGear. The file path is `loadingSpinner/style.css`. A commit by user `abrar008` is displayed, titled "added loading spinner for website", dated "before 7 25 minutes ago". The commit message lists "1 contributor". The code viewer shows the following CSS content:

```
1 @keyframes loadingSpinner {
2   0% {
3     width: 50%;
4     height: 50%;
5     border: 1px solid #f0f0f0;
6     border-top-color: #f0f0f0;
7     border-radius: 50%;
8     position: relative;
9     left: 50%;
10    right: 50%;
11    top: 50%;
12    bottom: 50%;
13    margin: auto;
14    animation: rotate 1s linear infinite;
15  }
16  @keyframes rotate {
17    0% {transform: rotate(0deg);}
18    100% {transform: rotate(360deg);}
19  }
```



This screenshot shows the GitHub interface for the repository R1413/CryptoGear. The file path is `loadingSpinner/index.html`. A commit by user `abrar008` is displayed, titled "added loading spinner for website", dated "before 7 25 minutes ago". The commit message lists "1 contributor". The code viewer shows the following HTML content:

```
1 <DOCTYPE html>
2 <html>
3   <head>
4     <title>CryptoGear</title>
5     <link href="https://github.com/R1413/CryptoGear/blob/master/loadingSpinner/index.html" rel="stylesheet" type="text/css" />
6     <script src="https://code.jquery.com/jquery-3.2.1.min.js"></script>
7   </head>
8   <body>
9     <div class="loadingSpinner"></div>
10  </body>
11 </html>
```



# DEPLOYMENT ENVIRONMENT

- ▶ WE USED JUMPLINE WEB HOSTING TO HOST OUR WEBSITE
- ▶ <http://jumpline.com/>



# LINK TO OUR FINAL WEBSITE

▶ <http://crypto.vivoapplications.com/>