Power BI CICD, 1 Year Later

Riccardo Perico

Business Intelligence Architect

Lucient Italia





Sponsors













About me

















+10 years in Microsoft "Data Realm"

Giving my little contribution to the community



riccardo.perico@lucient.it



in linkedin.com/in/riccardo-perico



medium.com/riccardo-perico







DATA Who was here last year?














What did we say?



















Developer options as of last year

- Microsoft: Power BI Desktop Developer Mode
- Microsoft+3rd party: Tabular Model Definition Language + External Tools












Topic	PBIP	TMDL + Ext. Tools	Result
Source Control for dataset	Single .bim file in TMLS	Folders/Files in TMDL	2
Source Control for report	1-line undocumented format	Undocumented folders/files format	2
PBI Desktop -> Files Files -> PBI Desktop	Pretty automatic	Manual process	1
Two face edit for dataset	Low Complexity	Low Complexity	1
Two face edit for report (unsupported)	Quite Impossible	Low Complexity	2
Power Query change	Hard Complexity	Low Complexity	2
Workspace git integration – support	Yes (*)	No	1
Workspace git integration – changes capture Git -> wrksp	Yes (*)	N/A	1
Workspace git integration – changes capture Wkrsp -> Git	Yes (*)	N/A	1
Folders/files structure Models/Reports support	Yes	Yes	X
Workspace git integration - Models/Reports structure support	No (*)	N/A	X
Workspace git integration – live connected reports support	Yes (*)	N/A	1
Publish from PBI Desktop	Yes	Yes	x
Data while working in PBI Desktop	Yes	Need to rehydrate .pbit	1
Data while in PBI Service	Git integration -> After refresh setup (*) Manual publish -> Yes	Yes	2

(*)



What about now?





AdventureWorks.SemanticModel



AdventureWorks.pbip

PBIP all the way







PBIP with steroids

- TMDL native support
- Easy versioning for reporting (PBIR)
- Better Git integration in Fabric











Торіс	PBIP	TMDL + Ext. Tools	Result
Source Control for dataset	Folders/Files in TMDL	Folders/Files in TMDL	<mark>X</mark>
Source Control for report	Documented PBIR format (folders/files)	Undocumented folders/files format	<u>1</u>
PBI Desktop -> Files Files -> PBI Desktop	Pretty automatic	Manual process	1
Two face edit for dataset	Low Complexity	Low Complexity	X
Two face edit for report (unsupported)	Low Complexity	Low Complexity	<mark>x</mark>
Power Query change	Low Complexity	Low Complexity	×
Workspace git integration – support	Yes (*)	No	1
Workspace git integration – changes capture Git -> wrksp	Yes (*)	N/A	1
Workspace git integration – changes capture Wkrsp -> Git	Yes (*)	N/A	1
Folders/files structure Models/Reports support	Yes	Yes	X
Workspace git integration - Models/Reports structure support	No (*)	N/A	X
Workspace git integration – live connected reports support	Yes (*)	N/A	1
Publish from PBI Desktop	Yes	Yes	x
Data while working in PBI Desktop	Yes	Need to rehydrate .pbit	1
Data while in PBI Service	Git integration -> After refresh setup (*) Manual publish -> Yes	Yes	<mark>X</mark>

(*)




Demo



Semantic model in TMDL





```
"sourceQuaryCulture": "en-US",
"tables": [
    "name": "Channel",
    annotations : [
        "name": "ColumnsMetadata",
        "value": "{\"Columns\":[{\"Name\":\"Channel\
        "name": "PBI ResultType",
        "value": "Table"
```

```
"compatibilityLevel": 1550,
                                                                                                   "name" "Channel",
"model": {
                                                                                                   "annotations": [
 "annotations": [
                                                                                                       "name": "SummarizationSetBy",
     "name": "__PBI_TimeIntelligenceEnabled",
                                                                                                       "value": "Automatic"
     "value": "1"
                                                                                                   "dataType": "int64",
     "name": "PBIDesktopVersion",
                                                                                                   "formatString": "0",
     "value": "2.123.742.0 (23.11)"
                                                                                                   "isHidden": true,
                                                                                                   "lineageTag": "8cb0c47f-bda0-47c5-8d4f-35b1a1a1acfc",
     "name": "PBI_QueryOrder",
                                                                                                   "sourceColumn": "Channel",
     "value": "[\"Channel\",\"Sales\",\"Stores\",\"Promotion\",\"Pro
                                                                                                   "summarizeBy": "none"
     "name": "PBI ProTooling",
                                                                                                    "name": "ChannelName",
     "value": "[\"DevMode\"]"
                                                                                                   "annotacions : [
                                                                                                       "name": "SummarizationSetBy",
 "culture": "en-US",
 "cultures": [
                                                                                                       "value": "Automatic"
     "name": "en-US",
     "linguisticMetadata": {
                                                                                                   "dataType": "string",
       "content": {
                                                                                                   "lineageTag": "bfa7d98d-f9c0-4aa6-80c0-937003093555",
         "DynamicImprovement": "HighConfidence",
                                                                                                   "sourceColumn": "ChannelName",
         "Language": "en-US",
                                                                                                   "summarizeBy": "none"
         "Version": "1.0.0"
       "contentType": "json"
                                                                                        "measures": [
 "dataAccessOptions": {
                                                                                           "name": "Sales",
   "legacyRedirects": true,
                                                                                           "annotations": [
   "returnErrorValuesAsNull": true
                                                                                              "name": "PBI FormatHint",
 "defaultDowerRIDataSourceVersion": "powerBI_V3",
 "relationships": [
                                                                                          "expression": "sum(Sales[SalesAmount])",
     "name": "4f81913b-9717-434b-944d-0fe871897062",
                                                                                          "crossFilteringBehavior": "bothDirections",
     "fromColumn": "PromotionKey",
     "fromTable": "Sales",
     "toColumn": "PromotionKey",
     "toTable": "Promotion"
                                         Source = Access.Database(File.Contents(\"C:\\Users\\owend\\Documents\\ContosoSalesV31_64bit.accdb\")),",
                                          _FactSales = Source{[Schema=\"\",Item=\"FactSales\"]}[Data],",
     "name": "d219834a-6b75-4cb0-
     "crossFilteringBehavior": "t
                                          #\"Removed Columns\" = Table.RemoveColumns(_FactSales,{\"CurrencyKey\", \"ETLLoadID\", \"LoadDate\", \"UpdateDate\"})",
     "fromColumn": "GeographyKey"
     "fromTable": "Stores",
                                         #\"Removed Columns\""
     "toColumn": "GeographyKey",
                                   "type": "m"
     "toTable": "Geography"
```

"columns": [









```
ox Returns Sample vzo 1912. Semanuciviodel 🗸 delinition 🗸 😑 model. tindi

✓ WPC

                                                                      model Model
 Sales & Returns Sample v201912.Report
                                                                          culture: en-US
 ∨ Sales & Returns Sample v201912.SemanticModel
                                                                          defaultPowerBIDataSourceVersion: powerBI V3
  > .pbi
                                                                          sourceQueryCulture: es-MX
  definition
                                                                          dataAccessOptions
                                                                              legacyRedirects
    > cultures
                                                                              returnErrorValuesAsNull
   tables
     annotation PBI TimeIntelligenceEnabled = 1

    Age.tmdl

    ■ Analysis DAX.tmdl

                                                                      annotation PBIDesktopVersion = 2.138.782.0 (24.11)
    Associated Product.tmdl
     Association.tmdl
                                                                      annotation PBI QueryOrder = ["Association", "Sales", "Store", "Calendar", "Associate
    annotation PBI ProTooling = ["DevMode"]

    □ Customer.tmdl

    ■ DateTableTemplate_81b13e4d-a259-4d50-a0e1-...
                                                                      ref table Association
     Design DAX.tmdl
                                                                      ref table DateTableTemplate 81b13e4d-a259-4d50-a0e1-7a39807f5f63

    ■ Details.tmdl

                                                                      ref table Sales
    Issues and Promotions.tmdl
                                                                      ref table Store
    LocalDateTable_d9fbe243-4814-4038-8eec-593e...
                                                                      ref table Calendar
                                                                      ref table LocalDateTable d9fbe243-4814-4038-8eec-593e864a563b
    = Product.tmdl
                                                                      ref table 'Associated Product'
    ref table 'Analysis DAX'
    ref table Product
    ref table 'Design DAX'
    ref table '% Return Rate'
    ref table Customer
                                                                      ref table 'Issues and Promotions'
     database.tmdl
                                                                      ref table Age
     model.tmdl
                                                                      ref table STable

    ≡ relationships.tmdl

                                                                      ref table 'Tooltip Info'
  .platform
                                                                      ref table 'Tooltip Info2'

    ■ definition.pbism

                                                                      ref table Details
  {} diagramLayout.json
                                                                      ref cultureInfo en-US
 .gitignore
  Sales & Returns Sample v201912 phin
```

table Customer

lineageTag: a5974167-47c2-4f10-851b-a9b36245bddd

column ID

dataType: int64
formatString: 0

lineageTag: 3b7be8e0-e042-4490-b32e-65973b81ec20

summarizeBy: none
sourceColumn: ID

annotation SummarizationSetBy = Automatic

column Unit

dataType: int64
formatString: 0

lineageTag: 46ab0a74-2701-4599-a92a-8bda599ad70b

summarizeBy: sum
sourceColumn: Unit

annotation SummarizationSetBy = Automatic

column Gender

dataType: string

lineageTag: e5478605-21a7-493d-ac01-0becf9263db3

summarizeBy: none
sourceColumn: Gender

annotation SummarizationSetBy = Automatic

column Amount

dataType: int64

formatString: \\$#,0;-\\$#,0;\\$#,0

lineageTag: 0f3e8104-04cc-4713-b482-7a1f94571269

summarizeBy: sum
sourceColumn: Amount

annotation SummarizationSetBy = Automatic

annotation PBI_FormatHint = {"currencyCulture":"en-CA"}





```
partition Customer-7e8cffbe-9644-4d2a-9653-8804b02c15eb = m
    mode: import
   source =
                Source = Excel.Workbook(File.Contents("C:\Users\mimyersm\Desktop\Sales & Marketing Datas.xlsx"), null, true),
                Data_Sheet = Source{[Item="Data",Kind="Sheet"]}[Data],
                #"Promoted Headers" = Table.PromoteHeaders(Data_Sheet, [PromoteAllScalars=true]),
                #"Changed Type" = Table.TransformColumnTypes(#"Promoted Headers",{{"ID", Int64.Type}, {"ProductID", Int64.Type}, {"StoreID", Int64.Type}, {"Unit", Int64.
                #"Removed Columns" = Table.RemoveColumns(#"Changed Type",{"Status"}),
                #"Merged Queries" = Table.NestedJoin(#"Removed Columns", {"ProductID"}, Product, {"ProductID"}, "Product", JoinKind.LeftOuter),
                #"Expanded Product" = Table.ExpandTableColumn(#"Merged Queries", "Product", {"Product", "Category", "Segment", "Price", "Price Range"}, {"Product.1", "(
                #"Renamed Columns" = Table.RenameColumns(#"Expanded Product", {{"Product.1", "Product"}}),
                #"Removed Columns1" = Table.RemoveColumns(#"Renamed Columns",{"ProductID"}),
                #"Replaced Value" = Table.ReplaceValue(#"Removed Columns1", "M", "Male", Replacer.ReplaceText, {"Gender"}),
                #"Replaced Value1" = Table.ReplaceValue(#"Replaced Value","F","Female",Replacer.ReplaceText,{"Gender"}),
                #"Merged Queries1" = Table.NestedJoin(#"Replaced Value1", {"StoreID"}, Store, {"StoreID"}, "Store", JoinKind.LeftOuter),
                #"Expanded Store" = Table.ExpandTableColumn(#"Merged Queries1", "Store", {"Store", "Type"}, {"Store.1", "Type"}),
                #"Renamed Columns1" = Table.RenameColumns(#"Expanded Store",{{"Store.1", "Store"}}),
                #"Merged Queries2" = Table.NestedJoin(#"Renamed Columns1", {"ID"}, #"Issues and Promotions", {"ID"}, "Issues and Promotions", JoinKind.LeftOuter),
                #"Removed Columns2" = Table.RemoveColumns(#"Merged Queries2",{"StoreID"}),
                #"Expanded Issues and Promotions" = Table.ExpandTableColumn(#"Removed Columns2", "Issues and Promotions", {"Issue", "Promotion"}, {"Issue", "Promotion"
                #"Removed Columns3" = Table.RemoveColumns(#"Expanded Issues and Promotions",{"Week"}),
                #"Merged Queries3" = Table.NestedJoin(#"Removed Columns3", {"ID"}, Sales, {"ID"}, "Sales", JoinKind.LeftOuter),
                #"Expanded Sales" = Table.ExpandTableColumn(#"Merged Queries3", "Sales", {"Amount"}), {"Amount"}),
                #"Merged Queries4" = Table.NestedJoin(#"Expanded Sales", {"Age"}, Age, {"Age"}, "Age.1", JoinKind.LeftOuter),
                #"Expanded Age.1" = Table.ExpandTableColumn(#"Merged Queries4", "Age.1", {"Age Bucket"}, {"Age Bucket"}),
                #"Removed Columns4" = Table.RemoveColumns(#"Expanded Age.1",{"Age"}),
                #"Renamed Columns2" = Table.RenameColumns(#"Removed Columns4",{{"Age Bucket", "Age"}}),
                #"Removed Columns5" = Table.RemoveColumns(#"Renamed Columns2",{"Price"})
                #"Removed Columns5"
annotation PBI_QueryRelationships = {"columnCount":13,"keyColumnNames":[],"queryRelationships":[{"keyColumnCount":1,"keyColumn":0,"otherKeyColumnIdentity":"Section1/Iss
annotation PBI_NavigationStepName = Navigation
annotation PBI_ResultType = Exception
```





```
table 'Analysis DAX'
   lineageTag: 445c1cb0-47b0-4e8b-986b-300a640b0447
   measure 'Net Sales' = CALCULATE(SUM(Sales[Amount]), Sales[Status]="Sold")
       formatString: \$#,0;-\$#,0;\$#,0
       lineageTag: cd2e7756-eb39-41a6-a73c-36aecb7b43c8
       annotation PBI FormatHint = {"currencyCulture":"en-CA"}
   measure 'Net Sales PM' = CALCULATE([Net Sales], PREVIOUSMONTH('Calendar'[Date]))
       formatString: \$#,0;-\$#,0;\$#,0
       lineageTag: b71875ff-9152-49a3-9651-654f7beb05e9
       annotation PBI FormatHint = {"currencyCulture":"en-CA"}
   measure 'Last 2 Months Net Sales' = [Net Sales]+[Net Sales PM]
       formatString: 0
       lineageTag: 476b56d5-ccb7-4f18-a60a-d1ed841caaf7
   measure 'Net Sales Variance' = [Net Sales]-[Net Sales PM]
       formatString: \$#,0;-\$#,0;\$#,0
       lineageTag: ea94c27a-07f9-4dcb-9c51-33ecf46a07b2
       annotation PBI_FormatHint = {"currencyCulture":"en-CA"}
```





relationship a3dbf965-d829-4162-96fc-d8c4a82aaefc

fromColumn: Sales.Date
toColumn: Calendar.Date

relationship bd728e6c-e5e7-4b83-98c6-677efdcc0eb6

crossFilteringBehavior: bothDirections

fromCardinality: one

fromColumn: Customer.ID

toColumn: Sales.ID

relationship fc9659a9-cbb8-4acb-9331-54826be4ab0a

fromColumn: Association.LeftItemSetId

toColumn: Product.ProductID

relationship 5fb6421a-c1c5-4969-95e5-0939e04d5c72

isActive: false

crossFilteringBehavior: bothDirections


fromCardinality: one


fromColumn: Product.Product


toColumn: 'Associated Product'.Product
















Layout in PBIR



```
"tconfig": "{\"version\":\"5.37\",\"themeCollection\":{\"customTheme\":{\"name\":\"ThemeNew1\",\"version\":\"
                                                                                                                       "config": "{\"version\":\"5.37\",\"themeCollection\":{\"customTheme\":{\"name\":\"ThemeNew1\",\"version\":\"3
"layoutOptimization": 0,
                                                                                                                       "layoutOptimization": 0,
"sections": [
                                                                                                                       "sections": [
    "config": "{}",
                                                                                                                           "config": "{}",
   "displayName": "Page 1",
                                                                                                                           "displayName": "Page 1",
    "displayOption": 0,
                                                                                                                           "displayOption": 0,
   "filters": "[]",
                                                                                                                           "filters": "[]",
    "height": 720.00,
                                                                                                                 10
                                                                                                                           "height": 720.00,
    "name": "ReportSection",
                                                                                                                 11
                                                                                                                           "name": "ReportSection",
    "visualContainers": [
                                                                                                                 12
                                                                                                                           "visualContainers": [
                                                                                                                 13
        "config": "{\"name\":\"334ecb7737726c7714d1\",\"layouts\":[{\"id\":0,\"position\":{\"x\":279.4327390! → 14-
                                                                                                                               "config": "{\"name\":\"334ecb7737726c7714d1\",\"layouts\":[{\"id\":0,\"position\":{\"x\":279.39464493
       "filters": "[]",
                                                                                                                 15
                                                                                                                               "filters": "[]",
        "height": 300.00,
                                                                                                              → 16+
                                                                                                                               "height": 300.24,
        "width": 300.00,
                                                                                                                 17+
                                                                                                                               "width": 421.33,
        "x": 279.43,
                                                                                                                 18+
                                                                                                                               "x": 279.39,
       "y": 125.26,
                                                                                                                 19+
                                                                                                                               "y": 125.28,
        "z": 0.00
                                                                                                                 20
                                                                                                                               "z": 0.00
                                                                                                                 21
                                                                                                                 22
    "width": 960.00
                                                                                                                 23
                                                                                                                           "width": 960.00
                                                                                                                 24
                                                                                                                 25
"theme": "ThemeNew1"
                                                                                                                 26
                                                                                                                       "theme": "ThemeNew1"
                                                                                                                 27
```












Filters on all pages

Date - Month

is June




```
"filter": {
  "Version": 2,
 "From": [
     "Name": "1",
      "Entity": "LocalDateTable_d9fbe243-4814-4038-8eec-593e864a563b"
      "Type": 0
  "Where": [
      "Condition": {
       "In": {
          "Expressions": [
              "Column": {
                "Expression": {
                  "SourceRef": {
                   "Source": "1"
                 "Property": "Month"
          "Values": [
                "Literal": {
                  "Value": "'June'"
```





```
"$schema": "https://developer.microsoft.com/json-schemas/fabric/item/report/def
"displayName": "Pagina 3 forecast ON",
"name": "Bookmark12b189c03ce45b96baa7",
"options": {
  "applyOnlyToTargetVisuals": true,
  "targetVisualNames": [
    "1281c65b70d67897c60d",
    "5276397025743c6e30ec",
    "60430d7c464e7a5cd97b",
    "805719ca6000cb000be2",
    "5c17183ce602570c8e09",
    "031aa35ec577ca25a558",
    "30039fa5b79071ccb4c5"
  "suppressActiveSection": true,
  "suppressData": true
"explorationState": {
 "version": "1.3",
  "activeSection": "ReportSectiona37d01e834c17d07bbeb",
  "filters": {
    "byExpr": [
        "name": "Filter",
        "type": "Categorical",
        "filter": {
          "Version": 2,
          "From": [
              "Name": "1",
              "Entity": "LocalDateTable d9fbe243-4814-4038-8eec-593e864a563b",
              "Type": 0
          "Where":
              "Condition": {
                "In": {
                  "Expressions": [
                      "Column": {
                        "Expression": {
                          "SourceRef": {
                            "Source": "1"
```





ফু CathegoryBreackdown

KeyInfluencers

№ StoreBreackdown



Market Basket Analysis

心 Net Sales Tooltip

Returns Tooltip

Return Rate



🔊 WhatIf

液 NetSales

ফু RetCategory

කු RetS

RetKeyInf

pages

- ∨ ReportSection1dea67c2520bce38f54f
- ∨ visuals
- > 3e0614aa04dc4560ee62
- > 5da3c3f81d93a9c81069
- > 6f5c60443649d316b648
- > 8acdd971b07684691201
- > 8d760e8e3896c49aca93
- > 15c415aa8b6550fb4fb5
- > 23db26b3cd172f49276c
- > 51ce430d668caa914894
- > 94e00a62024369b7a40e
- > 839e234bec0bf45c1145
- > 920f4a4319a513fb9498
- > 1983b56feab63cd10919
- > a03ed496f51eef7b5c23
- > a125e8594debec7bbd9d
- > c5c752cddfd93db49c9e
- > fcfceba358998a8d92bb
- {} page.json

visuals

- > aae8953dc19c429add3e
- > ace24b3a7e0376084078
- > aefe1f0a481100e0609d
- > bdbdc676ded10ad92c90
- > c22adfcca77c7baf5f51
- > c61b21c44b14a094006b
- > cc73fe5991209030a4e0
- > d55aa7aa40745de10d55
- > dec3aad399d5d19a1d11
- > e9ba73df2e50668a6002
- > ec68108562a62504cb6b
- > f7d6a1d47a420554ca7c
- > ff684e8bd3052b108d01

3a28c5fee26bd29ff352

{} mobile.json

{} visual.json

- 1







```
"visual": {
 "visualType": "barChart",
  "query": {
    "queryState": {
     "Category": {
       "projections": [
            "field": {
              "Column": {
                "Expression": {
                  "SourceRef": {
                    "Entity": "Produc
                "Property": "Category
            "queryRef": "Product.Cate
            "active": false
            "field": {
              "Column": {
                "Expression": {
                  "SourceRef": {
                    "Entity": "Produc
                "Property": "Segment"
            "queryRef": "Product.Segment",
            "active": false
```






"properties": { "\$schema": "description": "Defines the schema to use for an item.", 10 "type": "string", "const": "https://developer.microsoft.com/json-schemas/fabric/item/report/definition/report/1.2.0/schema.json" 11 12 "themeCollection": {
 ""'/define 13 14 "\$ref": "#/definitions/ThemeCollection", 15 "description": "Define a theme (built-in and/or a custom theme) to be used for this report." 16 "layoutOptimization": { 17 "\$ref": "#/definitions/LayoutOptimization",
"description": "Is the report optimized for mobile consumption." 18 19 20 "filterConfig": 21 "description": "Filters that apply to the entire report (all pages and all visuals).", 22 "\$ref": "#/definitions/FilterConfig" 23 24 },
"objects": { 25 26 "description": "Specifies the formatting to be set for different \"objects\" of a report.", 27 "\$ref": "#/definitions/ReportFormattingObjects" 28 "reportSource": { 29 30 "description": "Defines how the report was created.", "type": "string", "anyOf": [31 32 33 "const": "Default", 34 35 "description": "A blank report generated by Power BI apps." 36 37 38 "const": "SharePoint", 39 "description": "A quick create report created from a SharePointList." "description": "A quick create report created from Teams."


Versioning


















Workspace settings



















































```
WPC2024
New pull request V AdventureWorks Sales.Report/defin...

✓ ■ 43718bfbc9b53930dbee

<sup>™</sup> wpc2024-feature002

                                      🖰 visual.json

√ ■ 75c624f501f3c20eb760

Overview Files 4
                                      yisual.json
                                AdventureWorks Sales.SemanticMo...

✓ ■ tables
                                      በ Sales.tmdl
      WPC2024
```

43718bfbc9b53930dbee

75c624f501f3c20eb760

🖰 visual.json

🖰 visual.json

3 Sales.tmdl


model.tmdl

tables

```
/AdventureWorks Sales.Report/definition/pages/ReportSection/visuals/43718bfbc9b53930dbee/visual.json
          "width": 446.85154975530179
10
        "visual": {
          "visualType": "map",
12 -
          "query": {
14
             "queryState": {
15
               "Category": {
32
33 -
               "Size": {
                 "projections": [
34
```

```
1 table Sales
                                                          lineageTag: 4f6804ef-cf70-4c42-96c1-d1155891935b
                                                          measure 'Sales Amount by Due Date' = ```
AdventureWorks Sales.Report/defin...
                                                                  CALCULATE(SUM(Sales[Sales Amount]), USERELATIONSHIP(5)
                                                              lineageTag: c2fe3283-9d89-4bee-b219-09de50cc38c5
                                                          measure Sales = SUM( Sales[Sales Amount] )
                                                              lineageTag: 8a1a9cde-d31e-42dd-bde8-291e8d21b01a
                                                   10+
                                                              annotation PBI_FormatHint = {"isGeneralNumber":true}
                                                          column SalesOrderLineKey
                                                              dataType: int64
                                                              isHidden
AdventureWorks Sales.SemanticMo...
                                                              formatString: 0
                                                              lineageTag: 8736298f-ee01-472f-b2bd-0741a6fa8425
                                                              summarizeBy: none
                                                              sourceColumn: SalesOrderLineKey
                                                              changedProperty = IsHidden
                                                              annotation SummarizationSetBy = Automatic
```

visual.json -2+44










































Drive carefully



PBIPs are in preview





Limitations

- PBIP + TMDL
 - Publish from PBI Desktop switch TMDL back to TMSL
 - Fabric git uses TMSL by default
- PBIP + PBIR
 - You can't publish the report in Power BI App (*)
 - Do not support Deployment Pipelines (**)
 - Can't be saved as a copy (**)
 - Rollback to PBIR-legacy is not supported
 - You can't use subscriptions (*)
 - You can't download PBIX
 - PBIP -> PBIX has all the limitations
 - Fabric git uses PRIR-legacy by default

(*) show stopper fixed

(**) show stopper not fixed













Power BI Desktop project semantic model folder - Power BI | Microsoft Learn <u>Create a Power BI report in enhanced report format - Power BI | Microsoft Learn</u>











Questions?



About me













Business Intelligence Architect @



+10 years in Microsoft "Data Realm"

Giving my little contribution to the community






riccardo.perico@lucient.it











Grazie!

