

SQL Database Projects Deep Dive

Riccardo Perico

BI & Power BI Engineer @ Lucient Italia



Sponsor & Org
















DATA KNOWLEDGE ADVISOR

Riccardo Perico

riccardo.perico@lucient.it





github.com/R1k91

medium.com/riccardo-perico











+10 years in Microsoft "Data Realm"

Giving my little contribution to the community

















Who?



SQL Database Projects



What?






"A SQL database project is a local **representation of SQL objects** that comprise the schema **for a single database**, such as **tables**, **stored procedures**, or **functions**. The development cycle of a SQL database project enables database development to be **integrated into a continuous integration and continuous deployment (CI/CD)** workflows familiar as a development best practice."

What are SQL database projects? - SQL Server | Microsoft Learn

Developing a database solution


- (optionally) do stuff before db creation
- Create database (filegroups, file, properties)
- Create tables to store data
- Create views to expose data
- Create functions and stored procedures to manage data
- (optionally) do stuff to after db creation

It is what it is



Where





Where SQL is










When







Why



It gives you

- Better development
 - Validation
 - Database solution versioning
 - Improved co-operation
 - Decoupling development and physical db
 - Offline development
- Improved reliability with DB compare and packaged version
- Improved stability with managed CI/CD processes
- Improved segregation of duties

Demo







```
use [$(DatabaseName)];
declare @sender as nvarchar(100) = '';
set @sender =
   case @@env_name
       when N'Test' then N'test@mail.com'
       when N'Prod' then N'prod@mail.com'
       else N'IT_Email@lucient.it'
MERGE INTO [cfg].[mail_notifications] AS Target
USING (VALUES
   (N'Object Alert missing files'
       , N'Alert message to be sent when miss a product source file'
        , @sender
       , N'AlertTeam@mail.com'
       , N'import source files process alert'
       , N'There''re missing input files'
       , 'Normal'
) AS Source ([id_alert],[description],[send_from],[send_to],[send_copy],[mail_subject],[mail_body],[mail_footer],[importance])
ON (Target.[id_alert] = Source.[id_alert])
WHEN NOT MATCHED BY TARGET THEN
INSERT([id_alert],[description],[send_from],[send_to],[send_copy],[mail_subject],[mail_body],[mail_footer],[importance])
VALUES(Source.[id_alert],Source.[description],Source.[send_from],Source.[send_to],Source.[send_copy],Source.[mail_subject],Source.[mail_body],Source.[mail_footer],Source.[importance])
```

```
IF NOT EXISTS (
       SELECT *
       FROM sys.database_principals
       WHERE name = 'MEGADITTA\S101113'
              AND type_desc = 'WINDOWS_USER'
BEGIN
       CREATE USER [MEGADITTA\S101113] FOR LOGIN [MEGADITTA \S101113];
       ALTER ROLE [db_datareader] ADD MEMBER [MEGADITTA\S101113];
       ALTER ROLE [stp_executor] ADD MEMBER [MEGADITTA\S101113];
END
```

Deploy



Even the new kid on the block




Link

- What are SQL database projects? SQL Server | Microsoft Learn
- <u>Preview release of SDK-style SQL projects in Visual Studio 2022 Microsoft Community Hub</u>
- <u>Microsoft.Build.Sql: the next frontier of SQL projects Microsoft</u> <u>Community Hub</u>
- SqlPackage SQL Server | Microsoft Learn

Riccardo Perico

riccardo.perico@lucient.it





github.com/R1k91

medium.com/riccardo-perico











+10 years in Microsoft "Data Realm"

Giving my little contribution to the community



















Thanks!!!

