

Swagger UI

localhost:7100/swagger/index.html

Swagger

Select a definition: Transport.REST v1

Transport API OpenAPI 3.0

<https://localhost:7100/swagger/v1/swagger.json>

Authorize

Account

- POST /api/Account/register
- POST /api/Account/login
- POST /api/Account/assign-role

Schemas

- AssignRoleRequest
- LoginRequest
- RegisterRequest

Available authorizations



Bearer (apiKey)

JWT Authorization header using the Bearer scheme. Example: "Authorization: Bearer {token}"

Name: Authorization

In: header

Value:

Authorize

Close

POST

/api/Account/register

Parameters

Cancel

No parameters

Request body

application/json

```
{  "firstName": "string",  "lastName": "string",  "email": "user@example.com",  "password": "stringst"}  
```

Execute

Responses

Code	Description	Links
200	OK	No links

POST

/api/Account/login

Parameters

Cancel

No parameters

Request body

application/json

```
{  "email": "user@example.com",  "password": "string"}  
```

Execute

Responses

Code	Description	Links
200	OK	No links

POST

/api/Account/assign-role



Parameters

Cancel

No parameters

Request body

application/json

```
{  "email": "user@example.com",  "roleName": "string"}  
```

Execute

Responses

Code	Description	Links
200	OK	No links