

PracticePro — Remaining Items from 6-Pillar Audit

Context for Another LLM

PracticePro is a legal practice management platform built with Vite/React + Convex backend. It has three products: - **Vega** (legal-only) — assistant name: ALOA - **Atrium** (property-only) — assistant name: ARIA - **Complete** (both legal + property) — assistant name: ALOA (default), has both feature sets

Tech Stack: React 18, TypeScript, Tailwind CSS, Convex (backend/database), Framer Motion, TipTap (rich text editor for DraftPro), Vercel (deployment)

Brand Colors: Primary = Dark Moss Green `#4A694C` (RGB 74, 105, 76)

PILLAR 1: UI Consistency & Visual Polish

Issue 1.1: Border-Radius Scale Not Enforced (Medium)

Current State: 4 different border-radii are mixed freely across 250+ component files: - `rounded-md` (219 uses) - `rounded-lg` (1049 uses) - `rounded-xl` (880 uses) - `rounded-2xl` (304 uses)

What Needs to Happen: 1. Create a `STYLE_GUIDE.md` document that defines a 3-tier radius scale: - `rounded-md` for inputs, buttons, small chips - `rounded-lg` for cards, list items, dropdowns - `rounded-2xl` for modals, hero blocks, large containers 2. Consider enforcing via `eslint-plugin-tailwindcss` with `no-restricted-syntax` rule 3. Audit each component file and standardize — this is a manual pass through `src/components/`

Issue 1.2: ALOA Suggestion Colors (Already Fixed, Verify)

Status: Fixed in `src/utils/markdownUtils.ts` — uses `#FCE8E6` (red), `#E6F4EA` (mint), `#E8F0FE` (blue) with darker text colors. CalendarView borders also fixed. Verify after deploy.

PILLAR 2: Navigation Integrity

Issue 2.1: portalTermsOfUse Route Not Kebab-Cased (Low)

File: `src/contexts/UIContext.tsx:514-538` **Current:** Other public docs use kebab-case URLs (`/privacy-policy` , `/terms-of-service`), but `portalTermsOfUse` falls through to `/portalTermsOfUse` (camelCase). **Fix:** Add `else if (newView === 'portalTermsOfUse')` `path = '/portal-terms-of-use';` in the `navigateTo` function, and add the corresponding route mapping in `src/components/App.tsx` router.

Issue 2.2: ALOA "alohaHelp" Modal Title Hardcoded (Low)

File: `src/contexts/UIContext.tsx:150` **Current:** `case 'alohaHelp': return 'ARIA Help';` — hardcoded as ARIA. `ModalManager.tsx` overrides this to 'AI Assistant Help', so it never reaches the DOM. But any direct caller of `getModalTitle('alohaHelp')` would get the wrong name. **Fix:** Change to `return 'AI Assistant Help';` (neutral) or call `getAssistantName()` (requires React context, not available in this pure function).

PILLAR 3: Core UX & Diary Workflows

Issue 3.1: Diary Mode — Task Pinning from ALOA (Medium)

Current: Diary Mode exists and works (`src/components/CalendarView.tsx` — `DiaryModeView` component). Tasks with due dates appear in the diary. **Gap:** When ALOA creates a task via `create_task` tool, the task doesn't automatically appear in the diary because the `dueDate` parameter is optional and the AI doesn't always set it. **Fix:** Update the `create_task` tool description in `src/services/geminiService.ts` to tell the AI: "Always set dueDate when creating a task — it will appear in the lawyer's Diary Mode on that date."

Issue 3.2: Stale Matter — Also Check for Documents/Notes (Medium)

File: `convex/proactive.ts:347-355` **Current:** Staleness is calculated from `matter.updatedAt` or `_creationTime` only. It doesn't check if documents or notes were added to the matter recently. **Fix:** Also query `documents` and `notePages` tables for the matter's most recent activity. Use the latest timestamp across matter updates, document uploads, and note additions.

PILLAR 4: AI Engine UX

Issue 4.1: Manual-to-Auto Focus Reset (Low — Partially Fixed)

Current: Auto-focus is now called after Stop and after response completion. But there's no "Auto Mode" vs "Manual Mode" concept in the current architecture — ALOA is always in a single mode. **If Needed:** If the user wants a true "Auto Mode" that resets after manual interactions, this would require: 1. A `mode` state in AloaChat (`'auto'` | `'manual'`) 2. A `useEffect` that watches for user interactions and resets to 'auto' after a timeout 3. Visual indicator showing the current mode

Issue 4.2: `cancelAll` Defensive Reset (Low)

File: `src/utils/aiRequestQueue.ts:101-113` **Current:** `cancelAll()` only aborts if `this.queue.length > 0` . If the queue is empty (task already shifted), it's a no-op. The `processing` flag is reset by the `finally` block, but there's a tiny race window. **Fix:** Add `this.processing = false;` inside `cancelAll()` as a defensive reset.

PILLAR 5: Copywriting & Documentation

Issue 5.1: "ARIA" Used on Vega (Legal) Surfaces (High)

The assistant name for Vega (legal) is **ALOA**, not ARIA. But several files hardcode "ARIA" on surfaces that appear for legal users:

File	Line	Issue
<code>src/app/page.tsx</code>	1177-1178	FAQ says "How does ARIA, the AI assistant, work?" on Vega landing page
<code>src/components/WhatsNew.tsx</code>	242, 251, 300, 302	Release notes say "ARIA is now aware of..."
<code>src/components/settings/AgentSettings.tsx</code>	326	"ARIA's memory is built from your portfolio's documents..."
<code>src/components/details/AiIntakeAnalysis.tsx</code>	51	"Generated by ARIA®" on legal matter intake
<code>src/components/modals/DemoUpsellModal.tsx</code>	48	"ARIA® AI is just getting warmed up."
<code>src/components/settings/AIUsageDashboard.tsx</code>	58	Hardcoded <code>label: 'ARIA®'</code>

Fix: Import `getAssistantName` from `src/utils/assistantIdentity.ts` and use `getAssistantName(isProperty)` instead of hardcoded "ARIA". For static marketing pages (`page.tsx`), use product-neutral copy or branch on the active product.

Note: `src/utils/assistantIdentity.ts` already has `getAssistantName(isProperty)` which returns 'ARIA' for Atrium and 'ALOA' for Vega/Komplete. The `isProperty` flag comes from `useProduct()` hook.

Issue 5.2: Style Guide Document (Needed)

Current: No `STYLE_GUIDE.md` exists. The brand color spec, radius scale, shadow scale, and spacing grid are not documented anywhere. **What to Create:** A `STYLE_GUIDE.md` in the project root with:

- Brand Colors:** Primary Moss Green `#4A694C` , semantic colors (red/mint/blue)
- Radius Scale:** `rounded-md` (inputs), `rounded-lg` (cards), `rounded-2xl` (modals)
- Shadow Scale:** `shadow-sm` (default), `shadow-md` (hover), `shadow-xl` (modals)
- Spacing:** Golden Ratio increments (8px, 13px, 21px, 34px, 55px)
- Typography:** Font families, sizes, weights
- Component Patterns:** Button styles, input styles, card styles

PILLAR 6: Performance & Database

Issue 6.1: Missing Convex Indexes (High — Requires `npx convex deploy`)

File: `convex/schema.ts`

Missing indexes that cause table scans (`.filter()` after `.withIndex()`):

Table	Missing Index	Used By	Impact
<code>matters</code>	<code>by_status</code> (status)	<code>proactive.ts:346</code> , <code>myFunctions.ts:3349</code>	Filters all firms' matters by status after firm index
<code>matters</code>	<code>by_client</code> (firmId, clientId)	<code>myFunctions.ts:3346-3350</code>	Cascading delete checks
<code>tasks</code>	<code>by_status</code> (firmId, status)	Dashboard counts, report filters	Scans all tasks per firm
<code>tasks</code>	<code>by_dueDate</code> (firmId, dueDate)	Deadline scanner	Scans all tasks per firm

Table	Missing Index	Used By	Impact
<code>proactive_insights</code>	<code>by_firm_entity</code> (<code>firmId</code> , <code>entityType</code> , <code>entityId</code>)	<code>proactive.ts:375-379</code>	Dedup check scans all insights per firm
<code>documents</code>	<code>by_status</code> (<code>firmId</code> , <code>status</code>)	Archived/published filtering	—
<code>documents</code>	<code>by_category</code> (<code>firmId</code> , <code>categoryId</code>)	Category filtering	—

Fix: Add these indexes to the schema, then run `npx convex dev` to push. Then convert `.filter()` chains to `.withIndex()` predicates in the consuming queries.

How to Add an Index (example):

```
// In convex/schema.ts, find the matters table definition:
matters: defineTable({
  // ... existing fields
})
.index("by_firm", ["firmId"])
.index("by_status", ["firmId", "status"])           // NEW
.index("by_client", ["firmId", "clientId"])         // NEW
.index("by_custom_id", ["id"])
```

Issue 6.2: No searchIndex — Full-Text Search Done Client-Side (High)

File: `convex/schema.ts` (entire file), `src/components/FullScreenSearch.tsx:27-41`

Current: No `searchIndex` defined anywhere. Full-text search uses Fuse.js which loads ALL matters/contacts/documents/tasks into memory. For firms with >5k records, this will cause lag.

Fix: Add Convex `searchIndex` to key tables:

```
matters: defineTable({
  // ... fields
})
.searchIndex("search_title", { searchField: "title" })
.searchIndex("search_suit", { searchField: "suitNumber" })

contacts: defineTable({
  // ... fields
})
.searchIndex("search_name", { searchField: "name" })
```

```
documents: defineTable({
  // ... fields
})
.searchIndex("search_title", { searchField: "title" })
```

Then update `FullScreenSearch.tsx` to use Convex `search()` queries instead of client-side Fuse.js.

Issue 6.3: N+1 Query Pattern in Anomaly Detection Cron (Medium)

File: `convex/proactive.ts:335-380`

Current: For each firm, iterates all active matters and runs 2 DB queries per matter (dedup check + entity check). For a firm with 500 matters, that's 1000 sequential queries per cron tick.

Fix: Batch the queries: 1. Fetch all non-dismissed insights for the firm in ONE query 2. Build a `Set` of `dedupKey` strings in memory 3. Build a `Map` of `entityType:entityId` → existing insight 4. Check membership against these in-memory structures instead of querying per matter

```
// Before the loop:
const allFirmInsights = await ctx.db
  .query("proactive_insights")
  .withIndex("by_firm", (q) => q.eq("firmId", firmId))
  .filter((q) => q.eq(q.field("dismissed"), false))
  .collect();
const existingDedupKeys = new Set(allFirmInsights.map(i => i.dedupKey));
const existingEntities = new Set(allFirmInsights.map(i => `${i.entityType}:${i.entityId}`));

// Inside the loop, replace DB queries with:
if (!existingDedupKeys.has(dedupKey) && !existingEntities.has(`${entityType}:${entityId}`)) {
  // create insight
}
```

Issue 6.4: Convex Backend Not Deployed (Critical for Several Features)

Current State: `npx convex deploy` has NOT been run. Several backend changes are in the code but not live: - `welcomeEmailSent` field on users schema - `sendWelcomeEmail` internalAction - `fixProductMode` mutation - `searchWeb` action (for ALOA web search) - Proactive insight dedupKey fixes (no more daily duplicates) - 30-day stale matter threshold

Action Required: Run `npx convex dev` or `npx convex deploy` from a machine with Convex credentials configured. This will: 1. Push the new schema (with `welcomeEmailSent` field) 2. Push all new mutations/actions 3. Regenerate `convex/_generated/api.d.ts` and `api.js` (so frontend type errors for `api.webFetch.*` resolve)

Summary — Priority Action List

Priority	Issue	Effort	Requires Convex Deploy?
Critical	Run <code>npx convex deploy</code>	5 min	N/A
High	Add Convex indexes (matters.by_status, tasks.by_status, etc.)	30 min	Yes
High	Add Convex searchIndex (matters.title, contacts.name, documents.title)	30 min	Yes
High	Fix "ARIA" → "ALOA" on Vega surfaces (6 files)	1 hour	No
High	Batch anomaly detection cron queries	1 hour	Yes
Medium	Create STYLE_GUIDE.md	1 hour	No
Medium	Enforce border-radius scale	2-3 hours	No
Medium	Stale matter: also check documents/notes activity	1 hour	Yes
Medium	Diary Mode: AI always sets task dueDate	15 min	No
Low	portalTermsOfUse kebab-case route	15 min	No
Low	alohaHelp modal title fix	5 min	No
Low	cancelAll defensive processing reset	5 min	No
Low	Full auto-mode/manual-mode system	3+ hours	No