


ADD TEXT

	location		size (magnification factor)
<i>axis labels</i>	xlab =, ylab =	<i>all elements</i>	cex =
<i>subtitle</i>	sub =	<i>axis labels</i>	cex.lab =
<i>title</i>	main =	<i>subtitle</i>	cex.sub =
		<i>tick mark labels</i>	cex.axis =
		<i>title</i>	cex.main =
	style		position
<i>font face</i>	font = 1 (plain) 2 (bold) 3 (italic) 4 (bold italic)	<i>text direction</i>	las = 1 (horizontal)
<i>font family</i>	family = “serif” “sans” “mono”	<i>justification</i>	adj = 0 .5 1 (left, center, right)

ADD TO AN EXISTING PLOT

Add new plot	[any plot function] (..., add = TRUE) ex. <code>barplot(x, add = TRUE)</code>	Lines	lines (x,...) <i>line style</i> lty = <i>line width</i> lwd = <i>color</i> col =
Axes	axis (side,...) <i>location</i> side = 1 2 3 4 (bottom, left, top, right)	Points	points (x,...) <i>symbol</i> pch =
<i>tick mark:</i>			
<i>labels</i>	labels =		
<i>location</i>	at =		
<i>remove</i>	tick = FALSE	<i>color</i>	col =
<i>rotate text</i>	las = 1 (horizontal)	<i>fill color</i>	bg = (pch: 21-25 only)
Axis labels	mtext (text,...) <i>location</i> side = 1 2 3 4 (bottom, left, top, right)	Text	text (x, y, text,...) <i>position</i> pos = 1 2 3 4 (below, left, above, right) (default=center)
<i>lines to skip</i>	line = (from plot region, default=0)	Title	title (main,...) <i>axis labels</i> xlab =, ylab = <i>subtitle</i> sub = <i>title</i> main =
<i>position</i>	at = x or y-coord (depending on side)		
<i>justification</i>	adj = 0 .5 1 (left, center, right)		