This page contains the required basic commands.

Sunday, October 18, 2020 6:29 PM

Everything is Case sensitive in Linux.

Tab is used to autofill.

Double tab will show the folders with typed letters.

pwd:	Print working directory.
cd <name>:</name>	Enter the directory <name></name>
cd :	Go back one directory
ls:	Show the folders present
mkdir <name>:</name>	Makes a directory with the name
rmdir <name>:</name>	Removes directory of name
ls -la :	Hidden folders will be shown
cp <location1> <location2>:</location2></location1>	Copy a file from location1 to 2
rm <filename>:</filename>	Removes the <filename></filename>
mv <location1> <location2>:</location2></location1>	Moves from location1 to 2
locate <filename>:</filename>	shows everything with the name filename
psswd:	Change password
man <anycommand>:</anycommand>	shows the manual page for that command
chmod 777 <file>:</file>	Gives full access over the file
adduser <name>:</name>	Adds a user with name <name></name>
su <username>:</username>	Switches user to username
ifconfig:	Shows different network interfaces and ip address associated with them.
iwconfig:	Shows the network adapters
ping <ipaddress>:</ipaddress>	Checks if the ipaddress is responsive and talks with it
arp -a :	Shows the ipadress it talks to and mac address its associated with.
netstat -ano :	Shows active connections to the machine
route:	Shows the routing table
echo " <text>" > filename :</text>	Writes text to the file filename
> , >>:	Replaces , Appends
touch <filename>:</filename>	Creates a file filename
nano <filename>:</filename>	Creates the file and opens it in the terminal
cat <filename>:</filename>	Shows the content of the text file in the terminal
gedit <filename>:</filename>	Same as nano but it has a GUI
service apache2 start:	Starts apache2 web server
python -m SimpleHTTPServer 8080 :	Starts a webserver with the ipaddress of the machine on port 8080 and the files of the machine can be accessed.
service apache2 stop:	Stops the web server
systemctl enable ssh:	Opens up ssh after every booting
systemctl enable postgresql:	Postgresql will run every time we boot.
apt-get update && apt-get upgrade :	Get the updates and install them

apt-get install git :	Installs git on the machine
git clone <websitelink>:</websitelink>	Clones the repo on the machine
grep " <keyword>" :</keyword>	This command can be used as a pipeline to narrow down our results with the mentioned keyword
cut -d " " -f 4 :	This cuts down the result by every space and gives out the fourth term.
tr -d ":"	This removes the colon from the output