



Inactive Caregiver Deactivation (WellSky + Paycore)

Standard Operating Procedure



1. Purpose

A caregiver who remains active in WellSky and Paycor continues to incur cost even when they are no longer working. This procedure defines how Right at Home Central Texas identifies caregivers who have gone 30 or more days without a shift, confirms with the responsible Client Care Managers (CCMs) which of them should be removed, and deactivates the confirmed caregivers in both WellSky and Paycor in a fast, repeatable, and auditable way.

2. Scope

This procedure covers the full deactivation lifecycle across all five offices (Austin West, Austin East, Marble Falls, Bastrop, San Marcos):

- Detecting inactive caregivers from the WellSky export.
- Confirming the deactivation list with the CCMs.
- Deactivating in WellSky (status Inactive, activity note, REHIRABLE tag).
- Generating the Paycor bulk-import termination template and uploading it.

3. System Requirements

The working folder (e.g., Documents\Deactivate cg) must contain these files:

- inactive.py — the orchestrator (called by the launchers).
- deactivate_wellsky.py — performs the WellSky deactivation.
- paycor_terminate.py — builds the Paycor import template.
- 1_Sacar_Lista.bat and 2_Desactivar.bat — the two-step launchers.
- WellSky_solo.bat and Paycor_solo.bat — the standalone launchers.
- login_state.json — the saved WellSky session.

Requirements: Python 3 on PATH; packages pandas, openpyxl, playwright (with Chromium installed). The xlrd package is only needed if the WellSky report is downloaded in the older .xls format.

4. Key Business Rules and Reference Values

Item	Value / Rule
Inactivity threshold	30+ days since the Last Care Log Date.
Office-staff exclusion	Rows where First and Last name are BOTH all-caps are office/staff accounts and are excluded automatically.
WellSky deactivation reason	Inactive (internal code 60).
WellSky note	Added to the profile on deactivation; caregiver is also tagged REHIRABLE (existing tags preserved).
Caregiver ID = Paycor Employee #	Confirmed identical; the WellSky Caregiver ID is used directly as the Paycor employeeNumber.
Paycor Client ID	155429 (Edwin Young Healthcare, Inc.).
Paycor employment status	Resigned (per the long-standing rule to always use resignation).
Termination date	Equals the WellSky deactivation date; the two systems must match.

Item	Value / Rule
Paycor upload timing	Payroll runs one week behind. Upload the import only AFTER each caregiver's final payday to avoid issuing an early paper check.

5. Procedure — Standard Cycle

5.1 Step 1 — Generate the list

- Pull the inactive caregivers report from WellSky (.xlsx).
- Double-click 1_Sacar_Lista.bat and drag the report onto the window; press Enter.

Result: confirm_<date>.xlsx — candidates grouped by office, each with a **Deactivate? (Y/N)** column.

5.2 Step 2 — Confirm with the CCMs

- Share the relevant office rows with each CCM and confirm who should be deactivated.

Mark **Y** in the Deactivate column for every confirmed caregiver, then save the file.

5.3 Step 3 — Deactivate (WellSky + Paycor template)

- Double-click 2_Desactivar.bat and drag the marked confirm_<date>.xlsx onto the window.

The pipeline then, in order:

- Opens WellSky and deactivates each Y-marked caregiver (reason Inactive, note, REHIRABLE tag).
- Logs the deactivations to deactivations_log.csv.

Builds paycor_import_<date>.xlsx for the caregivers that were actually deactivated in WellSky.

Safeguard: if deactivate_wellsky.py is missing or the WellSky step does not run cleanly, the process stops and NO Paycor template is produced.

5.4 Step 4 — Upload to Paycor

- Confirm in WellSky that each caregiver shows Inactive, with the note and REHIRABLE tag.

When each caregiver's final pay has been issued, upload paycor_import_<date>.xlsx in Paycor: **Company > Data Imports > Imports** tab.

Do not upload before final payday — an early termination in Paycor forces the last pay onto a paper check.

6. Procedure — Standalone Modes

The two systems can be driven independently from any list. Each launcher accepts a confirm sheet (uses only Y rows), a simple list with Caregiver ID / First / Last, or a Paycor report (Employee Number + Full Name).

6.1 WellSky only

Double-click **WellSky_solo.bat** and drag a list. It deactivates those caregivers in WellSky and does not touch Paycor.

6.2 Paycor only

Double-click **Paycor_solo.bat** and drag a list. It builds the Paycor import template without touching WellSky.

Caution: the standalone modes do not cross-check the other system. Ensure you are not terminating in Paycor someone who remains active in WellSky (or vice-versa) unless intended; the date-match rule still applies.

7. Files Generated

File	Description
confirm_<date>.xlsx	Per-office candidate list with the Deactivate? column (Step 1).
confirmed_<date>.csv	The Y-marked caregivers passed to WellSky (Step 3).
deactivated_done_<date>.csv	Caregiver IDs actually deactivated in WellSky.
paycor_source_<date>.csv	Source list handed to the Paycor step.
paycor_import_<date>.xlsx	The Paycor bulk-import template to upload.
deactivations_log.csv	Append-only audit log of every deactivation.

8. Troubleshooting

Symptom	Cause and Fix
ModuleNotFoundError / can't open file	A required .py is not in the folder. Ensure inactive.py, deactivate_wellsky.py and paycor_terminate.py are all together.
WellSky did not open / nothing happened	deactivate_wellsky.py was missing. Place it in the folder and re-run; the process now stops instead of building Paycor.
Session expired / redirected to login	login_state.json is stale. Recapture the WellSky session and try again.
A caregiver shows as Failed / wrong profile	Common-name collision — the search matched a client or prospect. Deactivate that caregiver manually in WellSky.
Skipped (already inactive)	The caregiver was already deactivated; no action needed.
Paycor step refuses to run	CLIENT_ID is blank. It is set to 155429; restore it in paycor_terminate.py if edited.
No Paycor template built	No caregiver was actually deactivated in WellSky this run. Review the WellSky output.

9. Limitations

- Inactivity detection relies on WellSky data (last shift); Paycor cannot identify inactive caregivers on its own.
- No caregiver warning email or 24-hour window is used; CCM confirmation is the only gate.
- Paycor deactivation is delivered as an import template; the actual upload and its timing are performed manually.
- Standalone modes do not verify the opposite system.
- Common-name collisions in WellSky search may require occasional manual handling.