

Retrieve the total number of orders placed.

SQL QUERY**SELECT****COUNT**(*) **AS** total_order_placed**FROM**

orders;

1

PIZZA HUT SQL ANALYSIS

Question 1 of 13

Output

Retrieve the total number of orders placed.

1 row returned

TOTAL ORDERS PLACED

21,350

Calculate the total revenue generated from pizza sales.

SQL QUERY**SELECT**

ROUND(**SUM**(od.quantity * p.price), 2) **AS** total_sales

FROM

order_details **AS** od

LEFT JOIN

pizzas **AS** p **ON** od.pizza_id = p.pizza_id;



Calculate the total revenue generated from pizza sales.

1 row returned

TOTAL REVENUE

\$817,860.05



Identify the highest-priced pizza.

SQL QUERY**SELECT**

pt.name, p.price

FROMpizzas **AS** p**LEFT JOIN**pizza_types **AS** pt **ON** p.pizza_type_id = pt.pizza_type_id**ORDER BY** p.price **DESC****LIMIT 1;**



Identify the highest-priced pizza.

1 row returned

HIGHEST-PRICED PIZZA

The Greek Pizza

\$35.95

Identify the most common pizza size ordered.

SQL QUERY**SELECT**

p.size, COUNT(order_details_id) AS total_order

FROM

order_details AS od

LEFT JOIN

pizzas AS p ON od.pizza_id = p.pizza_id

GROUP BY p.size

ORDER BY COUNT(order_details_id) **DESC**;

Identify the most common pizza size ordered.

QUERY RESULT

5 rows returned

SIZE	TOTAL ORDERS
L	18,526
M	15,385
S	14,137
XL	544
XXL	28

List the top 5 most ordered pizza types along with their quantities.

Two equivalent queries for this question — both return the same result, so only one output slide follows.

SQL QUERY

```
SELECT
    pt.name, pt.pizza_type_id, SUM(od.quantity)
FROM
    order_details AS od
    JOIN
    pizzas AS p ON od.pizza_id = p.pizza_id
    JOIN
    pizza_types AS pt ON pt.pizza_type_id =
p.pizza_type_id
GROUP BY pt.pizza_type_id, pt.name
ORDER BY SUM(od.quantity) DESC
LIMIT 5;
```

ALTERNATE QUERY

```
SELECT DISTINCT
    pt.name,
    pt.pizza_type_id,
    SUM(od.quantity) OVER(PARTITION BY pt.pizza_type_id)
AS total_quantity
FROM order_details od
JOIN pizzas p
    ON od.pizza_id = p.pizza_id
JOIN pizza_types pt
    ON p.pizza_type_id = pt.pizza_type_id
ORDER BY total_quantity DESC
LIMIT 5;
```

List the top 5 most ordered pizza types along with their quantities.

QUERY RESULT

5 rows returned

PIZZA NAME	TYPE ID	QUANTITY SOLD
The Classic Deluxe Pizza	classic_dlx	2,453
The Barbecue Chicken Pizza	bbq_ckn	2,432
The Hawaiian Pizza	hawaiian	2,422
The Pepperoni Pizza	pepperoni	2,418
The Thai Chicken Pizza	thai_ckn	2,371

Join the necessary tables to find the total quantity of each pizza category ordered.

Two equivalent queries for this question — both return the same result, so only one output slide follows.

SQL QUERY

```
SELECT
    pt.category, SUM(od.quantity) AS total_quantity
FROM
    pizza_types AS pt
    JOIN
    pizzas AS p ON pt.pizza_type_id = p.pizza_type_id
    JOIN
    order_details AS od ON p.pizza_id = od.pizza_id
GROUP BY pt.category;
```

ALTERNATE QUERY

```
SELECT DISTINCT
    pt.category,
    SUM(od.quantity) OVER(PARTITION BY pt.category) AS
total_quantity
FROM order_details od
JOIN pizzas p
    ON od.pizza_id = p.pizza_id
JOIN pizza_types pt
    ON p.pizza_type_id = pt.pizza_type_id
ORDER BY total_quantity DESC;
```

Join the necessary tables to find the total quantity of each pizza category ordered.

QUERY RESULT

4 rows returned

CATEGORY	TOTAL QUANTITY
Classic	14,888
Supreme	11,987
Veggie	11,649
Chicken	11,050



Determine the distribution of orders by hour of the day.

SQL QUERY**SELECT****HOUR**(order_time) **AS** Hour, **COUNT**(order_id) **AS** Order_count**FROM**

orders

GROUP BY **HOUR**(order_time);



Determine the distribution of orders by hour of the day.

QUERY RESULT

15 rows returned

HOUR	ORDER COUNT
11	1,231
12	2,520
13	2,455
14	1,472
15	1,468
16	1,920
17	2,336
18	2,399
19	2,009
20	1,642
21	1,198
22	663
23	28
10	8
9	1



Join relevant tables to find the category-wise distribution of pizzas.

SQL QUERY**SELECT**

pt.category, COUNT(o.order_id) AS total_orders

FROM

orders AS o

JOIN

order_details AS od ON o.order_id = od.order_id

JOIN

pizzas AS p ON p.pizza_id = od.pizza_id

JOIN

pizza_types AS pt ON pt.pizza_type_id = p.pizza_type_id

GROUP BY pt.category;



Join relevant tables to find the category-wise distribution of pizzas.

QUERY RESULT

4 rows returned

CATEGORY	TOTAL ORDERS
Classic	14,579
Veggie	11,449
Supreme	11,777
Chicken	10,815



Group the orders by date and calculate the average number of pizzas ordered per day.

SQL QUERY**SELECT**

ROUND(**AVG**(Total_quantity), 2) **AS** avg_pizza_ordered_per_day

FROM**(SELECT**

o.order_date, **SUM**(od.quantity) **AS** Total_quantity

FROM

order_details **AS** od

JOIN orders **AS** o **ON** o.order_id = od.order_id

GROUP BY o.order_date) **AS** quantity_by_date;



Group the orders by date and calculate the average number of pizzas ordered per day.

1 row returned

AVG PIZZAS ORDERED PER DAY

138.47

pizzas / day

Determine the top 3 most ordered pizza types based on revenue.

SQL QUERY**SELECT**

pt.name, SUM(od.quantity * p.price) AS revenue

FROM

order_details AS od

JOIN

pizzas AS p ON p.pizza_id = od.pizza_id

JOIN

pizza_types AS pt ON pt.pizza_type_id = p.pizza_type_id

GROUP BY pt.name

ORDER BY revenue **DESC**

LIMIT 3;

Determine the top 3 most ordered pizza types based on revenue.

QUERY RESULT

3 rows returned

PIZZA NAME	REVENUE
The Thai Chicken Pizza	\$43,434.25
The Barbecue Chicken Pizza	\$42,768.00
The California Chicken Pizza	\$41,409.50

Calculate the percentage contribution of each pizza type to total revenue.

SQL QUERY

```
SELECT
    pt.category,
    ROUND(SUM(p.price * od.quantity), 2) AS revenue,
    ROUND(SUM(p.price * od.quantity) / (SELECT
        ROUND(SUM(od.quantity * p.price), 2) AS total_sales
    FROM order_details AS od
    LEFT JOIN pizzas AS p
    ON od.pizza_id = p.pizza_id) * 100, 2) AS perc_contribution
FROM
    order_details AS od
    JOIN
    pizzas AS p ON p.pizza_id = od.pizza_id
    JOIN
    pizza_types AS pt ON pt.pizza_type_id = p.pizza_type_id
GROUP BY pt.category
ORDER BY revenue DESC;
```

Calculate the percentage contribution of each pizza type to total revenue.

QUERY RESULT

4 rows returned

CATEGORY	REVENUE	% CONTRIBUTION
Classic	\$220,053.10	26.91%
Supreme	\$208,197.00	25.46%
Chicken	\$195,919.50	23.96%
Veggie	\$193,690.45	23.68%

Analyze the cumulative revenue generated over time.

SQL QUERY**SELECT**

```
order_date,  
revenue,  
SUM(revenue) OVER(ORDER BY order_date) AS cum_revenue
```

FROM

```
(SELECT  
    orders.order_date,  
    SUM(order_details.quantity * pizzas.price) AS revenue  
FROM order_details  
JOIN pizzas ON order_details.pizza_id = pizzas.pizza_id  
JOIN orders ON order_details.order_id = orders.order_id  
GROUP BY orders.order_date) AS sales;
```

Analyze the cumulative revenue generated over time.

QUERY RESULT

13 rows returned

ORDER DATE	REVENUE	CUMULATIVE REVENUE
2015-01-01	\$2,713.85	\$2,713.85
2015-01-02	\$2,731.90	\$5,445.75
2015-01-03	\$2,662.40	\$8,108.15
2015-01-04	\$1,755.45	\$9,863.60
2015-01-05	\$2,065.95	\$11,929.55
2015-01-06	\$2,428.95	\$14,358.50
2015-01-07	\$2,202.20	\$16,560.70
2015-01-08	\$2,838.35	\$19,399.05
2015-01-09	\$2,127.35	\$21,526.40
2015-01-10	\$2,463.95	\$23,990.35
2015-01-11	\$1,872.30	\$25,862.65
2015-01-12	\$1,919.05	\$27,781.70
2015-01-13	\$2,049.60	\$29,831.30
... continues through the rest of 2015 ...		

Showing the first 13 rows as a preview — the actual result keeps one row per order date and runs the cumulative total through the rest of 2015.

Determine the top 3 most ordered pizza types based on revenue for each pizza category.

SQL QUERY

```
SELECT category, name, revenue, ranks
FROM
  (SELECT category, name, revenue,
    RANK() OVER(PARTITION BY category ORDER BY revenue DESC) AS ranks
  FROM
    (SELECT
      pizza_types.category,
      pizza_types.name,
      SUM(order_details.quantity * pizzas.price) AS revenue
    FROM pizza_types
    JOIN pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN order_details ON order_details.pizza_id = pizzas.pizza_id
    GROUP BY pizza_types.category, pizza_types.name) AS Alfa) AS Beta
WHERE ranks <= 3;
```

Determine the top 3 most ordered pizza types based on revenue for each pizza category.

QUERY RESULT

12 rows returned

CATEGORY	PIZZA NAME	REVENUE	RANK
Chicken	The Thai Chicken Pizza	\$43,434.25	1
Chicken	The Barbecue Chicken Pizza	\$42,768.00	2
Chicken	The California Chicken Pizza	\$41,409.50	3
Classic	The Classic Deluxe Pizza	\$38,180.50	1
Classic	The Hawaiian Pizza	\$32,273.25	2
Classic	The Pepperoni Pizza	\$30,161.75	3
Supreme	The Spicy Italian Pizza	\$34,831.25	1
Supreme	The Italian Supreme Pizza	\$33,476.75	2
Supreme	The Sicilian Pizza	\$30,940.50	3
Veggie	The Four Cheese Pizza	\$32,265.70	1
Veggie	The Mexicana Pizza	\$26,780.75	2
Veggie	The Five Cheese Pizza	\$26,066.50	3