

Experiment No. 1

Student Name: Rahul Narwade

PRN: 24070521046

Experiment Title:

Demonstrate inline, internal, and external JavaScript; use console methods; create a webpage showing user info and a welcome message.

Software / Tools Required

- Visual Studio Code
- Google Chrome / Microsoft Edge
- HTML5
- CSS3
- JavaScript

Experiment Program Code

Files Used:

- student.html
- style.css
- script.js
- **student.html**

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Student Information</title>
</head>

<body style="margin:0;
font-family:Arial,sans-serif;
background:linear-gradient(135deg,#74ebd5,#9face6);
display:flex;
justify-content:center;
align-items:center;
min-height:100vh;">

<!-- Watermark -->
<div style="
position:fixed;
top:20px;
right:20px;
background:rgba(255,255,255,0.8);
padding:8px 15px;
border-radius:10px;
font-size:15px;
font-weight:bold;
color:#0066cc;
border:2px solid #0066cc;
box-shadow:0 2px 8px rgba(0,0,0,0.2);
z-index:9999;">
■■■ Created By<br>
Rahul <br>
PRN: 24070521046
</div>

<div style="
width:450px;
background:white;
padding:25px;
border-radius:15px;
box-shadow:0 8px 20px rgba(0,0,0,.3);
position:relative;
z-index:1;">

<h2 style="text-align:center;color:#0066cc;">■■ Student Information</h2>

<h4 style="text-align:center;color:#444;">
Symbiosis Institute of Technology (SIT), Nagpur
</h4>

<p style="
text-align:center;
font-size:14px;
font-weight:bold;
color:#555;
```

```

margin-top:-5px;
margin-bottom:15px;">
Created By: Rahul Narwade
<br>
PRN: 24070521046
</p>

<hr>

<label><b>Name</b></label>
<input type="text" id="name" placeholder="Enter Name"
style="width:100%;padding:10px;margin:8px 0 15px;border-radius:5px;border:1px solid #ccc;">

<label><b>Age</b></label>
<input type="number" id="age" placeholder="Enter Age"
style="width:100%;padding:10px;margin:8px 0 15px;border-radius:5px;border:1px solid #ccc;">

<label><b>Gender</b></label>

<select id="gender"
style="width:100%;padding:10px;margin:8px 0 15px;border-radius:5px;border:1px solid #ccc;">
<option>Male</option>
<option>Female</option>
<option>Other</option>
</select>

<label><b>Branch</b></label>
<input type="text" id="branch" placeholder="Enter Branch"
style="width:100%;padding:10px;margin:8px 0 15px;border-radius:5px;border:1px solid #ccc;">

<label><b>PRN</b></label>
<input type="text" id="prn" placeholder="Enter PRN"
style="width:100%;padding:10px;margin:8px 0 20px;border-radius:5px;border:1px solid #ccc;">

<button onclick="showStudent()"
style="width:100%;
padding:12px;
background:#0066cc;
color:white;
border:none;
border-radius:6px;
cursor:pointer;
font-size:16px;">
Show Details
</button>

<div style="margin-top:20px;padding:15px;background:#f5f5f5;border-radius:10px;">

<h3 style="text-align:center;">Student Profile</h3>

<p><b>■ Name :</b> <span id="sname">-</span></p>

<p><b>■ Age :</b> <span id="sage">-</span></p>

<p><b>■ Gender :</b> <span id="sgender">-</span></p>

<p><b>■ Branch :</b> <span id="sbranch">-</span></p>

<p><b>■ PRN :</b> <span id="sprn">-</span></p>

</div>

</div>

<script src="script.js"></script>

</body>
</html>

```

• style.css

```

* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: Arial, sans-serif;
}

body {
  background: linear-gradient(135deg, #4facfe, #00f2fe);
  height: 100vh;
  display: flex;
  justify-content: center;
  align-items: center;
}

.container {
  width: 350px;
}

.card {
  background: #fff;
  padding: 25px;
  border-radius: 12px;
  box-shadow: 0 8px 20px rgba(0,0,0,0.2);
  text-align: center;
}

```

```

h1 {
  text-align: center;
  color: white;
  margin-bottom: 20px;
}

p {
  font-size: 18px;
  margin: 15px 0;
}

button {
  margin-top: 20px;
  padding: 10px 20px;
  border: none;
  background: #007bff;
  color: white;
  border-radius: 6px;
  cursor: pointer;
  font-size: 16px;
  transition: 0.3s;
}

button:hover {
  background: #0056b3;
}

```

• script.js

```

function showStudent(){

let name=document.getElementById("name").value;
let age=document.getElementById("age").value;
let gender=document.getElementById("gender").value;
let branch=document.getElementById("branch").value;
let prn=document.getElementById("prn").value;

if(name==" " || age==" " || branch==" " || prn==""){
alert("Please fill all details.");
return;
}

document.getElementById("sname").innerHTML=name;
document.getElementById("sage").innerHTML=age;
document.getElementById("sgender").innerHTML=gender;
document.getElementById("sbranch").innerHTML=branch;
document.getElementById("sprn").innerHTML=prn;

}

```

Application Description

The application collects student information including Name, Age, Gender, Branch, and PRN. When the user clicks the Show Details button, JavaScript reads the entered values and dynamically displays them in the Student Profile section. The program also checks that the required fields are filled before displaying the details.

Features Implemented

Feature	Description
Student Information Form	Collects Name, Age, Gender, Branch and PRN
Input Validation	Checks that the required fields are filled
DOM Manipulation	Displays entered details dynamically in Student Profile
JavaScript Function	Uses showStudent() to process and display data
Event Handling	Show Details button executes JavaScript
External JavaScript	JavaScript is linked through script.js

Output

Student Information
Symbiosis Institute of Technology (SIT), Nagpur
Created By: Rahul Narwade
PRN: 24070521046

Name
Rahul Narwade

Age
20

Gender
Male

Branch
CSE

PRN
24070521046

Show Details

Student Profile

- Name: Rahul Narwade
- Age: 20
- Gender: Male
- Branch: CSE
- PRN: 24070521046

Created By: Rahul Narwade
PRN: 24070521046

Output Summary

- Accepts student information through input fields.
- Validates the required details before displaying the result.
- Displays Name, Age, Gender, Branch, and PRN in the Student Profile section.
- Uses the Show Details button to execute the JavaScript function.
- Shows the student name and PRN on the webpage.

Result / Conclusion

The Student Information webpage was implemented successfully using HTML, CSS, and JavaScript. The experiment demonstrated user input handling, event handling, input validation, DOM manipulation, and the use of external JavaScript to collect and display student information dynamically.