

Cisco Industrial IoT Portfolio

www.cisco.com/go/iot



Contents

Bring Cisco scale and security to industrial IoT

Cisco Industrial Ethernet (IE) switching portfolio

Cisco Industrial Router (IR) portfolio

Cisco Ultra-Reliable Wireless Backhaul (Cisco URWB)

Industrial Wireless (IW) access points and clients

Cisco utility and Field Area Networking (FAN) portfolio

Cisco LoRaWAN solution

Cisco Industrial IoT embedded networks portfolio

Industrial Cybersecurity

Management

Edge computing

Cisco IOx

Cisco IoT Validated Designs

Featured Design Guides

Cisco industrial IoT solutions

Bring Cisco scale and security to industrial IoT

Stop worrying about the challenges and start imagining the possibilities with Cisco IoT

Deploying IoT at scale isn't easy. It requires configuring and managing countless assets and devices and dealing with complex operational and industry requirements. Moreover, it creates potential blind spots that increase your security risks.

Cisco provides the most secure, dependable IoT portfolio on the market

Cisco IoT is an end-to-end IoT architecture. Built on our industry-leading networking and security capabilities, it provides



Rock-solid infrastructure

Extend the Cisco network you know and trust to scale your IoT deployment using reliable infrastructure, automation, and familiar management tools



Unparalleled visibility and control


Protect your business with Cisco's industry-leading security portfolio which gives you complete visibility and control



Trusted expertise

Partner with a trusted leader who offers continuous innovation, market-leading products, an extensive developer program, and resources like deployment blueprints to make you successful

IoT enables transformative use cases




Remote monitoring



Asset tracking



Worker safety



Operational agility




Fleet management



Predictive maintenance


Cisco offers an unparalleled end-to-end IoT architecture

Interconnect assets, applications and data to uncover transformative business insights



Network connectivity

Extend the network you know and trust to operational environments




Device management

Manage industrial assets and devices at scale with automated solutions



Data control and exchange

Efficiently move the right data to the right place at the right time



Edge computing

Push data processes to the edge to enable fast decision-making in the field



Security

Protect your business from end to end with Cisco's industry-leading security portfolio

Our 67,000 customers are already seeing tremendous results

“ Within a month, we increased our manufacturing floor productivity by over 10 percent.

– Yair Avigdor, COO, Lordan

“ We gained an additional 10,000 hours of availability system-wide.

– Eric Rupp, Principal Network Engineer, Great River Energy



Visit www.cisco.com/go/iot to learn more

Cisco Industrial Ethernet (IE) switching portfolio

The Cisco® Industrial Ethernet (IE) switching portfolio includes ruggedized, secure, easy-to-use switches built for extending enterprise networks to outdoor and harsh industrial environments. They provide secure connectivity across challenging operating conditions and industries such as manufacturing, utilities, transportation, oil and gas, mining, roadways, and smart cities. These Cisco switches offer best-in-class Cisco IOS or Cisco IOS XE Software with advanced Layer 2 and Layer 3 features, along with industrial protocol support, such as PROFINET and EtherNet/IP to accelerate industries' digital transformation.

Visibility and security

Cisco IE switches are available with robust visibility and security features. Select IE switch models incorporate Cisco Cyber Vision, which provides granular visibility into connected assets and traffic flows to monitor your security posture and also helps you define rules for network segmentation. IE switches are compatible with Cisco Software-Defined Access (SD-Access), which can be used for easy segmentation, threat isolation, and building a zero-trust industrial network.

Cisco IE switches are developed according to the [Cisco Secure Development Lifecycle](#) (SDL), which enforces a secure-by-design philosophy from product planning through end of life and is certified against ISA/IEC 62443-4-1. They also contain several embedded security features that provide additional layers of protection.

Easy network management

Scaling your industrial network is easy with intelligent management. You can easily manage your IoT network with the same tools that manage your IT network, such as [Cisco DNA Center](#), which allows zero-touch deployments, automates configuration changes, monitors performance, and identifies and helps correct faults, reducing time and cost of deployment.

You may also use other management options such as the included web management tool.

Modular DIN rail switches

Select models of the Cisco IE switch portfolio are available in a modular form factor. These switches include the base system to which expansion modules may be attached as required. This modularity gives you the freedom to add, remove, or change copper or fiber ports in the future in sync with your evolving needs without having to replace the entire switch.



[Cisco Catalyst IE3400 Rugged Series](#)

- Advanced modular DIN rail switch expandable up to 26 ports
- All Gigabit Ethernet platform, Layer 2 or Layer 3
- Up to 24 ports of PoE/PoE+ (power budget up to 480W)
- Copper, fiber, and PoE+ expansion modules
- IOS-XE operating software
- Cisco DNA Center for management
- SD-Access policy extended node
- Advanced industrial protocols and additional security features
- Edge compute, Cisco Cyber Vision for Industrial Control System (ICS) visibility

Expansion modules for the Catalyst IE3400 allow you to add fiber, copper, or PoE ports and include the following. In addition to these, the Catalyst IE3400 may be able to use expansion modules for the Catalyst IE3300 with some limitations.

8 fiber ports



8 copper ports



8 PoE+ ports



Cisco Catalyst IE3300 Rugged Series

- Modular DIN rail switch expandable up to 26 ports
- All Gigabit Ethernet platform with available 10G uplink option, Layer 2 or Layer 3
- Up to 24 ports of PoE/PoE+ (power budget up to 360W)
- Copper, fiber, and PoE+ expansion modules
- IOS-XE operating software
- Cisco DNA Center for management
- SD-Access extended node
- Cisco Cyber Vision for ICS visibility

Expansion options for the Catalyst IE3300 allow you to add 8 to 16 copper, fiber, or PoE ports to the base system and include the following.

8 copper ports



16 copper ports



8 fiber ports



6 copper, 2 fiber ports



14 copper, 2 fiber ports



8 PoE+ ports



16 PoE+ ports



4 1G/2.5G Hi-PoE ports



Fixed DIN rail switches



Cisco Catalyst IE3200 Rugged Series

- Fixed DIN rail switch, 10 ports
- All Gigabit Ethernet platform, Layer 2
- 8 ports of PoE/PoE+ (power budget up to 240W)
- IOS-XE operating software
- Cisco DNA Center for management



Cisco Catalyst IE3100 Rugged Series

- Compact form-factor, ideal for machine builders and space-constrained deployments
- Fixed DIN rail switch, 6 to 20 ports
- All Gigabit Ethernet platform, Layer 2
- IOS-XE operating software
- Cisco DNA Center for management



Cisco IE 4000 Series Switches

- Fixed DIN rail switch, up to 20 ports
- 4x 1G combo uplinks
- All Gigabit Ethernet platform, Layer 2 or Layer 3
- Up to 8 ports of PoE/PoE+ (power budget up to 200W)
- Advanced industrial protocols and additional security features
- Cisco DNA Center for management
- SD-Access extended node



Cisco IE 2000 Series Switches

- Fixed DIN rail switch, up to 20 ports or wall mount, IP67 rated, up to 24 ports with M12 interfaces
- Up to 18 FE ports, 2x 1G combo uplinks (on select models)
- Layer 2 or Layer 3 (limited features)
- Up to 4 ports of PoE/PoE+ (power budget up to 120W)
- Conformal coating (on select model)
- Optimized for use in utilities (select models)
- Cisco DNA Center for management



Cisco IE2000U Series Switches

- Optimized for use in utilities
- Fixed DIN rail switch, up to 20 ports
- Up to 18 FE ports, 2x 1 G uplinks
- Layer 2 or Layer 3
- Up to 4 ports of PoE/PoE+ (power budget up to 120W)
- Conformal coating (on select model)
- Cisco DNA Center for management



Cisco IE 1000 Series Switches


- Fixed DIN rail switch, up to 10 ports
- Up to 8 Fast Ethernet (FE) ports, 2x 1G combo uplinks (on select models)
- Lightly managed Layer 2
- Up to 8 ports of PoE/PoE+ (power budget up to 180W)
- Security: Port security, TACACS, 802.1X
- Plug and Play (PnP) for easy deployment

Rack-mount switches



Cisco Catalyst IE9300 Rugged Series Switches

- 19-inch rack-mount switch, 28 ports
- Based on the Cisco UADP ASIC
- All Gigabit Ethernet platform, Layer 2 or Layer 3
- 26 fiber ports, 2 combo Gigabit Ethernet ports
- Cisco IOS XE Software
- Vertical stacking up to 8 members
- Advanced industrial and redundancy protocols
- Edge compute, Cisco Cyber Vision for ICS visibility
- Cisco DNA Center for management
- SD-Access fabric edge node



Cisco IE 5000 Series Switches

- 19-inch rack-mount switch, 28 ports
- All Gigabit Ethernet platform, Layer 2 or Layer 3
- 4x 10G fiber uplinks (on select models)
- Up to 12 ports of PoE/PoE+ (power budget 360W)
- Horizontal stacking up to 4 members
- GNSS/GPS antenna interface
- Advanced industrial protocols and additional security features
- Conformal coating (on select model)
- Cisco DNA Center for management
- SD-Access extended node



Cisco IE 4010 Series Switches

- 19-inch rack-mount switch, 28 ports
- All Gigabit Ethernet platform, Layer 2 or Layer 3
- Up to 24 ports of PoE/PoE+ (power budget up to 385W)
- Advanced industrial protocols and additional security features
- Cisco DNA Center for management
- SD-Access extended node

Heavy-duty IP67 switches



Cisco Catalyst IE3400 Heavy Duty Series

- Wall-mount IP66/IP67 switch with M12 interfaces
- Up to 24 all Gigabit Ethernet or all Fast Ethernet ports, Layer 2 or Layer 3
- Cisco DNA Center for management
- SD-Access policy extended node
- Advanced industrial protocols and additional security features
- Edge compute, Cisco Cyber Vision for ICS visibility

Next steps

To learn more about the Cisco Catalyst Industrial Ethernet switching portfolio, visit www.cisco.com/go/ie and use the [Cisco Switch Selector](#) to find the best switch for your particular use case.

Cisco Industrial Router (IR) portfolio



The Cisco Catalyst Industrial Routers are a range of ruggedized modular platforms on which you can build a highly secure, reliable, and scalable communications infrastructure.

All Cisco industrial routers share a core set of common characteristics. They are certified to meet harsh environmental standards – and have modular designs that can help extend product life and lower costs. This flexible design enables WAN redundancy and is ready to handle 5G, public LTE – including FirstNet, and private LTE – including Citizens Broadband Radio Service (CBRS), as well as enhanced data throughputs and differentiated services. They are powered by Cisco IOS XE, and offer a choice of management options, allowing you to extend your network from the enterprise to the industrial edge using common security policies, tools, and management policies.

Modular design

Enjoy many module options, such as public or private LTE and 5G, Wi-Fi 6, LoRa, and additional storage. The platform can adapt as your connectivity needs grow.

Scale with choice of management

Scale and simplify operations. Equip IT and operations teams with powerful management tools such as IoT Operations Dashboard, Field Network Director, Cisco DNA Center, and Cisco vManage.

Robust security to protect critical data

Built in enterprise-grade security helps protect your network from attacks. With these powerful routers, you don't need separate hardware to deploy security.

Visibility into connected assets

Cisco Cyber Vision is built in to provide detailed visibility into connected assets, their vulnerabilities, and activities to monitor your industrial cybersecurity posture.

Take action right at the edge

Use the platform's built-in edge compute and Cisco IOx support to build and run your own applications at the edge.

Ruggedized

Designed for industrial deployments, including harsh, extreme temperature environments.

Secure scalability with SD-WAN

Deploy a common set of policies, automate security setups, and optimize traffic using Cisco vManage for SD-WAN.



Cisco Catalyst IR1100 Rugged Series Routers - FirstNet Ready

- Modular and expandable hardware design to extend product life
- Ruggedized and compact with low power consumption
- Software-defined WAN, Cisco IOS XE, and edge compute-enabled
- Enterprise-grade security built in, Cyber Vision for ICS visibility
- Choice of WAN interfaces like Ethernet, dual cellular for WAN redundancy, and DSL
- FirstNet Ready
- IEC 61850-3 and IEEE 1613 certified for deployment in utility substations
- 100 GB of additional storage for edge applications

Expansion modules for Catalyst IR1101

Enjoy the very small form factor of Catalyst IR1101, or expand with one or two modules adding more connectivity options:

- IR1101 serial expansion module adds 4 asynchronous serial ports and 2 GigE LAN ports
- IR1101 cellular expansion module adds one slot for a pluggable network module and one SFP GigE port as well as an optional 4 GPIO port and one mSATA slot for storage.



Cisco Catalyst IR1800 Rugged Series Routers - FirstNet Ready

- Highly secure, high-performance, modular routers with 5G and Wi-Fi 6
- Automotive certification and CAN-bus support
- Built-in edge compute and SD-WAN-enabled
- FirstNet Ready
- 2 cellular slots, 1 Wi-Fi slot
- 8 GB memory
- CAN bus, PoE/PoE+, ADR GNSS slot, SSD slot
- 4 digital I/O ports, advanced security features, 1 RS232/485 combo port





Cisco Catalyst IR8100 Heavy Duty Series Routers

- Heavy duty, IP67-certified, fully modular industrial router designed for harsh outdoor environments
- 5G, public and private LTE, and more
- Multilayered cybersecurity and hardware security
- Built-in edge compute and SD-WAN-enabled
- 1 Gigabit copper with PoE output
- 1 Gigabit fiber/SFP
- 3 additional I/O slots
- PoE or AC powered with built-in battery backup
- 12V DC for external devices



Cisco Catalyst IR8300 Rugged Series Router

- Rugged, 5G, integrated routing and switching platform for many industries and use cases
- IEC-61850-3 and IEEE 1613 certified for deployment in utility substations
- Hot-swappable, fully redundant power supplies and high-availability design for maximum network uptime and redundancy
- Multiple interface options, including Ethernet switch, T1/E1, and serial (RS-232)
- Enhanced security and advanced QoS for compliance with critical infrastructure protection mandates
- Multilayered security, Cyber Vision sensor with Snort IDS for ICS visibility
- Precision timing source
- Built-in edge compute and SD-WAN-enabled

Pluggable network modules for Catalyst Industrial Routers



Cisco Catalyst industrial routers provide flexible networking options to meet your constraints and use case requirements. Use the pluggable module that

supports the technology you need and replace to adapt to technology changes or as your needs evolve.

- 4G LTE pluggable module, FirstNet Ready
- Cat18 4G LTE Advanced Pro pluggable module with CBRS and private-LTE support, FirstNet Ready
- 4G LTE 450MHz pluggable module*
- 5G sub-6GHz cellular pluggable module
- VDSL2, ADSL2/2+ small form-factor pluggable (SFP)*†
- LoRaWAN pluggable module*
- Wi-Fi 6 pluggable module†
- 2 port T1/E1 pluggable module‡
- 8 port RS232 serial pluggable module‡

* Catalyst IR1101 only

† Catalyst IR1800 only

‡ Catalyst IR8300 only

Next steps

To learn more about Cisco Catalyst Industrial Routers, visit www.cisco.com/go/iot-routers.

Cisco Ultra-Reliable Wireless Backhaul (Cisco URWB)

Cisco Ultra-Reliable Wireless Backhaul (Cisco URWB) delivers fiber-like wireless connectivity for moving assets or to extend your network where running fiber isn't feasible or is too costly. It provides high-bandwidth, high-availability, ultra-low latency, seamless handoffs with zero packet loss; making it ideal to connect the most demanding applications that need uninterrupted wireless connectivity. Cisco URWB is also scalable, easy to install and uses free spectrum.

Cisco URWB can be used to create static, nomadic, and fast-roaming wireless backhaul networks for OT applications. They have been designed and successfully deployed in rail, mining, smart cities, container terminals, entertainment, smart factories, military, automotive, and video broadcasting industries. The MPLS-based secure wireless protocol that enables this technology can provide a set of benefits that surpasses other standards and industrial solutions.

High bandwidth

A multigigabit data rate makes it the ideal choice for demanding applications such as real-time video surveillance, onboard Wi-Fi for edge devices, depot telemetry download, and much more.

Seamless handoff

Handoff is one of the primary challenges in vehicle-to-wayside communications. Unlike other technologies, Cisco URWB offers seamless roaming from one base station to the next, helping ensure strong radio signals or no packet loss so moving vehicles are always connected to the application.

Ultra-low latency

When real-time interaction is required, latency must be negligible compared to the reaction time. Thanks to their wireless aware switching protocol, these radio platforms have incredibly low latency, making them the ideal choice for remote control, machine-level protocols, VoIP, and autonomous and semi-autonomous applications.

Stability and reliability

Mission-critical OT networks cannot allow downtime. Losing connection in OT means stopping machines and processes, often resulting in a huge loss of money. Thanks to the latest technologies and dedicated network design and deployment, Cisco will help make your wireless data network smooth and seamless.

Fast failover

Sometimes stability is not enough. Applications such as Communications-Based Train Control (CBTC) require a failover system in case of communication or hardware default. To accomplish this, Cisco introduced a special algorithm that can reconfigure the network on redundant hardware in less than 500 ms.

High availability

Cisco URWB's innovative patented technology, Multipath Operations (MPO), provides uninterrupted wireless connectivity by sending high-priority packets via redundant paths. It lowers the effects of interference and hardware failures preventing packet losses, lowering latency, and increasing availability.

Next steps

To learn more about
Cisco Ultra-Reliable Wireless Backhaul,
visit: www.cisco.com/go/curwb.



Cisco Catalyst IW9167E Heavy Duty Access Point

- Tri 802.11ax Wi-Fi 6/6E-ready radio (2.4 GHz, 5 GHz, 5/6 GHz)
- Suitable for pole installation on wayside/trackside
- 4x4 MIMO, 4 spatial streams, with a wide choice of antennas to better suit each use case
- 8 N-type antenna connectors
- 2 Multigigabit RJ-45, SFP+, optional M12 adapters
- Heavy-duty, IP67 certified enclosure to operate under extreme water, dust, and temperature conditions (-50C to +75C)
- EN50155 certified to support shocks and vibrations



Cisco Catalyst IW9165D Heavy Duty Access Point

- Dual 802.11ax Wi-Fi 6/6E-ready radio (5 GHz, 5/6 GHz)
- Built-in directional antenna for easy backhaul network deployments
- Choice of external antennas to quickly extend network to new places when needed (2 N-type)
- 2 Multigigabit RJ-45, optional M12 adapters
- Heavy-duty, IP67-certified enclosure to operate under extreme water, dust, and temperature conditions (-50 to +75C)



Cisco Catalyst IW9165E Rugged Access Point and Wireless Client

- Dual 802.11ax Wi-Fi 6/6E-ready radio (5 GHz, 5/6 GHz)
- Compact form factor to enable integration in industrial vehicles, robots, cranes, trains, and more
- Wide choice of antennas to better suit each use case (4 RP-SMA)
- 2 Multigigabit RJ-45, optional M12 adapter
- Ruggedized hardware supporting high temperature ranges (-20 to +50C)
- EN50155 certified to support shocks and vibrations

Next steps

To learn more about
Cisco Ultra-Reliable Wireless Backhaul,
visit www.cisco.com/go/curwb.



FM Ponte Kit

- Wireless bridge kit consisting of 2 radios
- Ideal for video, voice, and data backhauling
- Frequency bands: 4.9 GHz and unlicensed 5.1 to 5.8 GHz
- 2x 10/100 RJ-45 ports
- Throughput up to 50 Mbps
- NPT-1 threaded cable gland for direct conduit mounting
- Compact form factor: 330.5 x 156.6 x 79.9 mm
- 24V passive PoE, injectors included
- Low power consumption: Max 8W



Cisco FM 1200 Volo

- Fixed wireless networks
- Point-to-point, point-to-multipoint, and mesh
- Frequency bands: 4.9 GHz and unlicensed 5.1 to 5.8 GHz
- 2x 10/100 RJ-45 ports
- Throughput up to 100 Mbps
- NPT-1 threaded cable gland for direct conduit mounting
- Compact form factor: 330.5 x 156.6 x 79.9 mm
- 24V passive PoE
- Low power consumption: Max 8W



Cisco FM 3200 Base

- Point-to-multipoint base station
- Wide horizontal coverage antenna
- Frequency bands: 4.9 GHz and unlicensed 5.1 to 5.8 GHz
- 1x 10/100/1000 RJ-45 and 1x 10/100 Base RJ-45 ports
- Throughput up to 150 Mbps
- NPT-1 threaded cable gland for direct conduit mounting
- Compact form factor: 400 x 180 x 200 mm
- 802.3af PoE
- Low power consumption: Max 8W

Next steps

To learn more about
Cisco Ultra-Reliable Wireless Backhaul,
visit www.cisco.com/go/curwb.



Cisco FM 3500 ENDO

- Suitable for pole installation on wayside/trackside
- Supports a wide range of antennas to better suit each use case
- Frequency bands: 4.9 GHz, unlicensed 5.1 to 5.8 GHz
- 2x 10/100/1000 Tx RJ-45 ports
- 2x RP-SMA radio connectors, ASTM B-117 compliant
- Throughput up to 500 Mbps
- NPT-1 threaded cable gland for direct conduit mounting
- Compact form factor: 230 x 132 x 60 mm
- Power supply: 802.3at PoE
- Low power consumption: Max 20W



Cisco FM 4500 MOBI

- Compact and rugged, ideal for both moving vehicles and wayside
- The ideal choice in high-vibration environments
- Wide range of antennas available
- Frequency bands: 4.9 GHz, unlicensed 5.1 to 5.8 GHz
- Rail certifications: EN50155, EN50121-3, EN50121-4, EN45545, EN50129, IEC 60571, AREMA 11.5.1, CBTC: EN50129
- 2x 10/100/1000 M12 ports
- 2x QMA radio connectors, ASTM B-117 compliant
- Throughput up to 500 Mbps
- Compact form factor: 167 x 132 x 60 mm
- Multiple power supply options: 802.3at PoE, 48V DC M12 power input
- Low power consumption: Max 20W



Cisco FM 4500 FIBER

- Ideal for fiber connection
- Frequency bands: 4.9 GHz, unlicensed 5.1 to 5.8 GHz
- 2x QMA radio connectors, ASTM B-117 compliant
- 1x dual LC ruggedized SFP XCO connector 100/1000 Mbps; 1x 10/100/1000 M12 port
- Throughput up to 500 Mbps
- Operating temperature: -40°C to 80°C (-40°F to 176°F)
- Humidity 5% to 95% noncondensing
- Compact form factor: 167 x 132 x 60 mm
- Multiple power supply options: 802.3at PoE/48V DC M12 power input
- Low power consumption: Max 20W

Next steps

To learn more about
Cisco Ultra-Reliable Wireless Backhaul,
visit www.cisco.com/go/curwb.

Industrial Wireless (IW) access points and clients

Workers, assets, and resources are becoming increasingly connected in oil and gas, mining, transportation, and manufacturing. This expansion of IoT networking and equipment interconnectivity enables new use cases and opportunities, but it also places new demands on your infrastructure. Cisco responds to these demands with range of access point specifically designed for offering extended, high-performance wireless connectivity in these outdoor and harsh industrial environments.

Cisco Catalyst IW9167E Heavy Duty Access Point

- Tri 802.11ax Wi-Fi 6/6E-ready radio (2.4 GHz, 5 GHz, 5/6 GHz), bringing all the benefits of Wi-Fi 6 to the harshest environments: more spectrum, more channels, higher throughput, and improved security
- 4x4 MIMO, 4 spatial streams, with a wide choice of antennas to better suit each use case
- Designed and certified for the harshest environments with extended operating temperature ranges of -50 to +75C; vibration rated to IEC 60068-2-6 environmental standards with M12 I/O connectors; and rugged IP67-rated enclosure to protect against liquid and dust ingress
- Supports GNSS, BLE and scanning radio for spectrum management minimizing interference
- Can be powered by PoE or DC



Cisco Catalyst IW9165E Rugged Access Point and Wireless Client

- Dual 802.11ax Wi-Fi 6/6E-ready radio (5 GHz, 5/6 GHz) to enable industrial assets to connect to your network over Wi-Fi using Workgroup Bridge (WGB) mode
- Compact form factor enables integration in industrial vehicles, robots, cranes, trains, and more
- Wide choice of antennas to better suit each use case (4x RP-SMA)
- Ruggedized hardware supporting high temperature ranges (-20 to +50C)
- EN50155 certified to support shocks and vibrations



Cisco Catalyst IW6300 Heavy Duty Series Access Point

Engineered for hazardous environments

Building on over 10 years of successful hazardous location wireless deployments, Cisco's heavy-duty access points are purpose-built to deliver fully certified connectivity to our customers' most challenging Class I Division 2 environments.

Intelligence beyond boundaries

Cisco's intent-based networking, together with the Cisco Catalyst IW6300 Heavy Duty Series Access Points, extend policy and visibility from the enterprise to the IoT edge, which streamlines IT and OT network management and helps reduce costs. Use Cisco IOx container support enables IoT applications at the edge for faster decision making.

Deployment almost anywhere

While they're designed for the most extreme temperatures and environments and include IP67 waterproof and dust resistance, they're still our lightest and most compact hazardous-location access points yet.

Secure connectivity and flexibility

These mesh access points deliver certified, dependable 802.11ac Wave 2 with WPA3 wireless encryption, one PoE-in port, two POE-out ports, and one SFP port.

Wireless without the worries

Cisco DNA Assurance works with the Cisco Catalyst IW6300 Heavy Duty Series Access Points to proactively and predictively resolve network issues.

Expanded industrial wireless capabilities

Expansion modules developed by industry specialists for the Catalyst IW6300 Heavy Duty Series Access Point unleash more wireless capabilities for your specific use cases. These modules attach to the Catalyst IW6300 using a single PoE out port while still being fully HazLoc certified as a single solution.



Honeywell OneWireless

ISA100™ Wireless (IEC 62734) and WirelessHART (IEC 62591) connectivity



Emerson 1410S

ISA100™ Wireless (IEC 62734) and WirelessHART (IEC 62591) connectivity



Wipolot EagleEye Motion

Ultra Wide Band (UWB) based real time location tracking

Cisco IW3702 Rugged Access Point

Delivers superior wireless performance, resilience, and mobility

Key features:

- **Delivers industry-leading 802.11ac** Wi-Fi to the extreme edge to improve user experiences and safety for mass transit systems, mining sites, and other IoT deployments
- **Designed and certified for extreme environments** with extended operating temperature ranges of -50 to +75C; vibration rated to IEC 60068-2-6 environmental standards with M12 I/O connectors; and rugged IP67- rated housing to protect against liquid and dust ingress
- **Sustains reliable connections at higher speeds** farther from the access point than competing solutions and supports significantly increased roaming speeds for mobile applications
- **Includes Power over Ethernet (PoE)** output to enable external devices such as ruggedized IP cameras for improved worker and passenger safety and better asset security
- **Employs a scalable and secure mesh** architecture for highly resilient Wi-Fi services
- **Extends the Cisco Unified Wireless Network**, which can scale up to 18,000 access points with full Layer 3 mobility across central or remote locations



Next steps

To learn more about how
Cisco's Industrial wireless products can help,
visit www.cisco.com/go/iw.

Cisco utility and Field Area Networking (FAN) portfolio



Cisco Catalyst IR8100 Heavy Duty Series Routers

- Heavy duty, IP67-certified, fully modular industrial router designed for harsh outdoor environments
- Enables multiple applications with a single platform, such as Advanced Metering Infrastructure (AMI), distribution automation, Distributed Energy Resources (DER), street lighting, and remote workforce automation
- 5G, public and private LTE, and more
- Multilayered cybersecurity and hardware security
- Built-in edge compute and SD-WAN-enabled
- 1 Gigabit Ethernet copper with PoE output
- 1 Gigabit Ethernet fiber/SFP
- 3 additional I/O slots
- PoE or AC powered with built-in battery backup
- 12V DC for external devices



Cisco Catalyst IR8300 Rugged Series Router

- Rugged, 5G, integrated routing and switching platform with utility substation compliance IEC-61850-3 and IEEE 1613 for utility environments
- Hot-swappable, fully redundant power supplies and high-availability design for maximum network uptime and redundancy
- Multiple interface options, including Ethernet switch, T1/E1, and serial (RS-232)
- Enhanced security and advanced QoS for compliance with critical infrastructure protection mandates
- Multilayered security, with Cyber Vision support for ICS visibility
- Precision timing source
- Built-in edge compute and SD-WAN-enabled



Cisco Catalyst IE9300 Rugged Series Switches

- 19-inch rack-mount switch, 28 ports
- Based on the Cisco UADP ASIC
- All Gigabit Ethernet platform, Layer 2 or Layer 3
- 26 fiber + 2 combo GE ports
- Cisco IOS XE Software
- Vertical stacking up to 8 members
- Advanced industrial and redundancy protocols
- IEC 61850 networking standards
- IEEE 1588 v2 precision timing and synchronization
- Edge compute, Cisco Cyber Vision
- Cisco DNA Center for management
- SD-Access fabric edge node

Not available for Europe



IR510



IR530



Cisco IR510 WPAN Industrial Router

- High-performance ruggedized router with 1.2 Mbps data rate
- Provides unlicensed 915 MHz, ISM-band Wireless Personal Area Network (WPAN) communications that enable IoT applications
- Open RF mesh solution based on the following standards: IEEE 802.15.4 g/e/v, IETF 6LoWPAN, IETF Routing Protocol for Low Power and Lossy Networks (RPL), IETF Mapping of Address and Port - Translation (MAP-T), and IETF Constrained Application Protocol (CoAP)
- IOx ready

Cisco IR530 Series Resilient Mesh Range Extenders

- Extend the range of the RF wireless mesh network, providing longer reach between WPAN endpoints and other WPAN networks
- Deliver unlicensed 902 to 928 MHz, ISM-band IEEE 802.15.4g/e/v WPAN communications to diverse IoT applications
- Increases communications network uptime and grid availability, helps ensure message delivery through a rugged industrial hardware design and highly resilient solution architecture
- Lower total cost of ownership by consolidating disparate communications networks used for AMI and distribution automation applications

Next steps

To learn more about
Cisco's utility and Field Area Networking portfolio,
visit www.cisco.com/go/utilities.

Cisco LoRaWAN solution

LoRaWAN is unlicensed, Low-Power Wide-Area (LPWA), long-range wireless technology applicable to both private and public IoT infrastructure. It is used to connect a range of devices and environmental sensors that need low data rates and long battery lives to operate unattended for extended periods of time.

The Cisco LoRaWAN solution offers customers a fully integrated and functional architecture that supports both service providers and industrial customers and complies with the architecture and specifications defined by the LoRa Alliance.



Cisco Catalyst IR1100 Rugged Series Routers – now with LoRaWAN

- New LoRaWAN module turns the Catalyst IR1101 into an 8-channel LoRaWAN gateway
- Modular and expandable hardware design supporting a wide choice of integrated WAN interfaces such as Ethernet, 4G, 5G, and DSL
- IEC 61850-3 and IEEE 1613 certified for deployment in power utility substations

Cisco industrial sensors

Choose from a large family of LoRaWAN sensors to collect environmental and operational data. Cisco's industrial sensor options include:

- Vibration sensor
- Outdoor/Indoor temperature sensor
- Machine temperature sensor
- Refrigeration/Humidity sensor
- Water leak detection sensor
- Door/Window open/closed sensor
- Indoor occupancy sensor
- Light detection sensor
- Geolocation sensor
- Analog/Digital Sensor Bridge



Cisco Wireless Gateway for LoRaWAN (IXM)

- 16-channel LoRaWAN gateway
- GNSS support for geolocation applications and precise timestamping
- Heavy-duty IP67-rated enclosure for deployment in outdoor and harsh industrial environments



Cisco Industrial Asset Vision


Cisco Industrial Asset Vision, an all-in-one cloud-based solution to manage Cisco industrial sensors and gain centralized visibility of your sensor data so you can monitor remote facilities and industrial operations easily and securely.

It is the ideal companion to Cisco LoRaWAN gateways, leveraging the extensive range and deep penetration capabilities of LoRaWAN to monitor and collect data from industrial assets and facilities to keep everything running efficiently.

The entire solution deploys in minutes using a simple QR code, and scaling up by adding more sensors is easy. As a cloud-based solution for management and visualization, Industrial Asset Vision requires little technical expertise to deploy or use.

Users can view insights in one easy-to-use dashboard. For example, they can see that the temperature of an asset is outside acceptable values, or that a warehouse door has been left open. The dashboard provides a single view of asset or facility health across all connected sensors, helping operations teams identify potential issues in advance so they can optimize preventive maintenance processes.

For customers willing to deploy a LoRaWAN network server on-premises, Cisco partners with Actility to complement our LoRaWAN portfolio. Actility's ThingPark Enterprise platform is for dedicated enterprise networks, and is simple, scalable, and easy to operate. It offers a unique IoT communication infrastructure to enable an infinite number of industrial use cases.



Next steps

To find out more about Cisco's LoRaWAN solution, visit www.cisco.com/go/lorawan.

Cisco Industrial IoT embedded networks portfolio

The Cisco industrial IoT embedded networks portfolio includes access points, routers, and switches that use Cisco's networking technology packaged into highly ruggedized, low size, weight, and power networking components. Their small form factor coupled with mobile and edge-specific features make these products ideal for applications across industries such as mining, oil and gas, transportation, shipping, and defense, where highly secure, reliable performance is required during extreme conditions.



Cisco 6300 Series Embedded Services Access Points (ESW6300)

Wi-Fi integration for challenging use cases

Get access points purpose-built for integration into smart-city and industrial environments.

Intelligence beyond boundaries

Extend policy and visibility from the enterprise to the edge with Cisco's intent-based networking together with the 6300 Series Embedded Services Access Points, which streamline network management and help reduce costs. Use Cisco IOx container support to host IoT applications at the edge for faster decision making.

Enhanced connectivity and flexibility

You'll get resilient 802.11ac Wave 2, with three PoE ports, one SFP port, and one USB port.

Deployment almost anywhere

Cisco 6300 Series access points are designed for the most extreme environments and temperatures (-40 to +85C).



Cisco ESR6300 Embedded Services Router

Exponentially faster

The ESR6300 offers significantly faster crypto throughput than the previous generation of ESRs, to meet increased bandwidth needs arising from the rapid growth of sensor data and video streams.

Cisco trustworthy systems

The onboard Cisco Trust Anchor Module (TAM) plus image signing, secure boot, and runtime defenses help ensure that the code running on the Cisco ESR6300 is authentic, unmodified, and operating as intended.

Simplified integration

At 3 inches by 3.75 inches, the ESR6300 is smaller than its predecessors, making it easier to integrate into compact solutions. It is hardened for extreme temperatures, shock, and vibration to achieve the highest standard of reliability.

Modularity options


The ESR6300 provides two WAN ports of Gigabit Ethernet that give you a choice of media type and four LAN ports of Gigabit Ethernet with PoE/PoE+ ready options. As your needs evolve, add mSATA storage for Cisco IOx edge compute.

Streamlined management with Cisco IOS XE

Cisco IOS XE is highly programmable, with open and standards-based APIs and next-generation, multilayer security built in. This unified software stack is ideal for process and workflow automation, so you can qualify and deploy new services faster.

Software-defined WAN on the ESR6300

The ESR6300 is hardware ready to support [SD-WAN](#) so you can leverage IT expertise to a distributed network, operate at scale, and lower TCO. Cisco SD-WAN architecture delivers scale, simplicity, and unified management for extending the enterprise network to a distributed IoT deployment.



Cisco Catalyst ESS9300 Embedded Series Switch

- High-bandwidth with 10 ports of 10GE Small-Form-Factor Pluggable Plus (SFP+)
- Ruggedized for the harshest conditions, including extreme temperatures (-40 to +85C), shock, and vibration
- Low power consumption: 35W
- RJ45 Ethernet management port (optional)
- RJ45 or USB micro-B console port
- Common +3.3V and 5V power inputs
- Crucial security features including secure boot and zeroization
- Advanced Cisco IOS XE operating system and WEBUI management



Cisco Embedded Service 3300 Series Switches

- High-speed PC 104 compact form-factor switch
- Ruggedized to operate in harsh environments (-40 to +85C)
- Low power consumption (mainboard 16W, expansion 8W)
- 2x 10G uplink ports, 8x 1G downlink ports on mainboard
- 16x 1G downlink ports on expansion board for high port density
- Modern Cisco IOS XE operating system and WEBUI management
- PoE-ready architecture and software
- Layer 2 Network Essentials feature set



Cisco 5915 Embedded Services Router

- Small size: PC/104 form factor
- Ability to operate in extreme environments (-40 to +85C)
- Low power consumption (less than 7W)
- Mix of route and switch ports
- Reliable and secure connectivity for remote/extreme edge applications
- Specialty features: networking on the move, secure voice and video, satellite communications



Cisco 5921 Embedded Services Router

- Lightweight software router that provides networking functions to mobile and portable communication systems
- Flexibility for a wide range of use cases: install bare metal or hypervisor
- Supports up to 20 ports
- Tiered data rates from 5 to 500 Mbps to meet a wide variety of needs
- Infrastructure-less networking: reaching beyond range of a fixed network
- Ideal for low-power systems, portable solutions, battery-powered devices

Next steps

Find out more about Cisco's [IoT embedded networks](#).

Industrial Cybersecurity

Cisco Cyber Vision

Bringing unprecedented scale and simplicity to IoT/OT security.



As industrial organizations are digitizing their operations and deploying Industry 4.0 technologies, seamless communications between IT, cloud, and industrial networks are needed, exposing Operational Technologies (OT) to grave cyberthreats.

Cisco Cyber Vision gives you full visibility into your Industrial Control System (ICS), including dynamic inventory of all connected assets, real-time monitoring of network activities, and comprehensive threat intelligence, so you can build secure infrastructures and enforce security policies to control risk.

Combining a unique edge monitoring architecture and deep integration with Cisco's leading security portfolio, Cisco Cyber Vision can be easily deployed at scale to help you ensure the continuity, resilience, and safety of your industrial operations.

Benefits

Visibility embedded into your industrial network

Know what to protect. Cisco Cyber Vision automatically builds a detailed inventory of all connected assets, including their communication patterns, vulnerabilities, rack slot configurations, vendor references, serial numbers, and more.

Security posture for IT

Reduce the attack surface. Cisco Cyber Vision calculates risk scores for each part of your operations to help you prioritize what needs to be fixed. Fully integrated with the Cisco security portfolio, it extends the IT Security Operations Center (SOC) to the OT domain.

Operational insights for OT

Improve network performance and reduce downtime. Cisco Cyber Vision provides insights into network issues, device misconfigurations, communication problems, unexpected changes to industrial processes, malicious traffic, and more.

OT security you can deploy at scale

Cisco Cyber Vision leverages a unique edge computing architecture that enables security monitoring components to run within Cisco's industrial network equipment. No need to source dedicated appliances and build a dedicated out-of-band network. Network managers will appreciate the unique simplicity and the lower costs of the Cisco Cyber Vision architecture when looking to deploy OT security at scale.

Microsegmentation made simple with Cisco ISE

Implement ISA/IEC62443 zones and conduits and protect your ICS against cyber threats. Cisco Identity Services Engine (ISE) enables a dynamic and automated approach to policy enforcement that simplifies network segmentation projects within IT and OT environments. It leverages asset groups created by control engineers in Cyber Vision to enforce network access policies that drive dynamic micro-segmentation of the industrial network.

Threat investigation and remediation with Cisco SecureX

Cisco SecureX™ accelerates investigations by aggregating threat intelligence from multiple security technologies into one unified view. Cyber Vision users can promote OT events to SecureX to run deeper investigations on a variety of observables. The SecureX ribbon, always available on the Cyber Vision user interface, makes it even easier to manage cases and launch remediation via specific playbooks and custom workflows that leverage your entire cybersecurity stack.

Next steps

To find out more about how Cisco can help you protect your industrial operations from cyber threats, visit www.cisco.com/go/cybervision or www.cisco.com/go/iotsecurity.

Cisco Secure Firewall ISA3000

Developed specifically to withstand the harshest industrial environments, the Cisco Secure Firewall ISA3000 offers uncompromising end-to-end security with industrial design and operation in mind.

Featuring a compact DIN rail unit and ruggedized design, these industrial security appliances are true industrial firewalls that provide OT targeted protection based on proven enterprise-class security leveraging Cisco Firepower Threat Defense (FTD) services or Adaptive Security Appliance (ASA) with FirePOWER Services.

Cisco Industrial Security Appliance 3000 Series Models



Key features:

- **Visibility and control of protocols**, including DNP3, CIP, Modbus, IEC 61850, IEC 104, and applications by Omron, Rockwell, GE, Schneider, and Siemens
- **Environmental hardening** for vibration, shock, surge, and electrical noise immunity
- **Compliance** with multi-industry specifications for industrial automation, ITS, and electrical substation environments
- **Multidevice management** across hundreds of devices using Cisco Secure FMC
- **Proven threat detection** with over than 25,000 rules powered Talos Threat Intelligence give the ISA3000 the widest range of operational technology protection
- **High availability** features such as hardware bypass, dual-power inputs, quality-of-service policies, and latency detection and mitigation functions help ensure traffic continuity to keep operation on track

Use Cases:

Protect individual zones with network segmentation

Use the ISA3000 to separate different parts of the network in your manufacturing cells, zones, or utility

substations to ensure only authorized devices or connections have access, protecting the network from malicious or unwanted activities.

Network Address Translation (NAT) ensures more efficient operations


The ISA3000 eliminates duplicate IP addresses by providing a unique IP address to each device, ensuring every device is visible on the network and able to receive commands.

Secure Remote Access

The ISA3000 provides flexible, enterprise class remote access control via Cisco AnyConnect, Site to Site VPN, Remote Access VPN, and Clientless SSL VPN offerings.



Firewall Management Center (FMC) for centralized multi-device management and security integrations



Firewall Management Center (FMC) for on-box single-device management and rich API for programmability


Next steps

To find out more about the Cisco Secure Firewall ISA3000, visit www.cisco.com/go/isa3000.

Management

Cisco IoT Operations Dashboard

A modular, cloud-based toolset to deploy, manage, and secure industrial networks at scale.



IoT Operations Dashboard is a cloud-native toolset that helps IT organizations empower their operations teams to connect and manage industrial assets at scale, without the need for extensive IT support. It is particularly suited to organizations focusing on digitization of roadways infrastructure or improved visibility of fleets and mass transit vehicles, or remote management of equipment located at renewable energy generation sites such as wind farms or solar farms, to increase operational efficiency, deliver new services and reduce downtime and cost.

IoT Operations Dashboard provides tools to enable operations teams to securely deploy, monitor, and troubleshoot connectivity for Cisco industrial networking routers and gateways and connected equipment. It provides intuitive, map-based visibility into network devices and connected industrial assets. The dashboard enables fast, accurate configuration of network devices with zero-touch provisioning and form-based configuration templates. It includes secure access to connected equipment to support activities like configuration, upgrading, and troubleshooting of the connected assets. Operations teams can manage access for internal teams and external third-party technicians to upgrade or configure devices easily and quickly.

IoT Operations Dashboard includes the following services:

- Configuration, deployment, and monitoring of industrial routers and industrial wireless devices when operating in Cisco Ultra-Reliable Wireless mode
- Secure Equipment Access for configuration of assets deployed in remote locations
- Cisco Cyber Vision (new) for automated discovery of connected assets, their vulnerabilities, and your cybersecurity risks
- Application Management to enable operations teams to manage the lifecycle of applications on Cisco industrial network devices
- Cisco Industrial Asset Vision to monitor assets and facilities using Cisco industrial sensors.
- Cisco Edge Intelligence to enable edge to multicloud data orchestration

In addition to being able to deploy and manage their industrial networks, operations teams can use IoT Operations Dashboard to inform business decision-making by leveraging data from the edge. To enable this, the following services are available:

- Application Management, a service that enables operations teams to deploy and manage customized applications directly on their network devices, which can collect and analyze data from connected assets, and transfer the results to reporting systems or upstream applications
- Edge Intelligence, which provides ready-built connectors to support a wide range of connectivity protocols to collect data from connected assets, transform and correlate that data, and forward it to upstream, multicloud environments for further processing or presentation
- Industrial Asset Vision, a simple, all-in-one, cloud solution to manage IoT sensors monitoring your assets and facilities to make your organization safer and more efficient. Read more on Page 21

Next steps

To find out more about Cisco IoT Operations Dashboard, visit www.cisco.com/go/operationsdashboard.

Cisco DNA Center

Cisco DNA Center is a proven network management system deployed in the world's largest enterprises and most complex networks. Cisco DNA Center in industrial automation networks gives OT a curated view and set of functions to perform key network maintenance tasks, consistently and scalably, increasing Overall Equipment Effectiveness (OEE) and uptime, lowering operational costs, enhancing security, and helping ensure network performance.

Benefits

Network automation

- Discover existing network devices and topology
- Use network Plug and Play to provision new infrastructure
- Check for inconsistent configurations
- Deploying new images and patches at scale

Network assurance

- Collecting and analyzing network telemetry information
- Proactively identifying issues and root causes
- Helping step through remediation options


Industrial cybersecurity

- Detailed visibility into connected industrial assets and applications
- Segment communications
- Monitor and detect abnormal behaviors
- Contain malware and other attacks
- Integrate operational and enterprise security


Next steps

To find out more about Cisco DNA Center, visit www.cisco.com/go/iotmanagement.


Network health




Network issues




Network topology




Access policies for segmentation



GIS map




Dashboard



Device listing

[illegible]

Device properties



Cisco IoT Field Network Director (FND)

The Cisco IoT Field Network Director (FND), the operating system for the multiservice Field Area Network (FAN), is a software platform that manages multiservice networks of Cisco industrial products, connected grid routers, and endpoints. Features that distinguish the IoT FND include:

- Ease of deployment at scale with Zero-Touch Deployment (ZTD) of gateways and devices
- Secure and scalable end-to-end enrollment and management of these gateways and devices
- Optimized for operation in constrained bandwidth network
- Ease of use with an intuitive web interface and GIS map visualization and monitoring
- Rich set of northbound APIs for third-party integration
- Scales to manage up to tens of thousands of routers and millions of mesh endpoints

Benefits

- Comprehensive and customizable dashboard for fast, at-a-glance network health check
- Real-time GIS maps of connected devices for increased asset visibility
- Simplify troubleshooting for operators by providing customizable rules to generate custom events that matter the most
- Integrate with existing automation applications, tools, and processes through open APIs
- Supports Cisco 1000 Series Connected Grid Routers, Cisco 800 Series Industrial Integrated Service Routers, and LoRaWAN


Next steps

To find out more about
Cisco IoT Field Network Director,
visit www.cisco.com/go/fnd.

Edge computing

Cisco Edge Intelligence

Unlocks business intelligence
by simplifying the edge to multi-cloud data flow



On a scalable, secure Cisco network

Unlock business value by simplifying the edge-to-multicloud data flow

The best decisions are made when the right people have access to the right information at the right time. The IoT has dramatically increased the volume and variety of data produced, opening the door to a wave of new possibilities. The key is to extract the data from its source, transform it so it is usable, and securely deliver the right data to the right applications to put it to work.

But most solutions today are so complicated that organizations often cannot reap the full rewards of their data-gathering projects. The most important data is often at the remote edge of the network, where the core business operates, such as in oil rigs, delivery trucks, and utility substations, and on roads. In addition, organizations lose insight into who has access to what data and often don't have the needed flexibility and simplicity to send the data everywhere it needs to go.

Next steps

To learn more about
Cisco Edge Intelligence,
visit www.cisco.com/go/edgeintelligence.

Cisco Edge Intelligence delivers

Cisco Edge Intelligence is a new IoT software solution that securely delivers data from connected assets at the network edge to multicloud application destinations. The software is integrated into Cisco's industrial networking and compute devices for an out-of-the box experience to simplify deployment and lower costs. It provides full control over and governance of IoT data, from its extraction to its transformation to its secure delivery. And because Cisco Edge Intelligence has a network- integrated approach with centralized management across the network, applications, and data, it is easy to scale and secure.

Benefits

With Cisco Edge Intelligence, you gain:

- The ability to seamlessly extract, transform, and share data from connected assets at the IoT edge to multicloud environments
- An all-in-one solution for easy deployment out of the box
- Full data ownership, control, and governance
- Cisco security

Cisco IC3000 Industrial Compute Gateway

Transforms businesses by capturing data from legacy assets and deriving business intelligence at the network edge



Key features:

- **Zero-touch provisioning** Reduces the cost of deploying the IoT edge infrastructure
 - **Application development tools** Provides flexibility for developers to use any programming language or operating system, powered by Cisco IOx
 - **Device and app lifecycle at scale** Enables IT and OT admins to easily manage, monitor, troubleshoot, and upgrade IoT applications centrally using Cisco IoT Field Network Director
 - Brings intelligence to the edge. It has two Ethernet ports and two SFP fiber ports in a DIN rail-mounted, ruggedized appliance that provides the widest range of applications for the harshest and most demanding industrial environments
- It enables smart roadway applications such as traffic pattern detection, hazardous weather warnings, and road condition detection. With built-in interfaces that support a wide range of industrial standards and a simple development toolkit
 - Enables application developers to unleash their creativity in developing apps that harness the wealth of IoT data

Optional applications

- **Cisco Edge Intelligence:** IoT software integrated with Cisco's industrial networking portfolio to securely and simply extract, transform, govern, and deliver data from the edge to multicloud environments
- **Cisco Cyber Vision Hardware Sensor:** Gain visibility into your industrial control network so you can build security strategies to protect your assets and processes from cyber risks. The Cyber Vision Sensor software on the Cisco IC3000 works with Cyber Vision Center to build detailed asset inventories, map application flows, detect malware, vulnerabilities, and intrusions (IDS), and identify process anomalies so you can keep your production safe

Next steps

To find out more about the
Cisco IC3000 Series,
visit www.cisco.com/go/ic3000

Cisco IOx

Edge compute application framework

Fast. Simple. Secure. Scalable.

Cisco IOx is a simple yet powerful infrastructure framework allowing developers and operators to securely onboard legacy and greenfield applications to their IoT edge infrastructure at massive scale, creating business value from previously untapped data.

IOx-enabled devices




IOx

Cisco

Cisco IOx components

- **Cisco IOx enabled edge network devices:** The Cisco IOx edge application framework provides uniform and consistent hosting capabilities for applications across Cisco IoT network infrastructure. The Cisco IOx edge application environment brings together Cisco IOS Software, the industry-leading and highly secure networking operating system, and Linux, the leading open-source platform
- **Cisco IOx developer tools and documentation:** SDKs, command-line and web-based UI tools, and Cisco DevNet documentation on how to build, package and deploy edge applications to Cisco IOx enabled network devices


Docker developer tool EMU



- Execute **container** or **virtual machine concurrently**
- Run **Windows** or **Linux** applications
- Easily-consumable IOx **System Services**

- **Cisco IOx edge application management:** Deploy and manage IOx edge applications at scale from centralized device and edge application management software. Support for both on-premises and cloud based management. These edge applications may be supplied by an ecosystem partner and Cisco or developed with a range of common programming languages

Management tool



- Zero touch deployment of devices
- Centralized device and **application lifecycle** management at scale
- End-to-end **security**

Next steps

The Cisco IOx application framework offers consistent management and hosting across network infrastructure products. To find out more about Cisco IOx, visit www.cisco.com/go/iox and developer.cisco.com/docs/iox/.

Benefits

- **Transformation of IoT data into new digital business value:** Build new business with the ability to process high volumes of data at the edge and deliver closed loop system control in real time
- **Rapid time to value:** Achieve business outcomes associated with IoT initiatives more rapidly with application execution at the edge and scale with the Cisco partner ecosystem
- **Broad scope of impact:** Reach production deployment rapidly with edge application management and execution at IoT scale

Cisco IOx ready

The following Cisco network infrastructure products currently support IOx:

- Cisco Catalyst IE3100, IE3300, and IE3400 Rugged Series switches
- Cisco Catalyst IE9300 Rugged Series switches
- Cisco Catalyst IR1100 and IR1800 Rugged Series routers
- Cisco Catalyst IR8300 Rugged Series routers
- Cisco Catalyst IR8100 Heavy Duty Series routers
- Cisco 829 Industrial Integrated Services Routers
- Cisco Catalyst IW6300 Heavy Duty Series Access Points
- Cisco IC3000 Industrial Compute Gateway

Cisco IoT Validated Designs

We know our products have proven to be the industry's best “ingredients” for IoT networks. But we also know there can be complexity in designing, deploying, and managing those products into a “meal” – a complete solution to support all courses of a real-world use case.

That's why we have Cisco Validated Designs (CVDs). They are used to validate, architect, and configure next-generation technologies. Each is designed to help you accelerate digital transformation, innovate faster, and stay competitive.

Think of them as blueprints to your successful implementation. For every CVD, our engineers create detailed design and implementation guides that use Cisco and our partners' products to address critical business needs. We then engineer, test, and validate each design for our customers' industry-specific requirements, to guide their own deployments.

Next step

To see how Cisco Validated Designs can help you, visit www.cisco.com/go/iotcvd.

Featured Design Guides

Extended enterprise

Securely extend your IT network to rugged and outdoor spaces.



Manufacturing

Improve business operations by digitizing production environments.



Utilities and renewables

Modernize the power grid to improve reliability, security, and distributed renewable resources.



Roadways and intersections

Improve public safety, operational efficiency, and traffic management.



Cisco industrial IoT solutions



Connected Factory



Factory Wireless



Site Asset Management



Substation Automation



Utility WAN



Field Area Network (AMI)



Connected Renewables



Industrial Security



Smart Cities



Roadways and Intersections



Connected Rail



Connected Mass Transit



Connected Fleet



Connected Pipeline



Connected Refinery

Cisco IoT accelerates digital transformation, delivering insight and action from your data.

www.cisco.com/go/iot

Cisco Industrial IoT portfolio

Deploy. Accelerate. Innovate.

Cisco industrial IoT is an end-to-end architecture that enables you to digitize your business and drive better business results. It offers rock-solid infrastructure, unprecedented visibility, security, and control, and trusted expertise to help ensure the success of your IoT deployment.

www.cisco.com/go/iot

