

RENALIS software architecture

Research release 0.4. Synthetic learning, state and observation-policy workflow



Separate observed-data evaluation path


Public HEMOBP tables support retrospective evaluation without replacing the sandbox



Eight-hour clock shift is an empirical assumption awaiting source confirmation.


Acquisition and persistence contract

Append-only corrections preserve earlier cutoffs and immutable reports



Adaptive evidence planning loop

Information and action-loss objectives remain separate



Sources and interpretation

Implementation: backend/history.py, mechanisms.py, discrimination.py, insights.py and app.py.

Observed results: docs/observed-v04.json and scripts/evaluate_observed_v04.py.

Policy results: docs/policy-validation-v04.json. Initial report and metric amendment retained.

Dataset: Wu, C.-J., HEMOBP v3 (2018), CC BY 4.0. DOI 10.6084/m9.figshare.6260654.v3.

Data publication: https://www.nature.com/articles/s41597-019-0319-8

Clinical context: KDIGO BP and Volume Management in Dialysis conference report (2020).

FHIR R4: https://hl7.org/fhir/R4/observation.html

ABDM guide: https://nrces.in/ndhm/fhir/r4/

Research and competitor decisions: RENALIS_Research_Strategy_and_Master_Plan.pdf.

Study design: docs/clinical-study-protocol.md. No actual clinical study is claimed.

This PDF preserves reviewed slide renders. Editable charts/diagrams and per-slide notes

are in the corresponding PPTX. Software checks do not establish clinical usefulness.