

Local storage & session storage:-

* Web storage is a API used to store something in a browser, which is store as string structure in a key-value pair.

There are 2 mechanism:-

1) local storage & session storage:-

* It's ~~temporary~~ data ~~store~~- persistent data.

* Memory capacity is depends on what kind of system, what kind of Browser using.

* User specific data store in local storage instead of ~~in~~ in ~~server~~ ~~side~~.

* Use it for ~~AB~~ testing

* optimize the performance of webapps.

↳ data is stored only in that session is open available.

* Unlike cookies, it data can't send to the server.

* In cookies can store 4000 bytes of data, in session storage it store atleast of 5MB.

* It expires when browser tab close.

* It's ~~persistent~~ data temporary.

* Web storage follow the same-origin policy. due to security policy.

* Same origin means $\rightarrow$ consist of 3 things.

First $\rightarrow$ Protocol (http/https)
Host/domain - ^{when the subdomain change this origin change} $\rightarrow$ define origin.
port $\rightarrow$ 8080, 8081.

If any one of this change then origin get changed.

How local storage works?

* In the developer tool of application tab storage there is local storage and it has a key-value local storage in window object. In Browser directly local storage

* If same key is adding, then it overwrites the existing.

Creating local storage

```
localStorage.setItem(key "hello", value "world")  
↳ store data.
```

```
localStorage.getItem(key "hello") ; // to get the data.
```

```
localStorage.removeItem("hello") ; // to remove specific  
key-value.
```

```
localStorage.clearItem() ; // to clear the local storage
```

* If we want to store the object in local storage it directly not take it, instead internally Browser convert to "object object" store as a value.


```
let user = {name: 'saket'};
```

```
String(user) → "object object" // to avoid this.
```

* To store object it has to stringify and to use JSON.stringify. parsing other than string type.

```
localStorage.setItem("user", JSON.stringify(" "))
```

```
JSON.parse(localStorage.getItem(" "))
```



When to use what:-

Note:- When using the order of execution of async attribute it doesn't guarantee where defer does.

If dependent scripts are there then use the defer not use async and vice versa.