UID LAB EXPERIMENT 4a

RAM ROHITH MUTHUSAMY

Flowchart Documentation For Food Ordering App



1. Overview

This document explains the process flow represented in the Lucidchart diagram. The flow illustrates a user journey through an application, starting from entry and proceeding through menu selection, category navigation, decision-making, and profile access before termination.

2. Flow Summary

The process follows a linear progression with a branching section for category selection and a decision node for adding items to favourites.

High-level sequence:
Start → Welcome Page → Landing Screen → Menu → (Breakfast / Lunch / Dinner) → Add Favourites नणय → Favourites → Profile → End

3. Step-by-Step Explanation

3.1 Start

- Entry point of the system.
- Represents the initiation of the user session.

3.2 Welcome Page

- First screen displayed to the user.
- Acts as an introduction or entry interface.
- Typically includes branding or initial navigation option.

3.3 Landing Screen

- Main entry interface after the welcome page.
- Provides access to core features of the application.
- Serves as a transition point to the menu.

3.4 Menu

- Central navigation hub.
- Presents available categories for selection.
- Acts as a branching node leading to multiple options.

3.5 Category Selection (Breakfast / Lunch / Dinner)

- The flow splits into three parallel paths:
    - **Breakfast**
    - **Lunch**
    - **Dinner**
- Each path represents a category of items the user can explore.
- These are functionally equivalent paths differentiated only by category context.
- After interaction within a category, all paths converge back to a single decision point.

3.6 Decision Node: Add Favourites

- Represented by a diamond shape.

- Evaluates whether the user chooses to add selected items to favourites.

Possible outcomes:

- **Yes** → Proceed to Favourites
- **No** → (Implicitly ends or bypasses favourites; not explicitly shown in the diagram)

3.7 Favourites

- Displays items selected by the user.
- Acts as a collection or saved state of preferred items.
- Accessible only when the decision condition is satisfied.

3.8 Profile

- Represents user-specific information or account section.
- Allows access to personal data or settings.
- Positioned after favourites, indicating continued navigation.

3.9 End

- Terminal point of the flow.
- Indicates completion of the user journey.

4. Flow Characteristics

- **Linear progression** from start to menu
- **Parallel branching** for category selection
- **Converging paths** into a single decision node
- **Conditional navigation** based on user choice
- **Single endpoint** indicating completion

5. Logical Interpretation

1. User enters the system and navigates through initial screens.
2. User accesses the menu and selects a category.

3. System allows browsing within the selected category.
4. User decides whether to save items to favourites.
5. If accepted, favourites are displayed.
6. User proceeds to profile section.
7. Flow terminates.

6. Conclusion

The flowchart clearly represents a structured user journey with defined navigation steps, category-based branching, and a decision-driven transition. It ensures clarity in user movement across the system while maintaining a simple and understandable process structure.