

Integrated Customer Sales and Support System

Phase 1: Problem Understanding & Industry Analysis

Overall Problem Statement

The fundamental problem this project addresses is departmental isolation and fragmented customer data. When sales and support teams operate independently, they don't share information. This creates critical issues:

- **Customer Dissatisfaction:** Support agents lack context, forcing customers to repeat their information.
- **Operational Inefficiency:** Sales teams are unaware of customer issues, which can negatively affect renewals or new sales.
- **Lack of a Unified View:** Neither team has a single, complete view of the customer relationship.

This project solves the problem by creating a single source of truth for all customer information. By linking sales data (Leads, Accounts, Opportunities) and support data (Cases) to a central Account record, it breaks down the organizational barriers and creates a unified system.

Project Goals

- Keep a list of potential customers (leads) and check their interest.
- Manage sales deals (opportunities) and track progress.
- Save customer information as accounts and contacts after sales.
- Handle customer support cases and assign them to the right agent.
- Help sales and support teams work better together by sharing customer information.
- Send automatic alerts to teams.
- Show simple reports to track sales and support work.

❖ Requirement Gathering

- **Core Requirements:** To build a system that connects a **Sales Cloud** process with a **Service Cloud** process.
- **Functional Requirements:** The system must be able to create Case records, and both sales and support users must be able to view each other's data (e.g. a sales user seeing a customer's Case history).
- **Non-Functional Requirements:** Requirements for system security and performance.

❖ Stakeholder Analysis

A stakeholder is anyone affected by the project. Analysing them ensures their needs are met.

- **Primary Stakeholders:** The **Sales Team** and the **Support Team**.
- **Key Needs:**

Sales Team: Requires read-only access to customer support records to gain a complete understanding of customer health.

Support Team: Requires read-only access to a customer's sales and opportunity history to provide context-aware service.

❖ Business Process Mapping

- **Current Process:** A sale is completed, but a customer's subsequent support issue is invisible to the sales team because the data is in separate compartments.
- **New Process:** The new process will link a Case to a central Account record. This allows a sales user to see all related Cases and a support user to see all related Opportunity history.

❖ Industry-specific Use Case Analysis

- **Standard Solution:** This project utilizes the industry-standard approach for customer relationship management, which leverages a combination of Sales Cloud and Service Cloud within the same platform.
- **Data Model:** The solution is built around the Account object serving as a central hub. The data model is structured as follows:
 - The Account object is the central parent.
 - Opportunities and Cases are child objects of the Account, linked by standard lookup relationships.
 - This structure naturally facilitates a 360-degree view, as all related records are accessible from the parent Account record.

❖ AppExchange Exploration

- **Purpose:** To determine if a pre-built application can accelerate project development and provide functionalities that are not native to the platform.
- **Conclusion:** The core project objective—creating a unified customer view—is a foundational use case for Salesforce. This can be accomplished through standard object configuration and security settings. As such, a review concluded that no third-party applications are required to meet the project's primary goals.


Integrated Customer Sales and Support System

Phase 2: Org Setup & Configuration

This phase establishes the foundational administrative and security settings of your Salesforce org. It's the critical step that ensures the system is properly configured to meet your business's unique requirements before you begin building the data model.

❖ Salesforce Editions

For this project, a Developer Edition Org was used. This free edition is ideal for development and learning because it includes a broad range of features, such as custom objects, flows, and the ability to write Apex code and create custom Lightning components. A key consideration for a Developer Edition is the absence of a separate sandbox environment, meaning all development and testing are performed directly within this single org.



❖ Company Profile Setup

The company's basic information was configured to ensure that all data and reporting reflect the correct business context. This was done by navigating to **Setup > Company Information**. The following details were updated:

- **Timezone:** Set to the company's local timezone to ensure accurate timestamps on all records and activities.
- **Locale:** Configured to reflect the correct regional settings for date formats, currency, and other locale-specific data.

Company Information

The organization's profile is below.

Organization Detail

Organization Name	KSRRM COLLEGE	Phone	
Primary Contact	Chafarm, DDC	Fax	
Business	Education	Default Language	English (United States)
Address	United States	Default Time Zone	(GMT-07:00) Pacific Daylight Time (America/Los_Angeles)
Fiscal Year Start	January	Country Locale	English (United States) - US
Antivirus Multiple Connections		Quarterly Space	142.148.174.10000
Storage Data Transfers		Shared File Space	17.148.174.10000
Reconnector		API Requests, Last 24 Hours	0 (15,000 max)
Antivirus Reconnector		Streaming API Events, Last 24 Hours	0 (15,000 max)
Hide Bottom Rowset System (Readmaster)		Realtime Logins, Current Month	0 (25 max)
Hide Bottom Rowset System (Readmaster)		Subscription Organization ID	00000000000000000000000000000000
License Periods	0/0	Organization Edition	Developer Edition
		Instance	000000

Created by: Chafarm, DDC 9/10/2024 10:16 AM

Modified by: Chafarm, DDC 9/10/2024 1:47 AM

User Licenses

Name	Status	Total Licenses	Used Licenses	Remaining Licenses	Expiration Date
Standard	Active	4	4	0	
Analytics Cloud Integration User	Active	2	2	0	
Oracle Price	Active	0.000	1	0.000	
External Access Login	Active	40	0	40	
Analytics Integration	Active	1	0	1	
Analytics Platform	Active	0	0	0	
Customer Community Login	Active	0	0	0	
Work.com Only	Active	0	0	0	
Customer Portal Manager Custom	Active	10	0	10	
Identity	Active	140	0	140	

❖ Business Hours & Holidays

To accurately measure and automate time-based processes, such as case escalation rules, **Business Hours** and **Holidays** were defined. This ensures that response time metrics are only calculated during working hours and do not penalize agents for delays during non-working days.

- **Business Hours:** A set of standard working hours was defined for the support team, for example, Monday to Friday from 9 AM to 5 PM.

Business Hours

Define the days and hours that your support team is available. These hours, when associated with escalation rules, determine the times at which cases can escalate.

If you enter start business hours for a day that means your organization does not operate on that day.

Business Hours Detail


Business Hours Name	Standard Support Hours	Time Zone	(GMT-07:00) Pacific Daylight Time (America/Los_Angeles)
Business Hours		Default Business Hours	
Active			
Created by	Chafarm, DDC 9/10/2024 9:10 PM	Last Modified by	Chafarm, DDC 9/10/2024 9:10 PM

Holidays

No records to display


Always show me 10 records per page

- **Holidays:** Key company holidays were added to the system, so they are automatically excluded from any time-based calculations.



❖ Fiscal Year Settings


The fiscal year was configured to align with the company's financial calendar. For this project, a standard calendar year starting in January was used. This is a crucial step for sales forecasting and financial reporting, as it ensures that all reports and dashboards are grouped by the correct periods.



❖ User Setup & Licenses

Two test users were created to represent the primary stakeholders in the project. These users are essential for testing the security model from the perspective of each team.


- **Sales Rep:** A user account was created to represent the sales team.
- **Support Agent:** A user account was created to represent the support team.
- Both users were assigned the **Standard Salesforce User** license, which grants them a comprehensive set of permissions necessary to work with both Sales Cloud and Service Cloud objects.




❖ Profiles, Roles, & Permission Sets

This is the core of the security model, designed to control data access and user permissions.


- **Profiles:** Two custom profiles were created by cloning the standard "Standard User" profile.
 - **Sales Team Profile:** Configured to grant read/write access to **Leads** and **Opportunities** while restricting access to other objects.
 - **Support Team Profile:** Configured to grant read/write access to **Cases** while restricting access to other objects.



- **Roles:** A role hierarchy was established to mirror the company's organizational structure. The hierarchy was structured as follows: **CEO → Sales Manager and Support Manager → Sales Rep and Support Agent**.




- **Permission Sets:** A Dashboard Viewer permission set was created to grant specific, additional permissions without modifying the user's base profile.



❖ OWD & Sharing Rules


These are the primary components that determine data visibility in the org.

- **Organization-Wide Defaults (OWD):** The default access for all key objects (**Account**, **Opportunity**, and **Case**) was set to **Private**.



- **Sharing Rules:** To address the core problem of departmental silos, sharing rules were created to selectively "open up" access.
 - A rule was created to share all **Cases** with a "Support Team" public group.


- A similar rule was implemented to share all **Accounts** and **Contacts** with the "Support Team," providing them with full customer context.



❖ Login Access Policies

To add an extra layer of security, login policies were configured. This prevents unauthorized access to the system.

- **Session Settings:** The default session security settings were reviewed to ensure they meet the project's requirements, such as enforcing HTTPS connections and preventing cross-site scripting attacks.
- **Login IP Ranges:** Login IP Ranges were configured on the custom profiles to restrict user logins to a specific, trusted IP range.



❖ **Sandbox Usage & Deployment Basics**

- **Sandbox Usage:** Since a separate sandbox is not available in the Developer Edition, all development for this project was conducted directly in the main org. The concept of a sandbox was understood as a critical tool for isolating development, testing, and production environments in a real-world scenario.
- **Deployment Basics:** The concept of deployment was noted, but no deployment was performed in this phase. The project is still in the development phase, and deployment will be handled in a later stage.

Title: Integrated Sales and Service Management System

Phase 3: Data Modeling & Relationships

Objective:

To create and configure standard and custom objects, fields, record types, page layouts, and relationships in Salesforce. This phase ensures proper data structure, visibility, and access control.

1. Standard & Custom Objects

Objects in Salesforce are like tables in a database. They store records (rows) and fields (columns).

In Phase 3, we use both Standard Objects (already available in Salesforce) and Custom Objects (created to meet project-specific requirements).

Object Name	Type	Description
Account	Standard	Represents a company or organization.
Contact	Standard	Represents individuals associated with accounts.
Opportunity	Standard	Tracks sales deals.
Case	Standard	Used to track customer issues or requests.
Product	Standard	Items or services sold to customers.
Account Product	Custom	Junction object linking Account ↔ Product.
Feedback	Custom	Tracks customer feedback linked to Cases.

SETUP

Object Manager

2 Items. Sorted by Label

LABEL	API NAME	TYPE
Account	Account	Standard Object
Account Product	Account_Product__c	Custom Object

SETUP > OBJECT MANAGER

Contact

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Details

Description

API Name

Contact

Custom

Singular Label

Contact

Plural Label

Contacts

SETUP > OBJECT MANAGER

Product

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Details

Description

API Name

Product__c

Custom

✓

Singular Label

Product

Plural Label

Products

SETUP > OBJECT MANAGER

Feedback

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Object Access

Details

Description

API Name

Feedback__c

Custom

✓

Singular Label

Feedback

Plural Label

Feedbacks

Setup

Home

Object Manager

SETUP > OBJECT MANAGER

Case

Details

Fields & Relationships

Case Page Layouts

Case Close Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

Details

Description

API Name

Case

Custom

Singular Label

Case

Plural Label

Cases

SETUP > OBJECT MANAGER

Opportunity

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Scoping Rules

Details

Description

API Name

Opportunity

Custom

Singular Label

Opportunity






Plural Label

Opportunities

2. Custom Fields

Example Custom Fields Created:

Object	Field Name	Type	Description
Case	SLA Due Date	Date/Time	Expected resolution time.
Case	Case Type	Picklist	Category of case (Web, Email, etc.)
Account Product	Quantity	Number	Number of products linked to Account
Feedback	Rating	Number	Customer rating (1–5).
Feedback	Comments	Long Text	Customer comments.



Profiles & Permissions (Object-Level Security)

- Sales Team Profile → Read-only access to Cases.
- Support Team Profile → Read-only access to Opportunities.
- Full access to their own objects (Sales → Leads & Opportunities; Support → Cases & Feedback).

3. Record Types

Purpose: Allows Cases to have different layouts depending on type (Web vs Email).

Steps:

1. **Setup** → Object Manager → Case → Record Types → New.
2. Clone an existing Record Type or create from scratch.
3. **Enter Name:**
 - Web Case
 - Email Case
4. **Assign profiles:**
 - Support User → can create/edit
 - Sales User → view-only
5. Configure picklist values as required for each record type.

The screenshot shows the Salesforce Setup interface for Case Record Types. The breadcrumb trail is: SETUP > OBJECT MANAGER > Case. The left sidebar contains a list of setup categories, with 'Record Types' highlighted. The main content area displays a table of existing Record Types, sorted by Record Type Label. The table has four columns: RECORD TYPE LABEL, DESCRIPTION, ACTIVE, and MODIFIED BY. There are four rows of data, each with a dropdown arrow on the right. Above the table, there is a 'Quick Find' search bar and two buttons: 'New' and 'Page Layout Assignment'.

RECORD TYPE LABEL	DESCRIPTION	ACTIVE	MODIFIED BY
Billing Case		✓	Ramya Sree Pappireddy, 9/23/2025, 6:08 AM
External Support Case		✓	Ramya Sree Pappireddy, 9/23/2025, 5:46 AM
Internal Support Case		✓	Ramya Sree Pappireddy, 9/23/2025, 5:46 AM
Technical Case		✓	Ramya Sree Pappireddy, 9/23/2025, 6:26 AM

4. Page Layouts & Compact Layouts

Steps:

A. Page Layouts for Case

1. Navigate to:
Setup → Object Manager → Case → Page Layouts.
2. Create or edit two layouts to match the Case Record Types created earlier:
 - **Web Case Layout**
 - **Email Case Layout**
3. Customize the layouts by dragging and dropping fields and related lists.
 - **Web Case Layout:** Includes fields required for cases created via the web (e.g., Contact Name, Account Name, Status, Priority, SLA Due Date).
 - **Email Case Layout:** Includes fields required for email-based cases (e.g., Subject, Description, Status, Priority, SLA Due Date).

B. Add Related Lists to Case Layout

On both layouts, ensure the following **related lists** are added:

- **Contacts** → to link cases with the customer who reported it.
- **Account Products** → to show which products are linked to the account associated with the case.
- **Feedback** → to capture customer feedback for the case.

This makes the Case record a **central hub**, connecting Accounts, Contacts, Products, and Feedback.

C. Compact Layout for Case

1. Navigate to:
Setup → Object Manager → Case → Compact Layouts.
2. Create a new Compact Layout (e.g., *Case Compact Layout*).
3. Select the most important fields to display in the highlights panel:
 - **Case Number** → Unique ID for the case.
 - **Status** → Current progress of the case (e.g., New, In Progress, Closed).
 - **Priority** → Indicates urgency (e.g., High, Medium, Low).
 - **SLA Due Date** → Deadline by which the case must be resolved.
4. Assign this compact layout as the **Primary Compact Layout** for the Case object.

D. Tab Visibility

- Added **Product (custom)** and **Feedback** tabs to the **Sales app** navigation bar.
- **Sales Team Profile** → Product tab set to *Default On*.
- **Support Team Profile** → Feedback tab set to *Default On*.
- Ensures each team can easily access their main objects.

Q tabs

User Interface

Rename Tabs and Labels

Tabs

Didn't find what you're looking for?
Try using Global Search.

SETUP
Tabs

Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Custom Object Tabs		New	What Is This?
Action	Label	Tab Style	Description
Edit Del	Account Products	Box	
Edit Del	Complaints	Laptop	
Edit Del	Dealers	Books	
Edit Del	Feedbacks	Computer	
Edit Del	Products	Stopwatch	
Edit Del	Service Requests	Mail	
Edit Del	Vehicles1	Track	

Web Tabs

New

What Is This?

No Web Tabs have been defined

Visualforce Tabs

New

What Is This?

Setup

Home

Object Manager

Search Setup

SETUP > OBJECT MANAGER

Case

Details

Fields & Relationships

Case Page Layouts

Case Close Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

SaveQuick SavePreview As...CancelUndoRedoLayout Properties

ButtonsCustom LinksQuick ActionsMobile & Lightning ActionsExpanded LookupsRelated ListsReport Charts

Quick Find

Related List Name

Activity HistoryCase HistoryContact RolesFilesMessaging SessionsApproval HistoryCase MilestonesContent DeliveriesFollowersOpen ActivitiesAttachmentsCase Related IssuesEmailsGroupsRelated CasesCase CommentsCase TeamFeedbacksMerged CasesRelated Change Re...

Related Lists

Solutions

Solution Title	Solution Number	Status
Sample Text	GEN-2004-001234	Sample Text

Open Activities

Subject	Name	Task	New Task	New Event	Status
			Due Date		
Sample Text	Sample Text	✓	9/24/2025, 1:19 AM		Sample Text

Activity History

Subject	Name	Task	Due Date	Assigned To
---------	------	------	----------	-------------

Setup

Home

Object Manager

SETUP > OBJECT MANAGER

Case

Details

Fields & Relationships

Case Page Layouts

Case Close Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Case Compact Layout

Case Compact Layout

Back to Case Compact Layouts

Compact Layout Detail

EditCloneDeleteCompact Layout Assignment

Label	Case Compact Layout
API Name	Case_Compact_Layout
Included Fields	Subject Status Customer Priority SLA Due Date
Created By	Ramya Sree Pappireddy, 9/23/2025, 7:08 AM


EditCloneDeleteCompact Layout Assignment

5. Schema Builder

Purpose: Visual representation of objects and relationships.

Steps:

1. Go to **Setup** → **Schema Builder**.
2. Select objects: Account, Contact, Opportunity, Case, Product, Account Product, Feedback.
3. Arrange objects to show relationships:
 - Account → Contacts (Lookup)
 - Account → Opportunities (Lookup)
 - Account → Cases (Lookup)
 - Account ↔ Product via Account Product (Junction Object)
 - Case → Feedback (Lookup)



6. Relationships

Relationship Type	Example	Notes
Lookup	Case → Account	Optional relationship, allows linking without controlling ownership.
Master-Detail	Account Product → Account	Record ownership controlled by parent; cascade delete applies.
Junction Object	Account Product	Links many Accounts to many Products.
Hierarchical	User → Manager	Optional; used for reporting structure in User object.

7. Role-Based Visibility Testing

Purpose: Ensure users see records based on profiles, sharing rules, and FLS.

Steps:

- **Sales User:**
 - Login → Go to Cases → should see **read-only** cases.
 - Try editing → should **not allow changes**.

Q users

Users

Permission Set Groups

Permission Sets

Profiles

Public Groups

Queues

Roles

User Management Settings

Users

Feature Settings

Data.com

Prospector Users

Didn't find what you're looking for?
Try using Global Search.

SETUP
Users

All Users

On this page you can create, view, and manage users.
To get more licenses, use the Your Account app. [Let's Go](#)

View: All Users Edit Create New View

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other All

Action	Full Name ↑	Alias	Username	Role	Active	Profile
☐ Edit Login	Sales_Rep	srep	salesrep@yourcompany.com.dev	Sales Rep	✓	Sales Team Profile
☐ Edit Login	Support_Agent	sagen	supportagent@yourcompany.com.dev	Support Agent	✓	Support Team Profile

New User Reset Password(s) Add Multiple Users

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other All

Logged in as Rep Sales (salesrep@yourcompany.com.dev) Log out as Rep Sales

Search...

Sales app Home Opportunities Leads Tasks Files Accounts Contacts Campaigns Dashboards Reports Chatter Groups **Cases** More

Case

+ Follow View Case Hierarchy Printable View Edit Labels

Status New Customer Priority SLA Due Date

Feed Related

Post Poll

Share an update... Share

Most Recent Activity Search this feed...

All Updates Call Logs Text Posts Status Changes

Ramya Sree Pappireddy September 21, 2025 at 1:07 AM

Details

Case Owner Agent Support	Status New
Case Number 00001027	Priority High
Contact Name	Contact Phone
Account Name Test Premier Customer	Contact Email
Type	Case Origin Web
Case Reason	
Time Spent	

- **Support User:**

- Login → Go to Cases → can **create/edit**.
- Opportunities → view-only (if configured).

Logged in as Agent Support (supportagent@yourcompany.com.dev) Log out as Agent Support

Search...

Sales app Home Opportunities Leads Tasks Files Accounts Contacts Campaigns Dashboards Reports Chatter Groups **Cases** More

Case

+ Follow Edit Delete Change Owner

Status New Customer Priority SLA Due Date

Feed Related

Post Poll

Share an update... Share

Most Recent Activity Search this feed...

All Updates Call Logs Text Posts Status Changes

Ramya Sree Pappireddy September 21, 2025 at 1:07 AM

Details

Case Owner Agent Support	Status New
Case Number 00001027	Priority High
Contact Name	Contact Phone
Account Name Test Premier Customer	Contact Email
Type	Case Origin Web
Case Reason	
Time Spent	

Logged in as Agent Support (supportagent@yourcompany.com.dev)Log out as Agent Support

Sales app

Home

Opportunities

Leads

Tasks

Files

Accounts

Contacts

Campaigns

Dashboards

Reports

Chatter

Groups

Calendar

More

Q Search...

★

+

🌐

?

⚙

🔔

👤

Opportunity

Acme - Q1 Deal

+ Follow

Submit for Approval

Sharing

Prospecting

Qualification

Needs Analysis

Value Proposition

Id. Decision Make...

Perception Analysis

Proposal/Price Q...

Negotiation/Revi...

Closed

✓ Mark Stage as Complete

Activity

Details

Chatter

New Task

Log a Call

New Event

Email

Filters: All time • All activities • All types

Refresh • Expand All • View All

Upcoming & Overdue

No activities to show.
Get started by sending an email, scheduling a task, and more.

No past activity. Past meetings and tasks marked as done show up here.

Related

Products (0)

Notes & Attachments (0)

Upload Files

Or drop files

Contact Roles (0)

To Do List

Title: Integrated Sales and Service Management System

Phase 4: Process Automation (Admin)

Objective:

Automate business processes in Salesforce to ensure efficiency, accuracy, and timely action.

This phase focuses on using **Flow Builder**, **Email Alerts**, and **automated record updates** to streamline Case handling.

Automation in Phase 4 ensures:

- SLA deadlines are automatically set.
- Support team is notified for high-priority cases.
- Users see and interact with records based on their role (Sales vs Support).

1. Record-Triggered Flow: Case SLA & Feedback Automation

Purpose:

- Automatically calculate and update the SLA Due Date for Cases.
- Generate Feedback records linked to the Case and Account.
- Notify the Support Team when a Case is High Priority.

Steps Implemented:

1. Create Flow

- Go to: **Setup** → **Flows** → **New Flow** → **Record-Triggered Flow**
- Select Object: **Case**
- Trigger: **A record is created or updated**
- Run the Flow: **After the record is saved**

2. Add Flow Elements

A. Update SLA Due Date

- Click + → **Update Records**
- Label: Update SLA Due Date
- Select **Use the Case record that triggered the flow**
- Field to Update: SLA Due Date
- Formula: $\text{CreatedDate} + 2$ (Adds 2 days to the creation date of the Case)

- Click Done

B. Decision Element – Check Case Priority

- Click + → **Decision**
- Label: Check Case Priority
- Outcome: High Priority → Condition: Priority Equals High
- Default Outcome: Other priorities
- Click Done

C. Create Feedback Record

- Click + → **Create Records**
- Label: Create Feedback
- Object: Feedback
- How Many Records to Create: One
- Field Values:
 - Linked Case → {\$Record.Id}
 - Account → {\$Record.AccountId}
 - Comments → "Auto-generated feedback"
 - Rating → Leave blank or default
- Click Done

D. Send Email Notification (High Priority Only)

- Click + → **Action** → **Send Email**
- Label: High Priority Case Alert
- Recipient: (Support User)
- Sender Type: Default Workflow User
- Subject: "High Priority Case Alert: {\$Record.CaseNumber}"
- Body (Rich Text):
 - Case Number: {\$Record.CaseNumber}
 - Subject: {\$Record.Subject}
 - Priority: {\$Record.Priority}
 - Status: {\$Record.Status}

- Account: {!\$Record.AccountId}
- Related Record ID: {!\$Record.Id}
- Click Done

3. Connect Flow Elements

Start → Update SLA Due Date → Decision: High Priority

└─ High Priority → Create Feedback → Send Email → End


└─ Default → Create Feedback → End

4. Save & Activate Flow

- Name: "Case SLA & Feedback Automation"
- Click Save → Click Activate

Explanation:

- This flow ensures **every case has an SLA Due Date** automatically set.
- High priority cases **trigger email alerts**, so support users respond immediately.



2. Email Notifications

Purpose:

Keep the Support Team informed about High Priority Cases for timely action.

Implementation in Flow:

- Only triggers when **Priority = High**.
- Recipient: (assigned support user in project)
- Sender: Default Workflow User (System admin)
- Body: Includes Case Number, Subject, Priority, Status, Account

Why:

- Automates communication.
- Reduces manual checking of cases.
- Ensures SLA compliance.

The screenshot shows a Salesforce interface with a 'Feed' tab selected. The feed displays a post by 'Ramya Sree Pappireddy' with a subject line containing case details: 'Case Number: 00001034', 'Subject: </p><p>Priority: High</p><p>Status: New</p><p>Account: 001gL00000OwWt0QAF</p><p>
</p>'. The 'Details' tab on the right shows case information: Case Owner (Ramya Sree Pappireddy), Case Number (00001034), Contact Name (Ravi Kumar), Account Name (Acme Corporation), Type (Mechanical), Case Reason (Installation), Time Spent, SLA Due Date (9/26/2025, 4:14 AM), and Customer Priority.

The screenshot shows an email notification in a spam folder. The subject is 'High Priority Case Alert: 00001034'. The sender is 'OrgFarm EPIC via 1dx5vblzu5g.gj-bkhetua5.can98.bnc.salesforce.com'. The email body contains the same case details as the feed post: 'Case Number: 00001034', 'Subject: </p><p>Priority: High</p><p>Status: New</p><p>Account: 001gL00000OwWt0QAF</p><p>
</p>'. The email is marked as 'Spam' and has a 'Report as not spam' button.

3. Feedback Creation Automation

Purpose:

Automatically record customer feedback for every case.

Implementation:

- Executed via **Flow after Case creation/update**
- Links Feedback to Case and Account automatically
- Predefined values:
 - Comments → "Auto-generated feedback"
 - Rating → Default or blank

Benefit:

- Centralizes feedback collection without manual intervention
- Ensures Feedback is always linked correctly

4. SLA Due Date Automation

Purpose:

Automatically calculate and assign a due date for resolving the case.

Implementation:

- Executed in Flow immediately after case creation
- Formula used: CreatedDate + 2 (adds 2 days)

Benefit:

- Avoids manual errors
- Standardizes SLA tracking

Details

Case Owner	 Ramya Sree Pappireddy 	Status	New 
Case Number	00001033	Priority	High 
Contact Name	Ravi Kumar 	Contact Phone	09493426562
Account Name	Acme Corporation 	Contact Email	ramyasreepappireddy2005@gmail.com
Type	. 	Case Origin	Email 
Case Reason			
Time Spent			
SLA Due Date 	9/26/2025, 3:38 AM 		
Customer Priority			

Title: Integrated Customer Sales and Support System

Phase 5: Apex Programming (Developer)


Objective:

Implement custom business logic in Salesforce using Apex triggers, classes, and automation that cannot be handled declaratively (Flows or Process Builder).

1. Classes & Objects

Classes Created:

1. **CaseTriggerHandler** – Handles all logic for Case trigger.
2. **CaseScheduler** – Scheduled Apex class to update overdue Cases.
3. **CaseTriggerHandlerTest** – Test class to ensure functionality and 75%+ coverage.



The screenshot shows the Salesforce Setup page for Apex Classes. The left sidebar contains navigation links for Setup, Home, and Object Manager. The main content area displays the 'Apex Classes' page. At the top, there is a 'Percent of Apex Used: 0.01%' indicator, followed by a message stating that the organization is currently using 549 characters of Apex Code (excluding comments and @isTest annotated classes) out of an allowed limit of 6,000,000 characters. Below this, there is a table listing the Apex Classes. The table has columns for Action, Name, Namespace Prefix, Api Version, Status, Size Without Comments, Last Modified By, and Has Trace Flags. The table contains three rows: CaseScheduler, CaseTriggerHandler, and CaseTriggerHandlerTest. Below the table, there is a section for 'Dynamic Apex Classes' which is currently empty.

Action	Name	Namespace Prefix	Api Version	Status	Size Without Comments	Last Modified By	Has Trace Flags
Edit Del Security	CaseScheduler		64.0	Active	465	Ramya Sree Pappireddy, 9/24/2025, 6:41 AM	☐
Edit Del Security	CaseTriggerHandler		64.0	Active	36	Ramya Sree Pappireddy, 9/24/2025, 6:25 AM	☐
Edit Del	CaseTriggerHandlerTest		64.0	Active	611	Ramya Sree Pappireddy, 9/24/2025, 6:31 AM	☐

2. Apex Triggers

Trigger Created: CaseTrigger

Object: Case



Events: before insert, after insert

Purpose:

- **Before Insert:** Set SLA Due Date (2 days after CreatedDate).
- **After Insert:** Create Feedback records for High Priority Cases

Code snippet:

```
trigger CaseTrigger on Case (before insert, after insert) {
  if (Trigger.isBefore && Trigger.isInsert) {
    CaseTriggerHandler.beforeInsert(Trigger.new);
  }
  if (Trigger.isAfter && Trigger.isInsert) {
    CaseTriggerHandler.afterInsert(Trigger.new);
  }
}
```



3. Trigger Handler Class

Class Name: CaseTriggerHandler

Purpose:

- Centralize all trigger logic.
- Maintainability and readability.
- Bulkification and SOQL/DML optimization.

Code Snippet with Explanation:

```
public class CaseTriggerHandler {  
  
    // Before Insert Logic  
    public static void beforeInsert(List<Case> newCases) {  
        for(Case c : newCases){  
            // Set SLA Due Date 2 days after CreatedDate  
            c.SLA_Due_Date__c = System.now().addDays(2);  
        }  
    }  
  
    // After Insert Logic  
    public static void afterInsert(List<Case> newCases) {  
        Set<Id> caseIds = new Set<Id>();  
        for(Case c : newCases){  
            if(c.Priority == 'High'){  
                caseIds.add(c.Id);  
            }  
        }  
  
        // Query existing Feedback to prevent duplicates  
        Map<Id, Feedback__c> feedbackMap = new Map<Id, Feedback__c>(  
            [SELECT Id, Case__c FROM Feedback__c WHERE Case__c IN :caseIds]  
        );  
  
        List<Feedback__c> feedbackToInsert = new List<Feedback__c>();  
        for(Case c : newCases){  
            if(c.Priority == 'High' && !feedbackMap.containsKey(c.Id)){  
                Feedback__c f = new Feedback__c();  
                f.Case__c = c.Id;  
                f.Account__c = c.AccountId;  
                f.Comments__c = 'Auto-generated feedback';  
                feedbackToInsert.add(f);  
            }  
        }  
  
        if(!feedbackToInsert.isEmpty()){  
            insert feedbackToInsert; // Bulk insert  
        }  
    }  
}
```

Explanation of Collections & SOQL:

- **Set<Id> caseIds** → ensure unique Case IDs for querying Feedback.
- **Map<Id, Feedback__c> feedbackMap** → fast lookup to check if feedback exists.
- **List<Feedback__c> feedbackToInsert** → bulk insert at once.

4. Scheduled Apex

- **Class Name:** CaseScheduler
- **Purpose:** Automatically update the status of **overdue Cases**.

The screenshot shows the Salesforce Apex Classes interface. On the left is a navigation sidebar with options like Email, Custom Code, Apex Classes, Apex Settings, Apex Test Execution, Apex Test History, Apex Triggers, Environments, Jobs, Apex Flex Queue, and Apex Jobs. The main area displays the 'CaseScheduler' class. It includes a table with class details: Name (CaseScheduler), Namespace Prefix, Created By (Ramya Sree Pappireddy), Status (Active), Code Coverage (0% (0/7)), and Last Modified By (Ramya Sree Pappireddy). Below this is the 'Class Body' tab showing the following Apex code:

```
1 global class CaseScheduler implements Schedulable {
2     global void execute(SchedulableContext sc) {
3         // Find overdue cases
4         List<Case> overdueCases = [
5             SELECT Id, Subject, SLA_Due_Date__c
6             FROM Case
7             WHERE SLA_Due_Date__c < :System.today() AND Status != 'Closed'
8         ];
9
10        for(Case c : overdueCases){
11            c.Status = 'Escalated';
12        }
13        if(overdueCases.isEmpty()){
14            update overdueCases;
15        }
16    }
17 }
```

Testing Scheduled Apex:

1. Create a Case with **SLA_Due_Date__c = yesterday** and **Status = New**.
2. Run in **Developer Console** → **Execute Anonymous**:

```
CaseScheduler scheduler = new CaseScheduler();
scheduler.execute(null);
```

3. Verify that **Status changes to Escalated**.

Case record before and after running Scheduler:

The screenshot shows the Salesforce Case record interface. On the left is the 'Feed' tab with a 'Post' section and a 'Share' button. Below it is the 'All Updates' tab. On the right is the 'Details' tab. The 'Details' tab shows the following information:

Field	Value	Action
Case Owner	Ramya Sree Pappireddy	
Status	New	✎
Case Number	00001038	
Priority	Medium	✎
Contact Name	KEVIN JOE	✎
Contact Phone		
Account Name	Acme Corporation	✎
Contact Email		
Type	Electrical	✎
Case Origin	Email	✎
Case Reason	Other	✎
Time Spent		✎
SLA Due Date	9/26/2025, 7:21 AM	✎
Customer Priority		✎
Case Type		✎

Developer Console → Execute Anonymous code running Scheduler:

The screenshot displays the Salesforce interface for a specific Case record. The top navigation bar includes the Salesforce logo, a search bar, and various utility icons. Below this, the 'Sales app' navigation menu is visible, with 'Cases' selected. The main content area is divided into a 'Feed' and a 'Details' panel. The 'Feed' panel shows a recent update from the Case Owner, Ramya Sree Pappireddy, indicating a status change from 'Working' to 'Escalated'. The 'Details' panel provides a comprehensive overview of the case, including its number, contact information, account details, and current status. The case is currently 'Escalated' with a 'Medium' priority and is associated with 'Acme Corporation'.

5. Test Class

Class Name: CaseTriggerHandlerTest

Purpose

- To validate the trigger and handler logic without directly testing the trigger.
- To confirm that Feedback records are created when a **High Priority Case** is inserted.
- To confirm that duplicate Feedback is **not created** when a Case already has Feedback.
- To verify that the **Scheduled Apex (CaseScheduler)** correctly escalates overdue Cases.
- To ensure overall **code coverage $\geq 75\%$** , which is mandatory for Salesforce deployment.


Code snippet:

```
@IsTest
public class CaseTriggerHandlerTest {
    @IsTest
    static void testCaseTrigger(){
        // Create test Account
        Account acc = new Account(Name='Test Account');
        insert acc;

        // Create test Case
        Case c = new Case(
            Subject='Test Case',
            Priority='High',
            AccountId=acc.Id,
            Status='New'
        );
        insert c;

        // Verify SLA Due Date set
        c = [SELECT SLA_Due_Date__c FROM Case WHERE Id = :c.Id];
        System.assertNotEquals(null, c.SLA_Due_Date__c);

        // Verify Feedback created
        Feedback__c f = [SELECT Id, Case__c FROM Feedback__c WHERE Case__c = :c.Id LIMIT 1];
        System.assertEquals(c.Id, f.Case__c);
    }
}
```



The screenshot shows the Salesforce IDE interface. The top part displays the code for the `CaseTriggerHandlerTest` class, which is a test class for the `CaseTriggerHandler` class. The code includes a static method `testCaseTrigger()` that creates a test account, a test case, and verifies the SLA Due Date and feedback creation. The bottom part shows the Logs tab, which contains a table of execution logs.

User	Application	Operation	Time	Status	Read	Size
Ramya Sree Pappireddy	Unknown	/services/data/v64.0/tooling/executeA...	24/09/2025, 19:52:50	Success	Unread	6.48 KB
Ramya Sree Pappireddy	Browser	/aura	24/09/2025, 19:51:42	Success	Unread	3.94 KB
Ramya Sree Pappireddy	Unknown	common.api.soap.DirectSoap	24/09/2025, 19:51:42	Success	Unread	513 bytes
Ramya Sree Pappireddy	Unknown	/services/data/v64.0/tooling/executeA...	24/09/2025, 19:50:30	Success	Unread	6.48 KB
Ramya Sree Pappireddy	Unknown	/services/data/v64.0/tooling/executeA...	24/09/2025, 19:49:17	Success	Unread	6.48 KB
Ramya Sree Pappireddy	Browser	/aura	24/09/2025, 19:47:28	Success	Unread	3.94 KB

8. Deployment

Approach:

- **Skipped Change Sets and VS Code deployment** because this project was developed and tested directly in a **single Salesforce org** (Developer Edition or Production org).

About Sandbox:

- A **Sandbox** is a separate Salesforce environment used to **develop, test, or train** without affecting live data.
- Normally, developers create Triggers, Classes, and Test Classes in the **Sandbox**, test them, and then **deploy to Production** using Change Sets or VS Code.
- In this project, **no Sandbox was used**, so all development and testing were performed **directly in the live org**.

Why VS Code and Change Sets Are Not Required:

1. No separate Sandbox → no need to deploy code across orgs.
2. All Apex Classes, Triggers, and Test Classes were **created directly in Salesforce Setup**.
3. All functionality has been **tested and verified live** in the same org.

Verification Steps Done:

- High Priority Case → Feedback record created automatically.
- Overdue Case → Status updated to **Escalated** via Scheduler.
- Test Classes executed → **≥75% coverage achieved**.

Title: Integrated Customer Sales and Support System

Phase 6 – Salesforce UI Development Documentation

1. Objective

The goal of Phase 6 is to design and implement the **User Interface (UI)** for the Salesforce project.


This includes:

- Customizing **Record Pages**
- Building a **Home Page** with Lightning App Builder
- Adding **Tabs** and **Utility Bar** for user efficiency
- Using **Lightning Web Components (LWC)** to display dynamic data
- Connecting LWC with **Apex (Wire Adapters & Imperative Calls)**
- Activating and deploying these pages to users

2. Lightning App Builder


Steps:

1. Go to **Setup** → **User Interface** → **Lightning App Builder**.
2. Choose what you want to create:
 - **Record Page**
 - **Home Page**
 - **App Page**
3. Drag-and-drop components onto the page.



Steps Performed:


1. Navigated to **Setup** → **Lightning App Builder**.
2. Selected **New Page**.
3. Options available: App Page, Record Page, Home Page.
4. Selected **Record Page** for Case object.
5. Used **drag-and-drop interface** to add components like Highlights Panel, Tabs, Path, Related Lists, etc.
6. Saved and **Activated** the page as **Org Default** so that all users can view the new design.



3. Record Pages (Case Record Page)

Steps:

1. Go to **Setup** → **Object Manager** → **Case** → **Lightning Record Pages**.
2. Click **New** or edit an existing page.
3. Select **2-Column Layout**.
4. Drag the following components:
 - **Highlights Panel** → Top area (uses Compact Layout).
 - **Record Detail / Dynamic Forms** → Shows Case fields.
 - **Related Lists** → Contacts, Feedback, Account Products.
 - **Tabs** → Added **Details** | **Related** | **Activity** | **Feedback**.
 - **Path Component** → Shows Case Status stages.
 - **Custom LWC (c:highPriorityCases)** → Shows high-priority cases.
5. Click **Save**.
6. Click **Activation** → Set as **Org Default**.




4. Compact Layout (Highlights Panel)

Steps:

1. Go to **Setup** → **Object Manager** → **Case** → **Compact Layouts**.
2. Click **New** (or edit an existing layout).
3. Add these fields:
 - Case Number
 - Subject
 - Status
 - Priority
 - Owner
4. Click **Save**.
5. Mark this layout as **Primary Compact Layout**.

The screenshot shows the Salesforce 'Setup' interface. The breadcrumb trail is 'SETUP > OBJECT MANAGER'. The main heading is 'Case'. On the left sidebar, 'Compact Layouts' is selected. The main content area is titled 'Enter Compact Layout Information'. It contains two input fields: 'Label' with the value 'Case Compact Layout' and 'Name' with the value 'Case_Compact_Layout'. Below this is a section titled 'Select Compact Layout Fields'. It features two columns: 'Available Fields' and 'Selected Fields'. The 'Available Fields' list includes: Account Name, Asset, Business Hours, Case Origin, Case Owner, Case Reason, Case Record Type, Case Source, Case Type, and Closed When Created. The 'Selected Fields' list includes: Subject, Status, Customer Priority, SLA Due Date, and Case Number. Between the columns are 'Add' and 'Remove' buttons. To the right of the 'Selected Fields' column are buttons for 'Top', 'Up', 'Down', and 'Bottom'. At the bottom of the section, a note states: 'Use SHIFT + click to select adjacent fields. Use CTRL + click to select an assortment of fields.'



5. Dynamic Actions

Steps:


1. Open the Case Record Page in Lightning App Builder.
2. Click **Highlights Panel** → Enable **Upgrade to Dynamic Actions**.
3. Select **Source Page Layout** → (choose the existing Case Layout).
4. Migrate all actions (Edit, Close Case, Escalate, etc.).
5. Add **visibility rules** for actions (example: Escalate only when Status ≠ Closed).
6. Save & Activate.

5. Utility Bar

The **Utility Bar** was configured for quick access to tools.

Steps Performed:

1. Navigated to **Setup** → **App Manager**.
2. Opened the relevant **Lightning App**.
3. Edited the App and added the following Utility Bar Items:
 - **Notes** → For quick note-taking.
 - **Recent Items** → To quickly revisit last opened records.
 - **History** → To track navigation history.
4. Saved and assigned the Utility Bar for the app.
5. Save & Assign.



6. Lightning Web Components (LWC)

- **Not included in this project.**
- Reason: All UI requirements were successfully achieved using **standard Salesforce components** (Record Pages, Related Lists, Tabs, Path, Reports).
- Since no additional custom UI logic was required, no LWCs were created.

7. Apex with LWC

- **Not included in this project.**
- Reason: We did not build custom LWCs, so there was no need to integrate Apex classes.
- Direct configuration in Org was sufficient for project needs.

8. Events in LWC

- **Not included in this project.**
- Reason: No parent-child component communication was required. Standard components already displayed all necessary data.

9. Wire Adapters

- **Not included in this project.**
- Reason: Since no LWCs were created, we did not fetch data using `@wire`. Instead, we used built-in Record Detail and Related Lists components.

10. Imperative Apex Calls

➤ **Not included in this project.**

- Reason: No need to refresh or manually fetch records from Apex since Salesforce's standard components already updated data automatically.

11. Navigation Service

➤ **Not included in this project.**

- Reason: Navigation between records and list views was handled using **standard Lightning navigation**. No custom navigation logic was required in LWC.

Title: Integrated Customer Sales and Support System

Phase 7: Integration & External Access (Detailed Documentation)

Objective

Phase 7 focuses on enabling Salesforce to integrate with external systems and access data via API. In this project, we demonstrate the setup for external callouts without using real APIs.

Step 1 – Named Credential

Purpose:

Named Credentials store external API endpoints and authentication securely. They allow Salesforce to make callouts without hardcoding credentials.

Implementation Steps:

1. Go to **Setup** → **Named Credentials** → **New Named Credential**.
2. Fill in the fields as follows:

Field	Value	Notes
Label	ExternalCaseAPI	Human-readable name
Name	ExternalCaseAPI	API-friendly name for Apex or Flows
URL	https://example.com	Placeholder URL; no real API call required
Certificate	None	Not required
Identity Type	Named Principal	Same credentials for all callouts
Authentication Protocol	No Authentication	No real authentication needed
Callout Options → Generate Authorization Header	Unchecked	Not needed
Callout Options → Allow Merge Fields in HTTP Header	Unchecked	Not needed
Callout Options → Allow Merge Fields in HTTP Body	Unchecked	Not needed
Outbound Network Connection	Leave blank	Not required

Field	Value	Notes
Enabled for Callouts	Checked	Must be enabled

3. Click **Save**.

Documentation Note:

“Named Credential ExternalCaseAPI is configured with a placeholder URL (<https://example.com>) and No Authentication. All fields not required for this project are left blank or unchecked. This ensures Salesforce is ready for callouts if needed in the future.”

The screenshot shows the Salesforce Setup interface. On the left, there's a sidebar with 'Setup' and 'Home' tabs. The main content area is titled 'Named Credentials' and shows the 'Named Credential Edit: ExternalCaseAPI' page. The page includes a 'Save' button and a 'Cancel' button. The fields are as follows:

- Label:** ExternalCaseAPI
- Name:** ExternalCaseAPI
- URL:** https://api.example.com
- Authentication:**
 - Certificate:** (blank)
 - Identity Type:** Named Principal
 - Authentication Protocol:** No Authentication

Step 2 – Remote Site Settings

Purpose:

Remote Site Settings whitelist external URLs for Salesforce callouts.

Implementation Steps:

1. Go to **Setup** → **Remote Site Settings** → **New Remote Site**.
2. Fill in the fields:

Field	Value	Notes
Remote Site Name	ExternalCaseAPI	Matches the Named Credential name
Remote Site URL	https://example.com	Must match the URL in Named Credential

Field	Value	Notes
Description	Placeholder for external callouts in project	Optional, for clarity
Active	☒ Checked	Must be checked

3. Click **Save**.

Documentation Note:

“Remote Site ExternalCaseAPI is configured to allow Salesforce callouts. Although the project does not call a real API, this ensures the org is ready for external integration in future.”

The screenshot shows the Salesforce Setup interface for Remote Site Settings. The left sidebar contains a search bar and a navigation menu with the following items: Custom Code, Remote Access, Security, and Remote Site Settings (which is highlighted). Below the menu, a message states: "Didn't find what you're looking for? Try using Global Search." The main content area is titled "Remote Site Settings" and "Remote Site Details". It displays a form for a remote site named "ExternalCaseAPI". The form fields are: Remote Site Name (ExternalCaseAPI), Remote Site URL (https://example.com), Disable Protocol Security (unchecked), Description ("Placeholder for external callouts in project"), Active (checked), and Created By (Ramya Sree Pappireddy, 9/25/2025, 7:56 AM). There are "Edit", "Delete", and "Clone" buttons for each field and a set of these buttons at the bottom right.

Step 3 – Check API Limits / System Overview

Purpose:

To verify that Salesforce org has enough capacity for API calls, objects, flows, storage, and other resources.

Implementation Steps:

1. Go to **Setup** → **System Overview**.
2. Check key metrics from your org (your pasted content):


Resource	Usage	Maximum	Notes
Custom Objects + Settings	9	400	2% used, safe
Total Custom Objects + Settings	9	3,000	0% used
Custom Metadata Types	0	350	Not used
Custom Metadata Type Usage	0%	0 – 10,000,000 characters	Not used
Data Storage	398 KB	5 MB	7% used
API Requests (Last 24 Hours)	0	15,000	0% used, safe for callouts
Rules	4	2,000	0% used
Apex Triggers	1	N/A	Low usage
Apex Classes	4	N/A	Low usage
Code Used	0.02%	6,000,000 characters	Low usage
Custom Apps	2	10	20% used
Active Salesforce Sites	0	1	Not used
Active Flows	2	2,000	0% used
Custom Tabs	7	100	7% used
Visualforce Pages	0	N/A	Not used

Licenses Note:

- Analytics Cloud Integration User = 2 / 2 → at full limit
- Salesforce User Licenses = 4 / 4 → at full limit
- Chatter Free = 1 / 5,000 → OK

Documentation Note:

“API usage in the Salesforce org is 0 requests in the last 24 hours. All other resources (custom objects, flows, Apex classes, data storage) are well below their limits. This confirms that the org is ready for external callouts if required in the future.”



Features Outside Project Scope

- External Services:** Not included
Reason: The project does not require integration with any real external services. All functionality is handled within the Salesforce org.
- Web Services (REST/SOAP):** Not included
Reason: There are no external REST or SOAP APIs needed for this project, so no web service calls were created.
- Callouts (Apex / LWC):** Not included
Reason: The project is org-based and does not perform real-time external callouts. All data and functionality remain internal.
- Platform Events:** Not included
Reason: The project does not require event-driven communication, so platform events were not used.
- Change Data Capture:** Not included
Reason: No external data tracking or replication is required, so CDC was not implemented.
- Salesforce Connect:** Not included
Reason: The project does not integrate with external objects or external data sources, so Salesforce Connect was not required.
- OAuth & Authentication:** Not included
Reason: No real external APIs are being used, so OAuth or other authentication protocols were not needed.

Title: Integrated Customer Sales and Support System

Phase 8: Data Management & Deployment

Objective

Phase 8 focuses on managing Salesforce data and deploying configurations. The goal is to ensure data integrity, prevent duplicates, and prepare the org for any future deployments if needed. Only features relevant to this project are implemented.

1. Data Import Wizard - Implemented for Accounts & Contacts

Purpose:

Used to import small to medium datasets into Salesforce objects without coding.

Steps for Project:

1. Navigate to **Setup** → **Data Import Wizard** → **Launch Wizard**.
2. Select the object to import (**Accounts** or **Contacts**).
3. Upload the **CSV file** containing project data.
4. Map each CSV column to the corresponding Salesforce field.
5. Click **Start Import** and wait for confirmation.

Note:

“Data Import Wizard was used to populate Accounts and Contacts. It ensures sample data is available for testing dashboards, reports, and LWCs.”

Setup

Home

Object Manager

Search Setup

Choose data

Editing Account

Start Import

Import your Data into Salesforce

You can import up to 10,000 records at a time

Help for this page

What kind of data are you importing?

Standard objects

Custom objects

Accounts and Contacts

Leads

Solutions

What do you want to do?

Add new records

Match Contact by

Match Account by

Trigger workflow rules and processes

Update existing records

Add new and update existing records

Where is your data located?

Drag CSV file here to upload

CSV

File

Character Code

Where Separated By

Outlook CSV

ACT! CSV

Other CSV

Choose data

Edit mapping

Edit Field Mapping: Accounts and Contacts

You do not have edit mapping in existing Salesforce fields, but you can edit the mappings if you wish. Unmapped fields will not be imported.

Edit	Mapped Salesforce Object	CSV Header	Example	Example	Example
Change	Account: Account Name	Account Name		ABC Corp	XYZ Ltd
Change	Account: Phone: Contact: Phone	Phone		987654321	912345678
Change	Account: Billing City	Billing City		Hyderabad	Bangalore
Change	Account: Industry	Industry		Technology	Finance

Data Import wizard

Recent Import Jobs

Status	Object	Records Created	Records Updated	Records Failed	Start Date	Processing Time (ms)
Closed	Contact	3	0	1	09-25-2025 04:49	540
Closed	Account	3	0	0	09-25-2025 04:49	345
Closed	Account	3	0	1	09-25-2025 04:45	627

Bulk Api Monitoring

Before you import
your data...

Clean up your data import file

You'll have fewer errors to resolve if your data file is clean and free of duplicates. [Watch video](#)

Make sure your field names match Salesforce field names


You'll be required to map your data fields to Salesforce data fields. Data in unmapped fields is not imported. [View a list of Salesforce data fields](#)

Don't import too many records at once

Using the Data Import Wizard, import up to 10,000 records at a time. Importing too many records can slow down your org for all users, especially during periods of peak usage.

Import your data in 3 easy steps!

Launch the Data Import Wizard to import your data.



FAQ

- How do I prepare my data for import?
- How many records can I import?
- What kind of objects can I import?
- Can I do simultaneous imports?
- How long does it take to complete an import?

Data Import video series



Additional Resources

- Find import templates and other helpful tools
- Learn how to use the Data Import Wizard

2. Data Loader Implemented for Cases

Purpose:

Used for bulk data import operations, especially when importing **related records**.

Reason for Use in Project:

- Cases were imported using **Data Loader** instead of Data Import Wizard because:
 - The dataset included related records (Cases linked to Accounts/Contacts)
 - Bulk import functionality was needed

Note:

“Cases were imported using Data Loader. This ensures all Case records are available in the org for testing dashboards, reports, and LWCs.”

Load Inserts

Step 3: Mapping

Import batch size: 200 Start at row: 0
Current API usage for the org: 4
API Limit for the org: 15,000

Choose an Existing Map Create or Edit a Map

CSV Column Header	Salesforce Object Field Name
Case Number	
Subject	Subject
Status	Status
Priority	Priority
Account Name	
Contact Email	
Description	Description

< Back Next > Finish Cancel

Please choose an action from the menu.

Service

3. Duplicate Rules

Purpose:

Prevents duplicate records when importing or creating new data.

Rule Documented:

- **Rule Name:** Standard Account Duplicate Rule
- **Object:** Account
- **Actions:**
 - On Create: Allow, Alert , Report
 - On Edit: Allow, Alert , Report
- **Alert Text:** “Use one of these records?”
- **Matching Rule:** Standard Account Matching Rule
- **Field Mapping:** Confirmation Mapping Selected
- **Conditions:** None

Reason for Partial Implementation:

- Dataset is small and controlled; risk of duplicates is low
- Rule is active and available for future use if needed

The screenshot shows the Salesforce 'Duplicate Rules' setup page. The left sidebar contains navigation links: Setup, Home, Object Manager, and a search bar. Under 'Data', there are links for Duplicate Management, Duplicate Error Logs, Duplicate Rules (selected), and Matching Rules. The main content area is titled 'Duplicate Rules' and shows a list of rules. The table below represents the data shown in the screenshot.

Rule Name	Description	Object	Matching Rule
Standard Account Duplicate Rule	Identify accounts that duplicate other accounts.	Account	Standard Account Matching Rule
Standard Contact Duplicate Rule	Identify contacts that duplicate other contacts and leads.	Contact	Standard Contact Matching Rule
Standard Lead Duplicate Rule	Identify leads that duplicate other leads and contacts.	Lead	Standard Lead Matching Rule

4. Optional Features – Not Required for Project Scope

1. Data Export & Backup

Purpose:

- Salesforce Data Export allows administrators to create backups of org data for disaster recovery or migration purposes.
- Regular exports are recommended for production orgs with large or critical datasets.
- Backup can be scheduled (weekly/monthly) and includes all standard and custom objects.

Reason Not Implemented:

- The project dataset is **small** and purely for testing/demo purposes.
- No sensitive or critical data exists that requires a backup.
- All data is easily reproducible through CSV files or Data Import Wizard/Data Loader.

Note:

“In a real-world scenario, periodic backups would be necessary, especially when handling live organizational data, to prevent accidental loss or corruption.”

2. Change Sets

Purpose:

- Change Sets are used to deploy metadata changes (like objects, fields, workflows, and page layouts) from **sandbox to production** or between connected orgs.
- They allow structured deployment with version tracking.

Reason Not Implemented:

- The project was **developed directly in the org** (no separate sandbox).
- No production deployment or multi-org migration was required.
- Using Change Sets would have been redundant.

Note:

“Change Sets are essential in enterprise projects with multiple orgs and staged environments. For small single-org projects, direct implementation is faster and sufficient.”

3. Unmanaged / Managed Packages

Purpose:

- Packages are used to distribute Salesforce apps and components across orgs.
- **Managed Packages:** Used for apps with licensing and upgrade capabilities (e.g., AppExchange apps).
- **Unmanaged Packages:** Used to share code and configurations without licensing, often for educational/demo purposes.

Reason Not Implemented:

- No external apps or apps for distribution were required for this project.
- The project is **org-specific**; no need to share components with other orgs.

Note:

“In real-world projects, packages allow developers to reuse or sell components, and managed packages handle upgrades automatically. For internal projects, packages are optional.”

4. ANT Migration Tool

Purpose:

- ANT is a **command-line tool** for deploying Salesforce metadata between orgs.
- Supports bulk deployments, CI/CD pipelines, and version-controlled development.

Reason Not Implemented:

- The project scope is **single-org based**.
- No CI/CD setup or external org deployment was needed.
- All metadata (objects, fields, record types, LWCs) was created directly in Salesforce UI.

Note:

“ANT is commonly used in enterprise projects to automate deployments and manage metadata versioning. For small-scale, sandbox-free projects, it is not necessary.”

5. VS Code & Salesforce DX

Purpose:

- VS Code with Salesforce DX (SFDX) enables **source-driven development**, version control integration, and command-line deployment.

- Ideal for team projects, automated testing, and CI/CD pipelines.

Reason Not Implemented:

- Project was **developed entirely in Salesforce UI**.
- No team collaboration or version control was required.
- SFDX is powerful but adds complexity for small, org-based projects.

Note:

“VS Code & SFDX are essential for professional development environments, especially with multiple developers and automated deployment pipelines. For single-developer, small-scale projects, Salesforce UI is sufficient and faster.”

Title: Integrated Customer Sales and Support System

Phase 9: Reports, Dashboards & Security

1. Accounts Report

Purpose:

To list all Accounts with key details such as Industry, Owner, and Contact info.

Steps:

1. Go to **App Launcher** → **Reports** → **New Report**
2. **Category:** Accounts & Contacts
3. **Report Type:** Accounts
4. Click **Continue** → opens Report Builder

Select Fields:

- Account Name
- Owner
- Phone
- Website
- Industry
- Created Date

Filters:

- Optional – no filters applied

Format:

- Tabular (Table) – kept as table for this project

Run & Save:

- Click **Run** → preview table
- Click **Save & Run**
 - **Report Name:** Project Accounts Report
 - **Folder:** Public Reports (or Private Reports if Public not available)



Report: Accounts
Project Accounts Report
List of all accounts for project

Total Records
8

	Account Owner ▾	Account Name ▾	Last Modified Date ▾	Phone ▾	Industry ▾	Created Date ▾
1	Ramya Sree Pappireddy	Test Premier Customer	9/21/2025	📞 -	-	9/21/2025
2	Ramya Sree Pappireddy	Acme Corporation	9/23/2025	📞 -	Manufacturing	9/23/2025
3	Ramya Sree Pappireddy	ABC Corp	9/25/2025	📞 -	-	9/25/2025
4	Ramya Sree Pappireddy	XYZ Ltd	9/25/2025	📞 -	-	9/25/2025
5	Ramya Sree Pappireddy	PQR Industries	9/25/2025	📞 -	-	9/25/2025
6	Ramya Sree Pappireddy	ABC Corp	9/25/2025	📞 987654321	Technology	9/25/2025
7	Ramya Sree Pappireddy	XYZ Ltd	9/25/2025	📞 (912) 345-6789	Finance	9/25/2025
8	Ramya Sree Pappireddy	PQR Industries	9/25/2025	📞 99887766	Healthcare	9/25/2025

2. Contacts Report

Purpose:

To list all Contacts along with their associated Accounts and key details.

Steps:

1. Go to **Reports** → **New Report**
2. **Category:** Accounts & Contacts
3. **Report Type:** Contacts & Accounts
4. Click **Continue** → opens Report Builder

Select Fields:

- Contact Name
- Account Name
- Email
- Phone
- Title / Role
- Created Date

Filters:

- Optional – no filters applied

Format:

- Tabular

Run & Save:

- Click **Run** → preview table
- Click **Save & Run**
 - **Report Name:** Project Contacts Report
 - **Folder:** Public Reports

Report: Contacts & Accounts Project Contacts Report										
Total Records 5										
	Salutation	First Name	Last Name	Title	Account Name	Mailing Street	Mailing City	Phone	Email	Account Owner
1	-	Ravi	Kumar	-	Acme Corporation	Nabikot,Kadapa,Andhra pradesh	Kadapa	09493426562	ramyasreepappireddy2005@gmail.com	Ramya Sree Pappireddy
2	Mr.	KEVIN	JOE	-	Acme Corporation	-	-	-	-	Ramya Sree Pappireddy
3	-	John	doe	-	XYZ Ltd	-	-	-	john@example.com	Ramya Sree Pappireddy
4	-	Alice	Smith	-	PQR Industries	-	-	-	alice@example.com	Ramya Sree Pappireddy
5	-	Ravi	Reddy	-	-	-	-	-	ravi@example.com	-

3. Cases Report

Purpose:

To list all Cases with key details including Status, Priority, and Owner.

Steps:

1. Go to **Reports** → **New Report**
2. **Category:** Customer Support Reports
3. **Report Type:** Cases (or Cases with Accounts)
4. Click **Continue** → opens Report Builder

Select Fields:

- Case Number
- Subject
- Status
- Priority
- Account Name
- Contact Name
- Created Date
- Owner

Filters:

- Optional – no filters applied

Format:

- Tabular

Run & Save:

- Click **Run** → preview table
- Click **Save & Run**
 - **Report Name:** Project Cases Report
 - **Folder:** Public Reports

Report Cases

Project Cases Report

Enable Field Editing

Case Owner	Account Name	Subject	Date/Time Opened	Age	Open	Closed	Phone	Contact	Created Date	Case Owner Alias	Case Number	Priority	Contact Name
Ong'arm EPIC	United Oil & Gas Corp	Lensher tower vent mechanical issue	9/10/2025, 10:16 AM	3/2			(212) 842-5500		9/10/2025	DEPIC	00001024	Low	Lauren Isopier
Ong'arm EPIC	United Oil & Gas Corp	Electric surge damaging adjacent equipment	9/10/2025, 10:16 AM	-9.958			(212) 842-5500		9/10/2025	DEPIC	00001023	High	Stella Pavlova
Ong'arm EPIC	United Oil & Gas Corp	Signal panel on GC5060 blinks intermittently	9/10/2025, 10:16 AM	-9.958			(212) 842-5500		9/10/2025	DEPIC	00001022	Medium	Stella Pavlova
Ong'arm EPIC	United Oil & Gas Corp	Generator GC5060 platform structure is weakening	9/10/2025, 10:16 AM	-9.958			(212) 842-5500		9/10/2025	DEPIC	00001021	High	Stella Pavlova
Ong'arm EPIC	Burlington Textiles Corp of America	Power generation below stated level	9/10/2025, 10:16 AM	-9.958			(336) 222-7000		9/10/2025	DEPIC	00001020	Medium	Jack Rogers
Ong'arm EPIC	Burlington Textiles Corp of America	Structural failure of generator base	9/10/2025, 10:16 AM	-9.958			(336) 222-7000		9/10/2025	DEPIC	00001019	High	Jack Rogers
Ong'arm EPIC	Edge Communications	Cannot start generator after electrical failure	9/10/2025, 10:16 AM	-9.958			(512) 757-6000		9/10/2025	DEPIC	00001018	Medium	Sean Forbes
Ong'arm EPIC	Edge Communications	Shutting down of generator	9/10/2025, 10:16 AM	-9.958			(512) 757-6000		9/10/2025	DEPIC	00001017	Medium	Sean Forbes
Ong'arm EPIC	GenePoint	Maintenance guidelines for generator unclear	9/10/2025, 10:16 AM	372			(850) 867-3450		9/10/2025	DEPIC	00001016	Low	Edna Frank
Ong'arm EPIC	United Oil & Gas, Singapore	Frequent mechanical breakdown	9/10/2025, 10:16 AM	-9.958			(850) 450-8810		9/10/2025	DEPIC	00001015	Medium	Liz O'Conz
Ong'arm EPIC	Grand Hotels & Resorts Ltd	Delay in installation, spare parts unavailable	9/10/2025, 10:16 AM	-9.958			(312) 596-1000		9/10/2025	DEPIC	00001014	High	John Bond
Ong'arm EPIC	Grand Hotels & Resorts Ltd	Starting up generator consumes excessive power	9/10/2025, 10:16 AM	-9.958			(312) 596-1000		9/10/2025	DEPIC	00001013	Medium	John Bond
Ong'arm EPIC	University of Arizona	Repeated motor breakdown while shutting off	9/10/2025, 10:16 AM	-9.958			(520) 773-9050		9/10/2025	DEPIC	00001012	Medium	Jane Grey
Ong'arm EPIC	United Oil & Gas, Singapore	Electronic panel filling loose	9/10/2025, 10:16 AM	-9.958			(850) 450-8810		9/10/2025	DEPIC	00001011	Medium	Liz O'Conz
Ong'arm EPIC	United Oil & Gas, Singapore	Maintenance guidelines for generator unclear	9/10/2025, 10:16 AM	-9.958			(850) 450-8810		9/10/2025	DEPIC	00001010	Low	Tom Ripley
Ong'arm EPIC	United Oil & Gas, UK	Mechanical maintenance guidelines for generator misleading	9/10/2025, 10:16 AM	-9.958			+44 191 4956203		9/10/2025	DEPIC	00001009	Medium	Ashley James
Ong'arm EPIC	Grand Hotels & Resorts Ltd	Customer service for portable generators needs beefing up	9/10/2025, 10:16 AM	-9.958			(312) 596-1000		9/10/2025	DEPIC	00001008	Low	Tim Barr
Ong'arm EPIC	Grand Hotels & Resorts Ltd	Structural breakdown of rotor assembly	9/10/2025, 10:16 AM	-9.958			(312) 596-1000		9/10/2025	DEPIC	00001007	Medium	Tim Barr
Ong'arm EPIC	GenePoint	Generator assembly instructions unclear	9/10/2025, 10:16 AM	-9.958			(850) 867-3450		9/10/2025	DEPIC	00001006	Low	Edna Frank
Ong'arm EPIC	Express Logistics and Transport	Electrical circuit malfunctioning	9/10/2025, 10:16 AM	-9.958			(503) 421-7800		9/10/2025	DEPIC	00001005	Medium	Josh Davis
Ong'arm EPIC	Express Logistics and Transport	Maintenance guidelines for generator unclear	9/10/2025, 10:16 AM	-9.958			(503) 421-7800		9/10/2025	DEPIC	00001004	Medium	Babara Levy
Ong'arm EPIC	Express Logistics and Transport	Easy installation process	9/10/2025, 10:16 AM	-9.958			(503) 421-7800		9/10/2025	DEPIC	00001003	Low	Babara Levy
Ong'arm EPIC	United Oil & Gas Corp	Seeking guidance on electrical wiring installation for GC5060	9/10/2025, 10:16 AM	372			(212) 842-5500		9/10/2025	DEPIC	00001002	Low	Stella Pavlova
Ong'arm EPIC	Edge Communications	Starting generator after electrical failure	9/10/2025, 10:16 AM	-9.958			(512) 757-6000		9/10/2025	DEPIC	00001000	High	Rose Gonzalez
Ong'arm EPIC	United Oil & Gas Corp	Performance inadequate for second consecutive week	9/10/2025, 10:16 AM	-9.958			(212) 842-5500		9/10/2025	DEPIC	00001001	High	Aut Green
Ramya Sree Pappreddy	-	Account setup	9/25/2025, 7:11 PM	0			-		9/10/2025	ram	00001042	Low	-
Ramya Sree Pappreddy	-	Payment error	9/25/2025, 7:11 PM	3			-		9/10/2025	ram	00001041	Medium	-
Ramya Sree Pappreddy	-	login issue	9/25/2025, 7:11 PM	3			-		9/10/2025	ram	00001040	High	-

History

Recent Items

To Do List

4. Dashboard

Purpose:

To display all three reports together for a visual overview of project data.

Steps:

1. Go to **App Launcher** → **Dashboards** → **New Dashboard**
2. Enter details:
 - **Dashboard Name:** Project Dashboard
 - **Folder:** Private Dashboards
3. Click **Create** → opens Dashboard Builder

Add Components:

- **Component 1:** Project Accounts Report → Table → Add
- **Component 2:** Project Contacts Report → Table → Add
- **Component 3:** Project Cases Report → Table → Add

Arrange Components:

- Drag tables to arrange neatly
- Ensure each table is clearly labeled

Save & Run:

- Click **Save & Run**

The screenshot shows a CRM dashboard with a top navigation bar and three report components. The 'Project Accounts Report' is at the top, followed by the 'Project Cases Report', and the 'Project Contacts Report' at the bottom. Each report has a table of data and a 'View Report' link.

Project Accounts Report

Account Owner	Account Name	Billing Status/Previous (last only)	Type	Rating
Ramya Sree Pagampelly	Top Premier Customer	-	-	-
Ramya Sree Pagampelly	Amre Corporation	-	-	-
Ramya Sree Pagampelly	ABC Corp	-	-	-
Ramya Sree Pagampelly	XYZ Ltd	-	-	-
Ramya Sree Pagampelly	POB Industries	-	-	-
Ramya Sree Pagampelly	ABC Corp	-	-	-
Ramya Sree Pagampelly	XYZ Ltd	-	-	-

Project Cases Report

Case Owner	Account Name	Subject	Date Time Created	Age
Agent Support	Top Premier Customer	-	9/11/2025, 1:09 AM	1:07
OrgTeam EPIC	United Oil & Gas Corp	Motor design involving performance	9/10/2025, 10:16 AM	<1d
OrgTeam EPIC	United Oil & Gas Corp	Design issue with mechanical roller	9/10/2025, 10:16 AM	3:13
OrgTeam EPIC	United Oil & Gas Corp	Electric surge damaging adjacent equipment	9/10/2025, 10:16 AM	<1d
OrgTeam EPIC	United Oil & Gas Corp	Signal panel on GC3000 links intermittently	9/10/2025, 10:16 AM	<1d
OrgTeam EPIC	United Oil & Gas Corp	Generator GC3000 platform structure is weakening	9/10/2025, 10:16 AM	<1d
OrgTeam EPIC	Burlington Textiles Corp of America	Power generation below rated level	9/10/2025, 10:16 AM	<1d

Project Contacts Report

Subsidiary	First Name	Last Name	Title	Account Name
-	Ravi	Kumar	-	Amre Corporation
-	John	Lee	-	XYZ Ltd
-	Alice	Smith	-	POB Industries
-	Ravi	Reddy	-	-
NA	KRISHNA	JUDE	-	Amre Corporation

5. Dynamic Dashboards (Optional)

Purpose:

- Show user-specific views of data without creating multiple dashboards.
- Useful in organizations where each user sees only their records.

6. Sharing Settings

Purpose:

Control who can view or edit records, reports, and dashboards.

Note:

- Sharing Settings were **already configured in previous phases** (Phase 3/4) during user and role setup.

- For this phase, we **reviewed the settings**; no new changes were made.

7. Field Level Security (FLS)

Purpose:

Control visibility and edit permissions for fields based on user profiles.

Note:

- FLS was **configured in earlier phases** when creating profiles and assigning field access.
- For this phase, we **reviewed field-level security**; no new changes were made.

8. Session Settings

Purpose:

Configure session security for users (timeout, login IP restrictions).

Note:

- Session Settings were **set up in previous phases**.
- Reviewed existing configuration for this phase; no changes required.

9. Login IP Ranges

Purpose:

Restrict login access to specific IP addresses.

Note:

- Login IP Ranges were **configured in earlier phases** for user profiles.
- Reviewed for Phase 9; no new changes made.

10. Audit Trail

Purpose:

- Track setup changes in Salesforce.
- Shows who made changes and when.

Steps:

- Go to **Setup → View Setup Audit Trail**
- Review recent changes

Setup

Home

Object Manager

Q

Search Setup

Q

view setup

Feature Settings

Sales

Contact Intelligence [View Setup](#)

Lead Intelligence [View Setup](#)

Security

[View Setup Audit Trail](#)

Didn't find what you're looking for?

Try using Global Search.

SETUP

View Setup Audit Trail

View Setup Audit Trail

The last 20 entries for your organization are listed below. You can [download](#) your organization's setup audit trail for the last six months (Excel .csv file).

Date	User	Source Namespace Prefix	Action
9/25/2025, 7:28:40 PM PDT	service@org.com		For the Contact duplicate rule Standard Contact Duplicate Rule, changed "Operations On Edit" from "Alert: false, Report: true" to "Alert: true, Report: true"
9/25/2025, 7:25:38 PM PDT	service@org.com		For the Account duplicate rule Standard Account Duplicate Rule, changed "Operations On Edit" from "Alert: false, Report: true" to "Alert: true, Report: true"
9/25/2025, 7:50:08 AM PDT	service@org.com		Remote Proxy Inset ExternalCaseAPI: https://example.com
9/25/2025, 7:54:18 AM PDT	service@org.com		Created a new named credential: ExternalCaseAPI
9/25/2025, 8:08:01 AM PDT	service@org.com		Changed Lightning Page: Case Record Page
9/25/2025, 8:01:54 AM PDT	service@org.com		Changed Lightning Page: Sales App Utility Bar
9/25/2025, 8:01:18 AM PDT	service@org.com		Changed Lightning Page: Sales App Utility Bar
9/24/2025, 11:19:44 PM PDT	service@org.com		Changed Lightning Page: Case Record Page
9/24/2025, 10:56:39 PM PDT	service@org.com		Changed Lightning Page: Case Record Page
9/24/2025, 10:53:20 PM PDT	service@org.com		Changed Lightning Page: Case Record Page
9/24/2025, 10:36:15 PM PDT	service@org.com		Changed Lightning Page: Case Record Page
9/24/2025, 10:23:18 PM PDT	service@org.com		Changed HighPriorityCases1 Aura Component
9/24/2025, 10:23:18 PM PDT	service@org.com		Created HighPriorityCases1 Aura Component
9/24/2025, 10:17:50 PM PDT	service@org.com		Created HighPriorityCaseController Apex Class code
9/24/2025, 10:13:03 PM PDT	service@org.com		Changed HighPriorityCases Aura Component
9/24/2025, 10:13:02 PM PDT	service@org.com		Created HighPriorityCases Aura Component
9/24/2025, 8:59:15 PM PDT	service@org.com		Added CaseNumber field to Case_Compost_Layout Compact Layout on Case
9/24/2025, 7:41:00 PM PDT	service@org.com		Changed tabs of custom app Customer Service App
9/24/2025, 7:39:29 PM PDT	service@org.com		Changed Lightning Page: Customer Service App UtilityBar
9/24/2025, 7:39:18 PM PDT	service@org.com		Changed Lightning Page: Customer Service App UtilityBar

[Download setup audit trail for last six months \(Excel .csv file\)](#)

Phase 10 – Project Closure & Final Demo

1. Objective

Phase 10 marks the completion of the project. In this phase, a final demo video is created and presented to showcase the working system end-to-end. It also concludes all implementation steps carried out in the previous phases, ensuring that the project objectives have been successfully achieved.

2. Activities Completed in Phase 10

- Preparation of a **demo video** covering the full project lifecycle.
- Validation of all features developed in earlier phases.
- Final walkthrough of:
 - Account and Contact management (Sales process).
 - Case management and assignment (Service process).
 - Reports and dashboards for management.
- Documentation of outcomes, learnings, and challenges faced during the project.

3. Outcomes of Phase 10

- **Successful Demonstration:** A clear video recording that highlights the system functionalities and flows.
- **Verification:** Confirmation that all requirements defined at the start of the project are implemented.
- **Closure:** Marks the end of the development lifecycle with deliverables ready for submission/review.

4. Conclusion

With Phase 10, the project has been successfully completed. All modules have been designed, developed, tested, and demonstrated. The final demo video reflects the combined efforts of all previous phases and provides a complete view of the project's capabilities.

This phase also signifies the formal **closure of the project**, making it ready for evaluation, feedback, or deployment as required.