

RATES Bibliography Project Deliverable ID Bibliography

Andrew Ernest <anernest@ratesresearch.org>

Approval Page

Technical Review By:

Andrew N.S. Ernest, Ph.D., P.E., BCEE, D.WRE
Professor of Civil Engineering

Final Approval For Submission:

Andrew N.S. Ernest, Ph.D., P.E., BCEE, D.WRE
Principle Investigator

CONTENTS

1	Bibliography	1
2	Indices and tables	2
A	Glossary	3
Bibliography		12
In	ndex	13

CHAPTER

ONE

BIBLIOGRAPHY

Ganapathy [Gan02]

CHAPTER

TWO

INDICES AND TABLES

- genindex
- modindex
- search

APPENDIX

A

GLOSSARY

API

Application Programming Interface

API.RGVFlood.com

RGVFlood.com data assimilation service.

AWS

Amazon Web Services

Azure

Microsoft's Cloud Computing Platform

Bernoulli

The Bernoulli equation is a simplification of the Navier-Stokes equations assuming inviscid fluid and steady (non-time-variant) flow.

BLE

Base Level Engineering

Celery

A task scheduling and messaging application used to maximize parallel task processing.

CentOS

A *Linux* distribution

CI

Cyberinfrastructure

CLI

Command-Line Interface

Clover

Cloud Virtual Water Model Executor

COP

Common Operating Picture

CPU

Centralized Processing Unit

Crowdsource

Data collection from open, relatively un-controlled, sources.

CUAHSI

Consortium of Universities for the Advancement of Hydrologic Science

Cyberinfrastructure

computing systems, data storage systems, advanced instruments and data repositories, visualization environments, and people, all linked by high speed networks

DEM

Digital Elevation Model

Deterministic

Approaches to describing processes that do not rely on randomness.

DFIRM

Digital Flood Insurance Rate Map

DHS

Department of Homeland Security

DIKW

Data, Information, Knowledge, Wisdom

Django

https://www.djangoproject.com/

Docker

Docker is a container deployment platform that allows for the rapid deployment of a applications in the cloud, independent of the physical infrastructure.

DRF

Django ReST Framework

DSS

Decision Support System

EC2

AWS Elastic Cloud Compute

Eeyore

URL: Eeyore.ratesresearch.org CPU: Dual Intel(R) Xeon(R) E-2124 CPU @ 3.30GHz Memory: 16GB HD: 4TB OS: Ubuntu Linux 20.04

FEMA

Federal Emergency Management Agency

FIF

Flood Infrastructure Fund

FOSS

Free and Open Source Software

GCE

Google Compute Engine

GCP

Google Cloud Platform

GCS

Google Cloud storage

GeoNode

https://geonode.org/">

GeoNode/db

PostgreSQL with PostGIS extensions database server storing GeoNode Django and GeoServer data.

GeoServer

Open source server for sharing geospatial data.

GeoTIFF

A public domain metadata standard which has the georeferencing information embedded within the *TIFF* file.

GIS

Geospatial Information System

GKE

Google Kubernetes Engine

Н&Н

Hydrologic and Hydraulic

HAND

Height Above Nearest Drainage http://handmodel.ccst.inpe.br/

HEC

Hydrologic Engineering Center

HEC-DSS

HEC Data Storage System

HEC-HMS

Hydrologic Engineering Center Hydrologic Modeling System. https://www.hec.usace.army.mil/software/hec-hms/>

HEC-RAS

Hydrologic Engineering Center River Analysis System. https://www.hec.usace.army.mil/software/hec-ras/

HEC-RTS

Hydrologic Engineering Center Real Time Simulation

HPC

High Performace Computing

HPCC

HPC cluster

HTML

Hypertext Markup Language

HUC

Hydrologic Unit Code

IDV

Integrated Data Viewer from UniData

InfoWorks ICM

https://www.innovyze.com/en-us/products/infoworks-icm

IT

Information Technology

K8s

Kubernetes

Kubernetes

An orchestration system facilites the deployment and management of containerized applications, with a specific focus on scaling to increase demand for the provided services.

LaTeX

A high-quality typesetting system including features designed for the production of technical and scientific documentation

LiDAR

Light Detection and Ranging

Linux

An open source operating system that is made up of the kernel, the base component of the OS, and the tools, apps, and services bundled along with it.

LLM/BSC

Lower Laguna Madre/Brownsville Ship Channel watershed.

LRGV

Lower Rio Grande Valley

LRGVDC

Lower Rio Grande Valley Development Council

LSM

Land Surface Models focus on describing the processes driving the exchange of terrestrial water with atmospheric.

Mechanistic

Formulations describing physical, biological or chemical processes based on a theoretical understanding.

MIKE Urban+

https://www.mikepoweredbydhi.com/download/mike-2019/mike-urban-plus?ref=%7B5399F5D6-40C6-4BB2-8311-37B615A652C6%7D>

MPI

Message Passing Interface

NAT

Network Address Translation

Navier-Stokes

The Navier-Stokes equations are mathematically representations of conservation of mass and momentum for simple fluids such as water.

NCAR

National Center for Atmospheric Research

NetCDF

NetCDF (Network Common Data Form) is a set of software libraries and machine-independent data formats that support the creation, access, and sharing of array-oriented scientific data. It is also a community standard for sharing scientific data. The Unidata Program Center supports and maintains netCDF programming interfaces for C, C++, Java, and Fortran. Programming interfaces are also available for Python, IDL, MATLAB, R, Ruby, and Perl. Reproduced from NetCDF.

NGINX

High performance web server.

NIC

Network interface controller

NLDAS

North American Land Data Assimilation System

NOAA

National Oceanic and Atmospheric Agency

NWC

National Water Center

NWM

National Water Model

NWS

National Weather Service

ODM

Observations Data Model

PostGIS

Spatial database extender for *PostgreSQL*

PostgreSQL

Open source object-relational database system, available with *PostGIS* extensions

Primo

Parallel raster inundation model

PWA

Progressive Web Application, an application format that allows installation as native applications onto mobile devices and desktop PCs directly from the web.

Python

https://www.python.org/>

R

A language and environment for statistical computing and graphics

RabbitMQ

An open-source inter-process message broker

RATES

Research, Applied Technology, Education and Service, Inc., a non-profit technology-based company.

RBAC

Role Based Access Control

REON

River and Estuary Observation Network. A partnership of organizations, supported by cloud software, committed to furthering the Democratization of Water Intelligence by sharing water data, analytics and models for local and regional decision making.

REON.cc

Cloud-based cyber-infrastructure that supports *REON*'s goals.

REON/db

PostgreSQL with *PostGIS* extensions database server storing *REON* specific data for *RTHS*, *REON/WM* & *REON.cc* data.

REON/RGV

Instantiation of REON with specific application to the Lower Rio Grande Valley - this includes the collection of RTHS stations, the REON partners with a stake in the LRGV, and the application of the REON/WM to the LRGV.

REON/WM

REON Water Model

ReST

REpresentational State Transfer

RGVFlood

Instantiation of the *REON* Cyberinfrastructure specific to the *LRGV*.

RGVFlood.com

The domain name and *URL* for *RGVFlood*.

RTHS

Real Time Hydrologic System

RTHS.us

Cloud server of RTHS network data

RWRAC

Regional Water Resources Advisory Committee

SA

Situational Awareness

SaaS

Software as a Service

SMT

Simultaneous Multi-Threading

SONAR

Sound Navigation Ranging, a technique for detecting and determining the distance and direction of underwater objects by acoustic means.

Sphinx

Documentation generator supporting multiple output formats

SPRNT

Simulation Program for River Networks

Spyce

Smartphone Python Computing Environment

Stochastic

Approaches to describing processes in statistical terms.

SWMM

Stormwater Management Model

Tastypie

a webservice API framework for Django

TGLO

Texas General Land Office

Tier I

Tier I Real-Time Regional Hydrologic Modeling Framework

Tier II

Tier II On-Demand Sub-Regional Hydraulic Modeling Framework

Tier III

Tier III Off-Line Urban Stormwater Modeling Framework

TIFF

Tag Image File Format, a computer file used to store raster graphics and image information.

Tigger

URL: Tigger.water-wizard.org CPU: Dual Intel(R) Xeon(R) CPU E3-1245 v3 @ 3.40GHz Memory: 16GB HD: 4TB OS: Ubuntu Linux 20.04

TIN

Triangular Irregular Networks are a form of vector-based digital geographic data and are constructed by triangulating a set of vertices.

TWDB

Texas Water Development Board

TWDB/FIF

The Texas Water Development Board Flood Infrastructure Fund.

Ubuntu

A *Linux* distribution

UCAR

University Corporation for Atmospheric Research

UI

User Interface

UniData

A *UCAR* community program focused on sharing geoscience data and the tools to access and visualize that data.

URL

Uniform Resource Locator

USACE

United States Army Corps of Engineers

USGS

United States Geological Survey

USIBWC

United States International Boundary Water Commission

vCPU

Virtual CPU

VIC

Variable Infiltration Capacity (VIC) Macroscale Hydrologic Model. https://vic.readthedocs.io/en/master/

VM

Virtual Machine

Water Wizard

A suite of decision support tools designed for regional decision makers.

Wizard.RGVFlood.com

A web, mobile and desktop client-side application that, working with the server-side components at *RGVFlood.com*, provides the end-user with the up-to-date analytics, visualization and decision support services from the core *REON.cc CI*.

WPS

WRF Preprocessing System

WRDA

Water Resources Development Act

WRF

Weather Research and Forecasting Model

WRF-Hydro

WRF Hydrological modeling system. https://ral..edu/projects/wrf_hydro/overview

BIBLIOGRAPHY

[Gan02] Chockalingam A. Ganapathy. Water Quality Assessment Using Web Based GIS And Distributed Database Systems: Concept Development And Application To Lower Rio Grande. Thesis, Texas A&M University - Kingsville, Kingsville, August 2002.

INDEX

Α	Eeyore, 4
API, 3	F
API.RGVFlood.com, 3	•
AWS, 3	FEMA, 4
Azure, 3	FIF, 4 FOSS, 4
В	, _
Bernoulli, 3	G
BLE, 3	GCE, 5
	GCP, 5
C	GCS, 5
Celery, 3	GeoNode, 5
CentOS, 3	GeoNode/db, 5
CI, 3	GeoServer, 5
CLI, 3	GeoTIFF, 5
Clover, 3	GIS, 5
COP, 3	GKE, 5
CPU, 3	Н
Crowdsource, 4	Н н&н, 5
Crowdsource, 4 CUAHSI, 4	
Crowdsource, 4	H&H, 5
Crowdsource, 4 CUAHSI, 4	H&H, 5 HAND, 5
Crowdsource, 4 CUAHSI, 4 Cyberinfrastructure, 4 D	H&H, 5 HAND, 5 HEC, 5
Crowdsource, 4 CUAHSI, 4 Cyberinfrastructure, 4	H&H, 5 HAND, 5 HEC, 5 HEC-DSS, 5 HEC-HMS, 5 HEC-RAS, 5
Crowdsource, 4 CUAHSI, 4 Cyberinfrastructure, 4 D DEM, 4	H&H, 5 HAND, 5 HEC, 5 HEC-DSS, 5 HEC-HMS, 5 HEC-RAS, 5 HEC-RTS, 5
Crowdsource, 4 CUAHSI, 4 Cyberinfrastructure, 4 D DEM, 4 Deterministic, 4	H&H, 5 HAND, 5 HEC, 5 HEC-DSS, 5 HEC-HMS, 5 HEC-RAS, 5 HEC-RTS, 5 HPC, 6
Crowdsource, 4 CUAHSI, 4 Cyberinfrastructure, 4 D DEM, 4 Deterministic, 4 DFIRM, 4	H&H, 5 HAND, 5 HEC, 5 HEC-DSS, 5 HEC-HMS, 5 HEC-RAS, 5 HEC-RTS, 5 HPC, 6 HPCC, 6
Crowdsource, 4 CUAHSI, 4 Cyberinfrastructure, 4 D DEM, 4 Deterministic, 4 DFIRM, 4 DHS, 4 DIKW, 4 Django, 4	H&H, 5 HAND, 5 HEC, 5 HEC-DSS, 5 HEC-HMS, 5 HEC-RAS, 5 HEC-RTS, 5 HPC, 6 HPCC, 6 HTML, 6
Crowdsource, 4 CUAHSI, 4 Cyberinfrastructure, 4 D DEM, 4 Deterministic, 4 DFIRM, 4 DHS, 4 DIKW, 4 Django, 4 Docker, 4	H&H, 5 HAND, 5 HEC, 5 HEC-DSS, 5 HEC-HMS, 5 HEC-RAS, 5 HEC-RTS, 5 HPC, 6 HPCC, 6
Crowdsource, 4 CUAHSI, 4 Cyberinfrastructure, 4 D DEM, 4 Deterministic, 4 DFIRM, 4 DHS, 4 DIKW, 4 Django, 4 Docker, 4 DRF, 4	H&H, 5 HAND, 5 HEC, 5 HEC-DSS, 5 HEC-HMS, 5 HEC-RAS, 5 HEC-RTS, 5 HPC, 6 HPCC, 6 HTML, 6
Crowdsource, 4 CUAHSI, 4 Cyberinfrastructure, 4 D DEM, 4 Deterministic, 4 DFIRM, 4 DHS, 4 DIKW, 4 Django, 4 Docker, 4	H&H, 5 HAND, 5 HEC, 5 HEC-DSS, 5 HEC-HMS, 5 HEC-RAS, 5 HEC-RTS, 5 HPC, 6 HPCC, 6 HTML, 6 HUC, 6
Crowdsource, 4 CUAHSI, 4 Cyberinfrastructure, 4 D DEM, 4 Deterministic, 4 DFIRM, 4 DHS, 4 DIKW, 4 Django, 4 Docker, 4 DRF, 4	H&H, 5 HAND, 5 HEC, 5 HEC-DSS, 5 HEC-HMS, 5 HEC-RAS, 5 HEC-RTS, 5 HPC, 6 HPCC, 6 HTML, 6 HUC, 6
Crowdsource, 4 CUAHSI, 4 Cyberinfrastructure, 4 D DEM, 4 Deterministic, 4 DFIRM, 4 DHS, 4 DIKW, 4 Django, 4 Docker, 4 DRF, 4 DSS, 4	H&H, 5 HAND, 5 HEC, 5 HEC-DSS, 5 HEC-HMS, 5 HEC-RAS, 5 HEC-RTS, 5 HPC, 6 HPCC, 6 HTML, 6 HUC, 6

RBAC, 8
REON, 8
REON.cc, 8
REON/db, 8
REON/RGV, 8
REON/WM, 8
ReST, 8
RGVFlood, 9
RGVFlood.com, 9
RTHS, 9
RTHS.us, 9
RWRAC, 9
S
SA, 9
SaaS, 9
SMT, 9
SONAR, 9
Sphinx, 9
SPRNT, 9
Spyce, 9
Stochastic, 9
SWMM, 9
Т
Tastypie, 9
TGLO, 9
Tier I,9
Tier II, 10
Tier III, 10
TIFF, 10
Tigger, 10
TIN, 10
TWDB, 10
TWDB/FIF, 10
U
•
Ubuntu, 10
UCAR, 10
UI, 10
UniData, 10 URL, 10
USACE, 10
USGS, 10
USIBWC. 10

Index 14

```
V
vCPU, 10
VIC, 11
VM, 11
W
Water Wizard, 11
Wizard.RGVFlood.com, 11
WPS, 11
WRDA, 11
WRF, 11
WRF-Hydro, 11
```

Index 15