

## ▼ Key pair (login) [Info](#)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - *required*

us-east-1



Create new key pair

## ▼ Network settings [Info](#)

Edit

Network [Info](#)

vpc-047d407d6726f31a1

Subnet [Info](#)

No preference (Default subnet in any availability zone)

Auto-assign public IP [Info](#)

Enable

Firewall (security groups) [Info](#)

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to

On-Demand SUSE pricing: 0.0116 USD per Hour  
On-Demand RHEL pricing: 0.0716 USD per Hour  
On-Demand Linux pricing: 0.0116 USD per Hour

[Compare instance types](#)

### ▼ Key pair (login) [Info](#)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - *required*

Select ▼



[Create new key pair](#)

### ▼ Network settings [Info](#)

[Edit](#)

Network [Info](#)

vpc-047d407d6726f31a1

Subnet [Info](#)

No preference (Default subnet in any availability zone)

Auto-assign public IP [Info](#)


Enable

## Create key pair

### Key pair name

Key pairs allow you to connect to your instance securely.

us-east-1

 Key pair already exists.

The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

### Key pair type

☒ RSA

RSA encrypted private and public key pair

☐ ED25519

ED25519 encrypted private and public key pair


### Private key file format

☒ .pem

For use with OpenSSH

☐ .ppk

For use with PuTTY

 When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. [Learn more](#)

Cancel

Create key pair