

Python Modules

- A python module can be defined as a python program file which contains a python code including python functions, class, or variables.
- In other words, we can say that our python code file saved with the extension (.py) is treated as the module. We may have a runnable code inside the python module.
- Modules in Python provides us the flexibility to organize the code in a logical way.
- To use the functionality of one module into another, we must have to import the specific module.

Example

In this example, we will create a module named as file.py which contains a function func that contains a code to print some message on the console.

Let's create the module named as **file.py**.

1. `#displayMsg prints a message to the name being passed.`
2. `def displayMsg(name)`
3. `print("Hi "+name);`

Here, we need to include this module into our main module to call the method displayMsg() defined in the module named file.

Loading the module in our python code

We need to load the module in our python code to use its functionality.

Python provides two types of statements as defined below.

1. The import statement
2. The from-import statement

The import statement

- The import statement is used to import all the functionality of one module into another.
- We must notice that we can use the functionality of any python source file by importing that file as the module into another python source file.
- We can import multiple modules with a single import statement, but a module is loaded once regardless of the number of times, it has been imported into our file.

The syntax to use the import statement is given below.

1. **import** module1,module2,..... module n

Hence, if we need to call the function displayMsg() defined in the file file.py, we have to import that file as a module into our module as shown in the example below.

Example:

1. **import** file;
2. name = input("Enter the name?")
3. file.displayMsg(name)

Output:

```
Enter the name?John
Hi John
```

The from-import statement

Instead of importing the whole module into the namespace, python provides the flexibility to import only the specific attributes of a module. This can be done by using from? import statement. The syntax to use the from-import statement is given below.

1. **from** < module-name> **import** <name 1>, <name 2>..,<name n>

Consider the following module named as calculation which contains three functions as summation, multiplication, and divide.

calculation.py:

1. #place the code in the calculation.py
2. **def** summation(a,b):
3. **return** a+b
4. **def** multiplication(a,b):
5. **return** a*b;
6. **def** divide(a,b):
7. **return** a/b;

Main.py:

1. **from** calculation **import** summation
2. *#it will import only the summation() from calculation.py*
3. a = int(input("Enter the first number"))
4. b = int(input("Enter the second number"))
5. **print**("Sum = ",summation(a,b)) *#we do not need to specify the module name while accessing summation()*

Output:

```
Enter the first number10
Enter the second number20
Sum = 30
```

The from...import statement is always better to use if we know the attributes to be imported from the module in advance. It doesn't let our code to be heavier. We can also import all the attributes from a module by using *.

Consider the following syntax.

1. **from** <module> **import** *

Renaming a module

Python provides us the flexibility to import some module with a specific name so that we can use this name to use that module in our python source file. The syntax to rename a module is given below.

1. **import** <module-name> as <specific-name>

Example

1. *#the module calculation of previous example is imported in this example as cal.*
2. **import** calculation as cal;
3. a = int(input("Enter a?"));
4. b = int(input("Enter b?"));
5. **print**("Sum = ",cal.summation(a,b))

Output:

```
Enter a?10
```

```
Enter b?20
Sum = 30
```

Python packages

- The packages in python facilitate the developer with the application development environment by providing a hierarchical directory structure where a package contains sub-packages, modules, and sub-modules.
- The packages are used to categorize the application level code efficiently.
- Let's create a package named Employees in your home directory. Consider the following steps.

1. Create a directory with name Employees on path **/home**.

2. Create a python source file with name ITEmployees.py on the path **/home/Employees**.

ITEmployees.py

1. **def** getITNames():
2. List = ["John", "David", "Nick", "Martin"]
3. **return** List;

3. Similarly, create one more python file with name BPOEmployees.py and create a function getBPONames().

4. Now, the directory Employees which we have created in the first step contains two python modules. To make this directory a package, we need to include one more file here, that is `__init__.py` which contains the import statements of the modules defined in this directory.

`__init__.py`

1. **from** ITEmployees **import** getITNames
2. **from** BPOEmployees **import** getBPONames

5. Now, the directory **Employees** has become the package containing two python modules. Here we must notice that we must have to create `__init__.py` inside a directory to convert this directory to a package.

6. To use the modules defined inside the package Employees, we must have to import this in our python source file. Let's create a simple python source file at our home directory (/home) which uses the modules defined in this package.

Test.py

1. **import** Employees
2. **print**(Employees.getNames())

Output:

```
['John', 'David', 'Nick', 'Martin']
```

We can have sub-packages inside the packages. We can nest the packages up to any level depending upon the application requirements.

The following image shows the directory structure of an application Library management system which contains three sub-packages as Admin, Librarian, and Student. The sub-packages contain the python modules.

