Uppsala University

Department of Information Technology

Database Design I (1DL300) - 2019-04-13

Instructions: Read through the complete exam and note any unclear directives before you start solving the questions. For each question there can be one or more correct answers, but you can choose only one. If you choose a correct answer, you gain 1 point. A wrong answer does not generate negative points – but the teacher reserves the right to penalize answers that are outrageously wrong. The questions are divided into three sections with 8 questions each. To achieve a grade of 3, you must gain at least 14 points in the whole exam. To achieve a grade of 4, you must gain at least 17 points in the whole exam. To achieve a grade of 5, you must collect at least 20 points in the whole exam. Answers must be given exclusively on the answer sheet, at the end: answers given on the other sheets will be ignored.

General questions (useful for us)

Question G1 ♣ When have you attended the course?

- A Period 2, 2018
- B Period 1, 2018
- C Period 2, 2017
- D Period 1, 2017
- E Period 2, 2016
- F None of the previous answers

Question G2 ♣ How many lectures have you attended?


- A None or very few
- B Around 25%
- C Around 50%
- D Around 75%
- E Almost all

Question G3 ♣ What is your study program?

- A F
- B STS
- C CS
- D X
- E IT
- F None of the previous answers


1. Database design

Question 1 Consider the scenario where a student can attend many courses and many students can attend a course. We want to record the grades of a student for each course. Which of the following ER diagrams is correct? (only a portion of the diagram has been visualized)!



Correct answer C


Question 2 Which of the following statements about the depicted ER model is correct?



- A Same person cannot be mayor of two cities.
- B Each city is exactly in one country.
- The population of a country is always larger than 0.
- D No two countries have exactly the same area and population.
- E The name of a city must be different from the name of a country.


Correct answer B

Question 3 Entity type P can be either only one type of C1, C2, C3 types or none of them. Namely, it cannot belong to more than one types at the same time. However, it can belong to none of them. Which of the following ER diagrams corresponds to these specifications? (only a portion of the diagram has been visualized)



Correct Answer B

Question 4 Consider we want to convert the following diagram to the relational model. Which of the following is the best answer?



A Car(VIN, Color, MaxSpeed)

Truck(<u>VIN</u>, Color, Tonnage)


B Vehicle(<u>VIN</u>, Color) Car(MaxSpeed) Truck(Tonnage)

C Vehicle(VIN, Color, MaxSpeed, Tonnage)

D None of the other answers is correct!

Correct answer A

Question 5 Which relational schema corresponds to the following ER diagram (where, underlined attributes represent a key)?



- A E1(A1, A2), E2(A1, A2), R(E1, E2) (with R.E1 FK ref. E1.A1 and R.E2 FK ref. E2.A1)
- B None of the other answers
- C E1(<u>A1</u>, A2, E2), E2(<u>A1</u>, A2) (with E1.E2 FK ref. E2.A1)
- D E1(A1, A2), E2(A1, A2, E1) (with E2.E1 FK ref. E1.A1)
- E E1(<u>E2, A1, A2</u>), E2(<u>A1, A2</u>) (with E1.E2 FK ref. E2.A1)

Correct Answer C

Question 6 Consider a relation in 1NF $R(\underline{A}, \underline{B}, C, D, E)$ with $\{A, B\}$ as a composite primary key and the following dependencies:

- $\{A, B\} \rightarrow C, D, E$
- $\bullet \quad C \to E$

Which of the following is true?

- A R is in 3NF (i.e. 3rd Normal Form) but not in 2NF (i.e. 2nd Normal Form)
- B R is in 2NF but not in 1NF (i.e. 1st Normal Form)
- C R is in 1NF but not in 2NF
- D R is in 2NF but not in 3NF

Correct Answer D

Consider the following Staff Allocation Sheet. Where, each project has a unique Project Code and is associated with only one Customer. However a customer may be associated with many projects. Each customer has a unique Customer Number (but not a unique name). Each staff member has a unique Staff No, Name and Grade and can work on many projects for a number of days.

Staff Allocation Sheet

Project Code: 3411 Project Description: New Accounts

Customer Number: 3475 Customer Name: British Bakers

Staff No	Name	Grade	No of Days
34	Bloggs	S. Prog	12
12	Jones	Analyst	3
23	Brown	Manager	9
45	Williams	Teaboy	32

Question 7 Which of the following functional dependencies are true?

- A Project Code → Project Description; {Project Code, Staff No}→No of Days
- B Project Code → Project Description; Staff No→{Name, Grade, No of Days}
- \boxed{C} Customer Name \rightarrow Customer Number; Staff No \rightarrow {Name, Grade}
- D None of the other answers

Correct Answer A

Question 8 Considering the above Staff Allocation Sheet and the following relations: PROJECT(<u>Project Code</u>, Project Description, Customer Number, Customer Name)

CUSTOMER (<u>Customer Number</u>, Customer Name)

PROJECTSTAFF(<u>Project Code</u>, <u>Staff NO</u>, Name, Grade, No of Days)

Which of the following is true?

A None of the other answers is correct!

- B All relations are at least in 2NF (i.e. 2nd Normal Form)!
- C All relations are in 3NF (i.e. 3rd Normal Form)!
- D All relations are at least in 1NF (i.e. 1st Normal Form)!.

Correct Answer is D

2. SQL

Consider the following database.

T1

_
_
_

C1	C2
Α	В
Α	С
В	Α
Α	С

C1	C2
Α	С
Α	D
В	В
D	С

Question 9 What is the result of the following SQL query (showing only the content)?

SELECT T1.C1 FROM T1



B An empty table

C A

D

A 3 B 1

Correct answer A

Question 10 What is the result of the following SQL query (showing only the content)?

The SQL is incorrect

SELECT T2.C1 FROM T2 WHERE (C2="D" OR C2="B")

A A B A

B An empty table

C A

D


A 3 B 1

E The SQL is incorrect

Correct answer C

Question 11 What is the result of the following SQL query (showing only the content)?

SELECT T1.C1, T2.C2 FROM T1 Join T2 on T1.C1=T2.C1 WHERE T1.C2=T2.C2



П	A	C	C	The SQL is incorrect	
1	A	C		The SQL is incorrect	j

	A	C
D	A	D
D	В	В
	A	\mathbf{C}

E A C

F An empty table

G None of the other answers

Correct answer is B

Question 12 What is the result of the following SQL query (showing only the content)?

SELECT T1.C1, count(T2.C2) FROM T1 Join T2 on T1.C1=T2.C1 WHERE T1.C2=T2.C2 GROUP BY T1.C1

A The SQL is incorrect

B An empty table

 A
 4

 B
 1

 C
 1

D A 1
B 1

E A 1 B 2

F None of the other answers

G A 2 B 1

Correct Answer F

Question 13 What is the result of the following SQL query? (showing only the content)

SELECT count(T1.C1)
FROM T1
WHERE T1.C1 IN
(SELECT T2.C1
FROM T2
WHERE T2.C2="B")

A 1

B An empty table

C The SQL in incorrect

D 2

E 4

F None of the other answers is correct!

Correct Answer: A

Question 14 What is the result of the following SQL query?

SELECT count(*) FROM T1, T2

A 4

B An empty table

C The SQL in incorrect

D None of the other answers is correct!

E 8

F 16

Correct Answer: F

Consider the following tables.

STUDENTS		
Student_ID	Stud_Name	Adv_ID
1	Nektarios	1
2	George	8
3	Anna	2
4	Iliada	3
5	Ioanikios	3
6	Chrys	1
7	Marina	3

ADVIDORS		
Advisor_ID	Adv_Name	
1	Chris	
3	Maria	
5	Kypriani	

Question 15 What is the result of the following SQL query? (showing only the content)

 $\begin{array}{l} \textbf{SELECT Stud_Name, Adv_Name} \\ \textbf{FROM} \end{array}$

STUDENTS LEFT OUTER JOIN ADVISORS ON Advisor_ID=Adv_ID

Α	Stud_Name	Adv_Name
	Nektarios	Chris
	George	NULL
	Anna	NULL
	Iliada	Maria
	Ioanikios	Maria
	Chrys	Chris
	Marina	Maria

Stud_Name	Adv_Name
Nektarios	Chris
Iliada	Maria
Ioanikios	Maria
Chrys	Chris
Marina	Maria

В

D

С	Stud_Name	Adv_Name
	Nektarios	Chris
	Iliada	Maria
	Ioanikios	Maria
	Chrys	Chris
	Marina	Maria
	NULL	Kypriani

Stud_Name	Adv_Name
Nektarios	Chris
Iliada	Maria
Chrys	Chris

Correct Answer A

Question 16 What is the result of the following SQL query? (showing only the content)

SELECT Stud_Name, Adv_Name **FROM**

STUDENTS INNER JOIN ADVISORS ON Advisor_ID=Adv_ID

Α	Stud_Name	Adv_Name
	Nektarios	Chris
	George	NULL
	Anna	NULL
	Iliada	Maria

В	Stud_Name
	Nektarios
	Iliada
	Ioanikios
	Chrys

Marina

INEKLATIOS	CIIIS
George	NULL
Anna	NULL
Iliada	Maria
Ioanikios	Maria
Chrys	Chris
Marina	Maria

D	Stud_Name	Adv_Name
	Nektarios	Chris
	Iliada	Maria
	Chrys	Chris

Adv_Name

Chris Maria

Maria Chris

Maria

C	Stud_Name	Adv_Name
	Nektarios	Chris
	Iliada	Maria
	Ioanikios	Maria
	Chrys	Chris
	Marina	Maria
	NULL	Kypriani

Correct Answer B

3. Theory

Question 17 If a table T has 10 rows, the SQL instruction delete from T:

- A None of the other answers
- B May delete more than 10 rows from T
- C Always deletes the 10 rows, but does not remove the table from the database schema
- D Removes the table from the database schema (and as a consequence also the 10 rows)
- E May delete less than 10 rows because of referential integrity constraints
- F The SQL is incorrect

Correct Answer E

Question 18 The following table shows the current state of a relation. Does the following functional dependency hold: $C_2 \rightarrow C_3$?

C_1	C_2	C_3	C_4
1	1	XX	157
2	1	XX	178
3	1	XX	192
4	2	XY	183
5	2	XY	166

- \overline{A} No, because values of C_3 are not unique.
- B Yes, since if C_2 is 1, then C_3 is XX; and if C_2 is 2, then C_3 is XY.
- C A dependency cannot be confirmed by just checking one state of the relation.
- D None of the other choices is correct!

Correct Answer C

Question 19 One of the reasons normalization is needed is to eliminate Update, Insert and Delete anomalies. Considering the following relation, which of the following is true?

EMP_PROJ(Emp#, Proj#, Emp_name, Emp_Address, Proj_name, Proj_Strat, No_hours)

- A This relation suffers from the Delete anomaly. For instance, if we have an employee working only on ONE project and we need to delete the respective tuple, at the same time we also delete employee's details.
- B This relation does not suffer from the Insert anomaly; as we can easily add the details of a new employee in the database at any time.

- This relation does not suffer from any anomaly (Update, Insert or Delete anomalies).
- D This relation has only an Update anomaly but not Delete or Insert anomalies.

Correct Answer A

Consider the database below. Where, the primary keys are underlined and the foreign key (FK) relationships are:

- PROJECT.Dnum is FK ref. DEPARTMENT.Dnumber;
- DEPT_LOCATIONS.Dnumber is FK ref. DEPARTMENT.Dnumber;
- DEPARTMENT.Mgr_ssn is FK ref. EMPLOYEE.Ssn;
- EMPLOYEE.Super_ssn is FK ref. EMPLOYEE.Ssn;
- EMPLOYEE.Dno is FK ref. DEPARTMENT.Dnumber.

Suppose each of the following update operations is applied directly to this database.

EMPLOYEE

Fname	Minit	Lname	Ssn	Bdate	Address	Sex	Salary	Super_ssn	Dno
John	В	Smith	123456789	1965-01-09	731 Fondren, Houston, TX	М	30000	333445555	5
Franklin	Т	Wong	333445555	1955-12-08	638 Voss, Houston, TX	М	40000	888665555	5
Alicia	J	Zelaya	999887777	1968-01-19	3321 Castle, Spring, TX	F	25000	987654321	4
Jennifer	S	Wallace	987654321	1941-06-20	291 Berry, Bellaire, TX	F	43000	888665555	4
Ramesh	K	Narayan	666884444	1962-09-15	975 Fire Oak, Humble, TX	М	38000	333445555	5
Joyce	Α	English	453453453	1972-07-31	5631 Rice, Houston, TX	F	25000	333445555	5
Ahmad	V	Jabbar	987987987	1969-03-29	980 Dallas, Houston, TX	М	25000	987654321	4
James	Е	Borg	888665555	1937-11-10	450 Stone, Houston, TX	М	55000	NULL	1

PROJECT

Pname	<u>Pnumber</u>	Plocation	Dnum
ProductX	1	Bellaire	5
ProductY	2	Sugarland	5
ProductZ	3	Houston	5
Computerization	10	Stafford	4
Reorganization	20	Houston	1
Newbenefits	30	Stafford	4

DEPT_LOCATIONS

<u>Dnumber</u>	Dlocation
1	Houston
4	Stafford
5	Bellaire
5	Sugarland
5	Houston

DEPARTMENT

Dname	<u>Dnumber</u>	Mgr_ssn	Mgr_start_date
Research	5	333445555	1988-05-22
Administration	4	987654321	1995-01-01
Headquarters	1	888665555	1981-06-19

Question 20 Choose the correct statement regarding the integrity constraints (i.e. key constraints and referential integrity constraint) of the following operation when applied on the above database.

Insert <'ProductA', 5, 'Bellaire', 1> into PROJECT

A No constraint violations.
B It violates the key constraint because there already exists a DEPARTMENT tuple with DNUMBER=5.
C It violates only referential integrity because DNUM=1 and there is a tuple in the DEPARTMENT relation with DNUMBER=1.
D It violates both key and referential integrity constraint.
E None of the other choices is correct.
Correct Answer A
Question 21 Choose the correct statement regarding the integrity constraints (i.e. key constraints and referential integrity constraint) of the following operation when applied on the above database.
Insert < 'Production', 4, '333445555', '01-OCT-88' > into DEPARTMENT.
A No constraint violations.
B It violates only key constraint
C It violates only referential integrity constrain
D It violates both key and referential integrity constraint.
Correct Answer B
Question 22 Choose the correct statement regarding the integrity constraints (i.e. key constraints and referential integrity constraint) of the following operation when applied on the above database.
Set the EMPLOYEE.Super_ssn attribute to '943775543' of the EMPLOYEE tuple with EMPLOYEE.Ssn= '999887777'.
A It violates the key constraint.
B It violates the referential integrity. We may enforce the constraint by: (i) rejecting the operation, or (ii) by inserting a new EMPLOYEE tuple with SSN='943775543'.
C It violates the referential integrity. We may enforce the constraint by changing the SSN='943775543'.
D It does not violate the referential integrity.

Correct Answer B

Answer the following questions considering the following transactions and schedules.

T_1	T_2	T_1	T_2
read(A) A := A - 50 write(A) read(B) B := B + 50 write(B) commit	read(A) $temp := A * 0.1$ $A := A - temp$ $write(A)$ $read(B)$ $B := B + temp$ $write(B)$ $commit$	$\begin{aligned} & \operatorname{read}(A) \\ & A := A - 50 \\ & \operatorname{write}(A) \\ & \operatorname{read}(B) \\ & B := B + 50 \\ & \operatorname{write}(B) \\ & \operatorname{commit} \end{aligned}$	read(A) temp := A * 0.1 A := A - temp write(A) read(B) B := B + temp write(B) commit
Schodulo A		Schedule B	

Schedule A

00110	adio A	
T_1	T_2	T_1
$\begin{aligned} & read(A) \\ & A \coloneqq A - 50 \\ & write(A) \end{aligned}$	read(A) temp := A * 0.1 A := A - temp	read(A) A := A - 50
) + 50 3) it	write(A) $read(B)$	write(A) $read(B)$ $B := B + 50$ $write(B)$ $commit$
	B := B + temp write(B) commit	

Schedule D

Question 23 Choose the correct statement.

- A None of the other choices is correct.
- B Schedule C suffers from the lost update problem.
- C Both Schedule B and C suffer from the lost update problem.

commit

Schedule C

D Schedule D suffers from the lost update problem.

Correct Answer D

Question 24 Which of the following are ACID properties?

- A Independence, Dependability, Aggregation
- B Independence, Dependability, Atomicity
- C Isolation, Dependability, Atomicity
- D Isolation, Durability, Atomicity
- E Isolation, Dependability, Aggregation

Correct Answer D