



# The API document of the Web Sentiment of Public

## Structure of the Spider :



## Flowchart of the Business Logic :



## Database design:

```
Raw_data:
{
  "card_type_name": "微博",
  "itemid": "weibo_26_1_5_0",
  "openurl": "",
  "title": "",
  "show_type": 1,
```

```
"scheme": "http://m.weibo.cn/1641537045/CvNKxbmdY?",
"mblog": {
  "created_at": "08-14 17:33",
  "id": 3875794092707042,
  "text": "卧槽，你们是来逗比的还是来抢劫的？<i class=\"face face_1 icon_19\">[笑
cry]</i><i class=\"face face_1 icon_19\">[笑 cry]</i>",
  "source_allowclick": 0,
  "source_type": 1,
  "source": "微博 weibo.com",
  "favorited": false,
  "user": {
    "id": 2040531093,
    "screen_name": "爆笑 gif 图",
    "profile_image_url": "http://tp2.sinaimg.cn/2040531093/180/5725264545/1",
    "profile_url": "/u/2040531093",
    "statuses_count": 17841,
    "verified": true,
    "verified_reason": "互联网媒体人",
    "description": "人称爆笑君，发布 youtube、tumblr、vine 上最新动态图。合作 qq :
116434。微信号：gifaaa",
    "remark": "",
    "verified_type": 0,
    "gender": "m",
    "mbtype": 12,
    "ismember": 1,
    "valid": null,
    "fansNum": "294 万",
    "follow_me": false,
    "following": false
  },
  "reposts_count": 373,
  "comments_count": 61,
  "attitudes_count": 640,
  "created_timestamp": 1439544783,
  "bid": "CvNKxbmdY",
  "like_count": 640,
  "attitudes_status": 0
},
"actionlog": {
  "act_code": 554,
  "ext": "cate:26|pos:5_0|page:1|type:1|mid:3875794092707042",
  "luicode": "",
  "luicode": 10000003,
  "fid": "100103type=1&q=抢劫"
},
"topic_struct": [
  {
    "topic_title": "历史上的今天",
    "topic_url": "sinaweibo://pageinfo?
containerid=1008081aaa768d772b92892b2fb6715320483e&pageid=1008081aaa768d772b92892b
2fb6715320483e&extparam=%E5%8E%86%E5%8F%B2%E4%B8%8A%E7%9A%84%E4%BB
%8A%E5%A4%A9"
  }
],
"page_info": {
```

```

    "page_id": "1008081aaa768d772b92892b2fb6715320483e",
    "type": 0,
    "page_title": "#历史上的今天#",
    "page_url": "https://passport.weibo.cn/signin/welcome?entry=mweibo&r=http%3A%2F%2Fm.weibo.cn%2Fpage%2FpageJson%3Fcontainerid%3D%26containerid%3D100103type%253D1%2526q%253D%25E6%258A%25A2%25E5%258A%25AB%26v_p%3D11%26ext%3D%26fid%3D100103type%253D1%2526q%253D%25E6%258A%25A2%25E5%258A%25AB%26uicode%3D10000011%26page%3D1&containerid=100103type%3D1%26q%3D%25E6%258A%25A2%25E5%258A%25AB&v_p=11&ext=&fid=100103type%3D1%26q%3D%25E6%258A%25A2%25E5%258A%25AB&uicode=10000011&page=1",
    "page_pic":
"http://ww3.sinaimg.cn/thumbail/907dff85gw1et7642dlxpj2050050749.jpg",
    "page_desc": "我存在于现实之中，知晓过去，感应未来，从而知道那就是历史的全部意义。",
    "object_type": "topic",
    "tips": "13791 人关注",
    "object_id": "1022:1008081aaa768d772b92892b2fb6715320483e",
    "actionlog": {
        "oid": "1008081aaa768d772b92892b2fb6715320483e",
        "act_code": 300,
        "act_type": 1,
        "ext": "mid:rid:2_0_0_2669621052677919347"
    },
    "content1": "",
    "content2": ""
}
}

```

#### Weight of HOT :

Reposts\_count: 1.2  
 Comments\_count: 1  
 Attitude\_count : 0.8  
 Like\_count: 0.9

#### PreData format:

/\*

Pre\_data\_API\_Design

```

Raw_data      -->   Predata

created_time   -->   time
text           -->   title, label, abstract, content, location
reposts_count +
comments_count +
attitudes_count +
like_count     -->   hot
*/

```

```

{
  "id": 3841482794665904,
  "content_type": "weibo",
  "time": "2015-01-01-17:00",
  "title": "text",
  "label": "string",
  "abstract": "string",
  "content": "string",

```

```

"location": "string",
"hot": 123,
"url": "string",
"user": {
  "id": 1666177401,
  "screen_name": "武汉大学",
  "profile_image_url": "http://tp2.sinaimg.cn/1666177401/180/1298883348/0",
  "profile_url": "/u/1666177401",
  "statuses_count": 6999,
  "verified": true,
  "verified_reason": "武汉大学官方微博、教育官微联盟成员",
  "description": "江城多山，珞珈独秀。山上有麓，武汉大学。",
  "remark": "",
  "verified_type": 4,
  "gender": "f",
  "mbtype": 0,
  "h5icon": {
    "main": "http://u1.sinaimg.cn/upload/2013/02/22/v_blue_2x.png",
    "other": []
  },
  "ismember": 0,
  "valid": null,
  "fansNum": "55 万",
  "follow_me": false,
  "following": true
}
}

```

## 1. Return the data according to the search results

Method\_type: **POST**

Call address: <http://192.168.20.246:8003/search>

### Request parameter:

start\_time : string 2012-09-15-12:00 the beginning search time

end\_time : string

content\_type("weibo","tianya") : data source is weibo

### Return value:

Json object, including status, session\_id, max\_page and the content of the first page( the session\_id is identified as the search result of each search)

Method\_type: **POST**

Call address: [http://192.168.20.246:8003/search/session\\_id/page\\_id](http://192.168.20.246:8003/search/session_id/page_id)

### Request parameter:

page\_id: '2'

**Return value:**

Json object, including status, search\_id the content of the each page which is identified by the page\_id.

**Response parameter:**

content\_type: "weibo","forum","news","others"  
time: publish time for the news "2015-08-10-13:00",  
title: title,  
label: the label of the massive incidents,  
abstract: extract of the text,  
content: the whole text,  
location: the location where the incident happened,  
url: link of the news,  
hot: debated degree, int

**Response example:**

**UniData format:**

```
{
  "status": "success/none",
  "session_id": "74f4be4b",
  "count": "7074",
  "max_page": "705",
  "page_id": "1",
  "content_count": "3",
  "page_content": [
    {
      "content_type": "weibo",
      "time": "2015-08-10-13:00", (标准时间格式)
      "title": "text",
      "label": "string",
      "abstract": "text",
      "content": "string",
      "location": "string",
      "url": "123",
      "hot": "123"
    },
    {
      "content_type": "forum",
      "time": "2015-08-10-13:00",
      "title": "string",
      "label": "string",
      "abstract": "text",
      "content": "string",
      "location": "string",
      "url": "123",
      "hot": "123"
    },
    {
      "content_type": "news",
      "time": "2015-08-10-13:00",
```

```

        "title": "text",
        "label": "string",
        "abstract": "text",
        "content": "string",
        "location": "string",
        "url": "123",
        "hot": "123"
    }
]
}

```

## 2. The status and the error handler

The error notes will be returned included in a JSON form. When it happens, the return data should only contain the information correlated with the error.

When the request is valid and successful, we should return:

```

{
    "status": "200"
    {
        "reason": "success",
        "result":
            [
                {
                    "content_type": "weibo",
                    "time": "2015-08-10-13:00",
                    "title": "",
                    "label": "",
                    "abstract": "",
                    "content": "",
                    "location": "",
                    "url": "123",
                    "hot": "123"
                }
            ]
    }
}

```

If error occurs, then return:

```

{
    "status": "404"
    {
        "reason": "can not found",
        "result": []
    }
} ,

{
    "status": "304"
    {
        "reason": "invalid format ",
        "result":
            [
                {
                    "time": "20150808",
                    "reason": " invalid request"
                },
                {

```

```
        "field": " 2015",
        "reason": "incomplete request "
    }
    ]
}
},
{
    "status": "504"
    {
        "reason": "network error",
        "result": []
    }
}
```

**Public status list:**

**200 - success**

**404 - can not found**

**304 - invalid request**

**504 - network error**