

```
* using log directory '/srv/hornik/tmp/CRAN/fusen.Rcheck'
* using R Under development (unstable) (2022-09-23 r82903)
* using platform: x86_64-pc-linux-gnu (64-bit)
* using session charset: UTF-8
* checking for file 'fusen/DESCRIPTION' ... OK
* this is package 'fusen' version '0.4.1'
* package encoding: UTF-8
* checking CRAN incoming feasibility ... [3s/4s] NOTE
Maintainer: 'Sebastien Rochette <sebastien@thinkr.fr>'
```

New submission

Package was archived on CRAN

Possibly misspelled words in DESCRIPTION:

Rmarkdown (2:29, 9:18, 11:49)

CRAN repository db overrides:

X-CRAN-Comment: Archived on 2022-09-08 as requires archived package  
'attachment'.

```
* checking package namespace information ... OK
* checking package dependencies ... OK
* checking if this is a source package ... OK
* checking if there is a namespace ... OK
* checking for executable files ... OK
* checking for hidden files and directories ... OK
* checking for portable file names ... OK
* checking for sufficient/correct file permissions ... OK
* checking whether package 'fusen' can be installed ... [2s/2s] OK
* checking package directory ... OK
* checking for future file timestamps ... OK
* checking 'build' directory ... OK
* checking DESCRIPTION meta-information ... OK
* checking top-level files ... OK
* checking for left-over files ... OK
* checking index information ... OK
* checking package subdirectories ... OK
* checking R files for non-ASCII characters ... OK
* checking R files for syntax errors ... OK
* checking whether the package can be loaded ... [0s/0s] OK
* checking whether the package can be loaded with stated dependencies ... [0s/0s] OK
* checking whether the package can be unloaded cleanly ... [0s/0s] OK
* checking whether the namespace can be loaded with stated dependencies ... [0s/0s] OK
* checking whether the namespace can be unloaded cleanly ... [0s/0s] OK
* checking loading without being on the library search path ... [0s/0s] OK
* checking use of S3 registration ... OK
* checking dependencies in R code ... OK
* checking S3 generic/method consistency ... OK
* checking replacement functions ... OK
* checking foreign function calls ... OK
* checking R code for possible problems ... [4s/4s] OK
* checking Rd files ... [0s/0s] OK
* checking Rd metadata ... OK
* checking Rd line widths ... OK
* checking Rd cross-references ... OK
* checking for missing documentation entries ... OK
* checking for code/documentation mismatches ... OK
* checking Rd \usage sections ... OK
* checking Rd contents ... OK
* checking for unstated dependencies in examples ... OK
* checking installed files from 'inst/doc' ... OK
* checking files in 'vignettes' ... OK
* checking examples ... [2s/2s] OK
* checking for unstated dependencies in 'tests' ... OK
* checking tests ... [61s/62s] ERROR
  Running 'testthat.R' [61s/62s]
Running the tests in 'tests/testthat.R' failed.
Complete output:
> library(testthat)
```

```

> library(fusen)
>
> test_check("fusen")
[1] "==== add_flat_template ====="
Created file .here in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/add.flat.template1fe52b53c9936d
. Please start a new R session in the new project directory.
'0-dev_history.Rmd' already exists. It was not overwritten. Set `add_flat_template(overwrite
= TRUE)` if you want to do so.
File .here already exists in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/add.flat.template1fe52b53c9936d
Created file .here in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/dev.history.template1fe52b32548cce . Please start a new R session in the new project
directory.
v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/dev.history.template1fe52b32548cce'
v Setting License field in DESCRIPTION to 'MIT + file LICENSE'
v Writing 'LICENSE'
v Writing 'LICENSE.md'
v Adding '^LICENSE\\.md$' to '.Rbuildignore'
v Setting active project to '<no active project>'
Created file .here in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/dev.history.template.uu1fe52b171630d5 . Please start a new R session in the new project
directory.
v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/dev.history.template.uu1fe52b171630d5'
v Writing 'LICENSE.md'
v Adding '^LICENSE\\.md$' to '.Rbuildignore'
v Setting active project to '<no active project>'
Created file .here in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b4e57aca5 . Please start a new R session in the new project directory.
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b4e57aca5'
Created file .here in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52bd4d4926
. Please start a new R session in the new project directory.
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52bd4d4926'
Created file .here in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b5d677344 . Please start a new R session in the new project directory.
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b5d677344'
Created file .here in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b398ecea1 . Please start a new R session in the new project directory.
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b398ecea1'
Created file .here in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/other.names1fe52bf66c576 .
Please start a new R session in the new project directory.
File .here already exists in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/other.names1fe52bf66c576
v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/other.names1fe52bf66c576'
Loading required namespace: rstudioapi
i Loading other.names1fe52bf66c576
Writing 'NAMESPACE'
v Adding 'knitr' to Suggests field in DESCRIPTION
v Setting VignetteBuilder field in DESCRIPTION to 'knitr'
v Adding 'inst/doc' to '.gitignore'
Updating other.names1fe52bf66c576 documentation
i Loading other.names1fe52bf66c576
Writing 'NAMESPACE'
Writing 'hello.Rd'
i Loading other.names1fe52bf66c576
[+] 2 package(s) added: rmarkdown, testthat.
v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b398ecea1'
Created file .here in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/devdir1fe52b22a43880 . Please
start a new R session in the new project directory.
Created file .here in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/add.wrappers1fe52b1b2e10a .
Please start a new R session in the new project directory.
Created file .here in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/add.wrappers1fe52b5afdb507 .
Please start a new R session in the new project directory.
Created file .here in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/add.wrappers1fe52b1826f6b1 .

```

```

Please start a new R session in the new project directory.
-- Creating new directory: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/chunk.export.1
v Creating '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/chunk.export.1fe52b2ae4e1a2/foosen/'
v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/chunk.export.1fe52b2ae4e1a2/foosen'
v Creating 'R/'
v Writing a sentinel file '.here'
* Build robust paths within your project via `here::here()`
* Learn more at <https://here.r-lib.org>
v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b398ecea1'
v New directory created: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/chunk.export.1fe52b2ae4e1a2
/foosen
-- Adding dev/flat_minimal.Rmd -----
File .here already exists in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/chunk.export.1fe52b2ae4e1a2/foosen
v Added /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/chunk.export.1fe52b2ae4e1a2/foosen
/dev/flat_minimal.Rmd, /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/chunk.export.1fe52b2ae4e1a2
/foosen/dev/0-dev_history.Rmd
[1] "test without interactive"
-- Creating new directory: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/chunk.noRd.1fe
v Creating '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/chunk.noRd.1fe52be10c832/foosen/'
v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/chunk.noRd.1fe52be10c832
/foosen'
v Creating 'R/'
v Writing a sentinel file '.here'
* Build robust paths within your project via `here::here()`
* Learn more at <https://here.r-lib.org>
v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b398ecea1'
v New directory created: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/chunk.noRd.1fe52be10c832
/foosen
-- Adding dev/flat_minimal.Rmd -----
File .here already exists in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/chunk.noRd.1fe52be10c832
/foosen
v Added /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/chunk.noRd.1fe52be10c832/foosen
/dev/flat_minimal.Rmd, /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/chunk.noRd.1fe52be10c832/foosen
/dev/0-dev_history.Rmd
[1] "test without interactive"
-- Creating new directory: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/dummy1fe52b20d
-- Adding dev/flat_full.Rmd -----
! The path: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/dummy1fe52b20d4f58f/foosen already
exists.
x Aborting fusen project creation. Set `create_fusen(overwrite = TRUE)` to avoid a stop.
! The path: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/dummy1fe52b20d4f58f/foosen already
exists.
-- Adding dev/flat_full.Rmd -----
File .here already exists in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/dummy1fe52b20d4f58f
/foosen
v Added /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/dummy1fe52b20d4f58f/foosen/dev/flat_full.Rmd,
/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/dummy1fe52b20d4f58f/foosen/dev/0-dev_history.Rmd
-- Creating new directory: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/subdir/subdir2
-- Adding dev/flat_full.Rmd -----
-- Creating new directory: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/dummygui1fe52b
-- Adding dev/flat_teaching.Rmd -----
-- Creating new directory: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/dummy1fe52b460
-- Initializing git repository -----
-- Adding dev/flat_full.Rmd -----
-- Creating new directory: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/dummy1fe52b405
-- Adding dev/flat_full.Rmd -----
-- Creating new directory: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/dummygui1fe52b
-- Initializing git repository -----
-- Adding dev/flat_teaching.Rmd -----
-- Creating new directory: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/dummygui1fe52b
-- Adding dev/flat_teaching.Rmd -----
! Title was modified to 'Title Case'.
[1] "==== inflate-part1 ===="
v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/inflate.tests1fe52b4bbd4f8d'
v Setting License field in DESCRIPTION to 'MIT + file LICENSE'

```

```

✓ Writing 'LICENSE'
✓ Writing 'LICENSE.md'
✓ Adding '^LICENSE\\.md$' to '.Rbuildignore'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.tests1fe52b4bbd4f8d'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
File .here already exists in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.tests1fe52b4bbd4f8d
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.tests1fe52b4bbd4f8d'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.tests1fe52b4bbd4f8d'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.tests1fe52b4bbd4f8d'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.tests1fe52b4bbd4f8d'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.tests1fe52b4bbd4f8d'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.tests1fe52b4bbd4f8d'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.tests1fe52b4bbd4f8d'
— RStudio restart needed —————
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/clean.vignette1fe52b4c7b69db'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
Created file .here in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/descpackage1fe52b7a48a41f .
Please start a new R session in the new project directory.
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/descpackage1fe52b7a48a41f'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
Created file .here in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/nordpackage1fe52b7572dfbc .
Please start a new R session in the new project directory.
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/nordpackage1fe52b7572dfbc'
✓ Setting License field in DESCRIPTION to 'MIT + file LICENSE'
✓ Writing 'LICENSE'
✓ Writing 'LICENSE.md'
✓ Adding '^LICENSE\\.md$' to '.Rbuildignore'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
— Creating new directory: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.
✓ Creating '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.inflate1fe52b58858b84/full/'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.inflate1fe52b58858b84/full'
✓ Creating 'R/'
✓ Writing a sentinel file '.here'
• Build robust paths within your project via `here::here()`
• Learn more at <https://here.r-lib.org>
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ New directory created: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.inflate1fe52b58858b84/full
— Adding dev/flat_full.Rmd —————

```

```

File .here already exists in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.inflate1fe52b58858b84/full
  ✓ Added /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.inflate1fe52b58858b84/full/dev
/flat_full.Rmd, /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.inflate1fe52b58858b84
/full/dev/0-dev_history.Rmd
  ✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.inflate1fe52b58858b84/full'
  ✓ Setting License field in DESCRIPTION to 'GPL (>= 3)'
  ✓ Writing 'LICENSE.md'
  ✓ Adding '^LICENSE\\.md$' to '.Rbuildignore'
  ✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b398ecea1'
  — Creating new directory: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.
  ✓ Creating '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.inflate1fe52b58858b84
/teaching/'
  ✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.inflate1fe52b58858b84/teaching'
  ✓ Creating 'R/'
  ✓ Writing a sentinel file '.here'
  • Build robust paths within your project via `here::here()`
  • Learn more at <https://here.r-lib.org>
  ✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b398ecea1'
  ✓ New directory created: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.inflate1fe52b58858b84/teaching
  — Adding dev/flat_teaching.Rmd _____
File .here already exists in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.inflate1fe52b58858b84/teaching
  ✓ Added /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.inflate1fe52b58858b84/teaching
/dev/flat_teaching.Rmd
  ✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.inflate1fe52b58858b84/teaching'
  ✓ Setting License field in DESCRIPTION to 'GPL (>= 3)'
  ✓ Writing 'LICENSE.md'
  ✓ Adding '^LICENSE\\.md$' to '.Rbuildignore'
  ✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b398ecea1'
  — Creating new directory: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.
  ✓ Creating '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.inflate1fe52b58858b84
/minimal/'
  ✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.inflate1fe52b58858b84/minimal'
  ✓ Creating 'R/'
  ✓ Writing a sentinel file '.here'
  • Build robust paths within your project via `here::here()`
  • Learn more at <https://here.r-lib.org>
  ✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b398ecea1'
  ✓ New directory created: /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.inflate1fe52b58858b84/minimal
  — Adding dev/flat_minimal.Rmd _____
File .here already exists in /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.inflate1fe52b58858b84/minimal
  ✓ Added /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.inflate1fe52b58858b84/minimal
/dev/flat_minimal.Rmd, /tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.inflate1fe52b58858b84/minimal/dev/0-dev_history.Rmd
  ✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.inflate1fe52b58858b84/minimal'
  ✓ Setting License field in DESCRIPTION to 'GPL (>= 3)'
  ✓ Writing 'LICENSE.md'
  ✓ Adding '^LICENSE\\.md$' to '.Rbuildignore'
  ✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b398ecea1'
  ✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/dataset1fe52b65f2045b'
v Adding 'R' to Depends field in DESCRIPTION
v Creating 'data/'
v Setting LazyData to 'true' in 'DESCRIPTION'
v Saving 'nyc_squirrels' to 'data/nyc_squirrels.rda'
* Document your data (see 'https://r-pkgs.org/data.html')
v Setting License field in DESCRIPTION to 'GPL (>= 3)'

```

```

v Writing 'LICENSE.md'
v Adding '^LICENSE\\.md$' to '.Rbuildignore'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/empty.chunks1fe52b5ec56afb'
✓ Setting License field in DESCRIPTION to 'GPL (>= 3)'
✓ Writing 'LICENSE.md'
✓ Adding '^LICENSE\\.md$' to '.Rbuildignore'
✓ Adding 'R' to Depends field in DESCRIPTION
✓ Creating 'data/'
✓ Setting LazyData to 'true' in 'DESCRIPTION'
✓ Saving 'cars' to 'data/cars.rda'
• Document your data (see 'https://r-pkgs.org/data.html')
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/r6class1fe52b3aa22c57'
✓ Setting License field in DESCRIPTION to 'GPL (>= 3)'
✓ Writing 'LICENSE.md'
✓ Adding '^LICENSE\\.md$' to '.Rbuildignore'
✓ Adding 'R' to Depends field in DESCRIPTION
✓ Creating 'data/'
✓ Setting LazyData to 'true' in 'DESCRIPTION'
✓ Saving 'cars' to 'data/cars.rda'
• Document your data (see 'https://r-pkgs.org/data.html')
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.deprecated1fe52b5cd659af'
i Loading inflate.deprecated1fe52b5cd659af
Writing 'NAMESPACE'
v Adding 'knitr' to Suggests field in DESCRIPTION
v Setting VignetteBuilder field in DESCRIPTION to 'knitr'
v Adding 'inst/doc' to '.gitignore'
Updating inflate.deprecated1fe52b5cd659af documentation
i Loading inflate.deprecated1fe52b5cd659af
Writing 'NAMESPACE'
Writing 'my_median.Rd'
Writing 'my_other_median.Rd'
Writing 'sub_median.Rd'
i Loading inflate.deprecated1fe52b5cd659af
[+] 3 package(s) added: stats, rmarkdown, testthat.
! my_median.R has been overwritten
! my_other_median.R has been overwritten
! test-my_median.R has been overwritten
! test-my_other_median.R has been overwritten
Updating inflate.deprecated1fe52b5cd659af documentation
i Loading inflate.deprecated1fe52b5cd659af
Writing 'NAMESPACE'
i Loading inflate.deprecated1fe52b5cd659af
v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.no.vignette1fe52b3c64564e'
i Loading inflate.no.vignette1fe52b3c64564e
Writing 'NAMESPACE'
Updating inflate.no.vignette1fe52b3c64564e documentation
i Loading inflate.no.vignette1fe52b3c64564e
Writing 'NAMESPACE'
Writing 'my_median.Rd'
Writing 'my_other_median.Rd'
Writing 'sub_median.Rd'
i Loading inflate.no.vignette1fe52b3c64564e
[+] 2 package(s) added: stats, testthat.
! my_median.R has been overwritten
! my_other_median.R has been overwritten
! test-my_median.R has been overwritten
! test-my_other_median.R has been overwritten
Updating inflate.no.vignette1fe52b3c64564e documentation
i Loading inflate.no.vignette1fe52b3c64564e

```

```

Writing 'NAMESPACE'
i Loading inflate.no.vignette1fe52b3c64564e
! my_median.R has been overwritten
! my_other_median.R has been overwritten
! test-my_median.R has been overwritten
! test-my_other_median.R has been overwritten
Updating inflate.no.vignette1fe52b3c64564e documentation
i Loading inflate.no.vignette1fe52b3c64564e
Writing 'NAMESPACE'
i Loading inflate.no.vignette1fe52b3c64564e
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.twofuns1fe52b4a4fb72f'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.authors1fe52b1535b96'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.tests1fe52b3b56fcd8'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.tests1fe52b47863418'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.tests1fe52b6b4f68d6'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.examples1fe52b76e01c35'
i Loading inflate.examples1fe52b76e01c35
Writing 'NAMESPACE'
v Adding 'knitr' to Suggests field in DESCRIPTION
v Setting VignetteBuilder field in DESCRIPTION to 'knitr'
v Adding 'inst/doc' to '.gitignore'
Updating inflate.examples1fe52b76e01c35 documentation
i Loading inflate.examples1fe52b76e01c35
Writing 'NAMESPACE'
Writing 'my_median.Rd'
i Loading inflate.examples1fe52b76e01c35
[+] 3 package(s) added: stats, rmarkdown, testthat.
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/vignette.name1fe52b2b2e62c'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/inflate.qmd1fe52b2f4923a0'
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/all.templates.knit1fe52b398ecea1'
[1] "==== inflate_utils ====="
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/isrproj.pkg1fe52bf548c51'
✓ Adding '^isrproj\\.pkg1fe52bf548c51\\.Rproj$' to '.Rbuildignore'
✓ Adding '^\\.Rproj\\.user$' to '.Rbuildignore'
i Loading isrproj.pkg1fe52bf548c51
Writing 'NAMESPACE'
✓ Adding 'knitr' to Suggests field in DESCRIPTION
✓ Setting VignetteBuilder field in DESCRIPTION to 'knitr'
✓ Adding 'inst/doc' to '.gitignore'
Updating isrproj.pkg1fe52bf548c51 documentation
i Loading isrproj.pkg1fe52bf548c51
Writing 'NAMESPACE'
Writing 'my_median.Rd'
Writing 'my_other_median.Rd'

```

```
Writing 'sub_median.Rd'
i Loading isrproj.pkg1fe52bf548c51
[+] 3 package(s) added: stats, rmarkdown, testthat.
— RStudio restart needed —————
✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b398ecea1'
  v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/vignette.head1fe52b322aa540'
    v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b398ecea1'
      v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/checkpk.gname1fe52b47f9479e'
        i Loading COUCOU
          Writing 'NAMESPACE'
            v Adding 'knitr' to Suggests field in DESCRIPTION
            v Setting VignetteBuilder field in DESCRIPTION to 'knitr'
            v Adding 'inst/doc' to '.gitignore'
            Updating checkpk.gname1fe52b47f9479e documentation
          i Loading COUCOU
            Writing 'NAMESPACE'
            Writing 'my_median.Rd'
            Writing 'my_other_median.Rd'
            Writing 'sub_median.Rd'
          i Loading COUCOU
            [+] 3 package(s) added: stats, rmarkdown, testthat.
            v Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b398ecea1'
              ✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4/clean1fe52b1da5ddf6'
              ✓ Setting active project to '/tmp/RtmpZqD1jU/working_dir/RtmpKaNkA4
/all.templates.knit1fe52b398ecea1'
            [ FAIL 2 | WARN 0 | SKIP 8 | PASS 415 ]
```

== Skipped tests ==

- On CRAN (6)
- empty test (1)
- interactive() is not TRUE (1)

== Failed tests ==

— Failure (test-inflate-part1.R:181:5): inflate() output error —————  
length(check\_out[["notes"]]) <= 1 is not TRUE

`actual`: FALSE

`expected`: TRUE

— Failure (test-inflate-part1.R:188:7): inflate() output error —————  
length(check\_out[["notes"]]) == 0 is not TRUE

`actual`: FALSE

`expected`: TRUE

[ FAIL 2 | WARN 0 | SKIP 8 | PASS 415 ]

Error: Test failures

Execution halted

- \* checking for unstated dependencies in vignettes ... OK
- \* checking package vignettes in 'inst/doc' ... OK
- \* checking re-building of vignette outputs ... [2s/2s] OK
- \* checking PDF version of manual ... [2s/2s] OK
- \* checking HTML version of manual ... [0s/0s] OK
- \* checking for non-standard things in the check directory ... OK
- \* checking for detritus in the temp directory ... OK
- \* DONE

Status: 1 ERROR, 1 NOTE