

Table 14-3.04
CIBIC+ - Summary at Week 8 - LOCF

	Placebo (N=79)	Xanomeline Low Dose (N=81)	Xanomeline High Dose (N=74)
Week 8			
n	77	81	73
Mean (SD)	3.9 (0.73)	4.0 (0.72)	4.1 (0.75)
Median (Range)	4.0 (2;6)	4.0 (2;6)	4.0 (2;6)
p-value(Dose Response) [1][2]			0.167
p-value(Xan - Placebo) [1][3]		0.754	0.128
Diff of LS Means (SE)		0.0 (0.12)	0.2 (0.12)
95% CI		(-0.2;0.3)	(-0.1;0.4)
p-value(Xan High - Xan Low) [1][3]			0.218
Diff of LS Means (SE)			0.1 (0.12)
95% CI			(-0.1;0.4)

[1] Based on Analysis of covariance (ANCOVA) model with treatment and site group as factors.

[2] Test for a non-zero coefficient for treatment (dose) as a continuous variable.

[3] Pairwise comparison with treatment as a categorical variable: p-values without adjustment for multiple comparisons.

Source: C:\cdisc_pilot\PROGRAMS\DRAFT\TFLs\rtf_eff1.sas

21:05 Monday, June 26, 2006